

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS							
301.5	Dennis Point Shoal light buoy PB	Pubnico Harbour. 43 37 03.0 065 47 02.0	Fl(2+1) G 6s	Green-red-green, pillar, marked "PB".	Year round.
302.5	Pubnico light buoy P1	43 35 10.3 065 48 13.9	Fl G 4s	Green, spar, marked "P1".	Year round.
303	Johns Island Ledge light buoy ND4	W. of ledge. 43 30 30.3 065 49 10.4	Fl R 4s	Red, pillar, marked "ND4".	Year round.
304	Cockerwitt Passage light buoy D	Off W. entrance to passage. 43 29 09.3 065 46 28.9	Mo(A) W 6s	Red-white, pillar, marked "D".	Year round.
304.1	Robinson Ball light buoy D1	Woods Harbour. 43 29 29.8 065 45 58.5	Fl G 4s	Green, can, marked "D1".	Year round.
305	Outer Island North light buoy D2	Off N. end of shoal N. of Outer Island. 43 29 35.3 065 45 39.9	Q R 1s	Red, pillar, marked "D2".	Year round.
305.5	Ball Ledge light buoy D3	Cockerwitt Passage. 43 30 00.1 065 45 18.0	Q G 1s	Green, spar, marked "D3".	Year round.
306	Outer Island South light buoy C	S. of Outer Island. 43 26 23.3 065 44 43.9	Mo(A) W 6s	Red-white, pillar, marked "C".	Year round.
306.002	Inner Island Southwest Shoal West Cardinal light buoy NF	Shag Harbour. 43 28 50.1 065 43 24.4	Q(9) W 15s	Yellow-black-yellow, spar, marked "NF".	Year round.
306.003 H3792	Shag Harbour Entrance Light	43 29 20.4 065 43 04.4	Fl G 4s	4.2	6	Green cylindrical mast.	Year round.
306.016	Shag Harbour West Turn light buoy NF16	43 29 25.7 065 42 40.7	Q R 1s	Red, spar, marked "NF16".	Year round.
306.023	Shag Harbour East Turn light buoy NF23	43 29 24.7 065 42 17.7	Fl G 4s	Green, spar, marked "NF23".	Year round.
307 H3790	Outer Island	On S. point. 43 27 23.2 065 44 36.2	Fl W 10s	13.7	10	White square tower with red top. 11.6	Year round. Operates 24 h. Flash 1 s; eclipse 9 s.
307.02	Cornwall Rock light buoy N2	W. of Cape Sable light. 43 22 51.0 065 41 49.5	Fl R 4s	Red, pillar, marked "N2".	Year round.
308.5 H3793.5	Shag Harbour Ledges	43 29 22.7 065 42 53.5	Fl R 4s	5.3	4	Red cylindrical mast.	Year round. Operates 24 h.
309 H3793.6	Shag Harbour Wharf	On outer NE. end of wharf. 43 29 32.9 065 42 18.0	Fl R 4s	7.2	4	Cylindrical mast.	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS							
311 H3793	Prospect Point Wharf Light	On outer end of wharf. 43 29 23.9 065 43 08.2	Fl Y 4s	7.8	5	Cylindrical mast. 6.6	Year round.
311.5	Solomans Island light buoy D5	S. end of Cockerwit Passage. 43 30 30.0 065 45 07.0	Fl G 4s	Green, pillar, marked "D5".	Year round.
311.6	Chetwyn Reef light buoy D6	Woods Harbour, S. entrance. 43 30 32.6 065 45 00.1	Fl R 4s	Red, pillar, marked "D6".	Year round.
312 H3794	Woods Harbour	On Big Ledge. 43 31 10.5 065 44 43.1	LFl W 6s	6.3	11	White square tower with red top. 6.3	Year round. Flash 2 s; eclipse 4 s.
313 H3795	Lower Woods Harbour	On outer end of new breakwater. 43 31 21.9 065 44 15.2	Fl R 4s	Pipe swing pole, red and white triangular daymark. 3.2	Year round. Flash 1 s; eclipse 3 s.
315 H3796	Falls Point Wharf	On wharf extension. 43 31 45.6 065 44 23.5	Fl G 4s	8.7	1	Cylindrical mast, green and white square daymark. 6.6	Year round. Flash 1 s; eclipse 3 s.
315.2 H3796.2	The Falls	NW. end of ledge. 43 32 04.7 065 44 36.8	Fl R 4s	5.0	Red cylindrical mast, red and white triangular daymark. 7.2	Year round. Radar reflector.
315.3 H3796.3	Angels Island	43 32 11.8 065 44 36.4	LFl W 6s	4.0	7	Cylindrical mast, red and white rectangular daymark. 4.9	Year round. Flash 2 s; eclipse 4 s.
315.4	Northern End Woods Harbour Breakwater Light	43 31 50.7 065 44 33.2	Fl R 4s	2	Post, red, white, and red triangular daymark.	Year round. Flash 1 s; eclipse 3 s.
315.5 H3797	Northern End Ledge	N. side of ledge. 43 32 09.4 065 46 08.8	Fl G 4s	4.9	4	Square skeleton tower, green, white and black square daymark.	Year round.
316 H3788	Bear Point Wharf	S. end of wharf. 43 29 10.1 065 39 19.6	Fl R 4s	4.7	Cylindrical mast, red and white triangular daymark. 3.6	Year round.
317	Bear Point Ledge light buoy C9	Off ledge. 43 28 38.3 065 38 38.9	Fl G 4s	Green, spar, marked "C9".	Year round.
317.1 H3786.7	Newellton East Breakwater Light	43 28 26.4 065 37 59.2	Fl G 4s	4.0	2	Pipe swing pole. 3.4	Year round. Radar reflector.
318.01	Salt Rock light buoy C10	43 28 26.9 065 38 16.9	Fl R 4s	Red, spar, marked "C10".	Year round.
318.5 H3787.2	Newellton West Breakwater Light	NE. corner, new pier extension. 43 28 24.6 065 38 01.7	LFl R 6s	6	Square skeleton tower, red and white rectangular daymark. 6.0	Year round. Flash 2 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

319	Newellton Reef light buoy C8	Near NW. end of reef. 43 28 04.3 065 38 54.9	Fl R 4s	Red, spar, marked "C8".	Year round.
319.3	Apple Rock light buoy C5	43 27 43.3 065 39 43.9	Fl G 4s	Green, spar, marked "C5".	Year round.
319.4	West Head Breakwater East	43 27 35.4 065 39 04.9	Fl G 4s	2	Year round.
319.5 H3786.2	West Head Breakwater	On breakwater extension. 43 27 38.7 065 39 14.2	Fl R 4s	9.8	Square skeleton tower, red and white rectangular daymark. 6.1	Year round. Flash 1 s; eclipse 3 s.
320 H3786	West Head, Cape Sable Island	On the head. 43 27 23.8 065 39 16.9	F R	15.6	7 Red and white cylindrical tower. 6.1	Year round. Fog Horn Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
320.01	Ryders Reef light buoy C1	Barrington Passage. 43 27 22.5 065 41 05.0	Q G 1s	Green, spar, marked "C1".	Year round.
321	Hospital Reef light buoy C2	N. of reef. 43 26 46.3 065 40 19.9	Fl R 4s	Red, pillar, marked "C2".	Year round.
322	Hospital Ledge light buoy CA2	Off N. end of Reef. 43 26 36.3 065 39 45.9	Q R 1s	Red, pillar, marked "CA2".	Year round.
322.07	Eleazer Island light buoy CC3	Clark's Harbour. 43 26 05.0 065 38 29.0	Fl G 4s	Green, can, marked "CC3".	Year round.
322.1	Hospital Reef light buoy CA1	Clark's Harbour. 43 26 42.0 065 39 40.0	Fl G 4s	Green, spar, marked "CA1".	Year round.
323 H3785	Clark's Harbour	Near end of public wharf. 43 26 33.5 065 38 08.7	Fl G 4s	7.3	4	Pipe swing pole. 6.1	Year round. Flash 1 s; eclipse 3 s.
323.07	Clark's Harbour light buoy CA5	Cape Sable Island. 43 26 28.0 065 38 34.0	Fl G 4s	Green, spar, marked "CA5".	Year round.
323.5 H3785.4	Swims Point	Outer end of wharf. 43 25 57.0 065 37 54.9	LFl G 6s	8.0	5	Cylindrical mast, green and white square daymark. 6.7	Year round. Flash 2 s; eclipse 4 s.
323.6	Little Green Island	Clark's Harbour. 43 26 06.5 065 39 13.2	Fl G 4s	4	Green cylindrical mast, green white and black daymark. 3.5	Year round. Flash 1 s; eclipse 3 s. Radar reflector.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

323.7 H3785.6	Fish Island	W. of N. end of island. 43 25 40.4 065 39 15.8	Fl R 4s	6.9	4	Red cylindrical mast. 6.9	Year round.
323.91 H3785.8	Pork Ledge Light	Cape Sable. 43 25 25.8 065 39 25.6	Fl G 4s	4	Green cylindrical mast.	Year round. Radar reflector.
324	Doctors Channel West Cardinal light buoy NAC	SW. of S. end of Fish Island. 43 24 59.3 065 39 18.9	Q(9) W 15s	Yellow-black-yellow, pillar, marked "NAC".	Year round.
325	Cape Sable light buoy N	S. of SW. ledge. 43 20 12.3 065 40 45.9	Mo(A) W 6s	Red-white, pillar, marked "N".	Year round.
326	Ox Eye Rock light buoy NA2	S. of rock. 43 23 30.3 065 38 42.9	Fl R 4s	Red, pillar, marked "NA2".	Year round.
326.02	Black Head Ledge light buoy NA4	Clark's Harbour. 43 23 46.5 065 39 13.0	Q R 1s	Red, conical, marked "NA4".	Year round.
326.5	LaHave Bank ODAS light buoy 44150	42 30 00.0 064 02 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "44150".	Year round.