

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
5.8	North Rock Light	N. of Machias Seal Island. 44 32 15.8 067 05 13.8	Fl R 6s	14.1	14	White cylindrical tower with red horizontal band.	Year round. Flash 1 s; eclipse 5 s.
6 H4192	Machias Seal Island	On summit of island. 44 30 06.6 067 06 04.1	Fl W 3s	25.0	18	White octagonal tower with red top. 18.3	Year round. Operates 24 h. Flash 1 s; eclipse 2 s.
7	<i>Bull Rock light and whistle buoy XA1</i>	<i>E. side of rock. 44 30 14.8 066 56 18.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "XA1".</i>	<i>Year round. Audible signal: Whistle</i>
7.5	<i>Wallace Ledge light and bell buoy XA2</i>	<i>44 32 09.6 066 52 57.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "XA2".</i>	<i>Year round. Audible signal: Bell</i>
7.7	<i>Buck Rock light and bell buoy XA3</i>	<i>E. of rock. 44 36 10.0 066 52 19.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "XA3".</i>	<i>Year round. Audible signal: Bell</i>
8 H4188	Gannet Rock Racon G (- -) X & S Bands	S. of Grand Manan. 44 30 37.1 066 46 52.9	Black and white octagonal tower. 22.9	Year round.
8.1	Gannet Rock North Light	44 30 38.0 066 46 53.6	Oc W 3s	12.9	11	Pipe swing pole. 12.9	Year round. Flash 2 s; eclipse 1 s. Visible 058°-348°.
8.2	Gannet Rock South Light	44 30 37.2 066 46 53.7	Oc W 3s	13.6	11	Pipe swing pole. 13.6	Year round. Flash 2 s; eclipse 1 s. Visible 193°-164°.
9	<i>Old Proprietor light and whistle buoy X1</i>	<i>44 32 44.6 066 38 57.1</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "X1".</i>	<i>Year round. Audible signal: Whistle</i>
9.5	<i>Old Proprietor Shoal East Cardinal light and bell buoy XK</i>	<i>44 33 45.6 066 39 39.1</i>	<i>Q(3) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow-black, pillar, marked "XK".</i>	<i>Year round. Audible signal: Bell</i>
10	<i>Tinker Shoal light and bell buoy XK3</i>	<i>N. of shoal. 44 35 49.6 066 42 38.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "XK3".</i>	<i>Year round.</i>
10.4	<i>Long Ledge light and bell buoy XK4</i>	<i>SW. of White Head. 44 36 56.0 066 44 28.8</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "XK4".</i>	<i>Year round. Audible signal: Bell</i>
Grand Manan Island							
11 H4186	Southwest Head	On edge of cliff S. extremity of head. 44 36 02.9 066 54 19.8	Fl W 10s	47.5	16	White rectangular tower with red top. 9.9	Year round.
15 H4181.5	White Horse Islet	44 36 09.7 066 48 25.6	LFl G 12s	13.4	4	Square skeleton tower, red and white rectangular daymark, green square in centre. 6.7	Year round. Flash 2 s; eclipse 10 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
16	Constable Ledge light and bell buoy XJ2	NW. of ledge. 44 35 47.3 066 46 59.8	Fl R 4s	Red, pillar, marked "XJ2".	Year round. Audible signal: Bell
16.8 H4184	Seal Cove Outer Breakwater	On outer end of breakwater. 44 38 51.6 066 50 19.5	Fl G 6s	5.0	4	Cylindrical mast, green, white and black square daymark. 3.7	Year round. Flash 1 s; eclipse 5 s.
17.5	Red Head light buoy XA7	44 38 30.8 066 49 01.6	Fl G 4s	Green, pillar, marked "XA7".	Year round.
18.2	Joe's Point light buoy XA8	44 38 24.2 066 48 47.4	Fl R 4s	Red, spar, marked "XA8".	Year round.
19	Ox Head Ledges light buoy XK7	44 38 18.2 066 45 53.5	Q G 1s	Green, pillar, marked "XK7".	Year round.
19.3	Grand Harbour Middle light buoy XK11	44 39 27.8 066 45 10.9	Fl G 4s	Green, pillar, marked "XK11".	Year round.
20	Sand Bar Ledge light buoy XN2	Off N. end of ledge. 44 37 59.5 066 44 32.6	Fl R 4s	Red, pillar, marked "XN2".	Year round.
21	White Head Ledge light buoy XM3	W. of White Head. 44 37 44.6 066 43 59.1	Fl G 4s	Green, pillar, marked "XM3".	Year round.
22 H4180	Ingalls Head Breakwater	On outer end of breakwater. 44 39 41.9 066 45 16.6	Q G 1s	5.3	7	Cylindrical mast, green and white square daymark. 4.0	Year round.
22.5 H4176	Sam's Islet Light	44 38 51.0 066 44 43.8	Fl W 4s	3	Cylindrical mast. 4.2	Year round. Radar reflector.
23 H4172	Half Tide Rock (Cheney Passage)	On rock, in middle of passage. 44 39 19.4 066 43 42.1	Fl G 5s	3.9	4	Square skeleton tower, black and white rectangular daymark. 3.5	Year round. Flash 1 s; eclipse 4 s. Fog Horn Blast 1 s; sil. 14 s. Mariners requiring the operation of the fog signal will have to select VHF channel 65 and key their microphones five (5) times within 10 seconds. The fog signal will be in operation for 15 minutes. The fog signal can be activated within a 1 NM distance. The fog signal can be activated for another 15 minutes by repeating the above procedure.
24 H4178.3	Whitehead Harbour	44 37 49.4 066 43 39.4	Fl R 4s	4.7	4	Skeleton tower on 3-pile dolphin. 2.5	Year round.
25 H4178	Long Point	Near S. extremity of Whitehead Island. 44 36 49.2 066 42 34.7	Iso W 12s	15.6	14	White rectangular tower with red top. 11.4	Year round. Operates 24 h. Fog Horn Blast 2 s; sil. 18 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
26	Brazil Shoal light and bell buoy XKA	44 35 06.6 066 40 45.1	Mo(A) W 6s	Red-white, pillar, marked "XKA".	Year round. Audible signal: Bell
28	Prangle Point light and bell buoy XP3	E. of the point. 44 38 31.6 066 40 40.1	Fl G 4s	Green, pillar, marked "XP3".	Year round. Audible signal: Bell
28.5	West Bay of Fundy ODAS light buoy 4400490	44 39 53.3 066 21 52.2	Fl(5) Y 20s	Yellow, ODAS, marked "4400490".	Year round. Operates 24 h.
28.6	Great Duck Ledge light and whistle buoy XP4	44 39 24.6 066 40 43.1	Fl R 4s	Red, pillar, marked "XP4".	Year round. Audible signal: Whistle
29 H4174	Great Duck Island	S. end of island. 44 41 03.5 066 41 36.4	Fl W 10s	16.5	18	Square skeleton tower, red and white rectangular daymark. 16.5	Year round. Flash 1 s; eclipse 9 s. Fog Horn Blast 4 s; sil. 56 s.
30 H4171	Gull Islet	On Gull Islet Ledge. 44 41 11.6 066 43 41.7	Fl G 6s	3.4	Green square skeleton tower, green and white square daymark. 9.6	Year round. Flash 1 s; eclipse 5 s.
30.5 H4170.4	Farmer Ledge	44 43 23.7 066 43 34.5	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark. 4.1	Year round. Flash 1 s; eclipse 3 s.
30.8 H4170	North Head	On Fisherman's Wharf. 44 45 45.0 066 45 04.2	Fl R 6s	4.4	3	Cylindrical mast. 3.5	Year round. Flash 1 s; eclipse 5 s.
32	Net Rock Ledges light and bell buoy XV6	S. of Net Rocks. 44 45 18.3 066 44 23.9	Fl R 4s	Red, pillar, marked "XV6".	Year round. Audible signal: Bell
33 H4168	Swallowtail	Near edge of high cliff, NE. part of island. 44 45 51.1 066 43 57.5	Oc W 6s	37.1	12	White octagonal tower with red top. 16.2	Year round. Operates 24 h. Flash 4 s; eclipse 2 s. Fog Horn Blast 2 s; sil. 18 s.
33.5 H4175	Edmunds Rock	E. of Ross Island. 44 40 24.8 066 43 11.4	Fl G 4s	3.0	4	Green cylindrical mast. 6.6	Year round.
34 H4166	Long Eddy Point	N. end of island. 44 47 57.4 066 47 06.8	Fl R	38.3	14	White rectangular tower with red top. 9.3	Year round. Fog Horn Blast 4 s; sil. 56 s.
36 H4110	Southwest Wolf Island	On SE. point of island. 44 56 11.8 066 43 59.5	Fl W 10s	38.1	7	White cylindrical tower with red top. 11.4	Year round. Flash 1 s; eclipse 9 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
39 H4157.4	Malloch Beach Wharf	On outer end of wharf. 44 54 58.7 066 56 27.9	LFI R 6s	6.1	3	Cylindrical mast, red and white triangular daymark. 6.1	Year round. Flash 2 s; eclipse 4 s.
41 H4152	Cherry Island	On SE. point of island. 44 55 07.2 066 58 00.0	FI W 5s	9.8	17	Cylindrical tower, red and white horizontal bands. 7.5	Year round. Flash 0.5 s; eclipse 4.5 s. Fog Horn Blast 2 s; sil. 18 s.
43 H4156	Wilsons Beach Wharf	44 55 54.6 066 56 26.2	LFI G 6s	4	Mast, green, white and black square daymark. 3.0	Year round. Flash 2 s; eclipse 4 s.
43.5	<i>Green Island Shoal light buoy UH2</i>	44 56 48.0 066 56 11.5	FI R 4s	<i>Red, pillar, marked "UH2".</i>	<i>Year round.</i>
44 H4154	Head Harbour	On the outermost rock of East Quoddy Head. 44 57 28.6 066 54 00.2	F R	17.6	13	Octagonal tower, red and white horizontal bands. 15.1	Private aid. Year round. Operates 24 h. Fog Horn Blast 4 s; sil. 56 s.
44.5 H4155	Head Harbour Inner	44 56 55.2 066 54 46.9	LFI W 6s	12.3	4	Pipe swing pole with white retro-reflective bands at top.	Year round. Flash 2 s; eclipse 4 s.
45	<i>Leonardville Harbour Entrance light buoy UT2</i>	<i>Leonardville Harbour entrance.</i> 44 58 06.0 066 57 10.0	FI R 4s	<i>Red, spar, marked "UT2".</i>	<i>Year round.</i>
46 H4146	Leonardville	On cliff, at entrance to harbour. 44 58 05.6 066 57 18.4	F W	20.0	10	White pyramid tower with red top. 8.5	Year round.
47 H4146.4	Leonardville Wharf	Near outer end of wharf. 44 58 17.3 066 57 09.3	Iso G 4s	7.8	7	Cylindrical mast. 6.8	Year round.
47.5 H4146.4	Leonardville Breakwater	Near outer end of breakwater. 44 58 13.3 066 57 11.3	FI G 5s	6.0	2	Pipe tower, green, white and black square daymark. 1.8	Year round. Flash 1 s; eclipse 4 s.
48 H4148	Fairhaven	On outer end of wharf. 44 57 49.8 067 00 29.5	LFI R 6s	4.2	7	Pipe swing pole. 3.7	Year round. Flash 2 s; eclipse 4 s.
49 H4147	Deer Point	On extremity of point. 44 55 31.4 066 59 05.4	LFI R 12s	9.6	7	White cylindrical tower. 6.2	Year round. Flash 2 s; eclipse 10 s.
51 H4145	Pompey Ledge	On ledge, off E. side of Deer Island. 44 58 46.6 066 56 42.8	FI W 4s	3.4	Green cylindrical mast. 6.6	Year round. Radar reflector.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
51.1	Richardsonville Light	Deer Island. 44 59 36.4 066 56 40.6	Iso G 4s	Cylindrical mast, green, white and black square daymark. 6.5	Year round. Radar reflector.
51.5	Hospital Island Ledge light buoy UP2	Quoddy River. 44 58 53.0 066 54 57.3	Fl R 4s	Red, pillar, marked "UP2".	Year round.
52.25	Richardson Wharf light buoy UP7	Deer Island, S. of Lords Cove. 44 59 43.0 066 56 35.0	Fl G 4s	Green, spar, marked "UP7".	Year round.
52.55	North Rock light buoy SA	44 59 56.0 066 52 44.0	Fl(2) W 5s	Black-red-black, spar, marked "SA".	Year round. Flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s.
53.5 H4142	Lords Cove	45 00 11.7 066 56 47.0	Fl G 4s	1.2	3	Green cylindrical mast, green, white and black square daymark.	Year round.
54 H4141	Bag Ledge light	44 59 59.5 066 56 26.0	Fl Y 4s	2.7	2	Cylindrical mast with yellow tape. 7.0	Year round. Radar reflector.
55	Simpson Head light buoy SH10	Deer Island, entrance to Lords Cove. 45 00 06.8 066 56 22.0	Fl R 4s	Red, spar, marked "SH10".	Year round.
56 H4140	Stuart Town Breakwater	45 01 11.8 066 56 06.5	Fl W 4s	5.6	6	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 3 s.
57.2 H4139	Two Hour Rock	In Irish Channel. 45 01 44.1 066 56 06.0	Fl R 4s	2.5	4	Red square skeleton tower, red, white and red triangle daymark.	Year round. Radar reflector.
57.25 H4138.85	Jameson Island West	W. end of island. 45 01 56.0 066 55 57.9	Fl G 4s	1.7	4	Green cylindrical mast. 6.7	Year round. Radar reflector.
57.3 H4138.6	Little Letete Passage	N. end of Jameson Island. 45 02 08.2 066 55 33.5	Fl G 4s	3.5	4	Square skeleton tower, green and white rectangular daymark. 6.3	Year round. Radar reflector.
St. Croix River							
57.8	Joe's Point light and bell buoy S10	45 04 40.3 067 05 32.5	Fl R 4s	Red, pillar, marked "S10".	Year round. Audible signal: Bell
57.9	Lower Bayside light buoy S12	45 07 25.2 067 07 08.9	Fl R 4s	Red, pillar, marked "S12".	Year round.
58.5	Sand Point light buoy S14	45 08 29.1 067 08 18.3	Fl R 4s	Red, pillar, marked "S14".	Year round.
58.6	Oak Point light buoy S16	45 09 51.0 067 09 38.0	Fl R 4s	Red, spar, marked "S16".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
58.7	<i>Spruce Point light buoy S18</i>	45 10 00.0 067 11 30.0	Fl R 4s	Red, spar, marked "S18".	Seasonal (in place year round).
Passamaquoddy Bay							
62 H4130	St. Andrews West Channel	N. side of channel. 45 04 15.2 067 04 03.8	Fl G 4s	3.1	4	Green cylindrical mast. 7.5	Year round.
62.5 H4133	St. Andrews Biological Station, wharf light	45 04 58.1 067 05 06.5	Fl Y 4s	2	Private aid. Year round.
63	<i>Niger Reef light buoy SY4</i>	N. of reef. 45 04 13.8 067 04 24.0	Fl R 4s	Red, spar, marked "SY4".	Year round.
64 H4127	St. Andrews (North Point)	45 04 02.6 067 02 50.3	Fl R 4s	7.0	4	Square skeleton tower, red and white rectangular daymark. 12.1	Year round.
66	<i>Navy Bar light and bell buoy SX3</i>	NE. of S. point of Navy Island. 45 03 30.3 067 01 42.0	Fl G 4s	Green, pillar, marked "SX3".	Year round. Audible signal: Bell
67 H4126	Tongue Shoal	On reef at E. entrance. 45 03 44.8 067 00 46.2	LFl W 6s	7	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 2 s; eclipse 4 s.
68	<i>Macs Island light and bell buoy S9</i>	North of island. 45 03 23.3 066 55 47.9	Fl G 4s	Green, pillar, marked "S9".	Year round. Audible signal: Bell
70	<i>Letete light buoy SQ</i>	Letete. 45 02 53.0 066 54 07.1	Mo(A) W 6s	Red-white, pillar, marked "SQ".	Year round.
70.15	<i>Letete Outer light buoy SQ2</i>	45 02 48.3 066 54 00.4	Fl R 4s	Red, pillar, marked "SQ2".	Year round.
70.25	<i>Letete Inner light buoy SQ3</i>	45 03 00.0 066 53 57.4	Fl G 4s	Green, spar, marked "SQ3".	Year round.
70.5	<i>Mohawk Ledge North Cardinal light buoy SAA</i>	45 02 31.7 066 54 08.0	Q W 1s	Black-yellow, pillar, marked "SAA".	Year round.
70.6	<i>Mohawk Island East light buoy S5</i>	45 02 18.3 066 53 55.9	Fl G 4s	Green, pillar, marked "S5".	Year round.
71 H4120	Letete Passage Fog signal	On W. extremity of Greens Point. 45 02 19.6 066 53 30.7	White hexagonal tower with red top. 4.0	Year round. Fog Horn Blast 3 s; sil. 27 s.
72 H4119	Back Bay	On outer end of breakwater. 45 03 14.2 066 51 40.3	Fl G 4s	4.3	4	Skeleton tower. 4.1	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
72.1	Leavitts light buoy SE8	E. entrance to Letete Passage. 45 03 18.3 066 51 43.9	Fl R 4s	Red, pillar, marked "SE8".	Year round.
72.5	Cailiff Rock light buoy SE2	45 01 52.7 066 52 21.9	Fl R 4s	Red, conical, marked "SE2".	Year round.
73 H4120.4	Morgan Ledge	SW. of Greens Point. 45 02 14.0 066 53 36.3	Fl R 6s	5.0	7	Red square skeleton tower, red and white rectangular daymark with red triangle in centre. 6.2	Year round. Flash 1 s; eclipse 5 s.
73.25	Parker Island light buoy SJ1	Letete. 45 02 10.7 066 54 54.4	Fl G 4s	Green, pillar, marked "SJ1".	Year round.
73.5	Parker Island light buoy SJA	45 02 09.9 066 55 07.3	Fl(2) W 10s	Black-red-black, can, marked "SJA".	Year round.
73.75	Jameson Island light buoy SJB	Letete. 45 02 10.0 066 55 18.5	Fl(2) W 10s	Black-red-black, spar, marked "SJB".	Year round.
74.2	Macks Ledge light buoy SJ2	Letete. 45 02 11.8 066 55 24.2	Fl R 4s	Red, pillar, marked "SJ2".	Year round.
74.35 H4120.5	Pomeroy Ledge	45 02 17.8 066 54 41.8	Fl R 4s	4.9	4	Red cylindrical mast. 9.4	Year round. Radar reflector.
75	Adam Island light and bell buoy S3	Off N. end of island. 45 01 14.3 066 53 51.9	Fl G 4s	Green, pillar, marked "S3".	Year round. Audible signal: Bell
75.32	Little Letete Passage light buoy SQ4	45 02 57.8 066 53 53.2	Fl R 4s	Red, spar, marked "SQ4".	Year round.
75.43	New Ireland Ledge light buoy SJ4	Letete. 45 02 03.2 066 56 00.7	Fl R 4s	Red, pillar, marked "SJ4".	Year round.
77 H4118	Bliss Island	On SW. point of island, S. of W. entrance to Bliss Harbour. 45 01 06.2 066 51 01.2	Fl R 4s	12.5	7	Square skeleton tower, red and white rectangular daymark.	Year round.
77.5	Bliss Island Fairway light and bell buoy S	45 00 24.6 066 51 15.6	Mo(A) W 6s	Red-white, pillar, marked "S".	Year round. Audible signal: Bell
78	Eastern Chops light and bell buoy KA2	SW. of Pea Point. 45 02 11.3 066 48 38.9	Fl R 4s	Red, pillar, marked "KA2".	Year round. Audible signal: Bell
79 H4115	Roaring Bull	On W. side of ledge. 45 02 22.6 066 48 46.2	Fl R 4s	4.5	3	Red cylindrical tower. 5.8	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
79.8 H4122	Letete Harbour	On ledge. 45 03 06.6 066 53 47.6	Fl G 4s	2.2	4	Green cylindrical mast. 7.2	Year round.
80 H4123	Matthews Ledge	45 03 03.7 066 53 47.7	LFl R 6s	4.5	4	Square skeleton tower, red and white rectangular daymark. 9.4	Year round. Flash 2 s; eclipse 4 s.
81 H4114	Pea Point	E. side of entrance to Letang Harbour. 45 02 20.4 066 48 28.2	F W	17.3	12	White rectangular tower with red top. 10.6	Year round. Operates 24 h. Visible 251°-161°. Fog Horn Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
81.1 H4116	Blacks Harbour Entrance	On NW. corner of wharf. 45 02 52.3 066 48 28.6	F R	7.2	7	Pipe swing pole. 6.3	Year round.
81.12 H4116.4	Blacks Harbour Wharf	On NW. corner of wharf. 45 03 18.8 066 47 41.0	Fl R 6s	7.1	4	Cylindrical mast. 6.6	Year round. Flash 1 s; eclipse 5 s.
81.2	<i>Blacks Harbour light and bell buoy KA</i>	<i>SW. of Pea Point. 45 01 09.3 066 48 28.9</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "KA".</i>	<i>Year round. Audible signal: Bell</i>
82	<i>Beaver Harbour light and bell buoy KEA</i>	<i>S. of East Head. 45 03 12.3 066 43 30.9</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "KEA".</i>	<i>Year round. Audible signal: Bell</i>
83 H4112	Lighthouse Point	On S. side of Beaver Harbour. 45 03 46.7 066 43 59.0	Iso W 6s	14.2	13	White cylindrical tower with red top. 8.6	Year round. Operates 24 h.
84 H4113	Beaver Harbour	On outer end of breakwater. 45 04 07.9 066 44 14.5	Fl G 5s	4.7	5	Cylindrical mast, green, white and black square daymark. 3.8	Year round. Flash 1 s; eclipse 4 s.
84.1	Beaver Harbour Wharf Light	45 04 08.7 066 44 18.1	Fl Y 5s	3.0	2	Cylindrical tower.	Year round. Flash 1 s; eclipse 4 s.
86	<i>Seely Head light and bell buoy K1</i>	<i>S. of head. 45 04 08.3 066 38 30.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "K1".</i>	<i>Year round. Audible signal: Bell</i>
87	<i>Maces Bay light and bell buoy KJ1</i>	<i>S. of Barnaby Head. 45 06 42.3 066 31 21.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "KJ1".</i>	<i>Year round. Audible signal: Bell</i>
88	<i>Lepreau Ledges light and bell buoy K3</i>	<i>S. end of ledges. 45 04 37.3 066 29 57.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "K3".</i>	<i>Year round. Audible signal: Bell</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
90 H4108	Point Lepreau	On point. 45 03 31.7 066 27 31.3	Fl W 5s	25.5	14	Octagonal tower, red and white horizontal bands. 17.6	Year round. Operates 24 h. Flash 1 s; eclipse 4 s. Fog Horn Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.
91	Dipper Harbour light and bell buoy KN	S. of Fishing Point. 45 05 00.3 066 24 09.9	Mo(A) W 6s	Red-white, pillar, marked "KN".	Year round. Audible signal: Bell
92 H4104	Dipper Harbour Breakwater	Point Lepreau. 45 05 40.5 066 24 56.7	Fl G 4s	4	Pipe Swing Pole, green, white and black square daymark.	Year round. Flash 1 s; eclipse 3 s.
92.1	Chance Harbour light buoy KS1	45 07 07.3 066 20 36.9	Fl G 4s	Green, spar, marked "KS1".	Year round.
93 H4100	Chance Harbour	On Reef Point, W. side of harbour entrance. 45 07 06.8 066 20 51.5	LFl W 6s	12.4	8	White cylindrical tower with red horizontal band. 7.4	Year round. Flash 2 s; eclipse 4 s.
93.5	Chance Harbour Breakwater Light	45 07 17.9 066 21 02.7	Fl R 4s	Pipe swing pole, red retro-reflective bands at top.	Year round. Operates 24 h.
94	Chance Harbour light and bell buoy KS	Off harbour. 45 06 52.8 066 19 52.5	Mo(A) W 6s	Red-white, pillar, marked "KS".	Year round. Audible signal: Bell
96	Western Head light and bell buoy KT1	Off Musquash Harbour entrance. 45 08 34.3 066 14 51.9	Fl G 4s	Green, pillar, marked "KT1".	Year round. Audible signal: Bell
97 H4096	Musquash Head	At Musquash Head, E. side of entrance. 45 08 37.1 066 14 14.2	Fl W 3s	35.1	20	White hexagonal tower with red horizontal band. 14.0	Private aid. Year round. Operates 24 h. Flash 1 s; eclipse 2 s. Fog Horn Blast 4 s; sil. 56 s.
97.5 H4098	Five Fathom Hole	SE. corner of wharf. 45 11 11.3 066 15 26.0	Fl R 3s	7.6	5	Cylindrical mast. 6.6	Year round. Flash 1 s; eclipse 2 s.
98	Lorneville Approach light and bell buoy JA1	Off head. 45 11 12.8 066 08 18.0	Fl G 4s	Green, pillar, marked "JA1".	Year round. Audible signal: Bell
98.8	Saint John Harbour ODAS light buoy	45 11 49.2 066 04 42.6	Fl(5) Y 20s	Yellow, ODAS.	Year round. Operates 24 h.
99 H4092	Lorneville	On outer portion of breakwater. 45 11 35.3 066 08 53.3	Fl W 4s	7.0	6	Cylindrical mast. 6.6	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

BAY OF FUNDY, N.B. - WEST

Saint John Harbour

100 H4082	Partridge Island	Highest point of island. 45 14 21.0 066 03 13.8	FI W 7.5	35.3	19	White hexagonal tower with red vertical stripe. 13.6	Year round. Operates 24 h.
100.2	Lower Cove Cautionary light buoy JD	45 15 43.4 066 03 26.6	FI Y 4s	Yellow, can, marked "JD".	Year round.
100.5 H4089	Saint John Harbour front range light	45 16 22.3 066 04 07.6	F G	20.3	20 Triangular skeleton tower, red daymark with black vertical stripe. 18.5	Year round. Operates 24 h. Synthetic AIS AtoN MMSI: 993161085
100.6 H4089.1	Saint John Harbour rear range light	45 16 35.3 066 04 16.7 333°40' 431.3 m from front.	F G	33.2	20 Triangular skeleton tower, red daymark with black vertical stripe. 10.5	Year round. Operates 24 h. Synthetic AIS AtoN MMSI: 993161086
101	Partridge Island light and bell buoy J1	W. side of outer entrance to dredged channel. 45 14 12.0 066 02 41.3	Q G 1s	Green, pillar, marked "J1".	Year round. Audible signal: Bell
101.3	Partridge Island light buoy J3	W. side of dredged channel. 45 14 19.9 066 02 46.9	FI G 4s	Green, pillar, marked "J3".	Year round.
101.35	Partridge Island light buoy J5	45 14 28.0 066 02 52.6	FI G 4s	Green, can, marked "J5".	Year round.
101.4	Partridge Island light buoy J7	W. side of dredged channel. 45 14 35.8 066 02 58.0	FI G 4s	Green, pillar, marked "J7".	Year round.
102	Partridge Island Bar light buoy J9	On W. side of dredged channel. 45 14 44.0 066 03 03.7	FI G 4s	Green, pillar, marked "J9".	Year round.
102.16	Round Reef light buoy J16	45 15 28.0 066 03 20.0	FI R 4s	Red, conical, marked "J16".	Year round.
102.18	Hilyards Reef light buoy J18	45 16 13.3 066 04 17.9	FI R 4s	Red, conical, marked "J18".	Year round.
102.19	Navy Island light buoy J19	45 16 08.8 066 04 23.0	FI G 4s	Green, pillar, marked "J19".	Year round.
102.3	Saint John Harbour light buoy J12	E. side of channel. 45 15 06.1 066 03 10.4	FI R 4s	Red, pillar, marked "J12".	Year round.
103	Courtenay Bay light buoy JC4	E. side of channel. 45 15 11.0 066 02 50.2	FI R 4s	Red, pillar, marked "JC4".	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
BAY OF FUNDY, N.B. - WEST							
104 H4083	Courtenay Bay Breakwater	Near outer end of breakwater. 45 15 26.4 066 02 42.2	Iso R 2s	13.0	8	White hexagonal tower with red top. 9.9	Year round.
105	<i>Courtenay Bay Turn light buoy JC5</i>	<i>On W. side of turn in channel. 45 15 15.4 066 03 00.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "JC5".</i>	<i>Year round.</i>
105.8	<i>Courtenay Bay Turn light buoy JC8</i>	<i>45 15 23.6 066 02 47.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JC8".</i>	<i>Year round.</i>
106	<i>Courtenay Bay light buoy JC9</i>	<i>W. side of channel. 45 15 29.5 066 02 54.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "JC9".</i>	<i>Year round.</i>
106.1	<i>Courtenay Bay light buoy JC10</i>	<i>45 15 33.4 066 02 43.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JC10".</i>	<i>Year round.</i>
108	<i>Courtenay Bay light buoy JC15</i>	<i>45 15 51.3 066 02 40.8</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "JC15".</i>	<i>Year round.</i>
108.16	<i>Courtenay Bay light buoy JC16</i>	<i>45 15 52.6 066 02 32.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "JC16".</i>	<i>Year round.</i>
110	<i>Courtenay Basin light buoy JC20</i>	<i>E. side of channel. 45 16 11.2 066 02 23.5</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "JC20".</i>	<i>Year round.</i>
110	<i>Gannet Dry Ledge light buoy N6</i>	<i>W. of ledge. 43 36 38.3 066 12 45.0</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "N6".</i>	<i>Year round.</i>
110.2 H4083.2	Courtenay Bay Dock 1 Light	45 16 22.8 066 02 21.7	F R	On 10-pile dolphin.	Private aid. Year round. Operates 24 h.
110.3 H4083.4	Courtenay Bay Inner front range light	45 16 25.2 066 02 19.0	F G	6.3	15	Triangular skeleton tower, red daymark with black vertical stripe. 6.0	Year round. Operates 24 h.
110.4 H4083.41	Courtenay Bay Inner rear range light	45 16 27.8 066 02 17.6 021°10' 86.2 m from front.	F G	9.9	16	Triangular skeleton tower, red daymark with black vertical stripe. 8.9	Year round. Operates 24 h.
110.8 H4083.6	Courtenay Bay Outer Channel Sector	45 15 57.2 066 02 50.4	F R W G	8.0	12 Square skeleton tower, orange and white rectangular daymark. 6.6	Year round. Operates 24 h. R 001°30'-002°30'; AI RW 002°30'-003°; W 003°-005°; AI GW 005°-005°30'; G 005°30'-006°30'.
111	<i>Courtenay Bay light buoy JC</i>	<i>Junction of Courtenay Bay Channel and Main Channel. 45 14 55.0 066 03 02.7</i>	<i>Fl(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "JC".</i>	<i>Year round.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

BAY OF FUNDY, N.B. - WEST

112	America Rock light and bell buoy J14	On E. side of channel. 45 15 16.7 066 03 17.8	Fl R 4s	Red, pillar, marked "J14".	Year round. Audible signal: Bell
113.1	Saint John Pier Hazard Light	Pier 13. 45 15 33.0 066 03 38.5	LFl G 6s	2	Green pipe tower.	Year round. Operates 24 h. Flash 2 s; eclipse 4 s. Radar reflector.
113.3 H4085.5	Pier 12	On E. corner of pier. 45 15 37.8 066 03 41.4	Iso G 2s 2.5	2.5	4	Orange rectangular skeleton tower. 2.1	Private aid. Year round.
114 H4089.4	Pier 1	On extreme NW. end of pier. 45 16 04.0 066 04 15.4	F G 3.9	3.9	6	Skeleton tower. 3.2	Private aid. Year round. Operates 24 h.