

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
CAPE BRETON ISLAND, N.S.								
Isle Madame								
704.85	Hautfond Shoal light buoy CK2	45 28 00.3 061 03 21.6	Q R 1s	Red, spar, marked "CK2".	Year round.	
704.855	Campbells Shoal light buoy CK8	45 30 10.3 061 01 33.6	Fl R 4s	Red, spar, marked "CK8".	Year round.	
704.86	Picard Reef light buoy CM1	45 29 58.4 061 05 38.2	Fl G 4s	Green, spar, marked "CM1".	Year round.	
704.861	Jerseyman Shoal light buoy CM2	Chedabucto Bay. 45 29 33.4 061 04 43.4	Fl R 4s	Red, spar, marked "CM2".	Year round.	
704.864	Crid Passage light buoy CM5	45 30 16.3 061 03 46.4	Fl G 4s	Green, spar, marked "CM5".	Year round.	
704.9	Crichton Island light buoy CN2	45 30 03.3 061 07 21.6	Fl R 4s	Red, spar, marked "CN2".	Year round.	
704.93	Crichton Head light buoy CN5	45 30 53.2 061 06 40.6	Fl G 4s	Green, can, marked "CN5".	Year round.	
704.94	Crichton Head light buoy CN6	45 30 53.5 061 06 22.1	Fl R 4s	Red, conical, marked "CN6".	Year round.	
706 H3416	West Arichat Wharf	On outer end of wharf. 45 30 50.8 061 04 59.2	Fl G 4s	4.0	4	Pipe swing pole. 3.6	Seasonal. Flash 1 s; eclipse 3 s.	
707 H3406	Jerseyman Island	On Beach Point, Arichat Harbour. 45 30 13.3 061 03 19.9	Fl R 4s	7.6	5	White square tower with red upper portion. 7.8	Seasonal. Flash 1 s; eclipse 3 s.	
708 H3404	Marache Point	S. entrance to Arichat Harbour. 45 28 50.3 061 02 04.6	F W	10.2	12	White square tower with red upper portion. 7.9	Year round. Visible 338°-224°.
709	Cerberus Rock light and whistle buoy CH4	S. of rock. 45 27 37.0 061 06 15.0	Fl R 4s	Red, pillar, marked "CH4".	Year round. Audible signal: Whistle	
709.55	Chedabucto Bay East ODAS light buoy 4400488	45 26 42.2 060 57 14.5	F(5) Y 20s	Yellow, ODAS, marked "4400488".	Year round.	
710	Petit-de-Grat light and whistle buoy CJ	45 28 18.3 060 58 15.6	Mo(A) W 6s	Red-white, pillar, marked "CJ".	Year round. Audible signal: Whistle	
711	Petit-de-Grat light and bell buoy CJ1	45 28 59.4 060 58 26.9	Fl G 4s	Green, pillar, marked "CJ1".	Year round. Audible signal: Bell	
712	Arrow Point light buoy CJ2	SW. of Big Arrow Rock. 45 29 05.2 060 58 15.9	Fl R 4s	Red, spar, marked "CJ2".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
712.09	<i>Petit-de-Grat Light Buoy NR10</i>	45 31 10.0 060 57 13.0	Fl R 4s	Red, spar, marked "NR10".	Seasonal.
713 H3398	Petit-de-Grat Outer front range light	W. of Petit-de-Grat Inlet. 45 29 47.2 060 58 23.7	F W	8.3	19 Square skeleton tower, white daymark with red vertical stripe. 3.5	Year round.
714 H3398.1	Petit-de-Grat Outer rear range light	45 29 49.1 060 58 23.7 356°01' 59.9 m from front.	F W	14.8	19 Square skeleton tower, white daymark with red vertical stripe. 9.5	Year round.
716	<i>Mouse Island light buoy CJ5</i>	45 29 46.4 060 57 49.8	Q G 1s	Green, spar, marked "CJ5".	Seasonal (in place year round). (Winter spar.)
716.1	<i>Mouse Island light buoy CJ6</i>	45 29 46.3 060 57 46.6	Q R 1s	Red, spar, marked "CJ6".	Seasonal (in place year round). (Winter spar.)
717	<i>Petit-de-Grat Harbour light buoy CJ9</i>	45 29 55.2 060 57 40.5	Fl G 4s	Green, spar, marked "CJ9".	Seasonal (in place year round). (Winter spar.)
718 H3399	Petit-de-Grat Inner front range light	E. side of island. 45 30 03.6 060 57 31.5	F Y	12.0	16 Square skeleton tower, white daymark with red vertical stripe. 3.8	Year round.
719 H3399.1	Petit-de-Grat Inner rear range light	45 30 05.3 060 57 29.8 033°56' 64.1 m from front.	F Y	15.4	16 Square skeleton tower, white daymark with red vertical stripe. 3.5	Year round.
719.1 H3401	Cowley Point Breakwater	W. side of inlet, on end of breakwater. 45 30 06.3 060 57 47.5	Fl G 4s	4.9	4	Cylindrical mast, green and white square daymark. 3.8	Year round. Flash 1 s; eclipse 3 s.
720	<i>Marchand Ledge light buoy CJ18</i>	45 30 12.1 060 57 40.8	Fl R 4s	Red, spar, marked "CJ18".	Seasonal (in place year round). (Winter spar.)
721 H3396	Petit-de-Grat Breakwater	On outer end of breakwater at N. entrance to Petit- de-Grat Inlet. 45 31 04.5 060 57 02.9	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
722 H3376	Green Island Light	Summit of island. 45 28 41.3 060 53 57.6	Fl(2) W 20s	34.1	10	White cylindrical tower with red top. 11.5	Year round. Flash 1 s; eclipse 3 s; flash 1 s; eclipse 15 s.
723	<i>Orpheus Rock light and bell buoy NQ1</i>	E. side of rock. 45 28 41.3 060 51 00.6	Fl G 4s	Green, pillar, marked "NQ1".	Year round. Audible signal: Bell
724	<i>Petite Anse light and bell buoy NS1</i>	45 29 39.5 060 54 55.2	Fl G 4s	Green, pillar, marked "NS1".	Year round. Audible signal: Bell

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

CAPE BRETON ISLAND, N.S.

Lennox Passage

727	Beak Point Shoal (Petit Nez) light and whistle buoy NQ3	Off E. side of shoal. 45 33 08.9 060 50 59.6	FI G 4s	Green, pillar, marked "NQ3".	Year round. Audible signal: Whistle	
728.5	Cape Ronde light buoy NT1	45 34 46.1 060 52 57.8	FI G 4s	Green, spar, marked "NT1".	Seasonal (in place year round).	
729 H3392	Grandique Point	On beach. 45 35 36.6 061 01 20.3	LFI G 6s	9.2	7	White pyramid tower with red top. 9.5	Seasonal. Flash 2 s; eclipse 4 s.	
730 H3388	Hawk Island	Entrance to Poulamon Bay. 45 35 40.3 060 59 42.3	FI G 4s	12.9	4	Square skeleton tower, red and white rectangular daymark. 9.7	Seasonal. Visible 240°30'-265°30'.	
730.5	Goillon Reef light buoy NT12	45 36 03.3 060 59 00.6	FI R 4s	Red, spar, marked "NT12".	Seasonal.	
731 H3384	Ouetique Island	On S. point. 45 36 35.2 060 57 26.3	FI R 4s	23.4	5	Square skeleton tower, red and white rectangular daymark. 8.6	Seasonal. Flash 1 s; eclipse 3 s.	
732 H3386	River Bourgeois	On point, E. side of entrance. 45 37 32.8 060 56 51.1	Iso R 4s	7.1	White square tower with red top. 7.7	Private aid. Seasonal.	
733	Saint Peters Bay light buoy NQ12	W. side of channel at S. entrance to bay. 45 37 07.2 060 53 18.4	FI R 4s	Red, spar, marked "NQ12".	Seasonal (in place year round).	
734 H3380	Jerome Point	Near canal entrance. 45 38 53.9 060 52 21.8	F R	15.5	4	White square tower with red upper portion. 10.9	Seasonal.
735	Haddock Rock light and bell buoy NP2	W. of rock. 45 35 50.6 060 49 37.4	FI R 4s	Red, pillar, marked "NP2".	Year round. Audible signal: Bell	
736	Lower L'Ardoise light and whistle buoy NM	N. of Red Point. 45 34 49.3 060 45 52.4	Mo(A) W 6s	Red-white, pillar, marked "NM".	Year round. Audible signal: Whistle	
737 H3372	Little Harbour Wharf	45 34 59.3 060 44 27.5	F R	4.9	8	Cylindrical mast. 4.4	Seasonal.
737.05	Lower L'Ardoise light buoy NN5	Isle Madame. 45 35 51.2 060 46 15.4	FI G 4s	Green, spar, marked "NN5".	Seasonal.	
738	Michaud Ledges light and whistle buoy N18	45 32 48.9 060 44 03.8	FI R 4s	Red, pillar, marked "N18".	Seasonal. Audible signal: Whistle	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
739	Black Breaker Rock South Cardinal light buoy NHA	L'Archeveque. 45 35 24.9 060 34 48.2	Q(6) + W LFI	15s	Yellow-black, spar, marked "NHA". Seasonal (in place year round).
741	L'Archevêque light buoy NH	45 36 57.1 060 34 01.0	Mo(A) W	6s	Red-white, can, marked "NH". Seasonal (in place year round).
741.01	L'Archevêque light buoy NH3	45 37 12.1 060 34 21.4	FI G	4s	Green, spar, marked "NH3". Seasonal (in place year round).
741.03	L'Archevêque light buoy NH4	45 37 16.0 060 34 26.3	FI R	4s	Red, spar, marked "NH4". Seasonal (in place year round).
741.04	L'Archevêque light buoy NH8	45 37 21.9 060 34 36.8	Q R	1s	Red, spar, marked "NH8". Seasonal (in place year round).
741.05	L'Archevêque light buoy NH10	45 37 27.6 060 34 32.2	Q R	1s	Red, spar, marked "NH10". Seasonal (in place year round).
742	St. Esprit light buoy N16	SE. of Bad Neighbour Shoal. 45 35 12.2 060 30 25.6	FI R	4s	Red, pillar, marked "N16". Seasonal.
743 H3368	St. Esprit Island	E. end of island. 45 37 19.2 060 29 17.6	LFI W	6s	23.8	7	Square skeleton tower, red and white rectangular daymark. 9.9 Year round. Flash 2 s; eclipse 4 s.
745	Fourchu light buoy N14	S. of Fourchu Head. 45 42 00.2 060 12 45.6	FI R	4s	Red, pillar, marked "N14". Seasonal. (Winter spar.)
746	Fourchu light buoy NC2	W. entrance to Fourchu Harbour. 45 42 57.2 060 13 07.6	Q R	1s	Red, spar, marked "NC2". Seasonal.
746.1	Fourchu light buoy NC3	45 43 04.2 060 13 26.4	FI G	4s	Green, spar, marked "NC3". Seasonal (in place year round).
746.2	Fourchu light buoy NC4	45 43 06.6 060 13 25.2	FI R	4s	Red, spar, marked "NC4". Seasonal (in place year round).
747 H3362	Fourchu Head	Near E. extremity of head. 45 43 02.8 060 13 46.4	LFI W	6s	18.9	12	Square skeleton tower, red and white rectangular daymark. 9.0 Year round. Operates 24 h. Flash 2 s; eclipse 4 s. Visible 096°-065°.
747.3	North Fourchu light buoy NC24	45 43 12.0 060 14 21.0	FI R	4s	Red, pillar, marked "NC24". Seasonal.
750 H3360	Guyon Island	On island. 45 45 57.3 060 06 45.7	FI W	21s	12.8	17	White octagonal tower with red top. 12.8 Year round. Flash 1 s; eclipse 20 s.
751	Guyon Island light and whistle buoy J12	E. of island. 45 46 03.2 060 02 41.6	FI R	4s	Red, pillar, marked "J12". Seasonal. Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
752	Green Rock light and bell buoy JX3	NE. of rock. 45 49 23.8 060 03 11.6	Fl G 4s	Green, pillar, marked "JX3".	Seasonal. Audible signal: Bell
752.6 H3359	Rouses Point	45 50 35.0 060 07 56.8	LFl Y 6s	9.0	12	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 2 s; eclipse 4 s.
752.7	Gabarus light buoy JX10	45 50 34.8 060 08 14.2	Fl R 4s	Red, conical, marked "JX10".	Year round.
753 H3358	Gabarus	On Harbour Point, S. shore of bay. 45 50 35.2 060 08 50.3	F R	16.5	8 9.5	White hexagonal tower with red top. Year round.
Louisbourg Harbour							
754	Louisbourg light and whistle buoy JT	Off entrance to Louisbourg. 45 52 33.4 059 54 05.5	Mo(A) W 6s	Red-white, pillar, marked "JT".	Seasonal. Audible signal: Whistle
755	Louisbourg light and bell buoy JT1	E. of Harbour Shoal. 45 53 56.4 059 56 51.6	Fl G 4s	Green, pillar, marked "JT1".	Seasonal. (Winter spar.) Audible signal: Bell
756 H3344	Louisbourg	On Lighthouse Point, N. side of entrance to harbour. 45 54 24.0 059 57 30.5	LFl W 6s	31.9	13	White octagonal tower with red top. 15.4	Year round. Flash 2 s; eclipse 4 s. Visible 100°-250°.
756.5	Nag Rock bifurcation light buoy JTA	45 54 11.4 059 58 19.2	Fl(2+1) R 6s	Red-green-red, spar, marked "JTA".	Seasonal (in place year round).
757 H3348	Louisbourg front range light	On W. side of harbour. 45 54 05.8 059 59 23.1	F Y	7.0	14 4.8	Square skeleton tower, white daymark with red vertical stripe. Year round.
758 H3348.1	Louisbourg rear range light	45 54 05.6 059 59 30.7 267°56' 165.8 m from front.	F Y	12.7	14 6.3	Square skeleton tower, white daymark with red vertical stripe. Year round.
758.5	Nag Rock light buoy JU4	45 54 17.4 059 58 03.9	Fl R 4s	Red, spar, marked "JU4".	Year round. Operates 24 h.
759	Russell Point West Cardinal light buoy JTB	45 54 24.3 059 58 14.6	Q(9) W 15s	Yellow-black-yellow, spar, marked "JTB".	Seasonal (in place year round).
760	Battery Shoal light buoy JT11	45 54 30.4 059 58 21.7	Fl G 4s	Green, spar, marked "JT11".	Seasonal (in place year round). (Winter spar.)

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

CAPE BRETON ISLAND, N.S.

761 H3342	Little Lorraine (Lorembec)	Extremity of W. headland at entrance to harbour. 45 56 56.3 059 51 34.2	F G	10.7	7	White cylindrical tower with red top. 4.6	Seasonal. Fog Horn Blast 2 s; sil. 18 s. The operation of the fog signal will be made remotely on channel 65A (156,275 MHz). Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second interval on channel 65A. The signal will be in operation for 30 minutes. After this delay, the same operation must be repeated.
762	Baleine Cove light and bell buoy JM2	S. of East Head. 45 56 20.3 059 50 45.7	Fl R 4s	Red, pillar, marked "JM2".	Seasonal. Audible signal: Bell
763	Portnova light and whistle buoy J10	SE. of Portnova Island. 45 55 38.8 059 46 11.0	Fl R 4s	Red, pillar, marked "J10".	Seasonal. Audible signal: Whistle
764	Bar Reef light and bell buoy JJ3	E. of Helen Rock. 45 59 10.4 059 46 50.2	Fl G 4s	Green, pillar, marked "JJ3".	Seasonal. Audible signal: Bell
764.4	Main-à-Dieu light buoy JJ10	45 59 54.7 059 50 01.3	Q R 1s	Red, spar, marked "JJ10".	Seasonal (in place year round).
764.5	Black Rock light buoy JJ11	45 59 46.9 059 50 01.9	Fl G 4s	Green, spar, marked "JJ11".	Seasonal (in place year round).
765	Mad Dick Rock light and bell buoy JJ6	Off S. side of rock. 45 59 59.5 059 49 22.0	Fl R 4s	Red, pillar, marked "JJ6".	Seasonal. Audible signal: Bell
765.1 H0745.6	Main-à-Dieu Harbour	46 00 13.7 059 50 22.2	Fl R 4s	6.3	4	Triangular skeleton tower, enclosed lower portion. 3.6	Year round. Flash 1 s; eclipse 3 s.
765.3 H0745.4	Battery Point (Main-à- Dieu)	46 00 17.3 059 50 25.4	Fl G 4s	4.0	4	Cylindrical mast. 2.3	Year round. Flash 1 s; eclipse 3 s.
765.4 H0745	Moque Head	46 00 25.4 059 49 21.7	LFl W 6s	12.1	12	Square skeleton tower, red and white rectangular daymark. 6.8	Year round. Flash 2 s; eclipse 4 s.
Scatarie Island							
765.7	Howe Point light and whistle buoy JJ2	45 59 14.3 059 41 57.7	Fl R 4s	Red, pillar, marked "JJ2".	Seasonal. Audible signal: Whistle
766 H0744	Main-à-Dieu	On West Point of Scatarie Island. 46 00 13.6 059 47 41.0	Fl W 4s	24.7	7	Square skeleton tower, red and white rectangular daymark. 9.9	Year round. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
767 H0742	Scatarie Island	NE. point of island. 46 02 04.3 059 40 33.7	FI W 10s	19.5	13	Square tower, rectangular daymark with horizontal red and white band.	Year round. Flash 1 s; eclipse 9 s.
768 H0746	Port Morien	On SW. end of breakwater. 46 07 50.8 059 52 13.2	FI R 4s	5.4	5	Cylindrical mast. 4.3	Year round. Flash 1 s; eclipse 3 s.
768.5	Port Morien light buoy JA6	46 07 41.3 059 52 03.7	Q R 1s	Red, spar, marked "JA6".	Seasonal (in place year round).
769	Cow Reef light buoy JA2	46 09 42.3 059 48 46.7	FI R 4s	Red, spar, marked "JA2".	Seasonal (in place year round).
770 H0750	Flint Island	Off Northern Head. 46 10 51.0 059 46 13.2	LFI W 6s	22.6	8	White hexagonal tower with red top. 17.8	Year round. Flash 2 s; eclipse 4 s.
771	Glace Bay Light and Bell Buoy KV	NE. of bay. 46 13 28.8 059 55 37.8	Mo(A) W 6s	Red-white, pillar, marked "KV".	Seasonal. Audible signal: Bell
771.01	Glace Bay Outer light buoy KV2	46 12 31.8 059 56 25.5	FI R 4s	Red, spar, marked "KV2".	Seasonal.
771.04	Glace Bay Inner light buoy KV5	46 12 02.9 059 56 42.6	FI G 4s	Green, spar, marked "KV5".	Seasonal.
771.05	Glace Bay Inner light buoy KV6	46 12 04.2 059 56 45.8	FI R 4s	Red, spar, marked "KV6".	Seasonal.
771.5	Glace Bay Outer light buoy KV1	46 12 30.0 059 56 21.0	FI G 4s	Green, spar, marked "KV1".	Seasonal.
772 H0752	Glace Bay front range light	On S. side of entrance to Glace Cove. 46 11 47.7 059 56 56.5	F R	8.4	11	Triangular skeleton tower, white daymark with red vertical stripe. 5.5	Year round. Operates 24 h.
773 H0752.1	Glace Bay rear range light	46 11 44.8 059 56 58.7 208°17' 101.7 m from front.	F R	13.0	11	Triangular skeleton tower, white daymark with red vertical stripe. 9.5	Year round. Operates 24 h.
773.5	Glace Bay, South breakwater Light	Near outer end of S. breakwater. 46 11 55.1 059 56 49.4	Q G 1s	3	Pipe Swing Pole, green, white and black square daymark.	Year round. Operates 24 h.
774 H0756	Glace Bay North Breakwater	On outer end of N. breakwater. 46 11 56.7 059 56 51.8	FI R 3s	9.0	6	Pipe swing pole, red and white triangular daymark.	Year round. Operates 24 h. Flash 1 s; eclipse 2 s.
774.4	Lingan Harbour light buoy KQ2	46 13 45.5 060 02 04.7	FI R 4s	Red, pillar, marked "KQ2".	Seasonal.
774.5	Lingan Harbour light buoy KQ7	46 13 44.0 060 02 28.1	FI G 4s	Green, pillar, marked "KQ7".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
774.6 H0757.5	Lingan front range light	46 13 44.6 060 02 43.5	F G 4.8	7	Pipe swing pole, white daymark with red vertical stripe. 3.8	Seasonal.	
774.7 H0757.51	Lingan rear range light	46 13 44.5 060 02 45.0 269°49' 30.6 m from front.	F G 7.0	7	Pipe swing pole, white daymark with red vertical stripe. 5.6	Seasonal.	
Sydney Harbour							
775 H0758	Low Point	E. side of entrance to Sydney Harbour. 46 16 01.5 060 07 32.9	FI W 5s 25.8	18	White octagonal tower with red top. 20.8	Year round. Operates 24 h. Flash 0.5 s; eclipse 4.5 s.	
777.02	Allen Point light buoy SA8	46 11 26.2 060 15 49.2	Fl R 4s	Red, spar, marked "SA8".	Seasonal.	
778 H0760	Sydney Bar	On pier, W. extremity of Southeast Bar. 46 12 20.7 060 13 07.1	FI G 5s 8.9	4	On white building. 2.0	Year round. Flash 1 s; eclipse 4 s.	
778.5	Sydney Northwest Bar light buoy SD2	46 12 27.0 060 14 04.4	Q R 1s	Red, spar, marked "SD2".	Year round.	
780 H0762.6	North Sydney	46 12 21.2 060 14 52.2	FI R 4s 7.7	3	Pipe swing pole. 6.7	Year round. Flash 1 s; eclipse 3 s.	
782 H0761	Sydney front range light	On point, E. side of North West Arm. 46 10 39.7 060 15 30.0	F G 23.8	Square skeleton tower, white daymark with red vertical stripe. 9.0	Year round. Operates 24 h.	
783 H0761.1	Sydney rear range light	46 09 11.6 060 17 01.5 216°35' 3352.8 m from front.	Oc G 10s 60.2	Square skeleton tower, white daymark with red stripe. 9.0	Year round. Operates 24 h. Flash 9 s; eclipse 1 s.	
784 H0764	Sydney South Arm front range light	Near N. extremity of point. 46 09 26.5 060 12 13.3	Oc G 10s 12.0	Square skeleton tower, white daymark with red vertical stripe. 15.6	Year round. Operates 24 h. Flash 9 s; eclipse 1 s.	
785 H0764.1	Sydney South Arm rear range light	46 09 22.2 060 12 11.1 160°32' 140.4 m from front.	F G 18.8	16	Square skeleton tower, white daymark with red vertical stripe. 15.6	Year round. Operates 24 h.	
785.5	Barachois light buoy S18	At entrance to creek. 46 09 32.8 060 12 53.0	Fl R 4s	Red, spar, marked "S18".	Year round.	
785.7 H0767	Point Edward Main Jetty North	46 09 22.0 060 13 02.6	F R 7.0	6	Mast. 4.6	Private aid. Year round. Operates 24 h. Secondary light: F R.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
785.8 H0766.2	Point Edward Main Jetty South	46 09 13.9 060 13 02.9	F R	7.3	Skeleton tower. 3.6	Private aid. Year round. Operates 24 h. Secondary light: F R.
785.84 H0768	Crawleys Creek front range light	46 09 00.9 060 13 21.0	Iso R 4s	4.1	Pyramid tower, white daymark with black vertical stripe.	Year round.
785.85 H0768.1	Crawleys Creek rear range light	46 08 57.7 060 13 27.7 235°21' 174.5 m from front.	Iso R 4s	9.3	Pyramid tower, white daymark with black vertical stripe.	Year round.
786	Battery Point light buoy S19	Off point. 46 08 59.7 060 12 29.4	Fl G 4s	Green, spar, marked "S19".	Year round.
786.1	Sydney Cautionary light buoy SSA	46 08 38.0 060 12 12.2	Fl Y 4s	Yellow, spar, marked "SSA".	Year round.
787	Dobsons Point light buoy S20	On edge of shoal. 46 08 27.7 060 12 13.7	Fl R 4s	Red, spar, marked "S20".	Year round.
787.2	South Bar Ruins light buoy SS1	46 11 58.1 060 12 17.2	Fl G 4s	Green, spar, marked "SS1".	Seasonal (in place year round).
787.21	South Bar South Cardinal light buoy SS	46 12 09.1 060 13 04.9	Q(6) + W LFl	15s	Yellow-black, spar, marked "SS".	Seasonal.
788	Sydney Harbour South Arm light buoy S23	46 07 49.0 060 12 11.5	Fl G 4s	Green, spar, marked "S23".	Seasonal.
789	Cran Rock light buoy S2	46 16 25.6 060 11 29.1	Fl R 4s	Red, spar, marked "S2".	Year round (YRLS).
789.11	Sydney Harbour light buoy S13	46 12 03.3 060 13 15.1	Q G 1s	Green, spar, marked "S13".	Year round. Operates 24 h.
789.12	Sydney Harbour light buoy S14	46 11 32.5 060 13 29.3	Fl R 4s	Red, spar, marked "S14".	Year round. Operates 24 h.
789.14	Sydney Harbour light buoy S16	46 10 44.7 060 13 05.5	Fl R 4s	Red, spar, marked "S16".	Year round. Operates 24 h.
789.15	Sydney Harbour West Cardinal light buoy SW	46 14 03.9 060 11 33.1	Q(9) W 15s	Yellow-black-yellow, spar, marked "SW".	Year round. Operates 24 h.
789.16	Sydney Harbour East Cardinal light buoy SE	46 13 03.6 060 13 19.5	Q(3) W 10s	Black-yellow-black, spar, marked "SE".	Year round. Operates 24 h.
789.2	Sydney Harbour light buoy S4	46 15 27.7 060 10 38.5	Fl R 4s	Red, spar, marked "S4".	Year round. Operates 24 h.
789.3	Sydney Harbour light buoy S6	46 14 44.6 060 11 21.8	Fl R 4s	Red, spar, marked "S6".	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
CAPE BRETON ISLAND, N.S.								
789.5	Point Aconi Fairway light and whistle buoy U	46 21 28.2 060 14 49.1	LFl W 10s	Red-white, pillar, marked "U".	Seasonal. Audible signal: Whistle	
789.6	Sydney Harbour light buoy S8	46 13 52.9 060 12 14.1	Fl R 4s	Red, spar, marked "S8".	Year round. Operates 24 h.	
789.8	Sydney Harbour light buoy S10	46 13 03.0 060 13 09.7	Fl R 4s	Red, spar, marked "S10".	Year round. Operates 24 h.	
789.9	Sydney Harbour light buoy S11	46 12 30.1 060 13 12.3	Q G 1s	Green, spar, marked "S11".	Year round. Operates 24 h.	
Little Bras d'Or								
790	Little Bras d'Or Entrance light and bell buoy U1	46 19 27.2 060 16 33.6	Fl G 4s	Green, pillar, marked "U1".	Seasonal. Audible signal: Bell	
791	Alder Point light buoy U4	Entrance to Little Bras d'Or, W. of point. 46 18 56.2 060 17 05.2	Q R 1s	Red, pillar, marked "U4".	Seasonal.	
791.5	Little Bras d'Or Entrance light buoy U9	At the entrance to the harbour. 46 18 46.2 060 17 05.2	Fl G 4s	Green, pillar, marked "U9".	Seasonal.	
792 H0772	Little Bras d'Or front range light	On N. side of entrance. 46 18 43.9 060 17 13.8	F R	8.8	6	Square skeleton tower, white daymark with red vertical stripe. 3.6	Year round.
793 H0772.1	Little Bras d'Or rear range light	46 18 34.3 060 17 22.3 211°46' 354.0 m from front.	F R	12.7	3	Triangular skeleton tower, white daymark with red vertical stripe.	Year round.
794.2	McCreadyville light buoy U12	46 18 38.7 060 17 07.4	Fl R 4s	Red, pillar, marked "U12".	Seasonal.	
794.4 H0774	Little Bras d'Or Inner Sector	46 17 53.8 060 17 09.8	F R W G	4.1	15	Triangular skeleton tower, enclosed lower portion. 3.4	Year round. R 180°15'-182°05'; AI RW 182°05'-182°30'; W 182°30'-183°; AI GW 183°-183°25'; G 183°25'-185°15'.
796 H0770	Point Aconi	On point. 46 20 10.3 060 17 31.9	LFl W 6s	26.9	14	Square skeleton tower, red and white rectangular daymark. 9.9	Year round. Operates 24 h. Flash 2 s; eclipse 4 s.	
797	Carey Beach light and bell buoy Q1	W. of Table Rock. 46 19 06.7 060 23 13.1	Fl G 4s	Green, pillar, marked "Q1".	Seasonal. Audible signal: Bell	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

CAPE BRETON ISLAND, N.S.

797.5	Carey Beach light and bell buoy Q2	46 19 05.8 060 23 19.2	Fl R 4s	Red, pillar, marked "Q2".	Seasonal. Audible signal: Bell
798	Black Rock Point light buoy Q3	N. of Black Rock Shoal. 46 18 52.4 060 23 26.2	Q G 1s	Green, pillar, marked "Q3".	Seasonal.
799 H0778	Black Rock Point	S. side of entrance to Great Bras d'Or. 46 18 18.8 060 23 29.8	LFI W 6s	25.8	13	White square tower with red top. 12.4	Year round. Operates 24 h. Flash 2 s; eclipse 4 s. Visible 047°-227°.
800 H0779	Black Rock Point Sector	On point near shore. 46 18 18.7 060 23 32.1	F R W G	16.6	19 Square skeleton tower. 3.5	Seasonal. Operates 24 h. G 045°15'-048°20'; AI GW 048°20'-048°35'; W 048°35'-049°35'; AI RW 049°35'-049°50'; R 049°50'-053°45'.
801	Great Bras d'Or Entrance Outer light buoy Q4	W. of Black Rock Point light. 46 18 39.6 060 23 43.0	Fl R 4s	Red, pillar, marked "Q4".	Seasonal.
801.5	Little Shoal light buoy Q5	46 18 17.4 060 23 58.8	Fl G 4s	Green, pillar, marked "Q5".	Seasonal.
802	Great Bras d'Or Inner light buoy Q6	Off The Bar. 46 17 56.8 060 24 20.1	Fl R 4s	Red, pillar, marked "Q6".	Seasonal.
802.1	Gooseberry Beach light buoy Q7	NW. of the beach. 46 17 54.0 060 24 18.4	Fl G 4s	Green, pillar, marked "Q7".	Seasonal.
802.2	Carey Point light buoy Q8	46 17 43.0 060 24 33.9	Q R 1s	Red, pillar, marked "Q8".	Seasonal.

Great Bras d'Or

803 H0782	Great Bras d'Or front range light	On Noire Point. 46 17 25.5 060 24 48.3	F G	15.7	6 White pyramid tower with red upper portion and red vertical stripe. 9.9	Seasonal. Operates 24 h.
804 H0782.1	Great Bras d'Or rear range light	46 17 11.5 060 25 01.2 212°25' 514.6 m from front.	F G	19.1	6 White pyramid tower with red upper portion and red vertical stripe. 16.4	Seasonal. Operates 24 h.
804.5 H0784	Duffus Point	On wharf. 46 16 51.6 060 25 30.1	Fl W 5s	7.4	4	Pipe swing pole. 6.9	Seasonal. Flash 1 s; eclipse 4 s.
804.6 H0786	Kellys Cove Wharf	S. corner of wharf. 46 17 19.3 060 26 13.5	LFI W 6s	5.0	4	Pipe swing pole. 3.8	Seasonal. Flash 2 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
CAPE BRETON ISLAND, N.S.								
804.8	Great Bras D'Or Inner light buoy Q10	46 16 26.8 060 26 46.5	Fl R 4s	Red, pillar, marked "Q10".	Seasonal.	
805	Chain Point Shoal light buoy Q11	46 15 40.0 060 27 29.8	Fl G 4s	Green, pillar, marked "Q11".	Seasonal.	
805.8	Seal Reefs light buoy Q12	E. of reefs. 46 14 04.2 060 29 20.2	Q R 1s	Red, pillar, marked "Q12".	Seasonal.	
806	Seal Reefs light buoy Q14	46 13 50.2 060 29 34.7	Fl R 4s	Red, pillar, marked "Q14".	Seasonal.	
807	Lime Rock light buoy Q15	SW. of McLean Point. 46 13 27.2 060 29 57.3	Fl G 4s	Green, pillar, marked "Q15".	Seasonal.	
809.7 H0792	Man of War Point front range light	46 11 31.7 060 32 39.5	F Y	18.1	10	Triangular skeleton tower, white daymark with red vertical stripe. 9.6	Seasonal. Operates 24 h.
809.8 H0792.1	Man of War Point rear range light	46 11 13.6 060 33 04.0 223°03' 768.8 m from front.	F Y	28.5	16	Triangular skeleton tower, white daymark with red vertical stripe. 20.2	Seasonal. Operates 24 h.
810.7 H0796	MacFarlane Point front range light	46 07 34.1 060 36 15.1	F Y	18.0	17	Triangular skeleton tower, white daymark with red vertical stripe. 9.7	Seasonal. Operates 24 h.
810.8 H0796.1	MacFarlane Point rear range light	46 07 38.0 060 36 03.4 065°15' 277.2 m from front.	F Y	31.0	15	Triangular skeleton tower, white daymark with red vertical stripe. 10.2	Seasonal. Operates 24 h.
811 H0798	MacKenzie Point	W. of MacDonald Point. 46 06 59.4 060 38 56.0	Fl R 4s	21.3	2	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal. Flash 1 s; eclipse 3 s.	
811.1	MacRae Point light buoy Q20	46 06 32.2 060 39 56.2	Fl R 4s	Red, pillar, marked "Q20".	Seasonal.	
811.2	Fraser Point light buoy Q21	46 06 19.2 060 39 56.2	Fl G 4s	Green, pillar, marked "Q21".	Seasonal.	
812	MacRae Point Shoal bifurcation light buoy QA	46 06 02.0 060 40 31.1	Fl(2+1) G 6s	Green-red-green, spar, marked "QA".	Seasonal.	
St. Patricks Channel								
813.5	Bone Shoal light buoy A2	S. of Shoal. 46 05 19.5 060 44 27.5	Fl R 4s	Red, spar, marked "A2".	Seasonal.	

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
814	Bone Island light buoy A3	At N. edge of shoal off Bone island. 46 05 03.6 060 44 52.5	Fl G 4s	Green, spar, marked "A3".	Seasonal.
815 H0800	Kidston Island	On NE. point, entrance to Baddeck Harbour. 46 05 53.3 060 44 31.3	LFl G 12s	13.3	6	White square tower with red upper portion. 14.3	Private aid. Seasonal. Flash 2 s; eclipse 10 s.
815.1 H0801	Kidston Island West End	46 05 33.2 060 45 00.7	Fl R 6s	13.5	4	White cylindrical tower with red horizontal band. 10.6	Private aid. Seasonal. Flash 1 s; eclipse 5 s.
815.3	Stony Shoal light buoy A4	46 04 54.5 060 46 18.4	Fl R 4s	Red, spar, marked "A4".	Seasonal.
816	Brian Point light buoy A9	Off point. 46 03 39.7 060 51 47.3	Fl G 4s	Green, spar, marked "A9".	Seasonal.
817	MacIvers Point light buoy A11	N. of point. 46 02 27.2 060 55 33.3	Q G 1s	Green, spar, marked "A11".	Seasonal.
818	MacIvers Point West light buoy A13	W. of point. 46 02 12.2 060 55 40.0	Fl G 4s	Green, spar, marked "A13".	Seasonal.
818.5	MacIvers Point light buoy A14	46 02 05.4 060 55 47.7	Q R 1s	Red, spar, marked "A14".	Seasonal.
819	MacIvers Point light buoy A16	46 01 58.7 060 55 58.3	Q R 1s	Red, spar, marked "A16".	Seasonal.
820 H0802	MacIvers Point front range light	On shore. 46 02 05.9 060 55 27.8	Iso W 2s	3.6	10	Square skeleton tower, white daymark with red vertical stripe. 3.6	Seasonal. To activate the range lights, mariners can key their radio/microphone 5 pulses of 0.5 seconds each and within 10 seconds the light will be activated for 15 minutes. The lights will stay activated for 15 minutes and can be reactivated as required. Use channel 65 – 156.275 hertz.
821 H0802.1	MacIvers Point rear range light	46 02 06.4 060 55 26.2 066°23' 33.0 m from front.	Iso W 2s	8.1	10	Square skeleton tower, white daymark with red vertical stripe. 6.5	Seasonal. To activate the range lights, mariners can key their radio/microphone 5 pulses of 0.5 seconds each and within 10 seconds the light will be activated for 15 minutes. The lights will stay activated for 15 minutes and can be reactivated as required. Use channel 65 – 156.275 hertz.
822	MacIvers Bank East light buoy A17	46 01 48.7 060 56 18.3	Fl G 4s	Green, spar, marked "A17".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
823	Maclvers Bank light buoy A19	46 01 35.4 060 56 54.3	Q G 1s	Green, spar, marked "A19".	Seasonal.
823.1	Little Narrows Gypsum light buoy LN3	46 02 00.2 060 55 40.9	Q G 1s	Green, pillar, marked "LN3".	Private aid. Seasonal.
823.2	Little Narrows Gypsum light buoy LN4	Bras d'Or Lakes. 46 01 55.0 060 55 42.2	FI R 4s	Red, pillar, marked "LN4".	Private aid. Seasonal.
823.3	Little Narrows Gypsum light buoy LN5	Bras d'Or Lakes. 46 01 48.5 060 55 30.4	FI G 4s	Green, pillar, marked "LN5".	Private aid. Seasonal.
823.4	Little Narrows Gypsum light buoy LN6	Bras d'Or Lakes. 46 01 37.3 060 55 30.6	Q R 1s	Red, pillar, marked "LN6".	Private aid. Seasonal.
823.5	Little Narrows Gypsum light buoy LN7	Bras d'Or Lakes. 46 01 29.0 060 55 31.0	FI G 4s	Green, pillar, marked "LN7".	Private aid. Seasonal.
823.6	Little Narrows Gypsum light buoy LN8	Bras d'Or Lakes. 46 01 29.5 060 55 42.3	FI R 4s	Red, pillar, marked "LN8".	Private aid. Seasonal.
823.7	Little Narrows Gypsum light buoy LN9	46 01 24.0 060 55 52.8	FI G 4s	Green, pillar, marked "LN9".	Private aid. Seasonal.
825 H0803	Morrison's Cove front range light	On shore. 46 00 40.9 060 56 18.0	F Y	3.4	10	Square skeleton tower, white daymark with red vertical stripe. 3.5	Seasonal.
826 H0803.1	Morrison's Cove rear range light	46 00 20.9 060 56 25.9 195°31' 640.9 m from front.	F Y	6.5	10	Square skeleton tower, white daymark with red vertical stripe. 6.5	Seasonal.
828	Donald Williams Point light buoy A22	NE. of point. 46 00 39.1 060 57 34.1	FI R 4s	Red, spar, marked "A22".	Seasonal.
829	Eel Shoal light buoy A25	W. end of shoal. 46 00 20.3 060 57 43.0	FI G 4s	Green, spar, marked "A25".	Seasonal.
829.1	Great Bras d'Or light buoy A27	45 59 50.4 060 58 50.5	Q G 1s	Green, spar, marked "A27".	Seasonal.
829.2	Great Bras d'Or light buoy A28	45 59 40.7 060 59 03.3	FI R 4s	Red, spar, marked "A28".	Seasonal.
829.3	Little Narrows light buoy A29	45 59 25.6 060 59 15.5	FI G 4s	Green, pillar, marked "A29".	Seasonal.
829.5 H0804.4	Little Narrows front range light	SW. of Gypsum Plant. 45 59 49.2 060 58 08.2	F Y	4.7	10	Triangular skeleton tower, white daymark with red vertical stripe. 3.5	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
829.6 H0804.41	Little Narrows rear range light	45 59 45.5 060 58 10.9 206°44' 127.6 m from front.	F Y	10.2	10	Triangular skeleton tower, white daymark with red vertical stripe. 3.4	Seasonal. Operates 24 h.
831 H0806	Whycocomagh	On Lovett Point, N. side of channel. 45 57 40.6 061 04 40.5	LFI W 6s	7.0	Skeleton tower, enclosed lower portion. 6.8	Seasonal. Flash 2 s; eclipse 4 s.
Barra Strait							
834 H0818	Grand Narrows Bridge	On centre of swing bridge between Kelly and Uniacke Points. 45 57 31.9 060 47 49.5	F W	16.7	Cylindrical mast. 2.2	Private aid. Year round. Operates 24 h. Lights show red up and down channel when swing bridge is closed, green when open. White light is always visible. Maintained by railway.
835 H0822	Derby Point	On point. 45 56 22.4 060 48 03.5	FI R 4s	15.7	6	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal.
835.8	McPhee Island light buoy E3	45 56 28.8 060 32 12.4	FI G 4s	Green, spar, marked "E3".	Seasonal.
Bras d'Or Lake							
836.02	Dundee Marina light buoy		FI G 4s	Green, spar, marked "PRIV".	Private aid. Seasonal.
836.03	Dundee Marina light buoy		FI R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
836.1	Poor Point light buoy D1	45 46 40.5 060 56 29.0	FI G 4s	Green, spar, marked "D1".	Seasonal.
837	Paddle Shoal light buoy DA2	45 48 17.4 060 57 49.4	FI R 4s	Red, spar, marked "DA2".	Seasonal.
838 H0832	Cameron Island	On NE. end of island. 45 48 51.0 061 00 25.3	FI G 4s	9.3	5	White pyramid tower. 8.4	Seasonal.
St. Peters Inlet							
839	Kelly Shoals light buoy Q35	On W. side of shoals. 45 46 10.6 060 49 25.7	FI G 4s	Green, spar, marked "Q35".	Seasonal.
840 H0838	Cape George	S. side of lake, W. side of entrance to St. Peters Inlet. 45 44 05.2 060 48 38.1	FI W 4s	6	Square tower, red and white rectangular daymark.	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
841 H0839	Gregory Island	On island. 45 42 38.5 060 48 01.3	Fl G 4s	4	Square skeleton tower, green and white square daymark with black square in center.	Seasonal.
841.5	Scotts Island light buoy Q43	W. of island. 45 41 32.2 060 48 30.9	Fl G 4s	Green, spar, marked "Q43".	Seasonal.
842 H0842	Beaver Island	On SE. point of island. 45 40 29.5 060 50 01.4	Fl W 4s	9.9	6	White cylindrical tower with red horizontal band. 9.7	Seasonal.
843 H0843	Helens Island	W. from Sandys Point. 45 39 58.2 060 51 21.1	Fl G 4s	7.5	Pipe Swing Pole, green, white and black square daymark. 6.7	Seasonal. Flash 1 s; eclipse 3 s.
845.1	Great Bras D'Or (St. Anns Bay) light buoy KP2	46 18 02.2 060 31 47.3	Fl R 4s	Red, pillar, marked "KP2".	Seasonal.
845.3	Great Bras D'Or (St. Anns Bay) light buoy KP7	46 17 32.0 060 32 18.8	Fl G 4s	Green, can, marked "KP7".	Seasonal.
845.4	Port Shoal light buoy KP8	46 17 00.2 060 33 01.2	Fl R 4s	Red, pillar, marked "KP8".	Seasonal.
845.5	Breton Cove light and bell buoy KN	46 26 27.0 060 26 48.6	Mo(A) W 6s	Red-white, pillar, marked "KN".	Seasonal. Audible signal: Bell
845.7 H0857.5	Breton Cove front range light	46 26 41.2 060 27 38.7	F Y	7.2	12 Square skeleton tower, white daymark with red vertical stripe. 5.0	Seasonal.
845.8 H0857.51	Breton Cove rear range light	46 26 42.1 060 27 42.2 290°59' 80.2 m from front.	F Y	10.7	12 Square skeleton tower, white daymark with red vertical stripe. 10.1	Seasonal.
845.9	Little River Inner Breakwater	End of rock pile on the inside of breakwater. 46 26 42.1 060 27 31.7	Fl R 4s	2.6	2	Cylindrical mast. 2.2	Seasonal.
846	Cape Smokey light and whistle buoy K4	46 38 21.1 060 19 39.0	Fl R 4s	Red, pillar, marked "K4".	Seasonal. Audible signal: Whistle
847 H0858	Ingonish Harbour	On beach, N. side of harbour entrance. 46 38 02.9 060 23 19.2	Iso W 4s	7.1	6	Square skeleton tower, red and white rectangular daymark. 5.1	Seasonal.
847.3	Ingonish Harbour light buoy KM6	46 37 59.9 060 23 20.7	Fl R 4s	Red, pillar, marked "KM6".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
848	South Bay Ingonish light buoy KM	46 38 02.1 060 22 48.5	Mo(A) W 6s	Red-white, pillar, marked "KM".	Seasonal.
848.5	Ingonish East Cardinal light buoy KF	46 41 13.1 060 19 23.5	Q(3) W 10s	Black-yellow-black, pillar, marked "KF".	Seasonal.
848.6	Ingonish Harbour light buoy KM3	46 37 58.5 060 23 09.9	Fl G 4s	Green, spar, marked "KM3".	Seasonal (in place year round).
848.7	Ingonish Harbour light buoy KM4	46 37 59.7 060 23 10.4	Fl R 4s	Red, spar, marked "KM4".	Seasonal (in place year round).
849	Ingonish Island South Cardinal light buoy KH	46 40 44.4 060 20 38.1	Q(6) + LFI W 15s	Yellow-black, pillar, marked "KH".	Seasonal.
849.3	Ingonish Harbour North light buoy KH2	46 41 22.2 060 21 39.0	Fl R 4s	Red, spar, marked "KH2".	Seasonal.
849.4 H0865.1	The Point Breakwater	Outer end of wharf, Ingonish. 46 41 14.9 060 21 33.2	Fl R 4s	4.2	5	Pipe swing pole, red and white rectangular daymark with red triangle in centre.	Year round. Flash 1 s; eclipse 3 s.
850	Neil Harbour light and bell buoy KD	46 47 43.1 060 18 09.5	Mo(A) W 6s	Red-white, pillar, marked "KD".	Seasonal. Audible signal: Bell
850.1	Neil's Harbour light buoy KD1	Ingonish. 46 48 25.3 060 19 20.5	Fl G 4s	Green, spar, marked "KD1".	Seasonal.
850.6 H0866.1	Neils Harbour Breakwater Light	Outer end of breakwater. 46 48 24.0 060 19 16.9	Fl R 4s	10.0	3	Pipe swing pole. 2.8	Year round.
851 H0866	Neil Harbour	On headland, on E. side of entrance. 46 48 23.3 060 19 11.0	LFI W 6s	17.9	9	White square tower with red upper portion. 10.0	Seasonal. Flash 2 s; eclipse 4 s.
851.3	New Haven Breakwater light buoy KC1	Off end of breakwater. 46 49 17.4 060 19 06.3	Fl G 4s	Green, spar, marked "KC1".	Seasonal.
852	New Haven light and whistle buoy KC	46 49 17.1 060 18 21.5	Mo(A) W 6s	Red-white, pillar, marked "KC".	Seasonal. Audible signal: Whistle
852.6	White Point light and whistle buoy KB1	46 53 32.1 060 21 15.5	Q G 1s	Green, pillar, marked "KB1".	Seasonal. Audible signal: Whistle
853.1 H0868	White Point Breakwater	Outer end of breakwater. 46 52 32.2 060 21 15.3	Fl G 5s	6.0	4	Cylindrical mast. 2.8	Seasonal. Flash 1 s; eclipse 4 s.
854 H0872	Cape North	On square building. 47 01 44.0 060 23 30.1	LFI W 6s	33.7	8	Square skeleton tower, red and white rectangular daymark. 14.5	Year round. Flash 2 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
855 H0870	Dingwall Harbour North Breakwater	On outer end of breakwater. 46 54 15.7 060 27 07.1	Fl R 4s	8.2	Square skeleton tower, red and white triangular daymark. 4.9	Seasonal.
856	Dingwall light and bell buoy KA	46 54 14.1 060 25 51.5	Mo(A) W 6s	Red-white, pillar, marked "KA".	Seasonal. Audible signal: Bell
857 H0870.4	Dingwall Harbour South Breakwater	On outer end of breakwater. 46 54 13.3 060 27 07.5	Fl G 4s	8.0	4	Cylindrical mast. 5.0	Seasonal.
857.2	Dingwall Harbour North light buoy KA6	46 54 14.1 060 27 11.5	Fl R 4s	Red, pillar, marked "KA6".	Seasonal.
857.3	Dingwall Harbour South light buoy KA9	46 54 12.3 060 27 22.3	Fl G 4s	Green, pillar, marked "KA9".	Seasonal.
858 H0873	St. Lawrence Bay	Near outer end of breakwater. 47 00 12.7 060 28 04.0	Fl G 3s	5.2	4	Pipe swing pole. 4.2	Seasonal. Flash 1 s; eclipse 2 s.
858.3 H0873.2	St. Lawrence Bay Southwest Breakwater	47 00 12.6 060 28 05.5	Fl R 4s	5.1	2	Pipe swing pole. 3.3	Seasonal.
859	St. Lawrence Bay light and whistle buoy VV	47 01 02.1 060 28 23.5	Mo(A) W 6s	Red-white, pillar, marked "VV".	Seasonal. Audible signal: Whistle
860 H0874	Cape St. Lawrence	On the cape. 47 02 28.7 060 35 52.7	LFl W 12s	26.8	8	Square skeleton tower, red and white rectangular daymark. 6.7	Year round. Flash 2 s; eclipse 10 s. Visible 050°-261°.
860.6 H1176.4	Pleasant Bay Breakwater	NE. of breakwater. 46 49 57.2 060 47 51.1	Fl G 5s	7.2	4	Cylindrical mast. 3.6	Seasonal. Flash 1 s; eclipse 4 s.
860.9 H1176.5	Pleasant Bay Southwest Breakwater	46 49 59.1 060 47 50.6	Q R 1s	6.8	4	Cylindrical mast. 3.8	Seasonal.
861 H1177	Pleasant Bay front range light	46 49 43.0 060 47 38.1	F R	20.0	16	Square skeleton tower, white daymark with red vertical stripe. 5.0	Seasonal.
861.1 H1177.1	Pleasant Bay rear range light	46 49 41.1 060 47 36.1 143°17' 71.7 m from front.	F R	24.9	16	Square skeleton tower, white daymark with red vertical stripe. 5.0	Seasonal.
862 H1182	Caveau Point front range light	Extremity of point. 46 38 56.6 061 00 00.6	F R	16.8	14	Square skeleton tower, white daymark with red vertical stripe. 6.7	Year round.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
863 H1182.1	Caveau Point rear range light	46 38 54.6 060 59 51.6 107°55' 201.0 m from front.	F R	29.2	14	White square tower with red vertical stripe. 8.5	Year round.
863.1	Chéticamp Harbour light buoy VD2	46 38 58.5 061 00 28.3	Q R 1s	Red, spar, marked "VD2".	Seasonal.
864	Chéticamp Harbour light buoy VD4	Off Gros Cap entrance. 46 38 45.5 061 00 31.5	Fl R 4s	Red, spar, marked "VD4".	Seasonal.
866.1	Chéticamp Harbour light buoy VD8	46 38 32.4 061 00 34.8	Fl R 4s	Red, spar, marked "VD8".	Seasonal.
866.2	Chéticamp Harbour light buoy VD9	46 38 32.2 061 00 33.5	Q G 1s	Green, spar, marked "VD9".	Seasonal.
866.3	Chéticamp Inner light buoy VD10	46 38 25.8 061 00 36.5	Fl R 4s	Red, spar, marked "VD10".	Seasonal.
866.4	Chéticamp Inner light buoy VD13	46 38 19.5 061 00 36.9	Q G 1s	Green, spar, marked "VD13".	Seasonal.
866.5	Chéticamp Inner light buoy VD15	46 38 13.1 061 00 38.9	Q G 1s	Green, spar, marked "VD15".	Seasonal.
866.6	Chéticamp Inner light buoy VD14	46 38 12.5 061 00 40.1	Fl R 4s	Red, spar, marked "VD14".	Seasonal.
867 H1188	Enragée Point	On NW. point of Chéticamp Island. 46 38 58.4 061 01 35.2	Fl(3) W 24s	22.5	16	White octagonal tower with red top. 13.3	Year round. Operates 24 h.
868.5 H1196.4	Grand Étang Northeast Breakwater	NE. breakwater. 46 33 03.9 061 02 46.5	Q G 1s	8.5	4	Cylindrical mast. 5.1	Seasonal.
868.6 H1196.5	Grand Étang Southwest Breakwater	On outer end of SW. breakwater. 46 33 03.3 061 02 49.2	Q R 1s	8.1	2	Cylindrical mast. 3.5	Seasonal.
869 H1196	Grand Étang front range light	On E. bank of harbour. 46 32 54.1 061 02 31.4	Oc Y 10s	9.9	16	Square skeleton tower, white daymark with red vertical stripe. 8.3	Seasonal. Flash 9 s; eclipse 1 s. Locator light: Fl W 4s.
870 H1196.1	Grand Étang rear range light	46 32 50.0 061 02 24.3 130°29' 197.7 m from front.	Oc Y 10s	17.5	16	Triangular skeleton tower, white daymark with red vertical stripe. 7.4	Seasonal. Flash 9 s; eclipse 1 s. Locator light: Fl W 4s.
872 H1202	Margaree Harbour front range light	On W. side of river entrance. 46 26 22.6 061 06 45.1	F Y	15.2	7	White square tower with red top and red vertical stripe. 6.8	Seasonal. Visible 102°-192°.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
873 H1202.1	Margaree Harbour rear range light	46 26 20.5 061 06 44.4 166°45' 64.6 m from front.	F Y	21.3	8	White pyramid tower with red upper portion and red vertical stripe. 10.2	Seasonal.
873.1	<i>Margaree Harbour light buoy VH8</i>	46 26 29.1 061 06 46.8	FI R 4s	<i>Red, pillar, marked "VH8".</i>	<i>Seasonal.</i>
873.2 H1202.3	Margaree Harbour East Breakwater	46 26 34.4 061 06 47.1	FI G 4s	5.3	4	Cylindrical mast. 2.2	Seasonal.
873.21 H1202.4	Margaree Harbour West Breakwater	46 26 35.1 061 06 50.7	FI R 4s	5.9	Cylindrical mast. 2.2	Seasonal.
873.22	<i>Margaree Harbour light buoy VH9</i>	46 26 28.4 061 06 39.8	Q G 1s	<i>Green, pillar, marked "VH9".</i>	<i>Seasonal.</i>
873.23	<i>Margaree Harbour light buoy VH11</i>	46 26 30.9 061 06 30.3	Q G 1s	<i>Green, pillar, marked "VH11".</i>	<i>Seasonal.</i>
873.3	<i>Margaree Harbour light buoy VH12</i>	<i>Inside harbour. 46 26 29.2 061 06 29.7</i>	Q R 1s	<i>Red, pillar, marked "VH12".</i>	<i>Seasonal.</i>
874 H1208	Margaree Island (Sea Wolf Island)	Middle of Sea Wolf Island. 46 21 27.2 061 15 49.6	FI W 4s	90.8	9	White hexagonal tower with red top. 8.2	Year round. Flash 1 s; eclipse 3 s.
874.1 H1210.5	Inverness Breakwater	46 13 45.6 061 19 30.0	FI G 4s	8.1	2	Triangular skeleton tower, green, white and black square daymark. 3.3	Seasonal.
874.12 H1210.6	Inverness South Breakwater	46 13 44.7 061 19 33.2	FI R 4s	7.2	2	Cylindrical mast. 3.3	Seasonal.
874.2 H1210	Inverness Harbour front range light	46 13 35.4 061 19 11.3	F G	5.6	10	Square skeleton tower, white daymark with red vertical stripe. 3.4	Seasonal.
874.3 H1210.1	Inverness Harbour rear range light	46 13 34.4 061 19 09.2 123°45' 54.9 m from front.	F G	11.8	10	Square skeleton tower, white daymark with red vertical stripe. 4.9	Seasonal.
874.31	<i>Inverness Inner light buoy VL1</i>	<i>Inverness Harbour. 46 13 39.5 061 19 18.3</i>	Q G 1s	<i>Green, spar, marked "VL1".</i>	<i>Seasonal. Operates 24 h.</i>
874.4	Finlay Point	46 08 01.0 061 27 47.0	FI G 4s	2	Pipe swing pole.	Seasonal.
874.51	<i>Mabou Harbour light buoy VJ</i>	<i>NW. of Harbour. 46 05 29.1 061 29 28.1</i>	Mo(A) W 6s	<i>Red-white, pillar, marked "VJ".</i>	<i>Seasonal.</i>
874.52	<i>Mabou Harbour light buoy VJ1</i>	46 05 25.0 061 28 53.7	FI G 4s	<i>Green, can, marked "VJ1".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
874.53	Mabou Harbour light buoy VJ2	46 05 23.0 061 28 55.4	Fl R 4s	Red, conical, marked "VJ2".	Seasonal.
874.55	Mabou Harbour light buoy VJ3	46 05 18.2 061 28 33.7	Fl G 4s	Green, spar, marked "VJ3".	Seasonal.
874.6	Mabou Harbour light buoy VJ4	46 05 17.5 061 28 32.3	Fl R 4s	Red, spar, marked "VJ4".	Seasonal.
874.61	Mabou Harbour light buoy VJ8	46 05 14.6 061 28 13.4	Fl R 4s	Red, pillar, marked "VJ8".	Seasonal.
874.62	Mabou Harbour light buoy VJ9	46 05 15.4 061 28 13.1	Fl G 4s	Green, pillar, marked "VJ9".	Seasonal.
876 H1216.1	Mabou Harbour	46 05 09.2 061 27 55.2	F G	13.9	6 White square tower with red upper portion. 13.7	Private aid. Seasonal.
876.3	Murphy Pond light buoy VX1	46 01 27.7 061 32 38.5	Q G 1s	Green, spar, marked "VX1".	Seasonal.
876.5	Port Hood Fairway light buoy VX	At the harbour's entrance. 46 01 51.7 061 33 57.2	Mo(A) W 6s	Red-white, pillar, marked "VX".	Seasonal.
876.8 H1218	Murphy Pond	Outer end of W. breakwater. 46 01 33.3 061 32 39.7	Fl G 4s	6.2	2	Cylindrical mast. 3.3	Seasonal. Flash 1 s; eclipse 3 s.
876.9 H1217.5	Murphy Pond Breakwater Light	Outer end of E. breakwater. 46 01 35.7 061 32 38.0	Fl R 4s	5.6	2	Cylindrical mast. 3.3	Seasonal. Flash 1 s; eclipse 3 s.
877 H1224	Port Hood Island	46 00 51.4 061 33 23.8	Fl R 4s	4.5	5	Skeleton mast, red and white rectangular daymark. 3.6	Private aid. Seasonal.
879.5	Portsmouth Point light buoy VK7	S. of point. 45 59 06.2 061 33 19.6	Q G 1s	Green, spar, marked "VK7".	Seasonal.
880	Spithead light buoy VK9	E. of Spithead. 45 59 43.2 061 32 50.6	Fl G 4s	Green, spar, marked "VK9".	Seasonal (in place year round).
880.1	Dean Shoal light buoy VK12	Port Hood Harbour. 45 59 58.2 061 32 32.6	Fl R 4s	Red, spar, marked "VK12".	Seasonal (in place year round).
880.2	Smith Point light buoy VK13	46 00 29.4 061 32 46.8	Fl G 4s	Green, can, marked "VK13".	Seasonal.
880.5	Port Hood Causeway South light buoy VK15	S. of the causeway. 46 01 03.5 061 33 02.7	Fl G 4s	Green, can, marked "VK15".	Seasonal.
880.6	Port Hood Causeway South light buoy VK16	S. of the causeway. 46 01 03.8 061 33 01.8	Fl R 4s	Red, conical, marked "VK16".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
CAPE BRETON ISLAND, N.S.							
880.7	Port Hood Causeway North light buoy VK17	46 01 04.9 061 33 04.0	Q G 1s	Green, can, marked "VK17".	Seasonal.
880.8	Port Hood Causeway North light buoy VK18	46 01 05.1 061 33 03.1	Q R 1s	Red, conical, marked "VK18".	Seasonal.
881 H1222	Henry Island	W. side of island. 45 58 37.6 061 35 59.4	FI W 4s	61.0	9	Octagonal tower with red top and red and white vertical stripes. 11.6	Year round. Flash 1 s; eclipse 3 s.
881.1 H1223.2	Little Judique Harbour Breakwater	45 57 31.7 061 31 42.3	FI G 4s	5.3	2	Cylindrical mast, green, white and black square daymark. 3.8	Seasonal. Flash 1 s; eclipse 3 s.
881.3 H1223	Little Judique Harbour Wharf Sector	Near outer end of W. breakwater. 45 57 28.9 061 31 37.2	F R W G	8.2	8 Square skeleton tower, enclosed lower portion, red and white rectangular daymark.	Seasonal. R 093°-121°; W 121°-123°; G 123°-155°.
882 H1228	Judique South Wharf	On outer end, SW. corner of wharf. 45 51 27.5 061 30 13.1	LFI R 6s	7.3	Pipe swing pole, red and white triangular daymark. 6.7	Seasonal. Flash 2 s; eclipse 4 s.
882.1	Henry Point light buoy VM3	Off Henry Island. 45 59 39.7 061 35 09.6	FI G 4s	Green, spar, marked "VM3".	Seasonal.
882.2	Henry Point light buoy VM4	Off Henry Island. 45 59 27.5 061 35 34.7	FI R 4s	Red, spar, marked "VM4".	Seasonal.
882.3	Smith Point South Cardinal light buoy VM	Port Hood. 46 00 23.2 061 33 07.6	Q(6) + LFI W	15s	Yellow-black, spar, marked "VM".	Seasonal.
882.5	Judique Shoals light buoy VN2	W. of shoals. 45 50 16.3 061 33 09.8	FI R 4s	Red, spar, marked "VN2".	Seasonal.