

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
883.2	Aulds Cove light buoy VT2	45 38 56.4 061 26 03.4	Fl R 4s	Red, pillar, marked "VT2".	Seasonal. Buoy may be repositioned due to shifting channel.
883.4	Havre Boucher light buoy VQ	45 42 18.5 061 31 04.9	Mo(A) W 6s	Red-white, pillar, marked "VQ".	Seasonal.
883.5	Havre Boucher light buoy VQ4	45 41 37.2 061 31 23.4	Fl R 4s	Red, spar, marked "VQ4".	Seasonal.
883.6	Havre Boucher light buoy VQ5	45 41 31.4 061 31 20.8	Fl G 4s	Green, spar, marked "VQ5".	Seasonal.
883.9	Havre Boucher light buoy VQ8	45 41 23.9 061 31 29.3	Fl R 4s	Red, pillar, marked "VQ8".	Seasonal.
884 H1230	Havre Boucher front range light	On SW. shore. 45 40 54.4 061 31 37.7	F G	8.3	8 Square skeleton tower, white daymark with red vertical stripe. 7.5	Seasonal.
885 H1230.1	Havre Boucher rear range light	45 40 40.9 061 31 42.7 194°31' 433.2 m from front.	F G	32.4	8 White pyramidal tower with red vertical stripe and red upper portion. 9.6	Seasonal.
886	Jack Shoal light and bell buoy VU4	Off shoal. 45 43 21.1 061 32 59.3	Fl R 4s	Red, pillar, marked "VU4".	Seasonal. Audible signal: Bell
887 H1231	Barrios Beach Breakwater	On shore, approach to breakwater. 45 38 44.9 061 37 32.3	Fl W 4s	16.1	9	Square skeleton tower, red and white rectangular daymark. 6.8	Seasonal. Flash 1 s; eclipse 3 s.
887.1	Bowman Bank North Cardinal light buoy VP	45 40 16.9 061 41 39.9	Q W 1s	Black-yellow, spar, marked "VP".	Seasonal.
887.2	Barrios Beach light buoy VP2	45 39 05.7 061 37 45.8	Fl R 4s	Red, conical, marked "VP2".	Seasonal.
887.5	Barrios Beach light buoy VP5	45 38 36.5 061 37 32.7	Fl G 4s	Green, can, marked "VP5".	Seasonal.
887.7	Barrios Beach light buoy VP13	45 38 20.5 061 37 50.6	Q G 1s	Green, spar, marked "VP13".	Seasonal.
887.73	Monk Head North Cardinal light buoy VR	45 41 24.2 061 47 58.5	Q W 1s	Black-yellow, spar, marked "VR".	Seasonal.
887.75	Bayfield light buoy VR2	45 39 22.3 061 44 20.9	Fl R 4s	Red, spar, marked "VR2".	Seasonal.
887.8	Bayfield light buoy VR4	45 38 52.3 061 44 43.9	Fl R 4s	Red, pillar, marked "VR4".	Seasonal.
887.82	Bayfield light buoy VR8	45 38 38.8 061 45 09.6	Q R 1s	Red, pillar, marked "VR8".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
888 H1232	Pomquet Island	NE. end of island. 45 39 27.5 061 44 50.6	LFI W 6s	13.7	8	White pyramid tower. 8.2	Seasonal. Flash 2 s; eclipse 4 s.
888.5	Bayfield Breakwater	On the outer end of the breakwater. 45 38 40.7 061 45 11.1	FI W 4s	2	Cylindrical mast.	Seasonal. Flash 1 s; eclipse 3 s.
889.5	Antigonish Harbour light buoy VS	Harbour entrance. 45 41 49.3 061 52 37.3	Mo(A) W 6s	Red-white, pillar, marked "VS".	Seasonal.
890 H1232.3	Cribbean Head Wharf	On outer end of wharf. 45 45 18.9 061 53 47.0	FI R 4s	6.1	5	Pipe swing pole, red triangular daymark. 3.5	Seasonal. Flash 1 s; eclipse 3 s.
890.2 H1232.35	Cribbean Head Main	45 45 25.3 061 53 43.8	Iso W 4s	20.5	10	Skeleton tower, enclosed lower portion. 3.8	Year round.
891 H1232.5	Ballantynes Cove Wharf	On S. side of wharf. 45 51 27.1 061 55 06.8	LFI R 6s	8.1	4	Pipe swing pole. 5.2	Seasonal. Flash 2 s; eclipse 4 s.
891.5	Cape George light and bell buoy VU2	Off cape. 45 52 34.4 061 53 13.8	FI R 4s	Red, pillar, marked "VU2".	Seasonal. Audible signal: Bell
892 H1234	Cape George	On cape. 45 52 26.8 061 54 01.8	FI(3) W 12s	121.3	15	White octagonal tower with red top. 13.8	Year round. Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s.
892.5 H1234.5	Livingstone Cove	45 52 05.0 061 58 55.6	FI G 4s	6.3	4	Pipe swing pole. 5.1	Seasonal. Flash 1 s; eclipse 3 s.
894.1 H1234.8	Arisaig West	45 45 37.1 062 10 21.3	LFI G 6s	10.4	5	Square skeleton tower, green, white and green square daymark. 9.6	Seasonal. Flash 2 s; eclipse 4 s.
894.2 H1234.7	Arisaig East	45 45 37.1 062 10 19.7	FI R 4s	3.9	3	Cylindrical mast, red and white triangular daymark. 3.0	Seasonal.
895 H1236	Baileys Brook	On shore near wharf. 45 42 23.5 062 16 12.9	LFI W 6s	16.8	15	Square skeleton tower, red and white rectangular daymark. 8.5	Seasonal. Operates 24 h. Flash 2 s; eclipse 4 s.
896 H1236.3	Baileys Brook East Breakwater	On SW. corner of E. breakwater. 45 42 27.9 062 16 27.7	FI G 4s	4	Cylindrical mast, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
896.1 H1236.4	Baileys Brook West Breakwater	45 42 26.2 062 16 26.5	FI R 4s	5.8	4	Cylindrical mast. 3.9	Seasonal. Flash 1 s; eclipse 3 s.
896.5	Merigomish Harbour Approach light buoy SA2	45 40 00.2 062 28 33.7	FI R 4s	Red, spar, marked "SA2".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
896.6	<i>Kings Head light buoy SA6</i>	45 39 10.2 062 28 24.7	Fl R 4s	Red, spar, marked "SA6".	Seasonal.
896.8	<i>Merigomish Harbour light buoy SA14</i>	45 38 33.7 062 27 07.7	Q R 1s	Red, spar, marked "SA14".	Seasonal.
896.95	<i>Pictou Island North Cardinal light buoy SPN</i>	45 49 24.9 062 35 35.0	Q W 1s	Black-yellow, marked "SPN".	Year round. Operates 24 h.
897 H1244	Pictou Island (West End)	On W. point of island. 45 48 15.0 062 36 07.2	Fl W 4s	14.0	6	Square skeleton tower, red and white rectangular daymark. 6.9	Year round.
898 H1240	Pictou Island Breakwater	On SE. corner of W. breakwater. 45 48 09.5 062 35 08.4	Fl G 4s	4.9	4	Pipe Swing Pole, green, white and black square daymark.	Seasonal. Flash 1 s; eclipse 3 s.
898.5	Pictou Island East Breakwater	On E. breakwater. 45 48 09.4 062 35 07.1	Iso R 4s	4	Pipe swing pole, red and white triangular daymark.	Seasonal.
899 H1237	Pictou Island South	On SW. coast of island. 45 48 13.6 062 35 08.1	Iso W 4s	10.8	6	White square tower with red upper portion. 8.1	Seasonal.
899.5 H1238	Pictou Island (East End)	SE. point. 45 48 55.2 062 30 49.2	Fl W 4s	17.7	6	Square skeleton tower, red rectangular daymark with white horizontal band. 9.9	Year round. Flash 1 s; eclipse 3 s.
900.2	<i>Pictou Island East East Cardinal light buoy SP</i>	45 49 36.2 062 29 48.7	Q(3) W 10s	Black-yellow-black, spar, marked "SP".	Seasonal.
900.5	<i>Pictou light buoy SJ</i>	N. of Mackenzie Shoal. 45 42 30.6 062 36 51.9	Mo(A) W 6s	Red-white, can, marked "SJ".	Seasonal.
900.8	<i>Macdonald Reef light buoy SJ2</i>	E. of reef. 45 42 44.2 062 37 25.7	Fl R 4s	Red, spar, marked "SJ2".	Seasonal.
901	<i>Pictou Harbour light buoy SJ4</i>	S. of Cole Point. 45 41 34.8 062 38 33.0	Q R 1s	Red, conical, marked "SJ4".	Seasonal.
901.1	<i>Pictou Harbour light buoy SJ5</i>	45 41 27.9 062 39 01.2	Fl G 4s	Green, spar, marked "SJ5".	Seasonal.
901.5	<i>Lighthouse Beach light buoy SJ7</i>	45 41 23.3 062 39 37.7	Q G 1s	Green, spar, marked "SJ7".	Seasonal.
901.6	<i>Murdock Shoal light buoy SJ6</i>	45 41 27.3 062 39 30.7	Fl R 4s	Red, conical, marked "SJ6".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
903 H1256	Pictou Harbour front range light	On N. side of entrance to harbour. 45 41 18.3 062 40 42.9	F W	6.8	11	White square tower with red top and red vertical stripe. 7.0	Year round. Mariners requiring the operation of the range lights will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range lights will be in operation for 30 minutes. If additional time is required, repeat the process above.
904 H1256.1	Pictou Harbour rear range light	45 41 17.7 062 40 49.3 261°57' 140.6 m from front.	F W	16.9	11	Square skeleton tower, white daymark with red vertical stripe. 9.6	Year round. Mariners requiring the operation of the range lights will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range lights will be in operation for 30 minutes. If additional time is required, repeat the process above.
905	Pictou Harbour light buoy SJ11	45 40 52.3 062 40 43.7	Fl G 4s	Green, spar, marked "SJ11".	Seasonal.
905.2	Pictou Harbour light buoy SJ12	45 40 51.5 062 41 30.4	Q R 1s	Red, spar, marked "SJ12".	Seasonal.
905.3	Pictou Landing light buoy SJ15	45 40 38.5 062 41 04.7	Q G 1s	Green, spar, marked "SJ15".	Seasonal.
905.4	Pictou Landing East	45 40 33.6 062 40 59.7	Fl G 4s	Seasonal.
905.5	Pictou Landing West	45 40 33.5 062 41 00.7	Fl R 4s	2	Seasonal.
905.55	Hector Quay light buoy SJD	45 40 17.1 062 42 35.0	Fl(2) W 5s	Black-red-black, spar, marked "SJD".	Seasonal. Flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s.
905.6	Norway Reach light buoy SJ19	East River of Pictou. 45 39 50.3 062 42 46.7	Q G 1s	Green, spar, marked "SJ19".	Seasonal.
906.4 H1248.05	Lighthouse Beach	S. side of entrance to harbour. 45 41 14.1 062 39 48.2	Fl W 4s	8.9	6	Square skeleton tower, red and white rectangular daymark. 7.2	Year round. Flash 1 s; eclipse 3 s. Radar reflector.
906.6 H1260.5	Pictou Marina	End of the floating dock. 45 40 27.9 062 42 39.4	Q G 1s	2.0	Private aid. Seasonal. Operates 24 h.
909	Norway Reach light buoy SJ27/3	S. of Indian Cross Point. 45 38 28.3 062 41 26.7	Fl G 4s	Green, spar, marked "SJ27/3".	Seasonal.
909.5	Stonehouse Point light buoy SJ38	45 37 32.2 062 39 07.7	Q R 1s	Red, spar, marked "SJ38".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
912.5	Caribou light buoy SQ2	45 44 40.3 062 38 32.5	Q R 1s	Red, spar, marked "SQ2".	Seasonal.
913	Caribou Harbour light and bell buoy SS1 Racon G (- - .) X & S Bands	S. side of channel. 45 45 07.9 062 39 44.0	Fl G 4s	Green, pillar, marked "SS1".	Seasonal. Audible signal: Bell
913.2	Caribou Harbour Entrance light buoy SS2	N. side of channel. 45 45 10.0 062 39 54.7	Q R 1s	Red, spar, marked "SS2".	Seasonal (in place year round).
913.4	Caribou Harbour light buoy SS3	S. side of channel. 45 45 03.2 062 40 10.2	Fl G 4s	Green, spar, marked "SS3".	Seasonal (in place year round).
913.6	Caribou Harbour light buoy SS6	N. side of channel. 45 45 05.4 062 40 16.8	Fl R 4s	Red, spar, marked "SS6".	Seasonal (in place year round).
914	Caribou Harbour light buoy SS7	S. side of channel. 45 44 59.7 062 40 31.4	Q G 1s	Green, spar, marked "SS7".	Seasonal (in place year round).
915	Caribou Harbour light buoy SS8	45 45 02.5 062 40 33.1	Q R 1s	Red, spar, marked "SS8".	Seasonal (in place year round).
915.4	Caribou Harbour light buoy SS10	45 44 57.2 062 40 43.5	Fl R 4s	Red, spar, marked "SS10".	Seasonal (in place year round).
916	Caribou Harbour Inner light buoy SS11	Off NW. point of Doctor Island. 45 44 49.5 062 40 52.3	Q G 1s	Green, spar, marked "SS11".	Seasonal (in place year round).
916.2	Caribou Harbour light buoy SS12	45 44 51.5 062 40 55.5	Q R 1s	Red, spar, marked "SS12".	Seasonal (in place year round).
916.4	Caribou Harbour light buoy SS16	NW. side of channel. 45 44 36.8 062 41 09.7	Fl R 4s	Red, spar, marked "SS16".	Seasonal (in place year round).
917	Caribou Harbour light buoy SS15	45 44 35.6 062 41 03.7	Fl G 4s	Green, spar, marked "SS15".	Seasonal (in place year round).
918 H1272	Caribou Light	On Gull Point, NE. end of Caribou Island. 45 45 52.2 062 40 50.4	Fl W 5s	10.8	9	White rectangular tower with red top. 12.6	Year round. Flash 1 s; eclipse 4 s.
919	Gull Rock light and bell buoy SP2	NE. of Caribou Reef. 45 46 28.8 062 40 24.7	Fl R 4s	Red, pillar, marked "SP2".	Seasonal. Audible signal: Bell
919.1	Toney River East	On E. breakwater. 45 46 24.8 062 53 21.8	Fl G 5s	2	Post.	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
919.6	Toney River light buoy SU1	45 46 42.2 062 53 19.7	Fl G 4s	Green, pillar, marked "SU1".	Seasonal.
919.7 H1273	Toney River Wharf	Outer end of breakwater. 45 46 26.0 062 53 23.8	Fl R 4s	5.5	4	Cylindrical mast. 3.1	Seasonal. Flash 1 s; eclipse 3 s.
920.1	Skidders Cove Wharf Light	On NE. corner of W. breakwater. 45 47 40.2 063 02 40.6	Fl R 4s	6.3	4	Square skeleton tower, red and white rectangular daymark. 5.5	Seasonal. Flash 1 s; eclipse 3 s.
920.5	Eastern Passage light buoy UA2	NE. of Cape John. 45 49 13.4 063 07 42.7	Fl R 4s	Red, spar, marked "UA2".	Seasonal.
920.6	Jollimore Reef light buoy UD3	Barrachois Harbour. 45 46 15.9 063 12 59.5	Q G 1s	Green, spar, marked "UD3".	Seasonal.
920.7	Chambers Point light buoy UD4	Barrachois Harbour. 45 45 27.6 063 14 14.4	Q R 1s	Red, conical, marked "UD4".	Seasonal.
920.8	Barrachois Harbour light buoy UD4/2	45 44 32.8 063 15 14.2	Fl R 4s	Red, spar, marked "UD4/2".	Seasonal.
920.9	Malagash Point light buoy UE6	SW. of point. 45 47 27.6 063 13 42.0	Fl R 4s	Red, spar, marked "UE6".	Seasonal.
921 H1276	Amet Island	Centre of island. 45 50 05.4 063 10 39.7	Fl W 4s	11.9	9	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal. Flash 1 s; eclipse 3 s.
921.1 H1277	Malagash Wharf	On SE. end of wharf. 45 46 29.0 063 17 43.9	Iso G 2s	5.7	5	Red square skeleton tower. 5.4	Seasonal.
921.2	Cape John West	45 47 50.3 063 07 25.4	Fl G 4s	2	Green, white and black square daymark.	Seasonal.
921.21	Cape John East	45 47 51.0 063 07 23.4	Fl R 4s	2	Red triangular daymark.	Seasonal.
921.3	Wallace Harbour light buoy UH	E. of Oak Island Bar. 45 48 56.7 063 20 59.0	Mo(A) W 6s	Red-white, spar, marked "UH".	Seasonal.
921.4	Oak Island Bar light buoy UH2	45 48 26.3 063 22 00.7	Q R 1s	Red, spar, marked "UH2".	Seasonal.
921.5	Horton Bank light buoy UH3	45 48 59.9 063 23 04.8	Q G 1s	Green, spar, marked "UH3".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTHUMBERLAND STRAIT - EAST

921.6	Horton Bank light buoy UH5	N. of bank. 45 49 16.9 063 24 03.9	Q G 1s	Green, pillar, marked "UH5".	Seasonal.
923.3	Palmer Point light buoy UH12	Off point. 45 49 07.3 063 25 50.6	Fl R 4s	Red, pillar, marked "UH12".	Seasonal.
923.5	Wallace Harbour light buoy UH16	NE. of Macfarlane Point. 45 48 56.1 063 26 58.3	Q R 1s	Red, spar, marked "UH16".	Seasonal.
923.7	Macfarlane Point light buoy UH17	N. of point. 45 48 57.5 063 27 48.5	Q G 1s	Green, spar, marked "UH17".	Seasonal.
924 H1283	Wallace Harbour Sector	45 48 46.8 063 27 43.6	F R W G	12.4	21 White pyramid tower. 8.1	Seasonal. Operates 24 h. R 254°-256°; AI RW 256°-257°; W 257°-258°; AI GW 258°-259°; G 259°-261°.
925.1 H1286	Wallace Wharf	On outer end of wharf. 45 48 55.9 063 28 25.1	Fl R 3s	6.3	6	Square skeleton tower, red and white triangular daymark with red triangle in center. 5.4	Seasonal. Flash 1 s; eclipse 2 s.

Pugwash Harbour

925.2	Pugwash Harbour light buoy UK2	NW. of Pugwash Point. 45 54 06.3 063 41 18.8	Fl R 4s	Red, spar, marked "UK2".	Seasonal (in place year round).
925.4	Pugwash Harbour Entrance light buoy UK3	N. of Pugwash Road. 45 52 54.2 063 41 40.0	Q G 1s	Green, spar, marked "UK3".	Seasonal (in place year round).
925.6	Pugwash Reef West Cardinal light buoy UN	45 52 49.7 063 41 14.5	Q(9) W 15s	Yellow-black-yellow, spar, marked "UN".	Seasonal.
927 H1292	Biglow Point front range light	On the point, eastward of point. 45 51 16.0 063 40 56.0	F G	15.1	16 Square skeleton tower, white daymark with red vertical stripe. 5.0	Seasonal.
928 H1292.1	Biglow Point rear range light	45 51 01.4 063 40 48.6 160°32' 479.1 m from front.	F G	28.2	16 Square skeleton tower, white daymark with red vertical stripe. 11.1	Seasonal.
929	Pugwash Road light buoy UK7	45 51 57.1 063 41 14.5	Q G 1s	Green, spar, marked "UK7".	Seasonal (in place year round).
929.2	Pugwash light buoy UK8	45 52 05.3 063 41 23.2	Fl R 4s	Red, spar, marked "UK8".	Seasonal.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHUMBERLAND STRAIT - EAST							
929.3	<i>Pugwash Road Turning light buoy UK9</i>	45 51 51.2 063 41 01.8	Q G 1s	<i>Green, spar, marked "UK9".</i>	<i>Seasonal (in place year round).</i>
929.5	<i>Pugwash Bar North light buoy UK11</i>	45 51 51.6 063 40 52.3	Fl G 4s	<i>Green, spar, marked "UK11".</i>	<i>Seasonal (in place year round).</i>
930	<i>Pugwash Channel light buoy UK13</i>	45 51 52.5 063 40 31.5	Q G 1s	<i>Green, spar, marked "UK13".</i>	<i>Seasonal (in place year round).</i>
931 H1296	Steven Point front range light	On shore, N. of point. 45 51 52.3 063 40 03.4	F R	9.9	5 Square skeleton tower, white daymark with red vertical stripe. 5.4	Seasonal.
932 H1296.1	Steven Point rear range light	45 51 53.2 063 39 41.7 086°22' 470.2 m from front.	F R	27.3	5 Square skeleton tower, white daymark with red vertical stripe. 6.6	Seasonal.
933	<i>Pugwash Channel 1st Turn light buoy UK16</i>	45 51 49.8 063 40 30.3	Q R 1s	<i>Red, spar, marked "UK16".</i>	<i>Seasonal (in place year round).</i>
934	<i>Pugwash Channel light buoy UK18</i>	45 51 44.8 063 40 22.7	Q R 1s	<i>Red, spar, marked "UK18".</i>	<i>Seasonal (in place year round).</i>
935 H1300	Fishing Point front range light	On point. 45 52 10.5 063 40 27.2	F G	8.4	10 Square skeleton tower, white daymark with red vertical stripe. 4.1	Seasonal.
936 H1300.1	Fishing Point rear range light	45 52 18.8 063 40 29.2 350°30' 258.3 m from front.	F G	11.9	10 Square skeleton tower, white daymark with red vertical stripe. 8.1	Seasonal.
937	<i>Pugwash Channel light buoy UK19</i>	45 51 39.7 063 40 17.9	Fl G 4s	<i>Green, spar, marked "UK19".</i>	<i>Seasonal (in place year round).</i>
937.5	<i>Pugwash Channel light buoy UK25</i>	<i>W. of Pineo Point. 45 51 11.3 063 40 11.0</i>	Q G 1s	<i>Green, can, marked "UK25".</i>	<i>Seasonal. (Winter spar.)</i>
937.8	<i>Pugwash Harbour light buoy UK28</i>	45 51 09.8 063 40 14.3	Fl R 4s	<i>Red, spar, marked "UK28".</i>	<i>Seasonal (in place year round).</i>
938	<i>Page Point North light buoy UK30</i>	<i>N. of point. 45 51 03.9 063 40 02.0</i>	Fl R 4s	<i>Red, spar, marked "UK30".</i>	<i>Seasonal (in place year round).</i>
938.5	<i>Page Point East light buoy UK32</i>	<i>NE. of point. 45 51 00.2 063 39 56.1</i>	Q R 1s	<i>Red, conical, marked "UK32".</i>	<i>Seasonal. (Winter spar.)</i>
939 H1291	Bergmans Point front range light	On point. 45 51 41.9 063 42 30.9	Iso Y 1s	12.0	18	Square skeleton tower, white daymark with red vertical stripe. 5.0	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Atlantic Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTHUMBERLAND STRAIT - EAST

940 H1291.1	Bergmans Point rear range light	45 51 36.9 063 42 34.3 205°13' 169.3 m from front.	Iso Y 4s	16.7	18	Square skeleton tower, white daymark with red vertical stripe. 9.6	Seasonal. Operates 24 h.
940.3	<i>Northport Fairway light buoy UP</i>	45 56 24.2 063 50 54.7	Mo(A) W 6s	<i>Red-white, pillar, marked "UP".</i>	Seasonal.