

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>BAY OF FUNDY, N.B. – EAST</b>								
145	Saint John Harbour light and whistle buoy J  <b>Racon -. (N) X Band</b>	S. of Partridge Island. 45 12 55.3 066 02 36.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "J".	Year round.  <b>Chart:4117</b>	
145.3 H4080	Black Point	S. tip of point. 45 12 59.8 066 00 27.9	Fl R 4s	11.1	7	Red and white cylindrical tower. 8.1	Operates at night only. Year round.  <b>Chart:4117</b>	
145.4	Black Point light and bell spoil ground buoy JB	SW. of point. 45 12 27.3 066 01 00.9	Fl Y 4s	.....	.....	Yellow, marked "JB".	Year round.  <b>Chart:4117</b>	
145.6 H4079	Irving Canaport Floating Terminal	S. of Mispec Point. 45 11 48.3 065 59 19.9	Mo(U) W 16s	.....	.....	Yellow, orange and amber, marked "SPM Irving".	Flash 0.5 s; eclipse 0.5 s; flash 0.5 s; eclipse 0.5 s; flash 2.5 s; eclipse 11.5 s. Privately maintained. Year round.  <b>Bell - Blast 0.75 s; sil. 1 s; blast 0.75 s; sil. 1 s; blast 2.5 s; sil. 24 s.</b>  <b>Chart:4117</b>	
146 H4078	Cape Spencer	Pitch of cape. 45 11 42.5 065 54 35.5	Fl W 11s	61.6	14	Red and white cylindrical tower, red top. 8.6	Flash 1 s; eclipse 10 s. Operates 24 h. Year round.  <b>Chart:4116 Edn 12/18 (F18-044P)</b>	
147 H4077	Black River	On SW. point entrance to river. 45 15 27.4 065 48 39.6	Fl W 4s	13.9	6	Pipe Swing Pole. 6.8	Operates at night only. Year round.  <b>Chart:4010 Edn 04/11 (F11-049)</b>	
147.1 H4079.5	LNG West Initial (060) Sector	45 12 34.6 065 59 22.2	F AI RW AI GW	R W G	.....	23.3	.....	On building.  Red from 057°30' to 058°39'; AI RW from 058°39' to 059°39', White from 059°39' to 060°21'; AI WG from 060°21' to 061°21', Green from 061°21' to 062°30'. For sole use of LNG vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.  <b>Chart:4117 Edn 07/09 (F09-022)</b>
147.12 H4079.5	LNG East Secondary (310) Sector	45 12 34.6 065 59 22.2	F AI RW AI GW	R W G	.....	23.3	5	On building. 23.3  Red from 307°30' to 308°39'; AI RW from 308°39' to 309°39', White from 309° to 310°21'; AI WG from 310°21' to 311°21', Green from 311°21' to 312°30'. For sole use of vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.  <b>Chart:4117 Edn 07/09 (F09-028)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B. – EAST</b>							
147.13 H4078.7	LNG East Initial (000) Sector	45 12 51.8 065 56 51.2	F R ..... AI W RW G AI GW	18.3	.....	On block.	Red from 358°36' to 359°06'; AI RW from 359°06' to 359°48'; white from 359°48' to 000°12'; AI GW 000°12' to 000°54'; green from 000°54' to 002°06'. For sole use of vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.  <b>Chart:4116</b> <b>Edn 08/09 (F09-047)</b> <b>Edn 12/09 (F09-047)</b>
147.14 H4078.5	LNG West Secondary (088) Sector	45 12 16.4 065 55 34.6	F R ..... AI W RW G AI GW	23.4	.....	On block.	Red from 085°54' to 087°06', AI RW from 087°06' to 087°48', White from 087°48' to 088°12', AI WG from 088°12' to 088°54', Green from 088°54' to 089°24'. For sole use of vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.  <b>Chart:4116</b> <b>Edn. 08/09 (F09-046)</b>
147.17 H4079.35	LNG MD1 Jetty	45 12 21 065 59 00.3	Fl Y 4s	7.3	5	Cylindrical mast. 7.3	Visible 360°. Privately maintained. Year round.  <b>Chart:4117</b> <b>Edn 07/09 (F09-024)</b>
147.171 H4079.3	LNG BD1 Jetty	45 12 19.2 065 58 53.2	Fl G 4s	.....	5	Cylindrical mast. 7.4	Visible 360°. Privately maintained. Year round.  <b>Chart:4117</b> <b>Edn 07/09 (F09-025)</b>
147.173 H4079.25	LNG BD4 Jetty	45 12 18.8 065 58 48.2	Fl G 4s	7.7	5	Cylindrical mast. 7.7	Visible 360°. Privately maintained. Year round.  <b>Chart:4117</b> <b>Edn 07/09 (F09-026)</b>
147.174 H4079.2	LNG MD6 Jetty	45 12 19.3 065 58 41.3	Fl Y 4s	7.7	5	Cylindrical mast. 7.7	Visible 360°. Privately maintained. Year round.  <b>Chart:4117</b> <b>Edn 07/09 (F09-027)</b>
147.21	LNG Cautionary light buoy	45 12 23.8 065 58 19.3	Fl Y 4s	.....	.....	Yellow, marked "LNG".	Privately maintained. Year round.  <b>Chart:4117</b> <b>Edn 08/09 (F09-035)</b>
147.22 H4078.6	LNG Black Rock	45 12 19.6 065 56 58.2	Fl Y 4s	4.8	3	.....	Visible 360°. Privately maintained. Year round.  <b>Chart:4116</b> <b>Edn 08/09 (F09-039)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B. – EAST</b>							
148	<i>The Sisters South Cardinal light and bell buoy KB</i>	<i>On S. side of rocks. 45 14 30.3 065 46 55.8</i>	<i>Q(6) W 15s +LFI</i>	.....	.....	<i>Yellow and black, marked "KB".</i>	<i>Year round.</i>  <b>Chart:4010</b>
149	<i>Quaco Ledge North Cardinal light and bell buoy KW</i>	<i>NW. of ledge. 45 14 42.3 065 22 09.8</i>	<i>Q W 1s</i>	.....	.....	<i>Black and yellow, marked "KW".</i>	<i>Year round.</i>  <b>Chart:4010</b>
150 H4076	<b>West Quaco</b>	<i>On Quaco Head. 45 19 25.3 065 32 08.8</i>	<i>Fl W 10s</i>	26.0	<b>21</b>	<i>White rectangular tower with red upper portion. 11.7</i>	<i>Flash 0.3 s; eclipse 9.7 s. Operates 24 h. Year round.</i>  <i>Horn - Blast 3 s; sil. 27 s. Horn points 130°.</i>  <b>Chart:4010 Edn 09/21 (F21-041)</b>
151	<i>Quaco light and bell buoy K15</i>	<i>SE. of Quaco Head Reef. 45 19 16.3 065 31 15.8</i>	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "K15".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4010 Edn 03/17 (F17-001)</b>
152 H4074	<b>St. Martins</b>	<i>On outer end of E. breakwater pier. 45 21 18.8 065 31 55.1</i>	<i>LFI R 6s</i>	7.2	<b>4</b>	<i>Triangular skeleton tower. 5.9</i>	<i>Flash 2 s; eclipse 4 s. Operates at night only. Year round.</i>  <b>Chart:4010 Edn 11/10 (F10-062)</b>
155 H4064	<b>Alma</b>	<i>On outer end of public wharf. 45 36 00.0 064 56 37.0</i>	<i>Iso R 4s</i>	.....	<b>4</b>	<i>Pipe swing pole, red and white triangular daymark. 6.0</i>	<i>Year round.</i>  <b>Chart:4337 Edn 03/17 (F16-054) Edn 06/20 (F20-024)</b>
155.5	<i>Alma light and bell buoy KX</i>	<i>45 35 32.3 064 55 59.8</i>	<i>Mo(A) W 6s</i>	.....	.....	<i>Red and white vertical stripes, marked "KX".</i>	<i>(Winter spar.) Seasonal (in place year round).</i>  <b>Chart:4337 Edn 03/17 (F17-002)</b>
156	<i>Cape Enrage light and bell buoy K19</i>	<i>Off reef extending S. from cape. 45 35 08.8 064 47 16.3</i>	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "K19".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4337 Edn 03/17 (F17-003)</b>
157 H4060	<b>Cape Enragé</b>	<i>Pitch of cape. 45 35 38.1 064 46 47.7</i>	<i>Fl G 6s</i>	40.7	<b>10</b>	<i>White square tower, red upper portion. 9.2</i>	<i>Flash 1 s; eclipse 5 s. Privately maintained. Year round.</i>  <i>Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 220°.</i>  <b>Chart:4337 Edn 05/13 (F13-002)</b>