

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
163 H4032	Apple River	On Cape Capstan, N. entrance. 45 28 24 064 51 22.9	LFI W 12s	20.8	9	White square tower. 11.2	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  <b>Chart:4010</b>
164 H3928	Île Haute	On highest point. 45 15 03.3 065 00 19.8	FI W 4s	112.0	7	Square skeleton tower. 13.0	Visibility of light may be obscured when the navigator is less than 2.5 nautical miles from light. Operates at night only. Year round.  <b>Chart:4010 Edn 06/12 (F12-014)</b>
165	<i>Advocate Harbour light and bell buoy MM</i>	<i>At entrance to harbour. 45 19 10.3 064 48 00.8</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "MM".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4010 Edn 03/17 (F17-004)</b>
166 H3934	Advocate Harbour	On S. side of entrance. 45 19 07.1 064 46 59.9	FI R 4s	.....	4	Square skeleton tower, three red and white rectangular day marks.	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4010 Edn 03/17 (F16-068)</b>
167 H3938	Cape d'Or	On extreme point. 45 17 27.0 064 46 27.5	LFI W 6s	20.3	8	White square tower with red top, connected to white building. 10.7	Flash 2 s; eclipse 4 s. Operates 24 h. Year round.  <b>Chart:4010 Edn 08/19 (F2019-022, 030)</b>
<b>Minas Basin</b>							
171 H3950	Cape Sharp	On S. extremity of cape. 45 21 52.2 064 23 31.5	LFI W 6s	17.4	11	White pyramid tower with red top. 11.7	Flash 2 s; eclipse 4 s. Operates 24 h. Year round.  <b>Horn - Blast 4 s; sil. 56 s. Horn points 250°. Mariners requiring the operation of the fog signal will have to select VHF channel 65 and key their microphones five (5) times within 10 seconds. The fog signal will be in operation for 15 minutes. The fog signal can be activated within a 1 NM distance. The fog signal can be activated for another 15 minutes by repeating the above procedure.</b>  <b>Chart:4399 Edn 02/20 (F19-044)</b>
172 H3952	Parrsboro	At entrance to harbour. 45 23 12.8 064 18 59.5	LFI G 6s	8.4	7	White square tower. 8.5	Flash 2 s; eclipse 4 s Year round.  <b>Horn - Blast 3 s; sil. 27 s. Horn points 170°.</b>  <b>Chart:4399 Edn 04/10 (F10-010)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
173 H3954	Parrsboro Wharf	SE. corner of wharf. 45 23 24.1 064 19 06.6	FI R 4s	5.1	3	Pipe swing pole. 3.7	Operates at night only. Year round.  Chart:4399 Edn 06/09 (F09-014) Edn 04/10 (F10-009) Edn 04/11 (F11-046)
189.5 H3957	Delhavan Shore Light	45 12 04.5 064 22 42.2	FI R 4s	4.8	4	Pipe swing pole. 4.8	Radar reflector. Seasonal.  Chart:N/A Edn 10/18 (F18-029) Edn 11/18 (F18-039) Edn 12/18 (F18-047)
190	Delhavan Entrance	45 12 02.8 064 22 40.4	FI R 4s	4.9	4	Pipe swing pole. 4.9	Radar reflector. Year round.  Chart:N/A Edn 12/18 (F18-030, 037, 048)
191 H3956	Minas Basin	On outer SW. corner of wharf at Delhavan. 45 12 07.6 064 22 48.5	F R .....	7.3	5	Pipe swing pole, red and white triangular day mark. 5.2	Radar reflector. Year round.  Chart:4140 Edn 10/18 (F18-028) Edn 03/21 (F21-013)
192 H3942	Halls Harbour	On end of wharf. 45 12 06.6 064 37 11.8	FI R 4s	5.8	7	Cylindrical mast, red and white triangular day mark, red triangle in centre. 5.6	Operates at night only. Year round.  Chart:4010 Edn 06/09 (F09-015) Edn 04/11 (F11-044)
193 H3932	Black Rock	S. shore Minas channel. 45 10 13.2 064 45 42.6	FI(2) W 12s	15.9	12	White cylindrical tower, red horizontal bands. 10.4	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 8 s. Operates at night only. Year round.  Chart:4010
194 H3930	Harbourville	Near outer end of W. pier. 45 09 09.3 064 48 42.2	FI R 4s	9.8	5	Square skeleton tower, red and white rectangular day mark, red triangle in centre. 6.5	Operates at night only. Year round.  Chart:4010 Edn 09/11 (F11-083)
195 H3926	Margaretsville	On extremity of point, S. of breakwater. 45 03 00.3 065 03 57.8	Oc(2) W 20s	11.2	10	Square tower, white and black horizontal bands. 9.7	Flash 10 s; eclipse 3 s; flash 4 s; eclipse 3 s. Visible from 095° through S. to 236°. Operates at night only. Year round.  Chart:4010
197.3	Port Lorne breakwater	S. shore. 44 56 57.7 065 15 55.7	FI R 4s	3	2	Aluminum pipe swing pole, red triangular day mark. 3	Year round.  Chart:4010 Edn 03/16 (F16-004)
198 H3918	Hampton	E. of W. breakwater at Chute Cove. 44 54 20 065 21 10	F W .....	21.0	11	White tower. 10.1	Privately operated. Operates at night only. Year round.  Chart:4010

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
199 H3916	Parkers Cove	On end of E. breakwater. 44 48 51.1 065 32 18.1	LF1 G 12s	8.0	2	Cylindrical mast. 8.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  <b>Chart:4010</b>
199.5 H3914	Delap Cove Wharf	E. of Digby Gut. 44 46 11.8 065 38 11.7	Fl W 4s	6.0	3	Mast. 6.8	Operates at night only. Seasonal.  <b>Chart:4010</b>
201 H3890	Prim Point	Digby Gut, W. point of entrance to Annapolis Basin. 44 41 28 065 47 10.8	Iso W 6s	24.8	12	White rectangular tower, red vertical stripes. 13.9	Year round.  <b>Chart:4396 Edn 04/15 (F15-009)</b>
202 H3892	Digby Gut	E. side of entrance to Digby Gut. 44 41 17.4 065 45 35.1	LF1 G 6s	20	.....	Square skeleton tower, three green and white day marks facing 181°T, 212°T and 002°T.	Flash 2 s; eclipse. 4s.  <b>Chart:4396 Edn 12/14 (F14-032) Edn 05/15 (F15-011)</b>
203.5	<b>Battery Point wharf</b>	44 40 29.3 065 45 12.4	Fl G 4s	.....	<b>17</b>	Square skeleton tower, three green and white day marks facing 160°, 250°, and 340°, true. 7.6	Year round.  <b>Chart:4396 Edn 05/15 (F15-007)</b>
204	<i>Bear Island light buoy V1</i>	<i>E. of Fannan Ledge. 44 38 57.9 065 44 48.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "V1".</i>	<i>Year round.</i>  <b>Chart:4396</b>
205	<i>The Raquette light buoy V2</i>	<i>44 37 55.4 065 45 05.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "V2".</i>	<i>Year round.</i>  <b>Chart:4396</b>
206.2	Digby Breakwater Light	44 37 33.0 065 45 2.1	Fl R 4s	15.5	4	Pipe swing pole. 3	Year round.  <b>Chart:4396 Edn 03/15 (F15-001)</b>
209.1	<i>Port Wade Light Buoy VE1</i>	<i>44 39 36.0 065 42 05.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green lighted marked "VE1".</i>	<i>Year round.</i>  <b>Chart:4396 Edn. 02/15 (F14-042) Edn. 11/15 (F15-027)</b>
209.3	<i>Black Point light buoy VE3</i>	<i>44 40 57.4 065 39 07.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "VE3".</i>	<i>Year round.</i>  <b>Chart:4396</b>
209.8	<i>Goat Island light buoy VE4</i>	<i>NW. of island. 44 42 18.9 065 37 16.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "VE4".</i>	<i>Year round.</i>  <b>Chart:4396</b>
<b>Annapolis River</b>							
210 H3906	Schafner Point	On N. side of Annapolis River. 44 42 35.5 065 37 08.6	F W .....	13.2	10	White square tower, red upper portion. 11.1	Indicates Goat Island Shoals. Operates at night only. Year round.  <b>Chart:4396 Edn 09/15</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
210.3	Marsh Point light buoy VE5	Off point. 44 42 47.6 065 34 42.5	Fl G 4s	.....	.....	Green, marked "VE5".	Year round.  Chart:4396
211 H3908	Annapolis	NE. of pier. 44 44 39.6 065 31 11.8	F R	.....	9.1	8 White square tower, red upper portion. 8.5	Privately maintained. Operates at night only. Year round.  Chart:4396 Edn 08/11 (F11-149)
213	Centreville light buoy MA	Trout Cove entrance. 44 33 20 066 02 40	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "MA".	Year round.  Chart:4011
214 H3888	Centreville Breakwater Light	On W. side of cove. 44 33 05.5 066 02 02.6	Fl G 4s	13.6	7	Square skeleton tower, red and white rectangular day mark with green square in centre. 7.7	Flash 1 s; eclipse 3 s. Year round.  Chart:4011 Edn 09/11 (F11-165) Edn 11/11 (F11-185) Edn 06/21 (F21-032)
215 H3887	Whale Cove Wharf	On outer end of wharf. 44 26 08.1 066 10 30.6	Fl G 4s	5.5	4	Cylindrical mast, green- white-black square day mark. 5.3	Flash 1 s; eclipse 3 s. Year round.  Chart:4118 Edn 06/09 (F09-008) Edn 05/11 (F11-103) Edn 01/21 (F20-053)
216 H3884	Boars Head	On W. side of N. entrance to Petit Passage. 44 24 14.5 066 12 55.0	Fl W 4s	28.0	7	White tower with red top. 11.6	Flash 1 s; eclipse 3 s. Operates 24 h. Year round.  Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 315°.  Chart:4118 Edn 08/21 (F21-033)
217 H3885	Tiverton	Near outer end of breakwater. 44 23 47.0 066 12 45.0	Fl Y 4s	4.7	6	Cylindrical mast. 3.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4118 Edn 07/21 (F21-034)
220	Northwest Ledge light buoy M4	Off Beatson Rocks. 44 18 17 066 25 55	Fl R 4s	.....	.....	Red, marked "M4".	Year round.  Chart:4118
221 H3874	Grand Passage	N. point of Brier Island. 44 17 13.0 066 20 31.2	Fl W 9s	14.3	21	White rectangular tower with red upper portion. 8.6	Flash 1 s; eclipse 8 s. Operates 24 h. Year round.  Horn - Blast 3 s; sil. 27 s. Horn points 333°.  Chart:4118 Edn 02/21 (F20-050)
222	Cow Ledge Shoal light buoy HA4	E. of North Point. 44 17 11 066 20 03	Fl R 4s	.....	.....	Red, marked "HA4".	Year round.  Chart:4118

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
223 H3872	Brier Island	On W. point of island. 44 14 55 066 23 32	Fl(3) W 18s	22.2	14	White octagonal tower, 3 red horizontal bands. 16.7	Flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 11.8 s. Year round.  <b>Horns(2)</b> - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 270° and 315°. Horns sound in unison.  <b>Chart:4118</b>
224	Gull Rock light buoy HA1	S. of rock. 44 12 08.0 066 23 11.0	Fl G 4s	.....	.....	Green, marked "HA1".	Year round.  <b>Chart:4118</b>
225	Southwest Ledge (Brier Island) light buoy M2	Off W. end of ledge. 44 10 09 066 27 12	Fl R 4s	.....	.....	Red, marked "M2".	Year round.  <b>Chart:4118</b> <b>Edn 05/12 (F12-008)</b>
226	Dartmouth Point light buoy HA2	Grand Passage. 44 14 45 066 19 57	Fl R 4s	.....	.....	Red, marked "HA2".	Year round.  <b>Chart:4118</b>
227 H3878	Peter Island	S. entrance to Grand Passage. 44 15 25.7 066 20 13.1	LFl G 6s	.....	6	Square skeleton tower, three red rectangular day marks, white band, green square in center.	Flash 2 s; eclipse 4 s. Year round.  <b>Horn</b> - Blast 2 s; sil. 18 s.  <b>Chart:4118</b> <b>Edn 05/16 (F08-025)</b> <b>Edn 03/17 (F16-005)</b>
227.5	Peter Island North	Grand Passage N.S. 44 15 37.4 066 20 15.3	Q G 1s	.....	.....	Green cylindrical mast. 6.4	Operates at night only. Year round.  <b>Carte:4118</b> <b>Edn. 04/15 (F15-008)</b>
228 H3880	Westport	On outer end of public wharf and breakwater. 44 15 53.2 066 20 51.9	Fl G 4s	5.0	6	Pipe swing pole. 3.3	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4118</b> <b>Edn 03/21 (F20-051, F21-001)</b>
228.5 H3875	Freeport South Breakwater	On breakwater. 44 16 00.4 066 19 44.5	Fl W 4s	4.2	6	Pipe swing pole. 3.3	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4118</b> <b>Edn 03/21 (F20-052, F21-002)</b>
229 H3876	Freeport	On outer end of public wharf. 44 16 27.8 066 20 08.5	F R .....	8.7	7	Pipe swing pole.6.7	Operates at night only. Year round.  <b>Chart:4118</b> <b>Edn 09/09 (F09-058)</b> <b>Edn 05/11 (F11-105)</b>

**St. Marys Bay**

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
230 H3864	Little River	On outer end of wharf. 44 26 37.4 066 07 44.6	LF1 G 6s	7.5	4	Cylindrical mast, green, white and green square day mark. 6.7	Flash 2s; eclipse 4 s. Operates at night only. Year round.  Chart:4118 Edn 06/09 (F09-018) Edn 04/11 (F11-055)
230.2	East Sandy Cove	On outer end of wharf. 44 29 10.8 066 05 04.3	Fl R 4s	4.3	5	Pipe swing pole, red and white triangular day mark. 3.7	Flash 1 s; eclipse 3 s. Year round.  Chart:4118 Edn 04/11 (F11-057) Edn 09/11 (F11-095) Edn 03/21 (F20-054)
232.1	Sissiboo Outer light buoy HJ1	44 26 54.6 066 01 15.9	Fl G 4s	.....	.....	Green spar, marked "HJ1".	Year round.  Chart:4118
234 H3859	Belliveau Cove	44 23 20.3 066 03 49.1	Iso W 5s	6.1	.....	Red square tower. 6.4	Privately operated. Operates at night only. Year round.  Chart:4118
234.3	East Sandy Cove light buoy HK3	44 28 48.5 066 04 39	Fl G 4s	.....	.....	Green spar, marked "HK3".	Year round.  Chart:4118
236.5 H3858	Comeauville Wharf	On wharf. 44 17 31.2 066 07 56.3	Fl R 4s	5.4	4	Triangular skeleton tower. 3.5	Operates at night only. Year round.  Chart:4118
237	Saulnierville light buoy HE	Approach to Saulnierville wharf. 44 16 00 066 09 24	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "HE".	Year round.  Chart:4118
237.5 H3855	Saulnierville Breakwater.	Near end of breakwater. 44 15 51.2 066 08 18.3	Fl R 4s	8.5	7	Square skeleton tower, 2 red and white triangular day marks. 8.6	Operates at night only.  Chart:4118 Edn 06/14 (F14-010) Edn 05/15 (F15-013)
238 H3852	Meteghan River	At inner end of breakwater. 44 13 11.8 066 08 37.2	Fl W 4s	7.5	6	Pipe swing pole.	Year round.  Chart:4118 Edn 03/21 (F21-006)
239	Meteghan light buoy HC2	NW. of Meteghan breakwater. 44 11 43 066 12 00	Fl R 4s	.....	.....	Red, marked "HC2".	Year round.  Chart:4118
239.3	Meteghan Outer light buoy HC3	44 11 51 066 10 54	Fl G 4s	.....	.....	Green spar, marked "HC3".	Year round.  Chart:4118
239.4	Meteghan Inner light buoy HC4	44 11 50 066 10 12	Fl R 4s	.....	.....	Red spar, marked "HC4".	Year round.  Chart:4118

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
239.5 H3851	Meteghan Breakwater	On outer end of breakwater. 44 11 44.1 066 10 00.1	LFI R 6s	.....	6	Square skeleton tower, 2 red and white rectangular day marks facing 312° and 132°.  4.8	Flash 2 s; eclipse 4 s. Year round.  <b>Chart:4118</b> <b>Edn 11/13 (F13-034)</b> <b>Edn 05/18 (F18-014)</b>
241 H3848	Cape St. Marys	E. side of bay. 44 05 09.2 066 12 39.6	FI W 5s	31.8	13	White rectangular tower, red upper portion.  8.7	Flash 0.5 s; eclipse 4.5 s. Year round.  <b>Horn - Blast 4 s; sil. 56 s.</b> <b>Horn points 251°30'.</b>  <b>Chart:4118</b>
242	Cape St. Marys light buoy NV	S. of cape. 44 04 10.3 066 12 35	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "NV".	Year round.  <b>Chart:4243</b>
243 H3846	Cape St. Marys Breakwater	On rubble breakwater. 44 05 03.5 066 12 15	FI G 4s	8	4	Aluminum pipe swing pole. Two port hand day marks facing 180° and 220° true.	Operates at night only. Year round.  <b>Chart:4118</b> <b>Edn 03/16 (F16-002)</b>
245	Trinity Ledge bifurcation light buoy NP	S. of ledge. 43 58 47.3 066 18 26	FI (2+1) R 6s	.....	.....	Red, green and red, marked "NP".	Year round.  <b>Chart:4243</b>
246	Port Maitland light buoy NU	N. of Port Maitland breakwater. 43 59 36.3 066 10 18	Mo(A) W 6s	.....	.....	Spar, red and white vertical stripes, marked "NU".	Year round.  <b>Chart:4243</b>
247 H3840	Port Maitland Wharf	43 59 09.5 066 09 32.9	LFI G 6s	6.1	5	Square skeleton tower, green and white rectangular day mark.  6.8	Day mark facing 337°(T). Flash 2 s; eclipse 4 s. Radar reflector. Operates at night only. Year round.  <b>Chart:4243</b> <b>Edn 11/11 (F11-178)</b>
250.1	Port Maitland West Breakwater light	43 59 09.6 066 09 39.6	FI R 4s	.....	4	Cylindrical mast.  3.0	Year round.  <b>Chart:4243</b> <b>Edn 03/15 (F15-005)</b>
251	Lurcher Shoal bifurcation light buoy NM  <b>Racon -- (K)</b> <b>X Band</b>	W. of Southwest Shoal. 43 48 57.2 066 29 58	FI (2+1) R 6s	.....	.....	Red, green and red, marked "NM".	Operates at night only. Year round.  <b>Chart:4243</b> <b>Edn 04/11 (F11-020)</b>
251.5	Lurcher Northeast Shoal light buoy N9	43 53 00.3 066 26 10	FI G 4s	.....	.....	Green, marked "N9".	Year round.  <b>Chart:4243</b>
252	Sandford light buoy NT2	Off Sandford. 43 55 50.8 066 10 53	FI R 4s	.....	.....	Red, marked "NT2".	Year round.  <b>Chart:4243</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>BAY OF FUNDY, N.S.</b>								
253 H3838	Sandford Sector	43 55 07.6 066 09 14.6	Iso R W G	2s	8.3	12	Square skeleton tower, white rectangular day mark, red horizontal bands. 6.9	Red from 090°57' to 134°57'; white from 134°57' to 136°57'; green from 136°57' to 180°57'. White sector indicates preferred channel. Year round.
<b>Chart:4243 Edn 05/11 (F11-108)</b>								
255.7 H3837	Chegoggin Point Breakwater	On end of breakwater. 43 51 09.5 066 09 40.2	FI G	4s	.....	7	Square skeleton tower, green and white rectangular day mark. 6.1	Day mark facing 180°(T). Flash 1 s; eclipse 3 s. Operates at night only. Year round.
<b>Chart:4243 Edn 01/12 (F11-186)</b>								
256	Chegoggin Point light buoy NQ1	Off SW. extreme of Chegoggin Point. 43 50 35.2 066 10 38.5	FI G	4s	.....	.....	Green, marked "NQ1".	Year round.
<b>Chart:4245</b>								
<b>Yarmouth Harbour and Approaches</b>								
259	Cat Rock light buoy Y3	S. of Cape Forchu. 43 46 57.3 066 09 29.5	FI G	4s	.....	.....	Green, marked "Y3".	Year round.
<b>Chart:4245</b>								
260 H3820	Cape Forchu <b>Racon -... (B) X Band</b>	E. Cape, S. point, Yarmouth Sound. 43 47 38.8 066 09 19.3	LFI W	12s	34.5	12	Hexagonal tower, red and white vertical stripes. 23.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.
<b>Chart:4245 Edn 08/11 (F11-102)</b>								
260.5	Johns Cove light buoy Y5	43 47 50.3 066 08 44.9	FI G	4s	.....	.....	Green spar, marked "Y5".	Year round.
<b>Chart:4245</b>								
261 H3822	Ships Stern	On N. end of Ships Stern. 43 48 31.7 066 08 45.9	FI W	4s	.....	4	Pipe swing pole. 3.5	Year round.
<b>Chart:4245 Edn 09/16 (F16-044)</b>								
262	Privateer Rock light buoy Y12	E. of Ships Stern. 43 48 34 066 08 38.8	FI R	4s	.....	.....	Red spar, marked "Y12".	Year round.
<b>Chart:4245</b>								
263 H3826	Bunker Island	SW. point of island. 43 48 44.6 066 08 36.2	Iso R	4s	9.8	8	White square tower, red vertical stripe. 9.1	Operates at night only. Emergency light. Year round.
<b>Chart:4245 Edn 04/10 (F10-007)</b>								
264	Sollows Rock light buoy Y17	SE. of rock. 43 48 50.2 066 08 40.1	Q G	1s	.....	.....	Green spar, marked "Y17".	Year round.
<b>Chart:4245 Edn 07/09 (F09-036)</b>								
265	Yarmouth Main Channel light buoy Y24	S. of Elders Head. 43 49 33.7 066 07 54.2	FI R	4s	.....	.....	Red spar, marked "Y24".	Year round.
<b>Chart:4245</b>								



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.S.

266	<i>Yarmouth South Channel light buoy Y26</i>	43 49 51.6 066 07 38.8	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "Y26".</i>	<i>Year round.</i>  <b>Chart:4245</b>
267	<i>Hen and Chickens light buoy Y4</i>	<i>On W. side of shoal.</i> 43 47 41.5 066 08 36.4	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "Y4".</i>	<i>Year round.</i>  <b>Chart:4245</b>
268	<i>Roaring Bull light buoy Y2</i>	43 45 10.3 066 09 41	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "Y2".</i>	<i>Year round.</i>  <b>Chart:4245</b>