

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHWEST COAST							
271	Chebogue Point South Cardinal light buoy E	W. of extremity of point. 43 43 46.6 066 07 06.8	Q(6) W 15s +LFI	Yellow and black, marked "E".	Year round. Chart:4243
271.3	Chebogue River Inner light buoy E3	43 44 54.3 066 06 04	Fl G 4s	Green spar, marked "E3".	Year round. Chart:4243
271.8	Chebogue River light buoy E8	43 45 05.3 066 05 17	Fl R 4s	Red spar, marked "E8".	Year round. Chart:4243
271.9	Chebogue River Inner light buoy E9	43 45 11.3 066 05 08	Fl G 4s	Green spar, marked "E9".	Year round. Chart:4243
272 H3818	Green Island	Centre of island. 43 41 23.1 066 08 38.3	Oc W 3s	25	18	Square skeleton tower, red, white and red rectangular daymark.	Flash 2 s; eclipse 1 s. Year round. Chart:4243 Edn 07/14 (F14-017) Edn 10/14 (F14-029) Edn 05/22 (F22-001)
272.11	Chebogue River light buoy E11	43 45 18.3 066 05 08.5	Fl G 4s	Green spar, marked "E11".	Year round. Chart:4243
272.135	Chebogue River Inner light buoy E13/5	43 45 41.5 066 05 28.3	Fl G 4s	Green spar, marked "E13/5".	Year round. Chart:4243
272.18	Chebogue River Inner light buoy E18	43 46 09.3 066 05 40	Fl R 4s	Red spar, marked "E18".	Year round. Chart:4243
272.23	Chebogue Ledge light buoy EA1	43 43 09.3 066 07 34.5	Fl G 4s	Green, marked "EA1".	Year round. Chart:4243
273	Gannet Dry Ledge light buoy N6	W. of ledge. 43 36 38.3 066 12 45	Fl R 4s	Red, marked "N6".	Year round. Chart:4243
274.14	Little River Harbour. light buoy NS17/1	43 42 10.3 066 02 21.5	Q G 1s	Green, marked "NS17/1".	Year round. Chart:4242 Edn 10/10 (F10-029)
274.2	Soldiers Ledge South Cardinal light buoy NSA	43 30 45.3 066 02 31	Q(6) W 15s +LFI	Yellow and black, marked "NSA".	Year round. Chart:4242
274.22	Schooner Rock light buoy NSE	43 39 24 066 02 28.5	Fl(2) W 5s	Black, red and black, marked "NSE".	Year round. Chart:4244
274.4	Soldiers Ledge North Cardinal light buoy NSB	43 33 23.5 066 03 00	Q W 1s	Black and yellow, marked "NSB".	Year round. Chart:4242
274.8	Haymaker Ledge light buoy NS8	43 38 21.3 066 01 36.8	Fl R 4s	Red, marked "NS8".	Year round. Chart:4244

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHWEST COAST								
274.9	Allen Rock light buoy NS9	Schooner Passage, Tusket Islands. 43 38 22.1 066 02 05.3	Fl G 4s	Green, marked "NS9".	Year round. Chart:4244 Edn 03/19 (F19-002, 003)	
275	Murder Island light buoy NSH	W. of island. 43 40 04.2 066 03 39.0	Mo(A) W 6s	Red and white vertical stripes, marked "NSH".	Year round. Chart:4244	
276	Schooner Passage light buoy NS11	N. of Owls Head. 43 39 39.6 066 02 58	Fl G 4s	Green, marked "NS11".	Year round. Chart:4244	
277	Pinkneys Point light buoy NS17	S. of point. 43 41 52.3 066 03 16	Fl G 4s	Green spar, marked "NS17".	Year round. Chart:4244	
278 H3819	Pinkneys Point	On outer end of rubble breakwater extension. 43 42 12.7 066 03 10.5	Fl G 4s	Pipe swing pole, green, white and green square daymark.	Flash 1 s; eclipse 3 s. Year round. Chart:4244 Edn 05/17 (F17-005)	
278.2 H3819.1	Pinkneys Point Fog Signal	43 42 11.6 066 03 12.1	Square skeleton tower. 4.1	Horn – Blast 3 s; sil. 3 s; blast 3 s; sil 51 s . Horn points 177°. Year round. Chart:4244	
279 H3817.4	Little River Harbour	S. extremity of Big Cook Island. 43 42 36.4 066 02 02.2	Fl W 4s	6.9	5	Square skeleton tower, red and white rectangular daymark, red horizontal band. 3.1	Operates at night only. Year round. Chart:4244 Edn 10/11 (F11-097)	
279.5 H3817.5	Little River Harbour East	On outer end of breakwater. 43 42 41.7 066 01 53.7	Fl R 4s	3	4	Pipe swing pole. 3	Fl 1 s ; Ec 3s. Operates at night only. Year round. Chart:4244 Edn 01/14 (F13-038)	
280 H3814	Candlebox Island	N. entrance, Schooner Passage. 43 39 44.6 066 02 43.3	F R	14.1	10	White rectangular tower, red upper portion. 11.6	Year round. Horn - Blast 3 s; sil. 27 s. Horn points 343°. Chart:4244 Edn 03/12 (F12-002)
281 H3815	The Sluice West	W. side of rock. 43 40 13.1 066 00 53.2	Fl W 4s	4.5	Cylindrical mast. 3.6	Operates at night only. Year round. Chart:4244 Edn 04/11 (F11-063)	
282 H3816	The Sluice East	E. side of rock. 43 40 12.1 066 00 48.2	Fl W 4s	4.5	Cylindrical mast, 3 reflective bands. 3.6	Operates at night only. Year round. Chart:4244 Edn 07/09 (F09-034) Edn 04/11 (F11-076)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHWEST COAST							
282.5 <i>H3805.8</i>	Pearl Rock	43 38 13.6 066 01 22.9	Fl R 4s	5.0	3	Red cylindrical mast. 8.2	Operates at night only. Year round. Chart:4244
283 <i>H3806</i>	Peases Island	On S. point of one of the Tusket Islands. 43 37 42.6 066 01 34.9	LFl W 6s	16.0	9	White cylindrical tower with red top. 11.5	Flash 2 s; eclipse 4 s. Visible from all points of approach from southward; also through Schooner Passage and Ellenwoods Channel. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Omnidirectional. Chart:4244 Edn 03/12 (F12-005) Edn 06/20 (F20-023)
283.2	<i>Peases Island Ledge light buoy NS4</i>	<i>S. of ledge. 43 37 29.8 066 01 15.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NS4".</i>	<i>Year round.</i> Chart:4244
284 <i>H3817</i>	Frenchman Point	On rock, SW. of point. 43 38 07.2 066 00 59.4	Iso R 2s	5	Square skeleton tower, red and white rectangular daymark. 6.1	Year round. Chart:4244 Edn 01/12 (F11-188) Edn 06/20 (F20-022)
285	<i>Frenchman Point light buoy T3</i>	<i>S. of the point. 43 38 05.8 065 59 59.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "T3".</i>	<i>Year round.</i> Chart:4244
285.2	<i>Gull Ledge light buoy NE2</i>	<i>43 37 08.6 065 54 51.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NE2".</i>	<i>Year round.</i> Chart:4244
285.5	<i>Old Woman South Cardinal light buoy TT</i>	<i>43 37 46.3 065 58 47.9</i>	<i>Q(6) W +LFl</i>	<i>15s</i>	<i>.....</i>	<i>Yellow and black, marked "TT".</i>	<i>Year round.</i> Chart:4244
286	<i>Lobster Rock light buoy T9</i>	<i>E. of Lobster Island. 43 39 29.3 065 59 11.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "T9".</i>	<i>Year round.</i> Chart:4244
286.5	<i>Sylvin Ledge light buoy T7</i>	<i>Off S. end of ledge. 43 38 49.3 065 59 13.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "T7".</i>	<i>Year round.</i> Chart:4244
287.5	<i>Old Man light buoy T1</i>	<i>43 36 35.3 065 59 57.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "T1".</i>	<i>Year round.</i> Chart:4244
288	<i>Spectacle Shoal light buoy NSC</i>	<i>SW. of Spectacle Ledge. 43 35 59.6 066 03 47.6</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "NSC".</i>	<i>Year round.</i> Chart:4244

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHWEST COAST

289 H3812	Seal Island	S. point of island. 43 23 40 066 00 51	Fl W 10s	33.4	19	White octagonal tower, two red bands. 21.3	Flash 1 s; eclipse 9 s. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 183°.
							Chart:4242 Edn 06/12 (F12-016)
290.2	<i>Blond Rock East Cardinal light buoy NK</i>	43 20 26.9 065 58 43.4	Q(3) W 10s	<i>Black, yellow and black, marked "NK".</i>	<i>Year round.</i>
							Chart:4242
291	<i>Lower Wedgeport light buoy TC3</i>	E. of Black Ledges. 43 41 33.1 065 59 27.7	Fl G 4s	<i>Green spar, marked "TC3".</i>	<i>Year round.</i>
							Chart:4244
292 H3805.5	Lower Wedgeport	43 42 38.6 065 59 22.4	Fl R 4s	3.1	4	Skeleton tower on 5-pile dolphin. 2.0	Radar reflector. Operates at night only. Year round.
							Chart:4244
293 H3805.4	Goose Bay	43 42 13.6 065 59 20	Fl R 4s	3.2	4	Skeleton tower on 5-pile dolphin. 2.1	Radar reflector. Operates at night only. Year round.
							Chart:4244
293.2 H3805.7	Snipe Reef	43 40 27.5 065 59 08.3	Fl R 4s	4.1	4	Red cylindrical mast. 4.1	Operates at night only. Year round.
							Chart:4244
293.55	<i>Snipe Reef bifurcation light buoy TA</i>	43 39 27.3 065 58 20.9	Fl G (2+1)	<i>Green, red and green, marked "TA".</i>	<i>Year round.</i>
							Chart:4244
293.6	<i>Western Bar Island South light buoy TA3</i>	43 40 12.4 065 57 38.1	Fl G 4s	<i>Green spar, marked "TA3".</i>	<i>Year round.</i>
							Chart:4244
293.7	<i>Fish Ledge West light buoy TA5</i>	43 41 25.3 065 57 51.9	Fl G 4s	<i>Green spar, marked "TA5".</i>	<i>Year round.</i>
							Chart:4244
294 H3804	Tusket River	Big Fish Island, SW. point. 43 42 12.6 065 57 05.9	Fl W 10s	18.6	16	White square tower, red upper portion. 11.2	Flash 1 s; eclipse 9 s. Operates at night only. Year round.
							Chart:4244
294.3 H3805	Tusket Wedge	43 42 47.6 065 58 00.3	Fl G 4s	8.3	4	Pipe swing pole, green and white square daymark, black square in center. 6.8	Operates at night only. Year round.
							Chart:4244 Edn 10/09 (F09-062) Edn 06/12 (F12-018)
294.55 H3819.5	Indian Sluice Point Wharf	At the end of wharf. 43 46 21.2 065 57 02.4	Fl R 4s	6	Cylindrical mast.	Operates at night only. Year round.
							Chart:4244

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHWEST COAST							
294.551	Indian Sluice Bay light buoy TE2	43 44 04.6 065 56 41.6	Fl R 4s	Red spar, marked "TE2".	Year round. Chart:4244
294.56	Mikes Island Ledge light buoy TE10	43 45 07.8 065 56 39.3	Fl R 4s	Red spar, marked "TE10".	Year round. Chart:4244
294.6 H3803	Surette's Island Breakwater	43 43 12.3 065 54 19.5	Fl G 4s	Cylindrical mast. 3.0	Operates at night only. Year round. Chart:4244 Edn 06/12 (F12-011)
294.7	East Money Outer South cardinal light buoy ND	43 40 48.3 065 53 57.9	Q(6) W +LFI 15s	Yellow and black spar, marked "ND".	Year round. Chart:4244
294.8 H3803.4	Bar Island	S. of island. 43 42 01.7 065 54 12.1	Fl G 4s	4.0	4	Green cylindrical mast. 8.6	Operates at night only. Year round. Chart:4244
295 H3800	Whitehead Island	On S. point of island. 43 39 45.8 065 52 02.6	Fl G 15s	30.0	10	Red and white rectangular tower with red top. 11.9	Flash 1 s; eclipse 14 s. Year round. Horn - Blast 3 s; sil. 27 s. Omnidirectional. Chart:4244 Edn 03/12 (F12-006) Edn 04/18 (F18-005) Edn 02/20 (F19-042)
295.5 H3801	Lower Argyle Breakwater	43 43 24 065 50 31.8	Fl R 4s	9.6	4	Swing pole, red triangular daymark.	Operates at night only. Year round. Chart:4244 Edn 11/10 (F10-056)
295.9 H3801	Gull Island	43 39 37.6 065 54 55.3	Fl W 4s	8.6	Square skeleton tower. white and red horizontals bands. 6.1	Operates at night only. Year round. Chart:4244 Edn 04/11 (F11-027)
296.2	Abbotts Harbour light buoy AC1	S. of Abbotts Harbour Island. 43 39 25.1 065 49 29	Q G 1s	Green, marked "AC1".	Year round. Chart:4244
296.3	Ledge Harbour light buoy AA3	Off S. end of island. 43 38 47.8 065 49 12.4	Fl G 4s	Green, marked "AA3".	Year round. Chart:4244
297.12	Black Ledge Light	Argyle, N.S. 43 42 11.0 065 51 00.5	Fl G 4s	Green cylindrical mast, green, white and green square daymark.	Radar reflector. Year round. Chart:4244 Edn 03/17 (F16-066)
297.6	Pumpkin Ledge light buoy A6	Lobster bay, south approach lower Argyle. 43 40 33.3 065 51 25.3	Fl R 4s	Red, marked "A6".	Year round. Chart:4244

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHWEST COAST

299 H3798	Pubnico Harbour	43 35 53.4 065 46 55.6	Fl R 3s	7	Red and white cylindrical tower. 11.4	Flash 1 s; eclipse 2 s. Year round. Chart:4210
300	Pubnico Ledges light buoy P5	E. side of ledges. 43 36 16.3 065 46 53.9	Fl G 4s	Green, marked "P5".	Year round. Chart:4210
300.5 H3798.4	Lower East Pubnico	On wharf. 43 36 21.3 065 46 41.9	Fl R 6s	7.5	4	Triangular skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4210