

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA AND CAPE BRETON ISLAND							
Chedabucto Bay							
686.5	Chedabucto Bay light buoy CF	45 23 54.3 061 03 00.6	Mo(A) W 6s	Red and white vertical stripes, marked "CF".	Year round. Chart:4307 Edn 03/11 (G11-025)
686.7	Chedabucto Bay light buoy C2	45 25 38.1 061 06 17.3	Q R 1s	Red, marked "C2".	Year round. Chart:4308 Edn 03/11 (G11-026)
686.8	Chedabucto Bay light buoy CGB	45 28 24.3 061 10 23.7	Mo(A) W 6s	Red and white vertical stripes, marked "CGB".	Year round. Chart:4307 Edn 03/11 (G11-027)
Strait of Canso							
687.1	Argos Shoal light buoy CS1	45 29 11.3 061 12 16.6	Q G 1s	Green, marked "CS1".	Year round. Chart:4307 Edn 03/11 (G11-028)
687.2	Chedabucto Bay light and bell buoy C7	45 28 07.2 061 10 49.8	Fl G 4s	Green, marked "C7".	Year round. Chart:4307 Edn 03/11 (G11-029)
687.3	Chedabucto Bay light and bell buoy C8	45 28 42.3 06s1 09 55.6	Fl R 4s	Red, marked "C8".	Year round. Chart:4307 Edn 03/11 (G11-030)
687.35	Chedabucto Bay West ODAS light buoy 4400489	45 29 13.0 061 08 28.0	Fl(5) Y 20s	Yellow ODAS, marked "4400489".	Year round. Chart:4301 Edn 03/19 (G19-008) Edn 01/20 (G19-144)
687.4	Chedabucto Bay light buoy C10	45 30 40.3 061 12 18.6	Fl R 4s	Red, marked "C10".	Year round. Chart:4302 Edn 03/11 (G11-031) Edn 05/13 (G13-009)
687.5	Chedabucto Bay light and bell buoy C11	45 31 48.3 061 14 17.6	Fl G 4s	Green, marked "C11".	Year round. Chart:4302 Edn 03/11 (G11-032) Edn 05/13 (G13-009)
687.7	Chedabucto Bay light buoy C13	45 32 17.8 061 15 28.6	Q G 1s	Green, marked "C13".	Year round. Chart:4302 Edn 03/11 (G11-033) Edn 05/13 (G13-009)
687.8	Chedabucto Bay light buoy C14	45 32 37.3 061 15 45.6	Fl R 4s	Red, marked "C14".	Year round. Chart:4302 Edn 03/11 (G11-034) Edn 05/13 (G13-009)
688	Chedabucto Bay light buoy C16	45 32 31.3 061 17 30.6	Q R 1s	Red, marked "C16".	Year round. Chart:4302 Edn 03/11 (G11-035) Edn 05/13 (G13-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

688.1	Chedabucto Bay light buoy C17	45 32 39.3 061 18 27.6	Fl G 4s	Green, marked "C17".	Year round. Chart:4302 Edn 07/12 (G12-123) Edn 05/13 (G13-009)	
688.2	Chedabucto Bay light buoy C18	45 33 29.3 061 19 17.6	Fl R 4s	Red, marked "C18".	Year round. Chart:4302 Edn 07/12 (G12-124) Edn 05/13 (G13-009)	
688.4	Chedabucto Bay light buoy C20	45 33 44.3 061 19 57.6	Q R 1s	Red, marked "C20".	Year round. Chart:4302 Edn 03/11 (G11-036) Edn 05/13 (G13-009)	
688.5	Chedabucto Bay light buoy C21	45 34 58.8 061 22 01.6	Fl G 4s	Green, marked "C21".	Year round. Chart:4302 Edn 07/12 (G12-125) Edn 05/13 (G13-009)	
689.1	Eddy Point Cautionary light buoy CY	45 31 27.7 061 14 37.5	Fl Y 4s	Yellow spar, marked "CY".	Year round. Chart:4302 Edn 09/11 (G11-244) Edn 05/13 (G13-009)	
689.3 H3421	Eddy Point range	SE. entrance, Strait of Canso. 45 31 12.2 061 15 07.4	Oc G 11s	11.9	15	Triangular skeleton tower, white daymark with red vertical stripe. 12.3	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24 h. Year round.	
689.4 H3421.1		124°51' 361.0 m from front.	F G	26.1	15	Triangular skeleton tower, white daymark with red vertical stripe. 19.0	Visible in line of range. Operates 24 h. Year round. Chart:4302 Edn 05/13 (G13-009) Edn 01/17 (G16-159) Edn 04/17 (G17-012) Edn 04/19 (G19-013, 016)
689.7 H3419	Port Malcolm range	Seacoal Bay Entrance. 45 34 32.7 061 17 16.9	F W	19.7	25	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Operates 24 h. Visible in line of range. Year round.
689.8 H3419.1		319°50' 790.7m from front.	F W	46.6	25	Triangular skeleton tower, white daymark, red vertical stripe. 19.1	Operates 24 h. Visible in line of range. Year round. Chart:4302 Edn 04/10 (G10-015, 016) Edn 05/13 (G13-009) Edn 04/15 (G15-015, 016)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

690.3 H3425	Middle Melford range	45 32 21.7 061 18 53.2	F G	13.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
			Fl W 4s	14.3	7	7.8	
690.4 H3425.1		268°05' 92.4 m from front.	F G	20.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
			Fl W 4s	21.2	7	13.8	
							Chart:4302 Edn 05/13 (G13-009) Edn 07/18 (G18-068, 069)
692 H3426	Park Point range	On point, W. side of Strait.	F G	12.3	17	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
			45 32 35.8 061 19 16.0				11.0
693 H3426.1		146°18' 316.9m from front.	F G	25.1	17	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
						19.3	
							Chart:4302 Edn 03/16 (G16-023) Edn 06/17 (G17-019, 020)
694.4 H3427	Laceys Rocks (Cahil Rock) range	SE. of rocks.	F G	12.9	18	Triangular skeleton tower, white daymark with red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
			45 34 13.2 061 21 17.5				12.7
694.5 H3427.1		304°46' 176.1 m from front.	Oc G 11s	27.5	18	Triangular skeleton tower, white daymark with red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24 h. Year round.
						12.3	
							Chart:4302 Edn 05/13 (G13-009) Edn 04/19 (G19-015, 017)
695	<i>Point Tupper light buoy C26</i>	45 36 20.8 061 22 33.1	Fl R 4s	Red, marked "C26".	Year round.
							Chart:4302 Edn 07/12 (G12-126) Edn 05/13 (G13-009)
696 H3430	Point Tupper	On small shed on Gypsum loading pier.	F R	29.6	Mast on small shed.	Privately operated. Operates at night only. Year round.
		45 36 27.4 061 22 27.0					Chart:4302 Edn 05/13 (G13-009)
696.5	<i>Premier Shoal light buoy CL4</i>	45 36 47.3 061 22 10.6	Fl R 4s	Red spar, marked "CL4".	Year round.
							Chart:4302 Edn 07/12 (G12-128) Edn 05/13 (G13-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA AND CAPE BRETON ISLAND									
697 H3434	Cape Porcupine range	S. side of Canso Causeway. 45 38 41.9 061 25 05.8	F	G	9.9	16	Triangular skeleton tower, white daymark with red vertical stripe. 6.1	Visible in line of range. Seasonal.
698 H3434.1		144°06' 1583.3 m from front.	F	G	21.8	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe. 13.8	Visible in line of range. Operates at night only. Seasonal.
									Chart:4302 Edn 09/11 (G11-061) Edn 05/13 (G13-009) Edn 07/21 (G21-045)
699	Dixon Rock light buoy C28	45 38 31.3 061 24 11.6	Fl	R	4s	Red, marked "C28".	Year round.
									Chart:4302 Edn 07/12 (G12-127) Edn 05/13 (G13-009)
700 H3432	Canso Canal SE. mooring dock	45 38 46.6 061 24 32.0	Fl	Y	4s	4.8	Mast.	Privately operated. Operates at night only. Year round.
									Chart:4302 Edn 05/13 (G13-009)
700.5 H3432.5	Canso Causeway	On swing bridge. 45 38 50.8 061 24 45.6	Fl F F	R R W	4s	16.2	Preparing to open bridge. FR - Bridge completely closed. FW - Bridge completely open. Year round.
									Chart:4302 Edn 05/13 (G13-009)
701 H3436	Balache Point range	N. end of Canso Lock. 45 38 57.7 061 24 59.4	Oc	R	11s	6.0	Square skeleton tower, white daymark with red vertical stripe. 3.5	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24 h. Seasonal.
702 H3436.1		131°30' 219.84 m from front.	Oc	R	11s	13.0	White square tower, red vertical stripe. 7.5	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24 h. Seasonal.
									Chart:4302 Edn 01/12 (G11-330) Edn 01/12 (G11-331) Edn 05/13 (G13-009) Edn 02/20 (G19-139, 140, 141)
703 H3433	Canso Canal NE. mooring berth	At outer end of NW. mooring dock. 45 39 11.3 061 25 12.6	Fl	Y	4s	5.5	Mast.	Privately operated. Operates at night only. Year round.
									Chart:4302 Edn 05/13 (G13-009)
704 H3423	Janvrin Island range	At Thomas Head. 45 32 31.3 061 12 01.6	F Fl	Y W 4s	12.6 13.1	15 7	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates 24 h. Year round.
704.1 H3423.1		088°10' 300.2 m from front.	F Fl	Y W 4s	25.0 25.5	15 7	Triangular skeleton tower, white daymark, red vertical stripe. 15.1	Visible in line of range. Operates 24 h. Year round.