

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>ST. MARYS RIVER</b>							
1059.6	Hay Point front range light	On the point, St. Joseph Island. 46 07 36.7 083 59 58.8	F W .....	13.9	12	White cylindrical tower, white daymark with orange vertical stripe. 12.2	Year round. Operates 24 h.
1059.7	Hay Point rear range light	46 07 30.0 083 59 46.8  128°37' 329.5 m from front.	F W .....	.....	12	Skeleton tower, white daymark with orange vertical stripe. 20.9	Year round. Operates 24 h.
1059.8	Everens Point light buoy Q16	NE. of point. 46 14 47.6 084 06 12.0	Fl R 4s .....	.....	.....	Red, pillar, marked "Q16".	Seasonal. (Winter spar.)
1060	Sailors Encampment Upbound front range light	46 15 40.6 084 05 53.6	F W .....	19.4	14	White cylindrical tower, white daymark with orange vertical stripe. 12.6	Year round. Operates 24 h.
1061	<b>Sailors Encampment Upbound rear range light</b>	46 16 01.4 084 05 44.4  016°56' 671.8 m from front.	F W .....	35.0	15	Skeleton tower, white daymark with orange vertical stripe. 20.7	Year round. Operates 24 h.
1061.1	Sailors Encampment Secondary front range light	SW. of town. 46 15 39.5 084 05 51.1	F R .....	21.0	12	Square skeleton tower, white daymark with red stripe.	Year round. Operates 24 h.
1061.2	Sailors Encampment Secondary rear range light	46 15 58.8 084 05 42.6  016°55' 622.7 m from front.	F R .....	37.5	13	Square skeleton tower, white daymark with red stripe.	Year round. Operates 24 h.
1061.5	Sailors Encampment light buoy Q22	46 15 37.0 084 06 02.5	Fl R 4s .....	.....	.....	Red, pillar, marked "Q22".	Seasonal. (Winter spar.)
1062	<b>Rains Wharf front range light</b>	46 15 15.2 084 05 43.0	F W .....	10.0	15	Cylindrical mast, white daymark with orange vertical stripe. 9.6	Year round. Operates 24 h.
1063	<b>Rains Wharf rear range light</b>	46 15 09.1 084 05 34.1  134°56' 267.9 m from front.	F W .....	18.4	15	Skeleton tower, white daymark with orange vertical stripe. 15.6	Year round. Operates 24 h.
1063.5	Coyle Point light buoy Q28	46 16 17.0 084 06 55.0	Q R 1s .....	.....	.....	Red, spar, marked "Q28".	Seasonal (in place year round).
1063.6	Coyle Point North light buoy Q30	46 16 52.3 084 06 57.6	Fl R 4s .....	.....	.....	Red, pillar, marked "Q30".	Seasonal. (Winter spar.)
1063.8	Green Point light buoy Q34	Munuscong Channel, off point. 46 17 26.8 084 07 01.0	Fl R 4s .....	.....	.....	Red, pillar, marked "Q34".	Seasonal. (Winter spar.)
1063.9	Munuscong Channel light buoy Q36	46 18 01.3 084 07 03.5	Fl R 4s .....	.....	.....	Red, pillar, marked "Q36".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

**ST. MARYS RIVER**

1064	<b>Stribling Point Upbound front range light</b>	46 18 47.1 084 06 55.4	F W .....	.....	15	White cylindrical tower, white daymark with orange vertical stripe. 15.7	Year round. Operates 24 h.
1065	<b>Stribling Point Upbound rear range light</b>	46 18 35.5 084 06 13.9  111°59' 957.4 m from front.	F W .....	26.2	15	White cylindrical tower, white daymark with orange vertical stripe. 11.6	Year round. Operates 24 h.
1065.5	<i>Birch Point light buoy QV18</i>	<i>S. entrance to Lake George. 46 22 15.0 084 08 12.5</i>	<i>Fl R 4s</i>	.....	.....	<i>Red, spar, marked "QV18".</i>	<i>Seasonal (in place year round).</i>
1065.7	<i>Pumpkin Point light buoy QX2</i>	<i>SW. of point. 46 23 28.0 084 08 27.0</i>	<i>Fl R 4s</i>	.....	.....	<i>Red, spar, marked "QX2".</i>	<i>Seasonal (in place year round).</i>
1065.8	<i>Bellevue Marine light buoy QC1</i>	<i>46 29 45.5 084 18 08.5</i>	<i>Q G 1s</i>	.....	.....	<i>Green, spar, marked "QC1".</i>	<i>Seasonal (in place year round).</i>
1065.9	<b>Bellevue Marine Breakwater</b>	On E. end of breakwater. 46 30 02.0 084 18 23.7	Iso G 2s	8.0	17	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 5.3	Seasonal. Operates 24 h.
1066	Bayfield Dyke	On N. side of channel. 46 29 54.0 084 18 58.0	Iso R 4s	8.1	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 5.4	Seasonal.
1066.1	<i>Bayfield East End (V- AIS)</i>	<i>46 29 53.1 084 18 53.5</i>	.....	.....	.....	.....	<i>Year round.  Virtual AIS AtoN MMSI: 993166057 Reference point</i>
1066.3	<i>Bayfield West End (V- AIS)</i>	<i>46 29 54.3 084 18 58.5</i>	.....	.....	.....	.....	<i>Year round.  Virtual AIS AtoN MMSI: 993166058 Reference point</i>

**Sault Ste. Marie**

1070	<b>Canadian Canal, Upper Entrance front range light</b>	On pier E. of steel plant dock. 46 30 53.1 084 22 17.5	F R .....	12.3	15	Square tower, black daymark with red vertical stripe. 10.5	Year round. Operates 24 h.
1071	<b>Canadian Canal, Upper Entrance rear range light</b>	46 30 58.4 084 22 08.4  050°48' 247.2 m from front.	F R .....	19.1	15	Square tower, black daymark with red vertical stripe. 16.8	Year round. Operates 24 h.
1072	<i>Upper Turning light buoy QM11</i>	<i>E. side of channel. 46 30 43.0 084 22 31.0</i>	<i>Q G 1s</i>	.....	.....	<i>Green, pillar, marked "QM11".</i>	<i>Seasonal. (Winter spar.)</i>

## List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>ST. MARYS RIVER</b>							
1073	Vidal Shoals North light buoy QM14	W. side of channel. 46 30 25.0 084 23 13.0	Fl R 4s	.....	.....	Red, pillar, marked "QM14".	Seasonal. (Winter spar.)
1074	Vidal Shoals Northeast light buoy QM13	E. side of channel. 46 30 29.5 084 22 55.5	Fl G 4s	.....	.....	Green, pillar, marked "QM13".	Seasonal. (Winter spar.)
1075	Vidal Shoals West light buoy QM24	W. side of channel. 46 30 02.0 084 23 53.0	Fl R 4s	.....	.....	Red, pillar, marked "QM24".	Seasonal. (Winter spar.)
1076	Vidal Shoals West Cardinal light buoy P	E. side of channel. 46 30 05.8 084 23 36.0	Q(9) W 15s	.....	.....	Yellow-black-yellow, pillar, marked "P".	Seasonal. (Winter spar.)
1076.6	Pointe aux Pins Bay light buoy P12	46 28 45.3 084 27 13.1	Fl R 4s	.....	.....	Red, pillar, marked "P12".	Seasonal. (Winter spar.)
1076.7	Pointe aux Pins Bay light buoy P14	46 28 22.0 084 27 52.0	Fl R 4s	.....	.....	Red, pillar, marked "P14".	Seasonal. (Winter spar.)
1077	<b>Pointe aux Pins front range light</b>	On extremity of Pointe Louise. 46 28 03.9 084 28 20.6	F G	.....	9.1	17 White tower with orange vertical stripe. 9.6	Year round. Operates 24 h.
1078	<b>Pointe aux Pins rear range light</b>	46 27 58.5 084 28 31.1  233°06' 280.6 m from front.	F G	.....	17.6	17 Square skeleton tower, white daymark with orange vertical stripe. 16.8	Year round. Operates 24 h.
1078.5	Pointe des Chênes light buoy P34	46 27 55.0 084 33 31.0	Fl R 4s	.....	.....	Red, pillar, marked "P34".	Seasonal. (Winter spar.)
1079	Pointe aux Pins Main	On outer end of low sand point. 46 27 50.8 084 28 22.3	Iso R 4s	8.2	7	White cylindrical tower with red top.	Year round.
1079.5	Point Louise light buoy P20	46 27 40.0 084 28 44.0	Fl R 4s	.....	.....	Red, pillar, marked "P20".	Seasonal. (Winter spar.)
1079.6	Brush Point light buoy P19	SW. of point. 46 27 27.0 084 28 40.0	Fl G 4s	.....	.....	Green, pillar, marked "P19".	Seasonal. (Winter spar.)
1079.7	Cedar Point light buoy P22	N. of point. 46 27 27.0 084 29 48.0	Fl R 4s	.....	.....	Red, pillar, marked "P22".	Seasonal. (Winter spar.)
1080	Sault Ste. Marie Airport Beacon	NE. of Pointe aux Chênes. 46 29 11.0 084 29 32.0	Fl W 10s	.....	.....	On top of water tank.	Private aid. Seasonal.
1080.5	Point Iroquois light buoy P38	46 29 10.0 084 35 06.0	Fl R 4s	.....	.....	Red, pillar, marked "P38".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

**ST. MARYS RIVER**

1081	Gros Cap Reefs	On SW. extremity of reefs. 46 30 43.7 084 36 55.0	Fl W 10s	19.7	14	White tower. 18.3	Seasonal. Flash 1 s; eclipse 9 s.
------	----------------	--	----------	------	----	----------------------	--------------------------------------