

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
OTTAWA RIVER							
1255	Carillon Lock	45 34 07.7 074 22 47.1	F R	6.1	Mast.	Seasonal.
1256	Carillon Lock	45 34 16.0 074 22 57.6	F R	3.8	Mast.	Seasonal.
1259.5	Light buoy H216	45 35 48.6 074 28 32.4	Fl R 4s	Red, spar, marked "H216".	Private aid. Seasonal.
1263	Pont Long-Sault	45 37 09.2 074 35 51.1	F R	On bridge.	Year round. Operates 24 h.
1263.5	Pont Long-Sault	45 37 07.7 074 35 52.3	F G	On bridge.	Year round. Operates 24 h.
1264.6	Hawkesbury Wharf light buoy HK3	45 36 59.2 074 36 04.6	Fl G 4s	Green, spar, marked "HK3".	Private aid. Seasonal.
1264.7	Hawkesbury Wharf light buoy HK4	45 37 00.2 074 36 05.6	Fl R 4s	Red, spar, marked "HK4".	Private aid. Seasonal.
1266	Grenville light buoy H245	45 37 25.2 074 36 30.6	Fl G 4s	Green, pillar, marked "H245".	Seasonal. (Winter spar.)
1268	Grenville light buoy H247	45 37 24.2 074 37 05.7	Fl G 4s	Green, pillar, marked "H247".	Seasonal. (Winter spar.)
1270.5	Grants Point light buoy H258	45 38 14.6 074 38 17.8	Fl R 4s	Red, pillar, marked "H258".	Seasonal.
1271	Grants Point light buoy H259	45 38 15.2 074 38 46.7	Fl G 4s	Green, pillar, marked "H259".	Seasonal.
1283.1	Île Ste-Rosalie light buoy H311	45 38 19.1 074 56 59.0	Fl G 4s	Green, pillar, marked "H311".	Seasonal.
1284.31	La Grande Presqu'île East Light buoy	45 36 48.6 074 59 15.5	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1284.32	Baie de la Pentecôte Entrance light buoy HP9	45 36 55.5 074 59 24.0	Fl G 4s	Green, spar, marked "PRIV".	Private aid. Seasonal.
1284.34	Papineauville Wharf light buoy HP30	45 36 41.0 075 01 12.0	Fl R 4s	Red, spar, marked "PRIV".	Private aid. Seasonal.
1288.5	Îles Thurso light buoy H356	45 34 44.9 075 09 14.7	Fl R 4s	Red, pillar, marked "H356".	Seasonal.
1288.7	Île Fer à Cheval light buoy H361	45 35 10.2 075 10 05.7	Fl G 4s	Green, pillar, marked "H361".	Seasonal.
1289.9	Clarence Island light buoy H373	45 35 07.2 075 14 18.7	Fl G 4s	Green, pillar, marked "H373".	Seasonal.
1291.1	Rockland light buoy H388	45 33 11.1 075 18 28.9	Fl R 4s	Red, pillar, marked "H388".	Seasonal.
1293.9	Battures Way light buoy H424	45 30 07.2 075 31 01.2	Fl R 4s	Red, pillar, marked "H424".	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
OTTAWA RIVER							
1295.1	Battures Green light buoy H435	45 28 22.2 075 35 40.8	Fl G 4s	Green, pillar, marked "H435".	Seasonal.
1295.6	Bifurcation light buoy KET	45 28 25.6 075 37 23.8	Fl(2+1) R 6s	Red-green-red, pillar, marked "KET".	Seasonal.
1295.82	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 54.2 075 38 40.7	Fl Y 4s	White-orange, can, marked "PRIV".	Private aid. Seasonal.
1295.84	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 58.0 075 38 41.6	Fl Y 4s	White-orange, can, marked "PRIV".	Private aid. Seasonal.
1295.86	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 59.8 075 38 32.9	Fl Y 4s	White-orange, can, marked "PRIV".	Private aid. Seasonal.
1295.88	Rockcliffe Yacht Club – Information light buoy PRIV	45 28 01.7 075 38 25.6	Fl Y 4s	White-orange, can, marked "PRIV".	Private aid. Seasonal.
1295.9	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 57.7 075 38 25.9	Fl Y 4s	White-orange, can, marked "PRIV".	Private aid. Seasonal.
1295.92	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 56.4 075 38 32.4	Fl Y 4s	White-orange, can, marked "PRIV".	Private aid. Seasonal.
1296.2	South Cardinal light buoy OTT	Île Kettle. 45 27 48.1 075 40 38.8	Q(6) + LFl W 15s	Yellow-black, pillar, marked "OTT".	Seasonal.
1296.3	Rockcliffe Information light buoy PRIV	45 27 27.3 075 41 11.7	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1296.31	Rockcliffe Information light buoy PRIV	45 27 27.3 075 41 06.8	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1296.32	Rockcliffe Information light buoy PRIV	45 27 22.0 075 41 21.2	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1296.33	Rockcliffe Information light buoy PRIV	45 27 20.1 075 41 18.1	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1296.34	Rockcliffe Information light buoy PRIV	45 27 15.5 075 41 24.1	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1296.35	Rockcliffe Information light buoy PRIV	45 27 18.0 075 41 25.8	Fl Y 4s	White-orange, pillar, marked "PRIV".	Private aid. Seasonal.
1296.4	Casino de Hull Information light buoy	45 27 19.2 075 41 28.8	Fl Y 4s	White-orange, marked "PRIV".	Private aid. Seasonal.
1296.41	Casino de Hull Information light buoy	45 27 23.2 075 42 02.8	Fl Y 4s	White-orange, marked "PRIV".	Private aid. Seasonal.
1296.42	Casino de Hull Information light buoy	45 27 25.2 075 42 56.8	Fl Y 4s	White-orange, marked "PRIV".	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
OTTAWA RIVER							
1296.45	Bifurcation light buoy GAT	45 27 12.0 075 41 35.0	Fl(2+1) R 6s	Red-green-red, pillar, marked "GAT".	Seasonal.
1296.46	Macdonald-Cartier Bridge	45 26 12.9 075 42 09.1	F G	On bridge.	Private aid. Year round.
1296.47	Macdonald-Cartier Bridge	45 26 13.8 075 42 13.1	F R	On bridge.	Private aid. Year round.
1296.48	Casino de Hull Information light buoy	45 26 12.2 075 42 11.8	Fl Y 4s	White-orange, marked "PRIV".	Private aid. Seasonal.
1296.49	Pont Alexandra	45 25 48.9 075 42 16.2	F R	Private aid. Seasonal.
1296.491	Pont Alexandra	45 25 47.2 075 42 12.4	F G	Private aid. Year round.
Lac Deschênes							
1296.5	Britannia Yacht Club front range light	45 22 24.6 075 48 13.0	F Y	7.0	Cylindrical mast. 5.0	Private aid. Seasonal. Floodlit.
1296.6	Britannia Yacht Club rear range light	45 22 24.6 075 48 04.9 090°39' 176.8 m from front.	F Y	10.7	Cylindrical mast. 8.8	Private aid. Seasonal. Floodlit.
1296.7	Britannia Yacht Club	45 22 19.5 075 48 12.7	Q R 1s	5.5	Cylindrical mast. 3.6	Private aid. Seasonal.
1297	Stillwater Park (Graham Bay)	End of breakwater, Nepean Yacht Club. 45 21 12.4 075 49 27.6	Fl R 4s	9.0	4	White cylindrical tower with red upper portion. 5.4	Seasonal.
1297.1	Deschênes Rapids Information light buoy 5	Britannia Bay. 45 22 20.4 075 48 17.4	Fl Y 4s	White-orange, spar.	Seasonal.
1297.2	Deschênes Rapids Information light buoy 4	45 22 38.4 075 48 40.1	Fl Y 4s	White-orange, spar.	Seasonal.
1297.3	Deschênes Rapids Information light buoy 2	Britannia Bay. 45 22 29.0 075 48 28.5	Fl Y 4s	White-orange, spar.	Seasonal.
1297.5	Deschênes light buoy K4	Britannia Bay. 45 22 28.4 075 50 11.3	Fl R 4s	Red, spar, marked "K4".	Seasonal (in place year round).
1298	Aylmer Island light buoy K9	45 24 02.9 075 53 32.2	Fl G 4s	Green, spar, marked "K9".	Seasonal.
1299.2	Aylmer Island light buoy	E. of island. 45 23 38.5 075 52 04.0	Mo(A) W 6s	Red-white, pillar.	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
OTTAWA RIVER							
1299.5	Aylmer Marina West	On W. breakwater. 45 23 39.6 075 51 29.9	Fl G 4s	6.1	White cylindrical tower with green upper portion. 4.3	Private aid. Seasonal.
1299.9	Port of Call Marina	Centre pier. 45 28 38.7 075 59 34.1	Fl R 4s	4.8	White cylindrical tower with red upper portion. 3.2	Private aid. Seasonal.
1301.3	Île Allen	On island. 45 29 21.3 076 01 14.1	Fl R 4s	6.3	4	Mast, red and white rectangular daymark. 4.9	Seasonal.
1302	Sandhills	On crib off point S. shore, above Aylmer. 45 30 40.5 076 05 38.2	Fl W 4s	6.0	3	Mast, white cylindrical daymark. 6.8	Seasonal.
Lac des Chats							
1304	Arnprior Island	On Islet. 45 27 20.6 076 21 09.7	Fl W 4s	8.1	3	Mast, red and white rectangular daymarks. 4.9	Seasonal.
1305	Sand Point	Near inner end of wharf. 45 29 19.7 076 26 03.9	F W	7.0	4	White square tower with green top. 8.0	Seasonal.
Lac Coulonge							
1305.2	Grand Calumet	On wharf. 45 43 19.2 076 36 35.9	Fl W 4s	3.0	Mast. 2.4	Private aid. Seasonal.
1305.4	Litchfield	On wharf. 45 46 06.3 076 38 20.5	Fl Y 4s	3.0	Mast. 2.4	Private aid. Seasonal.
1305.5	Davidson	On outer end of wharf. 45 52 21.3 076 46 25.3	Fl Y 4s	3.0	Mast. 2.4	Private aid. Seasonal.
1306.1	Waltham Municipal Wharf	On wharf. 45 54 22.4 076 56 00.9	Fl Y 4s	3.0	Mast. 2.4	Private aid. Seasonal.
Pembroke to Rapides-des-Joachims (Allumette Lake)							
1306.5	Petawawa	On John Doe Island. 45 54 05.7 077 13 40.8	Fl W 4s	8.0	3	White cylindrical mast, orange upper portion.	Seasonal.
1306.7	Pembroke	On far end of breakwall at marina. 45 49 47.2 077 07 02.1	Iso G 4s	10.4	5	White cylindrical tower with green upper portion. 6.1	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
OTTAWA RIVER							
1307	Desjardinsville	On breakwater. 45 50 42.4 077 06 52.4	Fl R 6s	10.1	White cylindrical tower with red upper portion. 6.6	Private aid. Seasonal.
1308.5	Lower Narrows light buoy K42/2	45 52 17.9 077 11 44.6	Fl R 4s	Red, spar, marked "K42/2".	Seasonal (in place year round).
1309	Fort William	On outer end of wharf. 45 57 03.1 077 16 20.5	Fl W 4s	7.6	3	White mast, orange square daymark. 6.2	Seasonal.
1310.1	Short Turn Island light buoy K65/1	45 55 50.2 077 15 21.5	Q G 1s	Green, can, marked "K65/1".	Seasonal (in place year round).
1310.4	Short Turn Island light buoy K66	Fort William. 45 56 28.2 077 16 29.4	Fl R 4s	Red, spar, marked "K66".	Seasonal (in place year round).
1311	Deep River Islet	Above islet. 46 00 45.8 077 16 49.4	Fl W 4s	15.8	4	White structure. 9.0	Seasonal.
1312	McQuestin Point	On S. shore of river. 46 03 52.2 077 22 52.8	Fl W 4s	6.4	4	White square structure. 6.5	Seasonal.
1313	Deep River Harbour	On outer end of wharf. 46 06 26.6 077 29 13.2	Fl R 4s	6.3	5	White cylindrical tower with red upper portion. 5.3	Seasonal. Flash 1 s; eclipse 3 s.
Rapides-des-Joachims to Mattawa (Holden Lake)							
1314	Marsh Lake Point	On Islet. 46 11 32.2 077 45 07.1	Fl W 4s	4.8	3	White cylindrical mast, orange square daymark. 3.7	Seasonal.
1315	Mackey Point	E. of point. 46 12 06.2 077 49 41.1	Fl W 4s	4.9	3	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.
1316	Stonecliffe	On S. shore W. of Stonecliffe. 46 13 08.2 077 54 05.1	Fl W 4s	5.5	3	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.
1317	Bissett Bay Point	On S. shore NE. of Bissett. 46 14 37.7 078 01 16.1	Fl G 4s	5.5	4	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.
1318	Powell Creek	NE. of creek. 46 14 06.4 078 01 35.5	Fl W 4s	5.5	3	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

OTTAWA RIVER

1319	Deerhorn Rock	On small rock islet on S. side of river, E. of Moose Bay. 46 16 28.8 078 09 12.2	Fl W 4s	4.8	5	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.
1320	Deux Rivières	On NW. point of island, N. of Deux Rivières. 46 15 44.9 078 16 55.1	Fl W 4s	6.3	5	White cylindrical mast, orange rectangular daymark. 4.5	Seasonal.
1321	Bear Point	On N. side of point W. of Deux Rivières. 46 15 18.3 078 19 10.1	Fl W 4s	4.9	5	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.
1322	Bald Rock	On SW. corner of island. 46 17 02.4 078 22 19.2	Fl R 4s	5.5	3	White cylindrical mast, orange rectangular daymark. 3.7	Seasonal.