

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

TRENT-SEVERN WATERWAY

Murray Canal

1346.2	Twelve O'Clock Point	Murray Canal, E. entrance. 44 03 40.6 077 34 54.2	FI W 5s	Cylindrical mast, red and white triangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.
1346.3	Carrying Place Swing Bridge	Centre of the highway bridge. 44 03 22.4 077 35 50.0	F R G	6.4	Open truss bridge.	Year round. Green - bridge open; red - bridge closed.
1346.6	Sherwood Point	Murray Canal, W. entrance. 44 01 56.6 077 40 37.8	FI W 5s	Cylindrical mast, red and white triangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.

Rice Lake

1346.8	McCracken Landing	W. of landing. 44 14 13.8 078 04 39.8	FI W 4s	Cylindrical mast.	Seasonal.
1347	Tick Island	On N. side of island. 44 09 13.0 078 11 26.0	FI W 4s	5.5	Tower.	Seasonal.
1347.5	Otonabee River (East entrance)	On float. 44 08 54.6 078 13 25.7	FI R 4s	9.1	Tower.	Seasonal.

Clear Lake

1349	Youngs Point	On point, W. side of lake. 44 29 23.6 078 13 20.2	FI G 4s	White cylindrical mast.	Seasonal.
1350	Clear Lake	On small island. 44 32 31.6 078 09 49.9	FI W 4s	Cylindrical mast.	Seasonal.

Stony Lake

1351	Ship Island	E. end of island. 44 33 29.9 078 07 14.0	FI W 4s	Cylindrical mast.	Seasonal.
------	-------------	--	---------	-------	-------	-------------------	-----------

Pigeon Lake

1352	Beacon Island	Big Bob Channel entrance. 44 32 49.6 078 31 38.7	FI W 4s	Cylindrical mast.	Seasonal.
------	---------------	---	---------	-------	-------	-------------------	-----------

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRENT-SEVERN WATERWAY							
Sturgeon Lake							
1353	<i>Cottage Point light buoy C376</i>	<i>SW. of point. 44 31 51.4 078 33 42.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C376".</i>	<i>Seasonal.</i>
1354.5	<i>Sturgeon Lake light buoy CP1</i>	<i>N. of Snug Harbour. 44 26 35.0 078 43 09.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "CP1".</i>	<i>Seasonal.</i>
Lake Simcoe							
1359	Gamebridge (Canal Entrance)	On W. breakwater. 44 28 15.9 079 10 14.7	Fl W 4s	12.2	Cylindrical mast. 9.1	Year round.
1359.2	Gamebridge Canal Entrance West Breakwater	On W. end of S. entrance to canal. 44 28 15.9 079 10 14.3	F G	1.5	Mast.	Seasonal.
1359.4	Gamebridge Canal Entrance East Breakwater	On E. end of S. entrance to canal. 44 28 17.0 079 10 12.8	F R	1.5	Mast.	Seasonal.
1360	Beaverton Harbour	On pier, S. entrance to harbour. 44 25 57.1 079 10 11.5	Fl W 4s	10.3	Cylindrical mast. 9.1	Year round.
1361	Thorah Island	On E. side of island. 44 26 45.7 079 12 47.8	Fl W 4s	9.7	Cylindrical mast. 9.1	Year round.
1362	Pefferlaw River	On E. breakwater. 44 20 38.4 079 13 04.4	Fl W 4s	9.7	Cylindrical mast.	Year round.
1362.5	Blackbird Point	On NW. point of Georgina Island. 44 23 40.8 079 18 41.8	Fl W 4s	Cylindrical mast.	Year round.
1362.7	Jacksons Point	On outer end of wharf. 44 19 39.8 079 21 59.0	Fl Y 4s	8.8	Skeleton tower, triangular daymark. 7.4	Private aid. Year round.
1364	<i>Cook's Bay Shoal light buoy SS16</i>	<i>S. side of shoal. 44 17 26.3 079 30 55.1</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "SS16".</i>	<i>Seasonal.</i>
1365.5	<i>Maskinonge (Jersey) River light buoy SA1</i>	<i>Off entrance pier. 44 13 32.9 079 28 20.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "SA1".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRENT-SEVERN WATERWAY							
1368	Cook's Bay light buoy SS19	Off mouth of Holland River. 44 12 39.4 079 30 44.4	Fl G 4s	Green, marked "SS19".	Seasonal. Operates 24 h.
1368.2	Lefroy Harbour	44 15 29.7 079 32 19.1	Fl Y 4s	Skeleton tower. 12.6	Private aid. Seasonal (in place year round).
1368.6	Long Shoal West light buoy SS11	SW. end of shoal. 44 22 14.0 079 29 59.0	Fl G 4s	Green, spar, marked "SS11".	Seasonal.
1368.7	Long Shoal East light buoy SS9	NE. end of shoal. 44 22 31.0 079 29 21.0	Fl G 4s	Green, spar, marked "SS9".	Seasonal.
1369	Big Bay Point	On tip of point. 44 24 17.1 079 30 39.6	Fl W 4s	11.1	Cylindrical mast.	Year round.
1369.4	Grape Island light buoy ST	E. of island. 44 35 06.2 079 22 29.3	Mo(A) W 6s	Red-white, marked "ST".	Seasonal.
1369.8	Goffatt Island light buoy STA	S. of island. 44 33 56.2 079 21 57.3	Mo(A) W 6s	Red-white, marked "STA".	Seasonal.
1370	Strawberry Island	On S. side of island. 44 33 04.6 079 20 21.6	Fl W 4s	Cylindrical mast.	Year round.
1371	Trout Shoal light buoy S323	N. end of lake, SW. of shoal. 44 32 25.4 079 21 06.5	Fl G 4s	Green, spar, marked "S323".	Seasonal.
1371.1	Lake Simcoe ODAS light buoy 45151	44 30 01.0 079 22 05.0	Fl(5) Y 20s	Yellow, ODAS, marked "45151".	Seasonal.
1371.2	Maynards Shoal light buoy STB	S. of Shoal. 44 31 08.0 079 18 47.3	Mo(A) W 6s	Red-white, marked "STB".	Seasonal.
1371.4	Jimmy Warren Shoal light buoy STC	E. of shoal. 44 29 44.2 079 16 17.3	Mo(A) W 6s	Red-white, marked "STC".	Seasonal.
1371.6	Mara Shoal light buoy STD	SW. of shoal. 44 28 00.2 079 13 17.3	Mo(A) W 6s	Red-white, marked "STD".	Seasonal.
Lake Couchiching							
1372	Nadie Island	On pier, W. side of island. 44 37 07.4 079 22 07.2	Q W 1s	11.1	Cylindrical mast.	Seasonal.
1373	Couchiching Point light buoy SC15	S. side of channel. 44 37 13.7 079 22 35.4	Fl G 4s	Green, marked "SC15".	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

TRENT-SEVERN WATERWAY

1373.3	Chiefs Island light buoy SC5	Off SW. end of island. 44 38 36.2 079 24 02.8	Fl G 4s	Green, marked "SC5".	Seasonal.
1373.5	Quarry Bay bifurcation light buoy SC	S. of bay at junction. 44 41 12.2 079 22 01.3	Fl(2+1) R 6s	Red-green-red, marked "SC".	Seasonal.
1374	Washago Outer light buoy S283	On E. side of dredged cut, N. end of lake. 44 43 13.2 079 21 03.3	Fl G 4s	Green, marked "S283".	Seasonal.
1375	Washago front range light	Marks centre line of channel. 44 44 42.1 079 20 19.5	F G	3.0	Mast, white daymark with red vertical stripe.	Seasonal.
1375.1	Washago rear range light	44 44 45.1 079 20 18.1 020°00' 179.8 m from front.	F G	Cylindrical mast, white daymark with red vertical stripe.	Seasonal.