

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE OF THE WOODS							
1470	Menzies Reef	On the reef. 49 44 59.5 094 32 46.2	Fl W 4s	5.8	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 3.6	Seasonal.
1471	Safety Bay	On reef, W. approach to Kenora. 49 45 34.7 094 31 24.2	Fl R 4s	5.0	4	Mast, white cylindrical daymark with red top. 4.1	Seasonal.
1471.2	Winkler Sprinkler light buoy WSP1	N. shore, Kenora Bay. 49 46 10.0 094 29 44.0	Fl Y 4s	White-orange, spar, marked "WSP1".	Seasonal.
1472	Devils Gap (Foot)	At N. end of Devils Gap. 49 44 34.9 094 29 24.8	Fl G 4s	6.4	6	Cylindrical mast.	Seasonal.
1473	Goat Island light buoy M4	49 44 48.0 094 29 22.0	Fl R 4s	Red, spar, marked "M4".	Seasonal.
1474	Galt Island West	On island W. of island. 49 43 15.8 094 29 02.5	Fl R 4s	8.8	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
1475	Gull Rock Reef	On reef. 49 43 47.9 094 32 21.4	Fl W 4s	6.4	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 4.6	Seasonal.
1476	Channel Island	On NW. point of island. 49 42 59.2 094 31 39.6	Fl W 4s	6.1	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 4.9	Seasonal. Visible 090°-180°.
1477	Keewatin Channel East Entrance	On reef. 49 42 49.3 094 29 28.0	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.3	Seasonal.
1478	Allans Narrows	At E. entrance to Narrows. 49 43 04.3 094 28 09.4	Fl R 4s	7.3	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
1479	Rocky Narrows	E. of Nantons Island. 49 40 57.9 094 27 01.7	Fl W 4s	8.2	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.7	Seasonal.
1480	Heenan Point (Needle Point)	On S. tip of Pine Portage Bay. 49 41 16.1 094 22 32.8	Fl W 4s	7.5	6	Cylindrical mast, red and white rectangular daymark with green square in centre.	Seasonal. Visible 270°-090°.
1481	Wylies Reef light buoy W1	S. of Wolf Island. 49 39 27.0 094 32 23.0	Fl G 4s	Green, spar, marked "W1".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE OF THE WOODS							
1481.5	Lake of the Woods ODAS light buoy 45148	S. of Kenora. 49 39 18.6 094 30 43.8	Fl(5) Y 20s	Yellow, ODAS, marked "45148".	Seasonal. (Winter spar.)
1481.7	Howlett Reef	49 39 21.3 094 34 35.0	Fl G 4s	Cylindrical mast, red and white rectangular daymark with green square in centre.	Private aid. Seasonal (in place year round).
1482	Ptarmigan Bay	On Island, SE. entrance to bay. 49 38 54.3 094 39 50.1	Fl W 4s	5.5	6	Mast, green and white rectangular daymark.	Seasonal. Visible 084°-095°.
1483	Ash Rapids	49 37 16.6 094 46 29.9	Fl W 4s	6.9	6	Cylindrical mast, red and white rectangular daymark.	Seasonal. Visible 180°-202°.
1483.3	Shoal Lake Narrows	W. entrance to narrows. 49 33 13.1 094 55 14.6	Fl W 4s	7.6	6	Mast, green and white rectangular daymark.	Seasonal.
1483.5	Wahnisin	On small rock. 49 32 56.5 095 01 09.2	Fl W 4s	6.7	6	Mast, green and white rectangular daymark.	Seasonal.
1483.7	Redsky	On reef in Shoal Lake on main channel. 49 34 28.5 095 00 55.7	Fl W 4s	7.9	6	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1484	Allens Reef light buoy E22	49 38 17.1 094 27 15.0	Fl R 4s	Red, spar, marked "E22".	Seasonal. (Winter spar.)
1485	Shore Island	Off SW. side of island. 49 32 16.0 094 22 06.9	Fl W 4s	5.2	6	Mast, red and white rectangular daymark with red triangle in centre. 3.7	Seasonal.
1486	Pewabic Island	E. point of island. 49 30 20.1 094 17 16.8	Fl W 4s	6.7	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal. Visible 250°-360°.
1487	Fire Island Narrows	At S. side of E. entrance to narrows. 49 24 55.9 094 08 37.1	Fl W 4s	6.1	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 4.9	Seasonal. Visible 275°-321°.
1488	Shammis Narrows	On westerly point of island. 49 36 44.0 094 34 03.5	Fl W 4s	15.2	6	Cylindrical mast, red and white rectangular daymark with green square in centre.	Seasonal. Visible 205°-240°.
1489	Micrometer Island	On N. end of island, N. entrance to Crow Rock Channel. 49 36 27.9 094 36 49.9	Fl W 4s	8.9	6	Cylindrical mast, red and white rectangular daymark.	Seasonal. Visible 043°-065°.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE OF THE WOODS							
1490	Crow Rock Channel	On eastern tip of small island, S. of S. entrance to channel. 49 35 42.3 094 37 03.0	Fl W 4s	6.1	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal. Visible 012°-030°.
1491	Big Narrows	On Davies Reef. 49 31 37.7 094 42 13.6	Fl W 4s	6.0	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 3.9	Seasonal.
1492	Bishop Point	On island, W. tip of point. 49 29 31.3 094 46 34.8	Fl W 4s	7.6	6	Mast, green and white rectangular daymark. 6.4	Seasonal.
1493	Bishop Bay	On small island, N. of Royal Island. 49 28 05.0 094 45 48.8	Fl W 4s	9.1	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal.
1494.2	McCallum Point	Entrance to Deception Bay. 49 41 51.3 094 49 05.8	Fl G 4s	7.5	3	Mast, green and white rectangular daymark. 5.4	Seasonal.
1494.41	Frog Island	Clearwater Bay. 49 41 12.4 094 49 59.0	Fl W 4s	7.6	6	Mast, green and white rectangular daymark.	Seasonal.
1494.5	Mud Portage Channel	49 40 49.1 094 50 33.2	Fl R 4s	6.1	6	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1495	French Portage Narrows	On point at N. entrance to narrows. 49 28 26.5 094 38 49.1	Fl W 4s	8.5	6	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1496	Monkey Rocks Reef	On reef. 49 24 06.5 094 48 15.0	Fl W 4s	8.8	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal.
1496.3	Cochrane Island	SE. of island. 49 26 03.3 094 51 23.8	Fl G 4s	7.9	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.1	Seasonal.
1496.5	Penasse Island	N. of island. 49 22 17.8 094 57 32.5	Fl W 4s	9.9	6	Cylindrical mast, white rectangular daymark with red upper portion. 6.6	Seasonal.
1497	Boucha Island	On small island. 49 17 41.3 094 49 12.5	Fl W 4s	11.6	6	Mast, white rectangular daymark with green upper portion. 6.4	Seasonal.
1497.3	Cyclone Island	On reef near channel. 49 19 36.6 094 51 18.7	Fl W 4s	6.7	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 5.1	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE OF THE WOODS							
1498.5	Dagger Island	E. side of island. 49 18 49.5 094 40 41.4	Fl W 4s	12.2	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal.
1499	Ferris Island	Off Hooper Point, extreme W. point of Bigsby Island. 49 03 08.0 094 38 51.0	Fl W 4s	14.0	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.4	Seasonal. Visible 000°-178°.
1500	Tomahawk Island	On island SE. of McCauley Bay. 49 01 28.0 094 30 33.0	Fl G 4s	9.8	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.4	Seasonal.
1501	Dawson Narrows East Entrance	At NE. side of small island. 49 06 03.0 094 30 35.8	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark with green square in centre.	Seasonal.
1505 H0909	Mink Portage	On reef. 49 12 34.0 094 19 38.8	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
1506 H0909.1	Obabikon Reef	On reef. 49 11 07.1 094 18 24.0	Fl R 4s	8.2	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal.
1507	Rabbit Point	S. of point. 49 10 20.6 094 18 17.9	Fl W 4s	7.6	6	Cylindrical mast, white rectangular daymark with red top. 6.1	Seasonal.
1507.5	Sunset Chain Channel	S. of channel. 49 10 14.0 094 21 22.0	Fl G 4s	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 4.9	Seasonal.
1508	Point Brûlé	On rock, NW. of point. 49 07 52.4 094 20 03.9	Fl W 4s	7.9	6	Mast, green and white rectangular daymark. 6.3	Seasonal.
1509	Pork Point	On N. tip of island NE. of point. 49 05 50.0 094 21 38.8	Fl W 4s	7.3	6	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
1510	Fish Narrows	On small island, E. entrance to narrows. 49 09 22.0 094 26 53.8	Fl W 4s	6.1	6	Cylindrical mast, red and white rectangular daymark with green square in centre.	Seasonal.
1512	Burton Island	On W. point of island. 48 56 59.0 094 37 00.0	Fl W 4s	9.2	6	Mast, green and white rectangular daymark. 6.4	Seasonal.
1513	Bell Buoy Shoal light buoy M107	W. of shoal. 48 55 34.0 094 39 53.0	Fl G 4s	Green, spar, marked "M107".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

LAKE OF THE WOODS

1514.7	Buffalo Bay Marina light buoy MM	At marina entrance. 49 02 29.0 095 13 44.0	Mo(A) W 6s	Red-white, spar, marked "MM".	Seasonal (in place year round).
1514.9	Birch Point	49 09 55.4 095 14 07.5	Fl W 4s	7.4	6	Mast, white cylindrical daymark with red top. 5.2	Seasonal.