

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1563.1	Red River Mouth light buoy X20	S. end of lake. 50 23 41.5 096 48 31.5	Fl R 4s	Red, spar, marked "X20".	Seasonal.
1563.7	Red River Mouth light buoy X6	S. end of lake. 50 24 42.2 096 48 15.9	Fl R 4s	Red, spar, marked "X6".	Seasonal.
1563.8	Red River Mouth light buoy X7	S. end of lake. 50 24 42.1 096 48 13.9	Fl G 4s	Green, spar, marked "X7".	Seasonal.
1564	Red River Mouth light buoy X	50 25 10.1 096 48 07.6	Mo(A) W 6s	Red-white, spar, marked "X".	Seasonal.
1565	Winnipeg Beach Breakwall	On outer end of breakwall. 50 30 21.1 096 57 48.4	Fl R 4s	10.3	5	Square skeleton tower, red and white rectangular daymark.	Seasonal.
1565.5	Winnipeg Beach Inner front range light	Boundary Creek entrance. 50 30 30.0 096 58 05.9	F R	5.6	16 Cylindrical mast, white daymark with orange vertical stripe. 3.3	Seasonal. Operates 24 h.
1565.6	Winnipeg Beach Inner rear range light	50 30 34.2 096 58 00.6 320°00' 144.8 m from front.	F R	8.9	15 Cylindrical mast, white daymark with orange vertical stripe. 6.4	Seasonal.
1566	Winnipeg Beach front range light	On shore. 50 30 22.0 096 58 03.0	F G	7.3	14 Cylindrical mast, white daymark with orange vertical stripe. 5.4	Seasonal.
1567	Winnipeg Beach rear range light	50 30 25.4 096 58 01.5 301°30' 89.0 m from front.	F W	10.4	14 Cylindrical mast, white daymark with orange vertical stripe. 7.7	Seasonal. Operates 24 h.
1567.8	Willow Point light buoy D16	S. of Gimli. 50 35 42.6 096 55 57.3	Q R 1s	Red, spar, marked "D16".	Seasonal.
1568	Willow Point	E. extremity of point. 50 35 52.1 096 56 29.2	Fl W 4s	9.0	5	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1569	Gimli	On outer end of breakwater. 50 37 44.9 096 58 51.1	Fl R 4s	7.7	5	Square skeleton tower, red and white rectangular daymark.	Seasonal.
1570	Gimli Harbour	On outer end of breakwater. 50 37 45.5 096 58 54.7	Fl G 4s	2.7	Cylindrical mast. 1.2	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1570.5	Lake Winnipeg South Basin cautionary light buoy North PRIV	Middle of S. basin, NE. of Gimli. 50 44 32.4 096 50 00.0	Fl Y 4s	Yellow, spar, marked "DND".	Seasonal.
1571.5	Silver Harbour (Arnes Breakwater)	On outer end of breakwater. 50 48 32.0 096 57 27.0	Fl R 4s	7.3	5	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1572	Hnausa	On outer end of wharf. 50 54 38.0 096 58 43.0	Fl R 4s	6.1	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1573	Ironwood Point	On point. 50 39 41.6 096 36 10.3	Fl W 4s	8.3	5	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1573.3	Lake Winnipeg South Basin cautionary light buoy South PRIV	Middle of S. basin, E. of Gimli. 50 39 28.8 096 43 53.4	Fl Y 4s	Yellow, spar, marked "DND".	Seasonal.
1573.5	Balsam Bay Breakwater	On outer end of breakwater. 50 28 23.6 096 35 01.3	Fl G 4s	7.6	5	Mast, red and white rectangular daymark.	Seasonal.
1574	Victoria Beach	On outer end of wharf. 50 41 39.8 096 33 35.0	Fl G 4s	7.0	6	Square skeleton tower, green and white rectangular daymark.	Seasonal.
1574.1	Elk Island	N. end of island. 50 46 50.0 096 31 40.0	Fl W 4s	18.7	6	Cylindrical mast, red and white rectangular daymark. 5.1	Seasonal.
1574.11	Devil Island	E. side of Traverse Bay, off Birch Point. 50 43 50.0 096 25 05.0	Fl W 4s	10.0	6	Cylindrical mast, red and white rectangular daymark. 5.2	Seasonal.
1574.5	Winnipeg River light buoy T4	NW. of Robinson Rock. 50 39 02.1 096 22 34.0	Fl R 4s	Red, spar, marked "T4".	Seasonal.
1575	Pearson Reef light buoy D12	SE. of reef. 50 57 38.8 096 41 48.1	Fl R 4s	Red, spar, marked "D12".	Seasonal.
1575.01	Lake Winnipeg South Basin ODAS light buoy 45140	W. of Elk Island.	Fl(5) Y 20s	Yellow, ODAS, marked "45140".	Seasonal.
1575.5	Hnausa Reef light buoy DD2	50 56 31.9 096 46 31.7	Fl R 4s	Red, spar, marked "DD2".	Seasonal.
1576.5	Icelandic River Sector	Entrance to Icelandic River. 51 01 55.9 096 58 48.0	Q R W G 1s	225.7	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h. QR 1s 283.75°-284.25°; FW 284.25°-284.75°; QG 1s 284.75°-285.25°.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1579.1	Hecla Island	S. end of island. 51 00 23.0 096 45 10.0	Fl W 4s	5.5	7	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1579.5	Observation Point light buoy DH1	NW. of point. 51 04 58.7 096 30 37.5	Fl G 4s	Green, spar, marked "DH1".	Seasonal.
1580	Hecla Breakwater	Near outer end of breakwater. 51 07 59.9 096 39 47.2	Fl G 4s	7.4	5	Square skeleton tower, green and white daymark.	Seasonal.
1581	Red Rock Island	On island at mouth of Manigotagan River. 51 08 02.0 096 23 21.0	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1582	Clements Point	Extreme W. end of point. 51 09 23.0 096 24 33.0	Fl W 4s	10.9	6	Cylindrical mast, red and white rectangular daymark. 6.6	Seasonal.
1582.5	Black Island light buoy D9	Off SW. end of island. 51 09 56.5 096 36 17.4	Fl G 4s	Green, spar, marked "D9".	Seasonal.
1583	Gull Harbour	NE. end of Hecla Island.	Fl W 5s	27.4	7	Red skeleton tower, white upper portion.	Seasonal. Flash 1 s; eclipse 4 s.
1583.1	Gull Harbour Wharf	On outer end of wharf.	Fl R 4s	7.0	8	Square skeleton tower, red and white rectangular daymark. 6.1	Seasonal.
1583.5	Deer Island	SW. end of island. 51 15 39.0 096 37 03.0	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark. 6.9	Seasonal.
1584	Grindstone Point	51 20 45.0 096 36 17.9	Fl W 4s	15.2	7	Skeleton tower.	Seasonal.
1585	Loon Straits Entrance Channel front range light	On rock. 51 31 54.0 096 35 48.9	F W	4.6	6	Cylindrical mast, white daymark with orange vertical stripe. 4.6	Seasonal. Operates 24 h.
1586	Loon Straits Entrance Channel rear range light	51 31 55.0 096 35 41.9 075°00' 137.2 m from front.	F W	9.1	17	Cylindrical mast, white daymark with orange vertical stripe. 7.0	Seasonal.
1586.5	Monkman Island light buoy D7	Off reef. 51 34 05.6 096 39 44.7	Fl G 4s	Green, spar, marked "D7".	Seasonal.
1586.7	Calders Dock	On outer end of wharf. 51 34 22.0 096 43 54.9	Fl G 4s	6.4	6	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1587	Bullhead	S. entrance to The Narrows. 51 36 14.0 096 43 39.1	Fl W 4s	7.6	7	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.7	Seasonal.
1588	Pine Dock	On end of wharf. 51 38 24.0 096 48 09.1	Fl R 4s	10.7	6	Square skeleton tower, red and white rectangular daymark. 4.8	Seasonal. Operates 24 h.
1589.1	Matheson Island Landing North Breakwater Light	51 43 21.8 096 54 57.2	Fl G 4s	6.6	2	Mast.	Seasonal.
1589.2	Matheson Island Landing South Breakwater Light	51 43 20.5 096 54 57.7	Fl R 4s	6.6	2	Mast.	Seasonal.
1590	West Doghead Point	W. side of The Narrows. 51 44 18.0 096 50 13.1	Fl W 4s	8.5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
1591	Matheson Island	On breakwater. 51 44 29.1 096 55 13.2	Fl G 4s	7.5	5	Square skeleton tower, green and white daymark.	Seasonal.
1591.1	<i>Matheson Island Harbour light buoy D4</i>	<i>SW. side of harbour. 51 44 30.0 096 55 11.4</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "D4".</i>	<i>Seasonal.</i>
1592	Black Bear Island	On E. end of island. 51 46 53.8 096 53 00.3	Q R 1s	14.1	7	Square skeleton tower, red and white rectangular daymark with red triangle in the centre. 7.1	Seasonal.
1593	Bloodvein River Entrance front range light	At mouth of river. 51 47 21.5 096 43 37.9	F G	9.0	15	Square skeleton tower, white daymark with red vertical stripe.	Seasonal. Secondary light: Fl W 4s.
1593.2	Bloodvein River Entrance rear range light	51 00 00.0 096 00 00.0 109°27' 756.4 m from front.	F G	11.0	Square skeleton tower, white daymark with red vertical stripe. 6.4	Seasonal.
1594	Fisher River	At entrance of river. 51 26 17.9 097 17 17.2	Fl W 4s	6.3	5	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h.
1594.1	<i>Fisher River light buoy DK3</i>	<i>At entrance of river. 51 26 31.5 097 16 51.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DK3".</i>	<i>Seasonal.</i>
1595	Rabbit Point	Harbour entrance. 51 51 33.2 096 52 27.5	Fl W 4s	9.8	5	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1596	Little Tamarack Island	NE. corner of island. 51 51 42.0 097 02 40.2	Fl W 4s	9.1	6	Square skeleton tower, red and white rectangular daymark. 5.1	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
LAKE WINNIPEG								
1597	Dowling Reef light buoy DM2	SE. from reef. 51 59 42.0 097 05 42.7	Fl R 4s	Red, spar, marked "DM2".	Seasonal.	
1597.01	Lake Winnipeg Narrows ODAS light buoy 45145	Near Little Tamarack Island.	Fl(5) Y 20s	Yellow, ODAS, marked "45145".	Seasonal.	
1597.3	Catfish Creek front range 1 light	52 07 54.0 097 00 48.2	F W	8.6	17	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal. Operates 24 h.
1597.4	Catfish Creek rear range 1 light	52 08 01.8 097 00 40.0 033°00' 285.0 m from front.	F W	13.3	17	Skeleton tower, white daymark with orange vertical stripe.	Seasonal. Operates 24 h.
1597.5	Catfish Creek light buoy D1	52 05 29.5 097 03 23.5	Fl G 4s	Green, spar, marked "D1".	Seasonal.	
1597.6	Catfish Creek front range 2 light	52 07 57.0 097 01 12.2	F G	6.0	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal. Operates 24 h.
1597.7	Catfish Creek rear range 2 light	52 07 59.6 097 01 12.4 356°00' 81.0 m from front.	F G	8.5	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal. Operates 24 h.
1597.8	Catfish Creek front range 3 light	52 07 56.0 097 01 03.2	F R	5.9	Cylindrical mast, white daymark with orange vertical stripe. 5.0	Seasonal. Operates 24 h.
1597.9	Catfish Creek rear range 3 light	52 07 59.2 097 01 01.7 016°00' 103.0 m from front.	F R	7.1	16	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal. Operates 24 h.
1598	Crowduck Reef light buoy DM4	NE. of Stoney Point. 52 01 52.8 097 16 44.4	Fl R 4s	Red, spar, marked "DM4".	Seasonal.	
1598.2	Willow Point front range light	52 02 54.0 097 21 39.2	F W	10.6	17	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal. Operates 24 h.
1598.3	Willow Point rear range light	52 02 54.7 097 21 42.6 288°00' 68.4 m from front.	F W	16.5	17	Skeleton tower, white daymark with orange vertical stripe.	Seasonal. Operates 24 h. Secondary light: Fl W 4s.
1598.5	McBeth Point front range light	W. shore. 52 07 36.0 097 29 55.2	F W	7.6	14	Cylindrical mast, white daymark with orange vertical stripe. 5.1	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1598.6	McBeth Point rear range light	52 07 38.3 097 30 00.5 305°00' 121.9 m from front.	F W	11.6	14	Square skeleton tower, white daymark with orange vertical stripe. 9.7	Seasonal.
1599	McBeth Point	On N. end of point. 52 07 54.0 097 29 25.2	Fl W 4s	11.6	5	Square skeleton tower, red and white rectangular daymark.	Seasonal.
1599.5	<i>Pigeon Point light buoy C59</i>	<i>Off reef. 52 15 29.0 097 10 55.1</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "C59".</i>	<i>Seasonal.</i>
1600	Cox Reef	On the reef, E. of Berens Island.	Fl W 4s	15.2	7	Skeleton tower, white daymark facing S. and red and white daymark facing E.	Seasonal.
1601	Pelican Island	N. end of island. 52 20 13.0 097 25 19.2	Fl W 4s	6	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1602	Berens Island	NE. extremity of island.	Fl W 4s	14.0	7	Skeleton tower. 13.3	Seasonal.
1603	Barrel Rock	On rock at mouth of Berens River.	Q W 1s	7.0	6	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal.
1603.5	<i>Berens River Entrance light buoy CK</i>	<i>Off Kemp Rock. 52 23 00.6 097 06 59.4</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, spar, marked "CK".</i>	<i>Seasonal.</i>
1604	Berens River South Side front range light	On shoal W. of Sheep Island.	F W	4.6	14	Cylindrical mast, white daymark with orange vertical stripe. 5.2	Seasonal.
1605	Berens River South Side rear range light	127°00' 3940.0 m from front.	F W	15.4	Skeleton tower, white daymark with orange vertical stripe. 14.3	Seasonal.
1606	Berens River North Side front range light	On small island, N. of Sigurdsson Island.	F G	5.5	Cylindrical mast, white daymark with orange vertical stripe. 5.2	Seasonal.
1607	Berens River North Side rear range light	109°00' 1585.0 m from front.	F G	9.4	Cylindrical mast, white daymark with orange vertical stripe. 7.9	Seasonal.
1608	George Island	On E. extremity of island.	Fl W 5s	20.1	9	Red rectangular skeleton tower. 15.5	Seasonal. Flash 1 s; eclipse 4 s. Visible from all points of marine approach, except in the line of islands and shoals extending NW. from George Island.
1609	George Island front range light	SE. side of George Island.	F W	7.3	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1610	George Island rear range light	357°00' 36.6 m from front.	F W	7.6	Cylindrical mast, white daymark, orange vertical stripe.	Seasonal.
1611	Poplar Point Reef	On reef, E. side of the lake. 53 00 07.8 097 39 02.3	Fl W 4s	7.4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h. Radar reflector.
1611.2	Poplar River front range light		F W	7.5	17	Cylindrical mast, white daymark with orange vertical stripe. 6.0	Seasonal. Secondary light: Q G 1s.
1611.3	Poplar River rear range light	105°30' 5510.0 m from front.	F W	9.2	17	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1611.5	<i>Poplar River Entrance light buoy CJ3</i>	53 02 22.1 097 32 27.7	Fl G 4s	<i>Green, spar, marked "CJ3".</i>	<i>Seasonal.</i>
1612	Little Sandy Island	On centre of NW. island of Sandy Islands.	Fl W 4s	27.1	7	Skeleton tower.	Seasonal.
1613	Long Point	At end of point.	Fl W 4s	17.1	7	Skeleton tower, red and white rectangular daymark.	Seasonal.
1613.5	<i>Sturgeon Skin Shoal light buoy CS3</i>	<i>N. of Long Point.</i> 53 08 36.0 098 50 00.1	Fl G 4s	<i>Green, spar, marked "CS3".</i>	<i>Seasonal.</i>
1615	Scots Point	NW. side of the lake.	Fl W 4s	17.1	7	Square skeleton tower, red and white rectangular daymark.	Seasonal.
1616.5	Eating Point	On point.	Fl W 4s	8.5	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1617	Horse Island Harbour	On S. end of breakwater.	Fl W 4s	6.9	6	White cylindrical mast, red and white rectangular daymark.	Seasonal.
1617.2	Horse Island North End	N. end of island.	Fl W 4s	7.9	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1619.01	<i>Lake Winnipeg North ODAS light buoy 45144</i>	<i>N. of Long Point.</i>	<i>Fl(5) Y 20s</i>	<i>Yellow, ODAS, marked "45144".</i>	<i>Seasonal.</i>
1619.3	Spider Islands		Fl W 4s	7.4	Cylindrical mast, red and white rectangular daymark.	Seasonal.
1619.7	Purvis Island front range light	Nelson River entrance. 53 42 21.8 097 51 22.0	F G	9.9	15	Cylindrical mast, white daymark with orange vertical stripe. 5.1	Seasonal.
1619.8	Purvis Island rear range light	53 42 26.2 097 51 18.4 026°00' 150.0 m from front.	F G	12.4	15	Cylindrical mast, white daymark with orange vertical stripe. 6.4	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE WINNIPEG							
1620	Warren Landing Lower front range light	On SW. end of Purvis Island, head of Nelson River. 53 42 01.5 097 50 58.0	F W	13.0	14	White square tower with black vertical stripe.	Seasonal.
1621	Warren Landing Lower rear range light	53 42 22.5 097 50 34.5 033°30' 780.0 m from front.	F W	17.0	Square skeleton tower, white daymark with red vertical stripe. 13.8	Seasonal.
1621.5	Warren Landing Wharf	S. end of wharf. 53 41 50.0 097 52 09.0	Fl R 4s	8.8	6	Cylindrical mast.	Seasonal.
1622	Warren Landing Upper front range light	W. side of entrance to Nelson River. 53 41 40.0 097 52 12.0	F W	9.0	White square tower with orange vertical stripe. 5.9	Seasonal.
1623	Warren Landing Upper rear range light	53 41 47.7 097 52 11.2 003°30' 240.0 m from front.	F W	15.0	Square skeleton tower, white daymark with orange vertical stripe. 14.0	Seasonal.
1623.5	Warren Landing light buoy C35	Warren Landing entrance. 53 37 010.0 097 56 17.4	Fl G 4s	Green, spar, marked "C35".	Seasonal.
1624.4	Playgreen Lake light buoy P9	Jack River entrance. 53 53 32.8 097 58 42.8	Fl G 4s	Green, spar, marked "P9".	Seasonal (in place year round).
1624.5	Playgreen Lake light buoy P11	NW. of Birch Island., 53 53 12.3 097 58 47.9	Q G 1s	Green, spar, marked "P11".	Seasonal.
1624.7	Playgreen Lake light buoy P16	SW. of Birch Islands. 53 52 09.8 097 58 57.9	Fl R 4s	Red, spar, marked "P16".	Seasonal (in place year round).
1625	Big Mossy Point	On Two Mile Channel, NW. of Big Mossy Point. 53 45 09.6 098 04 28.0	Fl W 4s	26.0	7	Square skeleton tower, red and white rectangular daymark.	Seasonal.