

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

Canal de Beauharnois

33 H2528	Upper Beauharnois Lock front range light	E. end of Upper Lock approach. 45 17 57.7 073 55 43.0	F Y	13.1	White square skeleton tower, orange triangular daymark with black vertical stripe. 9.6	Seasonal. Operates 24 h.
34 H2528.1	Upper Beauharnois Lock rear range light	45 18 07.1 073 55 35.9 028°20' 328.6 m from front.	F Y	20.3	White square skeleton tower, orange triangular daymark with black vertical stripe. 16.1	Seasonal. Operates 24 h.
35 H2528.4	Upper Beauharnois South Wall Approach	Outer end of rock dyke. 45 17 41.2 073 55 51.1	F Y	11.3	Mast.	Private aid. Year round.
36	Light buoy C2	45 17 02.1 073 56 30.6	Fl R 4s	Red, spar, marked "C2".	Seasonal (in place year round).
37 H2530	Powerhouse front range light	45 16 41.7 073 55 57.3	Iso G 2s	9.9	13	White skeleton tower, orange daymark with black vertical stripe. 8.9	Seasonal.
37.1 H2530.1	Powerhouse rear range light	45 16 53.8 073 55 39.4 046°17' 527.2 m from front.	F G	22.8	13	White skeleton tower, orange daymark with black vertical stripe. 20.0	Seasonal.
39	Light buoy C6	45 16 06.6 073 57 12.1	Q R 1s	Red, pillar, marked "C6".	Seasonal. (Winter spar.)
40	Light buoy C7	45 15 36.1 073 57 28.1	Fl G 4s	Green, spar, marked "C7".	Seasonal (in place year round).
41 H2531	Saint-Louis Bridge front range light	On shore. 45 14 58.0 073 57 38.8	Iso Y 2s	12.0	14	White skeleton tower, orange daymark with black vertical stripe. 9.4	Seasonal.
42 H2531.1	Saint-Louis Bridge rear range light	45 15 08.5 073 57 12.5 060°33' 658.2 m from front.	F Y	18.8	14	White skeleton tower, orange triangular daymark with black vertical stripe. 18.2	Seasonal.
43	Light buoy C8	45 15 25.1 073 57 58.6	Fl R 4s	Red, spar, marked "C8".	Seasonal (in place year round).
44	Light buoy C10	45 14 40.1 073 59 04.6	Fl R 4s	Red, spar, marked "C10".	Seasonal (in place year round).
45	Light buoy C11	45 14 35.6 073 58 58.6	Fl G 4s	Green, spar, marked "C11".	Seasonal (in place year round).
46	Light buoy C13	45 14 14.1 073 59 27.6	Fl G 4s	Green, spar, marked "C13".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON								
47	Light buoy C14	45 14 17.1 073 59 38.6	Q R 1s	Red, spar, marked "C14".	Seasonal (in place year round).	
47.5 H2532	St. Louis Direction	On E. side of bridge. 45 13 53.0 074 00 06.9	F Y	5.0	4	Orange triangular daymark mounted on bridge.	Seasonal. Visible on a bearing of 226°30'.
49	St. Louis Bridge Anchorage light buoy CK	45 13 15.2 074 01 41.1	Fl Y 4s	Yellow, spar, marked "CK".	Seasonal (in place year round).	
50	Light buoy C20	45 13 48.6 074 00 45.8	Fl R 4s	Red, spar, marked "C20".	Seasonal (in place year round).	
51 H2535	Saint-Louis front range light	On shore. 45 13 17.3 074 00 49.0	Iso W 2s	10.8	White square skeleton tower, orange triangular daymark with black vertical stripe. 8.9	Seasonal.	
52 H2535.1	Saint-Louis rear range light	45 13 17.3 074 00 18.4 090°05' 669.1 m from front.	F W	15.6	15	White square skeleton tower, orange triangular daymark with black vertical stripe. 11.2	Seasonal.
53	Light buoy C22	45 13 26.3 074 02 07.3	Q R 1s	Red, pillar, marked "C22".	Seasonal. (Winter spar.)	
54	Canal de Beauharnois light buoy C21	45 13 24.2 074 01 47.6	Fl G 4s	Green, spar, marked "C21".	Year round (YRLS).	
55.5	Light buoy C23	45 13 14.2 074 02 26.1	Q G 1s	Green, spar, marked "C23".	Seasonal (in place year round).	
57	Light buoy C24	45 13 20.2 074 02 51.6	Fl R 4s	Red, pillar, marked "C24".	Seasonal. (Winter spar.)	
57.5 H2536	St. Louis Bridge Steering light	45 12 52.9 074 02 52.2	Iso Y 2s	10.1	14	White skeleton tower, orange triangular daymark. 7.4	Seasonal. Visible on a bearing of 240°30'.	
58	Light buoy C27	45 13 14.7 074 03 42.6	Fl G 4s	Green, pillar, marked "C27".	Seasonal. (Winter spar.)	
59 H2537	Valleyfield Bridge front range light	On shore. 45 12 52.4 074 03 49.2	Iso Y 2s	10.5	14	White square skeleton tower, orange triangular daymark with black vertical stripe. 7.3	Seasonal.	
60 H2537.1	Valleyfield Bridge rear range light	45 12 47.9 074 03 28.8 107°25' 467.8 m from front.	F Y	19.1	14	White square skeleton tower, orange triangular daymark with black vertical stripe. 11.5	Seasonal.
61 H2533	Valleyfield East front range light	On shore. 45 12 52.6 074 03 55.9	Iso W 2s	10.8	15	White square skeleton tower, orange triangular daymark with black vertical stripe. 8.9	Seasonal.	

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
62 H2533.1	Valleyfield East rear range light	45 12 46.0 074 04 19.4 248°36' 552.6 m from front.	F W	17.9	15	White square skeleton tower, orange triangular daymark with black vertical stripe. 9.1	Seasonal.
63	<i>Light buoy C28</i>	45 13 20.2 074 03 42.6	Fl R 4s	<i>Red, spar, marked "C28".</i>	<i>Seasonal (in place year round).</i>
64	<i>Light buoy C31</i>	Port de Valleyfield. 45 13 15.1 074 04 56.6	Fl G 4s	<i>Green, pillar, marked "C31".</i>	<i>Seasonal. (Winter spar.)</i>
65	<i>Light buoy C30</i>	Port de Valleyfield. 45 13 20.2 074 05 04.6	Fl R 4s	<i>Red, pillar, marked "C30".</i>	<i>Seasonal. (Winter spar.)</i>
66	<i>Port de Valleyfield light buoy C37</i>	Port de Valleyfield. 45 13 15.8 074 05 35.7	Q G 1s	<i>Green, spar, marked "C37".</i>	<i>Year round (YRLS).</i>
68	<i>Light buoy C39</i>	Port de Valleyfield. 45 13 18.0 074 05 58.8	Fl G 4s	<i>Green, pillar, marked "C39".</i>	<i>Seasonal. (Winter spar.)</i>
69	<i>Light buoy C38</i>	Port de Valleyfield. 45 13 24.2 074 05 56.6	Q R 1s	<i>Red, spar, marked "C38".</i>	<i>Seasonal (in place year round).</i>
72	<i>Light buoy C45</i>	45 13 47.2 074 08 14.1	Fl G 4s	<i>Green, spar, marked "C45".</i>	<i>Seasonal (in place year round).</i>
73	<i>Beauharnois Anchorage Area light buoy CN</i>	45 13 34.2 074 08 19.1	Fl Y 4s	<i>Yellow, spar, marked "CN".</i>	<i>Seasonal (in place year round).</i>
74	<i>Light buoy C46</i>	45 13 59.2 074 08 37.6	Q R 1s	<i>Red, spar, marked "C46".</i>	<i>Seasonal (in place year round).</i>
75 H2538	Canal de Beauharnois Upper Entrance front range light	On shore. 45 14 03.9 074 08 28.4	Iso G 4s	11.8	15	White skeleton tower, orange daymark with black vertical stripe. 9.0	Seasonal. Operates 24 h.
76 H2538.1	Canal de Beauharnois Upper Entrance rear range light	45 14 09.4 074 07 20.0 083°28' 1500.6 m from front.	F G	28.3	15	Skeleton tower, orange daymark with black vertical stripe. 27.6	Seasonal. Operates 24 h.
77	<i>Light buoy C48</i>	45 14 03.2 074 09 14.1	Fl R 4s	<i>Red, spar, marked "C48".</i>	<i>Seasonal (in place year round).</i>
78	<i>Light buoy C49</i>	45 13 55.2 074 09 35.6	Q G 1s	<i>Green, spar, marked "C49".</i>	<i>Seasonal (in place year round).</i>
Salaberry-de-Valleyfield Small Craft Channel							
78.8	<i>Valleyfield Approach light buoy DV4</i>	45 14 17.2 074 11 00.6	Fl R 4s	<i>Red, pillar, marked "DV4".</i>	<i>Seasonal. (Winter spar.)</i>

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

79	Valleyfield Approach light buoy DV6	45 14 33.6 074 10 37.6	Fl R 4s	Red, pillar, marked "DV6".	Seasonal. (Winter spar.)
80	Valleyfield Entrance light buoy DV9	45 14 52.1 074 09 57.5	Q G 1s	Green, spar, marked "DV9".	Seasonal.
80.1	Salaberry-de- Valleyfield Entrance light buoy DV10/2	45 14 55.1 074 09 51.5	Fl R 4s	Red, spar, marked "DV10/2".	Seasonal.
80.2	Salaberry-de- Valleyfield Harbour Entrance light buoy DV11	45 14 55.1 074 09 54.8	Fl G 4s	Green, spar, marked "DV11".	Seasonal.
80.3	Salaberry-de- Valleyfield Harbour Entrance light buoy DV13	Lake St. Francis. 45 14 58.2 074 09 50.6	Fl G 4s	Green, spar, marked "DV13".	Seasonal (in place year round).
80.4	Salaberry-de- Valleyfield Approach light buoy DV15	Lake St. Francis. 45 15 03.4 074 09 45.2	Fl G 4s	Green, spar, marked "DV15".	Seasonal (in place year round).
81.1	Valleyfield Harbour Entrance light buoy DV12	45 14 57.1 074 09 50.3	Q R 1s	Red, spar, marked "DV12".	Seasonal.
82.4	Valleyfield Approach light buoy DV16	45 15 04.1 074 09 38.5	Fl R 4s	Red, spar, marked "DV16".	Seasonal.
82.5	Valleyfield Approach light buoy DV18	45 15 11.0 074 09 24.5	Fl R 4s	Red, spar, marked "DV18".	Seasonal.
83 H2541	Canal de Soulanges Upper Entrance	On SE. end of breakwater, E. of Coteau-Landing wharf. 45 15 09.8 074 12 21.9	Fl G 4s	7.8	4	Mast, white cylindrical daymark with green upper portion. 5.9	Seasonal.

Lake St. Francis

84	Lac Saint-François, South Breakwater D1	On end of float. 45 13 52.9 074 10 23.6	Fl G 4s	3.6	2	Green structure on float, marked "D1". 2.0	Seasonal.
84.5	Lac Saint-François South Cautionary	On end of float. 45 13 51.3 074 10 22.9	Fl Y 4s	3.6	4	Yellow structure on float. 1.5	Private aid. Seasonal.
85	Lac Saint-François North Breakwater D2	On end of float. 45 13 56.6 074 10 23.6	Fl R 4s	3.6	Red structure on float, marked "D2". 2.0	Seasonal.
85.5	Lac Saint-François North Cautionary	On end of float. 45 13 58.4 074 10 23.3	Fl Y 4s	3.6	4	Yellow structure on float.	Private aid. Seasonal.
86	Valleyfield light buoy DVB	45 13 52.2 074 11 20.1	Fl(2+1) R 6s	Red-green-red, spar, marked "DVB".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
87	Light buoy D3	45 13 48.2 074 11 19.6	Fl G 4s	Green, spar, marked "D3".	Seasonal (in place year round).
88	Light buoy D6	45 13 46.3 074 12 33.7	Fl R 4s	Red, spar, marked "D6".	Seasonal (in place year round).
89	Light buoy D5	45 13 41.9 074 12 32.7	Fl G 4s	Green, spar, marked "D5".	Seasonal (in place year round).
89.5	St-Zotique Anchorage Area light buoy DE	45 13 29.2 074 13 31.6	Fl Y 4s	Yellow, spar, marked "DE".	Seasonal (in place year round).
90	Light buoy D8	Saint-Zotique. 45 13 41.5 074 13 33.3	Fl R 4s	Red, spar, marked "D8".	Seasonal (in place year round).
90.4	St-Zotique Anchorage light buoy DC	45 14 10.2 074 13 36.6	Fl Y 4s	Yellow, spar, marked "DC".	Seasonal (in place year round).
91	Light buoy D10	Saint-Zotique. 45 13 39.2 074 15 14.6	Q R 1s	Red, spar, marked "D10".	Seasonal (in place year round).
92	Light buoy D9	Saint-Zotique. 45 13 27.2 074 14 50.6	Q G 1s	Green, spar, marked "D9".	Seasonal (in place year round).
93	Light buoy D12	Pointe au Foin. 45 13 09.2 074 16 14.7	Fl R 4s	Red, spar, marked "D12".	Seasonal (in place year round).
94 H2543	Pointe au Foin Downstream front range light	45 13 24.4 074 16 33.1	F G	10.9	White skeleton tower, orange triangular daymark with black vertical stripe. 10.1	Seasonal. Operates 24 h.
94.1 H2543.1	Pointe au Foin Downstream rear range light	45 13 21.4 074 17 09.7 263°22' 803.2 m from front.	F G	17.6	White skeleton tower, orange triangular daymark with black vertical stripe. 16.3	Seasonal. Operates 24 h.
94.2 H2543.5	Pointe au Foin Upstream front range light	45 13 00.0 074 17 23.1	Iso R 4s	14.2	15	White cylindrical tower, orange triangular daymark with black vertical stripe. 12.2	Seasonal.
94.3 H2543.51	Pointe au Foin Upstream rear range light	45 13 08.4 074 17 16.4 029°14' 299.7 m from front.	F R	20.0	15 White skeleton tower, orange triangular daymark with black vertical stripe. 15.3	Seasonal.
94.5	Light buoy D14	SW. of Pointe au Foin. 45 12 38.8 074 17 32.8	Fl R 4s	Red, spar, marked "D14".	Seasonal (in place year round).
95	Light buoy D13	Pointe au Foin. 45 12 30.0 074 17 06.0	Fl G 4s	Green, spar, marked "D13".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
97	Light buoy D18	Pointe Beaudette. 45 12 31.4 074 17 52.9	Q R 1s	Red, spar, marked "D18".	Seasonal (in place year round).
98	Light buoy D17	Pointe Beaudette. 45 12 14.3 074 17 52.0	Q G 1s	Green, pillar, marked "D17".	Seasonal. (Winter spar.)
99 H2544	Pointe Beaudette front range light	NE. of point, on crib. 45 12 06.5 074 18 52.0	F G	11.0	14 White cylindrical tower, orange triangular daymark with black vertical stripe. 10.9	Seasonal. Operates 24 h.
99.1 H2544.1	Pointe Beaudette rear range light	45 11 55.4 074 19 22.4 242°30' 746.7 m from front.	F G	18.0 White skeleton tower, orange triangular daymark with black vertical stripe. 17.7	Seasonal. Operates 24 h.
99.4 H2550	Saint-Anicet East front range light	NW. of Pointe Saint-Louis. 45 11 11.4 074 18 28.2	F G	11.8	13 White cylindrical tower, orange triangular daymark with black vertical stripe. 11.6	Seasonal. Operates 24 h.
99.5 H2550.1	Saint-Anicet East rear range light	45 11 34.2 074 17 42.7 054°43' 1218.3 m from front.	F G	22.7	13 White cylindrical tower, orange daymark with black vertical stripe. 22.4	Seasonal. Operates 24 h.
101	Light buoy D24	Île Chrétien. 45 10 54.1 074 19 09.8	Q R 1s	Red, spar, marked "D24".	Seasonal (in place year round).
102	Light buoy D23	Île Chrétien. 45 10 48.0 074 19 00.3	Q G 1s	Green, spar, marked "D23".	Seasonal (in place year round).
103	Light buoy D26	Île Chrétien. 45 10 34.5 074 19 49.0	Fl R 4s	Red, spar, marked "D26".	Seasonal (in place year round).
104 H2545	Île Chrétien front range light	45 10 12.4 074 19 35.7	Iso R 4s	10.7	14	White cylindrical tower, orange triangular daymark with black vertical stripe. 10.8	Seasonal. Operates 24 h.
105 H2545.1	Île Chrétien rear range light	45 09 54.2 074 19 50.0 209°12' 642.4 m from front.	F R	17.4	14 White skeleton tower, orange triangular daymark with black vertical stripe. 16.2	Seasonal. Operates 24 h.
106	Light buoy D25	Île Chrétien. 45 10 03.1 074 20 35.3	Fl G 4s	Green, spar, marked "D25".	Seasonal (in place year round).
107 H2546	St. Anicet Shoal D27	On cylindrical crib. 45 09 23.7 074 21 53.8	Iso W 2s	10.1	6	White cylindrical tower with green upper portion marked "D27". 10.7	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

108	Light buoy D28	Saint-Anicet. 45 09 18.4 074 22 20.9	Fl R 4s	Red, spar, marked "D28".	Seasonal (in place year round).
-----	----------------	--	---------	-------	-------	--------------------------	---------------------------------

Greg Quay Small Craft Channel

108.3	Greg Quay Marina Information light buoy	Channel Entrance to marina. 45 08 51.2 074 23 32.5	Fl Y 4s	White-orange, pillar.	Private aid. Seasonal.
-------	--	---	---------	-------	-------	-----------------------	---------------------------

Lake St. Francis

109	Light buoy D30	Pointe Dupuis. 45 08 43.6 074 23 30.4	Fl R 4s	Red, spar, marked "D30".	Seasonal (in place year round).
-----	----------------	---	---------	-------	-------	--------------------------	---------------------------------

110	Light buoy D31	Pointe Dupuis. 45 08 17.4 074 24 01.1	Fl G 4s	Green, spar, marked "D31".	Seasonal (in place year round).
-----	----------------	---	---------	-------	-------	----------------------------	---------------------------------

111 H2548	Pointe Dupuis front range light	On Île Marchand. 45 07 39.8 074 24 34.1	F G	9.0	14 White square skeleton tower, orange triangular daymark with black vertical stripe. 8.5	Seasonal. Operates 24 h.
--------------	------------------------------------	---	-----	-------	-----	--	-----------------------------

112 H2548.1	Pointe Dupuis rear range light	45 07 41.3 074 24 01.2 086°30' 400.8 m from front.	F G	20.0	14 Skeleton tower, orange triangular daymark with black vertical stripe. 19.5	Seasonal. Operates 24 h.
----------------	-----------------------------------	---	-----	-------	------	---	-----------------------------

Greg Quay Small Craft Channel

112.2 H2547	Greg Quay	Seaward end of breakwater. 45 09 40.6 074 25 11.0	Fl G 4s	7.9	4	White cylindrical tower with green upper portion. 5.6	Private aid. Seasonal.
----------------	-----------	--	---------	-----	---	---	---------------------------

Lake St. Francis

112.5	Light buoy D34	45 07 48.3 074 25 20.2	Q R 1s	Red, spar, marked "D34".	Seasonal (in place year round).
-------	----------------	---------------------------	--------	-------	-------	--------------------------	---------------------------------

113	Light buoy D36	Pointe Dupuis. 45 07 38.8 074 25 58.1	Fl R 4s	Red, spar, marked "D36".	Seasonal (in place year round).
-----	----------------	---	---------	-------	-------	--------------------------	---------------------------------

114	Light buoy D35	45 07 35.7 074 25 19.3	Q G 1s	Green, spar, marked "D35".	Seasonal (in place year round).
-----	----------------	---------------------------	--------	-------	-------	----------------------------	---------------------------------

114.1 H2551.1	Saint-Anicet West front range light	W. of Île Dupuis. 45 07 20.0 074 26 09.9	F G	10.4	13 White cylindrical tower, orange triangular daymark with black vertical stripe. 10.5	Seasonal. Operates 24 h.
------------------	--	--	-----	-------	------	--	-----------------------------

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
114.2	Saint-Anicet West rear range light	45 06 41.7 074 27 26.1 234°30' 2043.8 m from front.	F G	22.5	13	White cylindrical tower, orange triangular daymark with black vertical stripe. 22.6	Seasonal. Operates 24 h.
114.5	Light buoy D37	45 07 34.0 074 25 57.7	Fl G 4s	Green, spar, marked "D37".	Year round (YRLS).
114.8	Light buoy D38	Lancaster Bar. 45 07 36.9 074 26 34.7	Fl R 4s	Red, spar, marked "D38".	Seasonal (in place year round).
115	Light buoy D39	45 07 32.1 074 26 38.5	Fl G 4s	Green, spar, marked "D39".	Seasonal (in place year round).
116 H2552	Lancaster Bar D41	On island, NE. end of bar. 45 07 26.0 074 26 56.2	Fl W 4s	9.5	8	White cylindrical tower with green upper portion with marked "D41". 6.5	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
117	Light buoy D40	45 07 34.9 074 27 01.5	Q R 1s	Red, spar, marked "D40".	Seasonal (in place year round).
117.5	Light buoy D42	Lancaster Bar. 45 07 24.5 074 27 19.0	Fl R 4s	Red, spar, marked "D42".	Seasonal (in place year round).
118	Light buoy D43	Lancaster Bar. 45 07 20.4 074 27 16.0	Q G 1s	Green, spar, marked "D43".	Seasonal (in place year round).
118.4	Light buoy D44	Lancaster Bar. 45 07 09.0 074 27 44.0	Fl R 4s	Red, spar, marked "D44".	Seasonal (in place year round).
118.6	Light buoy D45	45 07 05.5 074 27 40.0	Fl G 4s	Green, spar, marked "D45".	Seasonal (in place year round).
119	Light buoy D46	45 06 35.2 074 28 37.9	Fl R 4s	Red, spar, marked "D46".	Seasonal (in place year round).
120	Light buoy D47	45 06 26.0 074 28 43.5	Fl G 4s	Green, spar, marked "D47".	Seasonal (in place year round).
121	Light buoy D48	45 06 21.2 074 29 00.7	Q R 1s	Red, spar, marked "D48".	Seasonal (in place year round).
122	Light buoy D49	45 06 08.3 074 29 03.1	Q G 1s	Green, spar, marked "D49".	Seasonal (in place year round).
123 H2556	Lancaster Light D50 front range light	NNW. of Butternut Island. 45 06 01.2 074 29 28.2	Iso G 4s	11.7	13	White cylindrical tower, black daymark with red vertical stripe, marked "D50". 10.2	Seasonal.
124 H2556.1	Lancaster Light D50 rear range light	45 05 44.4 074 29 55.2 228°45' 786.3 m from front.	F G	24.1	13	White cylindrical tower, orange daymark with black vertical stripe. 24.2	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
125	Light buoy D52	45 05 27.1 074 29 40.4	Fl R 4s	Red, spar, marked "D52".	Seasonal (in place year round).
126 H2560	Butternut Island front range light	On crib. 45 05 33.7 074 29 18.8	Iso G 4s	11.1	13	White cylindrical tower, orange triangular daymark with black vertical stripe. 11.5	Seasonal.
127 H2560.1	Butternut Island rear range light	45 05 47.2 074 28 59.2 046°00' 595.6 m from front.	F G	18.8	13 White cylindrical tower, orange triangular daymark with black vertical stripe. 19.0	Seasonal.
128	Light buoy D53	45 05 14.1 074 29 42.8	Q G 1s	Green, spar, marked "D53".	Seasonal (in place year round).
129	Light buoy D54	45 05 08.7 074 29 59.6	Q R 1s	Red, spar, marked "D54".	Seasonal (in place year round).
130 H2558	Cameron Island Lower front range light	On crib. 45 04 34.9 074 30 15.1	Iso G 4s	9.3	13	White cylindrical tower, orange triangular daymark with black vertical stripe. 11.2	Seasonal. Operates 24 h.
131 H2558.1	Cameron Island Lower rear range light	45 04 14.8 074 30 29.7 207°15' 696.2 m from front.	F G	17.9	13 White skeleton tower, orange triangular daymark with black vertical stripe. 16.8	Seasonal. Operates 24 h.
132	Light buoy D55	45 04 43.5 074 30 27.1	Fl G 4s	Green, spar, marked "D55".	Seasonal (in place year round).
133	Light buoy D56	N. of Camerons Island. 45 04 47.2 074 30 30.8	Fl R 4s	Red, spar, marked "D56".	Seasonal (in place year round).
133.5	Light buoy D58	SE. of St. Francis Island. 45 04 13.9 074 31 19.2	Fl R 4s	Red, pillar, marked "D58".	Seasonal. (Winter spar.)
134	Light buoy D57	SE. of St. Francis Island. 45 04 09.5 074 31 16.5	Fl G 4s	Green, pillar, marked "D57".	Seasonal. (Winter spar.)
134.5	Light buoy D60	Hamilton Island. 45 03 55.1 074 31 46.5	Fl R 4s	Red, spar, marked "D60".	Seasonal (in place year round).
135	Light buoy D59	Summerstown, Hamilton Island. 45 03 52.2 074 31 41.7	Fl G 4s	Green, spar, marked "D59".	Seasonal (in place year round).
136 H2568	Cameron Island Upper front range light	On crib. 45 04 03.2 074 31 03.2	Iso G 4s	10.1	13	White skeleton tower, orange triangular daymark with black vertical stripe. 7.7	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
137 H2568.1	Cameron Island Upper rear range light	45 04 15.5 074 30 34.0 059°30' 731.5 m from front.	F G	18.0	13	Skeleton tower, orange triangular daymark with black vertical stripe. 15.6	Seasonal. Operates 24 h.
138	Light buoy D62	Summerstown, Hamilton Island. 45 03 44.7 074 32 01.6	Fl R 4s	Red, spar, marked "D62".	Seasonal (in place year round).
139	Light buoy D63	Summerstown, Hamilton Island. 45 03 31.8 074 32 11.3	Q G 1s	Green, spar, marked "D63".	Seasonal (in place year round).
140	Light buoy D64	SE. of Renshaw Island. 45 03 28.5 074 32 31.3	Fl R 4s	Red, spar, marked "D64".	Seasonal (in place year round).
141.3	Light buoy D65	NE. of Stanley Island. 45 03 12.1 074 32 57.7	Fl G 4s	Green, spar, marked "D65".	Seasonal (in place year round).
141.5 H2571	Stanley Island East Direction	E. end of island. 45 03 01.6 074 32 59.5	F W	8.6	12	White cylindrical tower, orange triangular daymark with black vertical stripe. 6.0	Seasonal. Visible on a bearing of 226°.
Summestown Small Craft Channel							
142	Summerstown light buoy DS6	45 03 27.7 074 33 14.7	Fl R 4s	Red, spar, marked "DS6".	Seasonal.
Lake St. Francis							
143	Light buoy D68	N. of Stanley Island. 45 03 08.0 074 33 19.5	Fl R 4s	Red, spar, marked "D68".	Seasonal (in place year round).
144 H2572	Stanley Island light D67	On NW. side of island. 45 03 02.8 074 33 17.7	Fl G 4s	10.0	White cylindrical tower with green upper portion. 7.6	Seasonal.
144.5 H2573	Stanley Crab Direction	45 02 41.5 074 33 34.5	F G	9.6	15	White cylindrical tower, orange triangular daymark with black vertical stripe. 8.5	Seasonal. Visible on a bearing of 083°.
145	Light buoy D69	SE. of Clark Island. 45 02 48.0 074 33 54.5	Fl G 4s	Green, spar, marked "D69".	Seasonal (in place year round).
146 H2574	Clark Island light D70	At E. end of island. 45 02 52.5 074 33 57.9	Fl R 4s	8.7	White cylindrical tower with red upper portion, marked "D70". 8.0	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
147	Light buoy D72	S. of Clark Island. 45 02 44.9 074 34 14.1	Fl R 4s	Red, pillar, marked "D72".	Seasonal. (Winter spar.)
149	Light buoy D74	SW. of Clark Island. 45 02 39.9 074 34 34.5	Q R 1s	Red, pillar, marked "D74".	Seasonal. (Winter spar.)
150	Dickerson Island Anchorage Area light buoy DK	NE. of island. 45 02 20.2 074 35 16.7	Fl Y 4s	Yellow, spar, marked "DK".	Seasonal (in place year round).
150.5	Dickerson Island Anchorage Area South light buoy DM	W. of Île Dickerson. 45 02 10.2 074 35 45.2	Fl Y 4s	Yellow, spar, marked "DM".	Seasonal (in place year round).
150.8	Danis Point Anchorage light buoy DX	SE. of Danis Point. 45 02 37.7 074 35 41.7	Fl Y 4s	Yellow, spar, marked "DX".	Seasonal (in place year round).
151	Light buoy D76	E. of Provast Point. 45 02 27.2 074 35 59.7	Q R 1s	Red, pillar, marked "D76".	Seasonal. (Winter spar.)
152	Light buoy D77	E. of Provast Point. 45 02 22.5 074 35 58.6	Q G 1s	Green, spar, marked "D77".	Seasonal (in place year round).
153 H2576	McGibbons Point D80 Direction	SW. of McGibbons Point. 45 02 26.6 074 36 29.6	F G	10.1 9	White cylindrical tower, orange triangular daymark with black vertical stripe. 9.2	Seasonal. Operates 24 h. Visible on a bearing of 263°.
153.5	Light buoy D81	S. of Provast Point. 45 02 12.6 074 36 24.0	Fl G 4s	Green, pillar, marked "D81".	Seasonal. (Winter spar.)
153.7	Light buoy D82	E. of Stonehouse Point. 45 02 13.0 074 36 35.9	Fl R 4s	Red, spar, marked "D82".	Seasonal (in place year round).
154	Light buoy D84	S. of Stonehouse Point. 45 02 05.5 074 36 55.0	Fl R 4s	Red, spar, marked "D84".	Seasonal (in place year round).
154.3	Île Saint-Régis Anchorage Area Southeast light buoy DN	SSW. of Stonehouse Point. 45 01 51.2 074 37 02.2	Fl Y 4s	Yellow, pillar, marked "DN".	Seasonal. (Winter spar.)
154.5	Île Saint-Régis Anchorage Area Southwest light buoy DQ	SW. of Stonehouse Point. 45 01 44.2 074 37 30.7	Fl Y 4s	Yellow, pillar, marked "DQ".	Seasonal. (Winter spar.)
155	Light buoy D87	SE. of Colquhoun Island. 45 01 27.0 074 38 20.5	Fl G 4s	Green, pillar, marked "D87".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

155.5	Light buoy D86	E. of Colquhoun Island. 45 01 36.0 074 38 11.0	Fl R 4s	Red, pillar, marked "D86".	Seasonal. (Winter spar.)
157	Cornwall Island light buoy DCB	45 01 14.2 074 39 06.1	Fl(2+1) R 6s	Red-green-red, spar, marked "DCB".	Seasonal (in place year round).
158 H2577	Third Crab Sector	On white crib. 45 01 19.0 074 39 17.7	F R W G	14.4	4 White cylindrical tower, orange triangular daymark with black vertical stripe. 11.5	Seasonal. G 019°-027°; AI GW 027°-028°; W 028°-030°; AI RW 030°-031°; R 031°-039°.

Cornwall Channel

159	Light buoy DC4	45 01 17.2 074 39 28.7	Fl R 4s	Red, spar, marked "DC4".	Seasonal (in place year round).
160	Light buoy DC5	45 01 12.1 074 39 38.7	Fl G 4s	Green, spar, marked "DC5".	Seasonal (in place year round).
163.2 H2586	Cornwall Marina	45 00 48.2 074 43 06.4	Fl G 4s	6.6	4	White cylindrical tower with green upper portion. 4.9	Seasonal.

Lake St. Francis

164 H2578	Cornwall Island front range light	E. point of island. 45 00 53.6 074 39 52.0	F G	19.4	12 Square skeleton tower, orange daymark with white vertical stripe. 16.1	Seasonal.
165 H2578.1	Cornwall Island rear range light	45 00 44.2 074 40 16.2 241°05' 604.2 m from front.	F G	33.0	12 Square skeleton tower, orange daymark with white vertical stripe. 15.5	Seasonal.
166	Light buoy D89	45 01 02.6 074 39 18.7	Q G 1s	Green, pillar, marked "D89".	Seasonal. (Winter spar.)
167	Light buoy D90	45 01 02.3 074 39 31.2	Fl R 4s	Red, spar, marked "D90".	Seasonal (in place year round).
167.5	Light buoy D91	45 00 58.1 074 39 25.2	Fl G 4s	Green, pillar, marked "D91".	Seasonal. (Winter spar.)
168	Light buoy D93	Off W. end of Île Saint-Régis. 45 00 48.3 074 39 37.7	Fl G 4s	Green, pillar, marked "D93".	Seasonal. (Winter spar.)
169	Light buoy D92	45 00 50.4 074 39 43.2	Fl R 4s	Red, pillar, marked "D92".	Seasonal. (Winter spar.)
170	Light buoy D96	SE. of Cornwall Island. 45 00 24.0 074 40 03.5	Fl R 4s	Red, pillar, marked "D96".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

170.5	Light buoy D95	SW. of Hen Island. 45 00 23.2 074 39 56.9	Fl G 4s	Green, pillar, marked "D95".	Seasonal. (Winter spar.)
172 H2601	Light 2	SE. end of Cornwall Island. 45 00 12.4 074 40 27.1	Q R 1s	11.2	3	White cylindrical tower with red upper portion. 7.9	Seasonal.
179 H2601.4	Light 4	S. side of Cornwall Island. 45 00 03.1 074 41 01.2	Fl R 4s	12.6	3	White cylindrical tower with red upper portion. 7.4	Seasonal.
185 H2604	Light 10 Sector	Near shore of Cornwall Island. 45 00 07.2 074 42 49.7	F R W G	16.4	8 White skeleton tower, orange triangular daymark. 13.4	Seasonal. R 276°-277°45'; W 277°45'-279°15'; G 279°15'-281°.
185.2	Light 10 Direction	45 00 07.2 074 42 49.7	F R	15.5	13 White square skeleton tower, orange triangular daymark. 13.4	Seasonal. Visible on a bearing of 048°.

Long Sault Small Craft Channel

214.49	Light buoy XS3	E. of Macdonell Island. 45 00 31.1 074 52 26.5	Fl G 4s	Green, pillar, marked "XS3".	Seasonal. (Winter spar.)
214.5	Light buoy XS4	SE. of Moulinette Island. 45 00 32.7 074 52 15.7	Fl R 4s	Red, pillar, marked "XS4".	Seasonal. (Winter spar.)
214.6	Light buoy XS7	NE. of Moulinette Island. 45 01 26.2 074 52 16.7	Fl G 4s	Green, spar, marked "XS7".	Seasonal (in place year round).
214.61	Light buoy XS8	45 01 28.7 074 53 10.7	Fl R 4s	Red, spar, marked "XS8".	Seasonal (in place year round).

Lake St. Lawrence

234	Weaver Shoal Anchorage Area East light buoy XA	44 56 52.2 075 01 53.1	Fl Y 4s	Yellow, spar, marked "XA".	Seasonal (in place year round).
235	Weaver Shoal Anchorage Area West light buoy XC	44 56 27.8 075 03 21.6	Fl Y 4s	Yellow, spar, marked "XC".	Seasonal (in place year round).
237 H2670	Pier Light 68	Marks Weaver Shoal. 44 55 56.3 075 04 06.7	Q R 1s	8.4	4	White cylindrical tower. 8.6	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
238 H2671	Light 70	Off Cooks Point. 44 55 51.5 075 04 44.7	Fl R 4s	9.5	3	White cylindrical tower with red upper portion, marked "70". 7.4	Seasonal.
240	Light buoy 72	NE. of Chrysler Shoal. 44 55 46.9 075 05 26.2	Q R 1s	Red, spar, marked "72".	Seasonal (in place year round).
240.5 H2672.5	Chrysler Marina Entrance	Chrysler Park Marina. 44 56 05.6 075 05 38.1	Fl R 4s	3.0	Mast.	Private aid. Year round.
242	Light buoy 74	On N. edge of channel. 44 55 23.4 075 06 34.0	Fl R 4s	Red, pillar, marked "74".	Seasonal. (Winter spar.)
242.5	Doran Shoal front range light	E. of Riverside Heights. 44 56 02.3 075 06 43.6	F Y	10.3	14	White skeleton tower, orange triangular daymark with black vertical stripe. 8.5	Seasonal.
242.6	Doran Shoal rear range light	44 56 11.5 075 06 32.7 039°57' 373.2 m from front.	F Y	17.4	14	White skeleton tower, orange triangular daymark with black vertical stripe. 14.5	Seasonal.
244.5	Weaver Shoal front range light	S. of Riverside Heights. 44 55 28.9 075 07 51.6	F W	10.2	13	White skeleton tower, white triangular daymark with black vertical stripe. 8.0	Seasonal.
244.6	Weaver Shoal rear range light	44 55 26.8 075 08 12.5 262°02' 463.9 m from front.	F Y	17.2	13	White skeleton tower, white triangular daymark with black vertical stripe. 16.0	Seasonal.
245	Light buoy 78	Marks turn in channel. 44 55 07.7 075 07 56.6	Q R 1s	Red, spar, marked "78".	Seasonal (in place year round).
247	Light buoy 80	44 54 34.2 075 08 35.8	Fl R 4s	Red, pillar, marked "80".	Seasonal. (Winter spar.)
247.5	Goose Neck Shoal front range light	SW. of Macdonald Island. 44 54 53.2 075 08 49.2	F R	10.2	14	White skeleton tower, orange triangular daymark with black vertical stripe. 8.9	Seasonal.
247.6	Goose Neck Shoal rear range light	44 54 52.0 075 08 55.6 254°33' 143.6 m from front.	F R	14.0	14	White skeleton tower, orange triangular daymark with black vertical stripe. 11.2	Seasonal.
248	Light 81	44 54 01.9 075 08 57.5	Q G 1s	8.5	4	White cylindrical tower with green upper portion with marked "81". 6.3	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
249	Light 82	Off Doran Point. 44 54 05.5 075 09 11.9	Fl R 4s	9.1	4	White cylindrical tower with red upper portion, marked "82". 6.3	Seasonal.
250	Light buoy 84	44 53 48.0 075 09 43.0	Fl R 4s	Red, spar, marked "84".	Seasonal (in place year round).
255	Light buoy 86	44 53 11.9 075 11 01.6	Fl R 4s	Red, spar, marked "86".	Seasonal (in place year round).
256	Light buoy 88	On N. edge of channel. 44 53 05.2 075 11 21.9	Fl R 4s	Red, spar, marked "88".	Seasonal (in place year round).
259	Light 92	At Mariatown. 44 52 56.1 075 12 09.7	Fl R 4s	10.7	5	White cylindrical tower with red upper portion. 7.5	Seasonal.
259.2	Mariatown front range light	44 52 57.7 075 12 32.0	F G	9.9	14	White skeleton tower, orange triangular daymark with black vertical stripe. 8.3	Seasonal.
259.3	Mariatown rear range light	44 53 00.1 075 12 26.8 056°52' 135.3 m from front.	F G	14.1	14	White skeleton tower, orange triangular daymark with black vertical stripe. 12.6	Seasonal.
259.5	Light buoy 92A	Off Mariatown. 44 52 50.1 075 12 34.2	Fl R 4s	Red, pillar, marked "92A".	Seasonal. (Winter spar.)
260	Light buoy 94	Ogden Island Reach. 44 52 43.4 075 13 11.6	Q R 1s	Red, pillar, marked "94".	Seasonal. (Winter spar.)
262	Light buoy 95	Off Ogden Island. 44 52 31.1 075 13 21.6	Fl G 4s	Green, pillar, marked "95".	Seasonal. (Winter spar.)
263	Light 96	44 52 35.9 075 13 30.1	Fl R 4s	9.2	6	White cylindrical tower with red upper portion, marked "96". 6.1	Seasonal.
263.4	Mariatown Approach front range light	44 52 35.1 075 13 39.2	F R	11.6	14	White skeleton tower, orange triangular daymark with black vertical stripe. 8.5	Seasonal.
263.5	Mariatown Approach rear range light	44 52 33.9 075 13 46.0 255°08' 154.1 m from front.	F R	15.5	14	White skeleton tower, orange triangular daymark with black vertical stripe. 11.4	Seasonal.
264	Light buoy 96A	Off Rapide Plat Point. 44 52 20.2 075 13 57.5	Fl R 4s	Red, spar, marked "96A".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
266	Light buoy 98	Off Robertson Point. 44 52 11.0 075 14 23.2	Fl R 4s	Red, spar, marked "98".	Seasonal (in place year round).
267	Light buoy 100	44 51 38.5 075 15 14.5	Q R 1s	Red, pillar, marked "100".	Seasonal. (Winter spar.)
268	Light buoy 102	44 51 30.2 075 15 40.9	Fl R 4s	Red, pillar, marked "102".	Seasonal. (Winter spar.)
270	Light buoy 104	44 51 17.4 075 16 23.5	Q R 1s	Red, pillar, marked "104".	Seasonal. (Winter spar.)
274.4	Iroquois Lock Direction	44 50 42.7 075 18 10.4	F W	10.1	12 White skeleton tower, orange triangular daymark. 8.1	Seasonal. Visible on bearing of 026°.
275	Light buoy 108	44 50 32.8 075 18 16.2	Q R 1s	Red, spar, marked "108".	Seasonal (in place year round).
280	Light buoy 108A	44 50 22.2 075 18 29.9	Fl R 4s	Red, spar, marked "108A".	Seasonal (in place year round).
280.4	Iroquois Approach front range light	44 50 21.4 075 18 41.7	F R	9.8	14 White skeleton tower, orange triangular daymark with black vertical stripe. 8.1	Seasonal.
280.5	Iroquois Approach rear range light	44 50 18.5 075 18 49.1 241°21' 183.2 m from front.	F R	14.3	14 White skeleton tower, orange triangular daymark with black vertical stripe. 12.8	Seasonal.
281	Light buoy 109	44 50 13.1 075 18 27.3	Q G 1s	Green, spar, marked "109".	Seasonal (in place year round).
Iroquois Island to Crossover Island							
283.1	Light buoy 111	44 49 15.2 075 19 06.1	Fl G 4s	Green, spar, marked "111".	Seasonal (in place year round).
283.5	Light buoy 112	44 49 02.9 075 19 29.9	Fl R 4s	Red, spar, marked "112".	Seasonal (in place year round).
284	Light buoy 113	44 48 57.1 075 19 18.5	Q G 1s	Green, pillar, marked "113".	Seasonal. (Winter spar.)
285	Light 114	On S. side of Toussaint Island. 44 48 47.3 075 19 48.1	Fl R 4s	9.1	5	White cylindrical tower with red upper portion, marked "114". 7.8	Seasonal.
285.5	Toussaint Island West	44 48 41.9 075 19 57.2	Iso R 2s	8.8	5	Cylindrical mast, white daymark with red upper portion. 7.8	Seasonal.
289	Light buoy 118	44 47 08.7 075 22 13.2	Fl R 4s	Red, pillar, marked "118".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

291	Light buoy 120	44 46 54.0 075 22 42.6	Fl R 4s	Red, pillar, marked "120".	Seasonal. (Winter spar.)
297	Drummond Island front range light	E. side of Banen Island. 44 45 29.2 075 25 34.3	Iso R 2s	13.6	14	White skeleton tower, orange triangular daymark with black vertical stripe. 9.7	Seasonal.
298	Drummond Island rear range light	44 45 12.0 075 26 11.0 236°33' 965.6 m from front.	F R	21.3	14 White skeleton tower, orange triangular daymark with black vertical stripe. 15.8	Seasonal.
307	Light buoy 131	44 44 17.7 075 27 01.8	Fl G 4s	Green, pillar, marked "131".	Seasonal. (Winter spar.)
308	Light buoy 130A	Off Spencer Island pier. 44 44 24.7 075 27 02.8	Fl R 4s	Red, pillar, marked "130A".	Seasonal. (Winter spar.)
309	Light buoy 131A	SW. of Ogdensburg-Prescott International Bridge. 44 43 41.7 075 27 56.8	Fl G 4s	Green, spar, marked "131A".	Seasonal (in place year round).
311	Light buoy 132	Off Windmill Point. 44 43 05.7 075 29 04.8	Fl R 4s	Red, pillar, marked "132".	Seasonal. (Winter spar.)
312.1	Prescott/Ogdensburg Bridge, North Racon	44 44 11.3 075 27 37.4	Seasonal.
Racon T (-) X & S Bands							
312.2	Prescott/Ogdensburg Bridge, South Racon	44 44 01.7 075 27 29.9	Seasonal.
Racon H (. . .) X & S Bands							
312.5	Prescott Heritage Harbour	44 42 35.8 075 30 34.3	Iso G 4s	8.4	6	White octagonal tower with green upper portion. 6.8	Seasonal.
319	North McNair Shoal light buoy 136	S. side of shoal. 44 35 46.7 075 39 57.8	Fl R 4s	Red, pillar, marked "136".	Seasonal. (Winter spar.)
320.2	South McNair Shoal light buoy 137A	N. side of shoal. 44 35 38.7 075 39 58.8	Fl G 4s	Green, pillar, marked "137A".	Seasonal. (Winter spar.)
321	Brockville Breakwater	On SW. corner of breakwater. 44 35 09.2 075 40 58.8	Fl R 4s	10.0	4	White cylindrical tower with red upper portion. 8.4	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
322	Skelton Island 138	On S. side of island. 44 34 36.0 075 41 33.2	FI R 4s	12.0	5	White cylindrical tower with red upper portion, marked "138". 7.2	Seasonal.
323	Refugee Island Shoal light buoy 139	NE. end of shoal. 44 34 26.2 075 41 32.3	FI G 4s	Green, pillar, marked "139".	Seasonal. (Winter spar.)
324	McCoy Island 141	On N. side of island. 44 34 04.7 075 42 10.5	Q G 1s	9.9	3	White cylindrical mast, green upper portion, marked "141". 8.2	Seasonal.
325	Royal Island 142	SW. of island. 44 34 03.9 075 42 22.8	FI R 4s	9.9	3	White cylindrical tower with red upper portion, marked "142". 8.1	Seasonal.
326	Light 143	On pier. 44 33 57.2 075 42 21.3	FI G 4s	9.0	4	White cylindrical tower, green upper portion, marked "143". 7.4	Seasonal.
326.4	Light buoy P52	Near Harvey Island, Brockville Narrows. 44 33 57.8 075 42 30.5	FI R 4s	Red, spar, marked "P52".	Seasonal (in place year round).
326.6	Light buoy P54	Coronation Shoal, Brockville Narrows. 44 33 50.8 075 42 41.1	FI R 4s	Red, spar, marked "P54".	Seasonal (in place year round).
327	Light buoy 143A	44 33 44.2 075 42 41.8	FI G 4s	Green, pillar, marked "143A".	Seasonal. (Winter spar.)
328	Light 144	Off McDonald Point Shoal. 44 33 43.9 075 42 51.7	Q R 1s	9.2	3	White cylindrical tower, red upper portion, marked "144". 7.6	Seasonal.
329	Stovin Island 145	On island. 44 33 33.8 075 42 53.5	FI G 4s	10.3	4	White cylindrical mast, green upper portion, marked "145". 6.1	Seasonal.
330	Needles Eye Island 146	On S. side of island. 44 33 26.7 075 43 12.5	FI R 4s	10.9	4	White cylindrical tower, red upper portion, marked "146". 7.5	Seasonal.
331	Light buoy 146A	Off Hillcrest Point. 44 32 58.7 075 43 47.8	FI R 4s	Red, pillar, marked "146A".	Seasonal. (Winter spar.)
332	De Rottenburg Island light buoy 145A	SW. of island. 44 32 56.2 075 43 39.8	FI G 4s	Green, pillar, marked "145A".	Seasonal. (Winter spar.)
333	De Watteville Island front range light	On island. 44 32 51.4 075 44 01.3	F W	8.2	13	White cylindrical tower, orange triangular daymark with black vertical stripe. 6.7	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
334	De Watteville Island rear range light	44 33 00.4 075 43 51.9 036°53' 347.5 m from front.	F W	21.2	13	Red skeleton tower, white enclosure with red lantern house, orange triangular daymark with black vertical stripe. 14.5	Seasonal. Operates 24 h.
335	Light 147	On pier. 44 32 30.9 075 44 09.2	Fl G 4s	9.1	3	White cylindrical tower with green upper portion, marked "147". 7.7	Seasonal.
336	Light buoy 147A	NW. of Cole Ferry Shoal. 44 32 12.2 075 44 33.0	Fl G 4s	Green, pillar, marked "147A".	Seasonal. (Winter spar.)
338	Light 150	On pier. 44 31 46.3 075 45 16.8	Fl R 4s	9.0	4	White cylindrical tower with red upper portion, marked "150". 7.4	Seasonal.
338.3	Cole Shoal light buoy 150A	S. of Shoal. 44 31 42.2 075 45 16.8	Fl R 4s	Red, pillar, marked "150A".	Seasonal. (Winter spar.)
339	Light 151	On pier. 44 31 22.5 075 45 25.6	Fl G 4s	9.0	4	White cylindrical tower with green upper portion, marked "151". 7.5	Seasonal.
339.3	Crossover (Brockville) front range light	44 31 36.0 075 45 53.0	Iso G 2s	10.5	14	White cylindrical tower, orange triangular daymark with black vertical stripe. 7.6	Seasonal.
339.4	Crossover (Brockville) rear range light	44 31 56.6 075 45 46.0 013°34' 656.3 m from front.	F G	18.9	14	White skeleton tower, orange triangular daymark with black vertical stripe. 11.2	Seasonal.
340	Light buoy 152	44 31 07.2 075 45 58.5	Fl R 4s	Red, pillar, marked "152".	Seasonal. (Winter spar.)
Crossover Island to Cape Vincent							
352	Light buoy 172	W. of Haskell Shoal. 44 26 06.1 075 49 36.4	Fl R 4s	Red, spar, marked "172".	Seasonal (in place year round).
353	Haskell Shoal light buoy 173	Off N. edge of shoal. 44 26 11.0 075 49 22.0	Fl G 4s	Green, spar, marked "173".	Seasonal (in place year round).
Canadian Middle Channel							
353.8	Whitney Point light buoy U4	S. of point. 44 29 14.6 075 48 10.5	Fl R 4s	Red, spar, marked "U4".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
354	Chimney Island	On island, SE. of island. 44 28 01.8 075 49 57.6	Fl R 4s	9.4	White cylindrical tower with red upper portion. 8.5	Seasonal.
355	Haffie Shoal	On rock. 44 27 32.7 075 50 40.0	Fl R 4s	8.0	3	Mast, white rectangular daymark with red top. 4.9	Seasonal.
356	Channel Island light buoy U11	SE. of island. 44 26 22.1 075 51 42.9	Fl G 4s	Green, spar, marked "U11".	Seasonal (in place year round).
357	Pooles Resort light buoy U13	S. side of channel opposite Pooles Resort. 44 25 24.4 075 52 48.3	Fl G 4s	Green, spar, marked "U13".	Seasonal (in place year round).
358	Goose Island	On crib, NE. of island. 44 24 32.3 075 53 12.9	Fl R 4s	9.6	3	White cylindrical tower with red upper portion. 6.5	Seasonal.
359	Duck Rock	On small island, W. of Duck Island. 44 24 02.0 075 53 33.3	Fl G 4s	7.6	3	White cylindrical tower with green upper portion. 6.6	Seasonal.
360	Duck Island Shoal light buoy U20	44 23 47.7 075 53 53.0	Fl R 4s	Red, spar, marked "U20".	Seasonal (in place year round).
361	Grenadier Island	SW. point of island. 44 22 58.3 075 54 18.0	Fl W 4s	16.8	5	White cylindrical tower with red upper portion. 6.1	Seasonal.
361.2	Buck Island	On rock, W. side of island. 44 23 07.3 075 54 35.9	Fl G 4s	10.9	3	White cylindrical tower with green upper portion. 9.9	Seasonal.
361.3	Tar Island	On small island, SW. end of island. 44 22 46.3 075 55 18.5	Fl R 4s	10.5	3	White cylindrical tower with red upper portion. 8.3	Seasonal.
361.5	Club Island	N. side of island. 44 22 20.9 075 56 20.1	Fl G 4s	10.1	3	White cylindrical tower with green upper portion. 8.9	Seasonal.
362	Wood Island	On small island near Wood Island. 44 21 35.9 075 59 30.9	Fl R 4s	7.3	3	White rectangular tower with red upper portion. 6.1	Seasonal.
362.3	Wallace Island	On small island off Wallace Island. 44 21 26.3 075 59 44.5	Fl G 4s	10.3	3	White cylindrical tower with green upper portion. 7.7	Seasonal.
362.5	Fiddlers Elbow	E. side of Ash Island. 44 21 20.7 075 59 57.2	Fl R 4s	9.5	3	White cylindrical tower with red upper portion. 6.1	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
363	Lyndoch Island	N. side of island. 44 20 59.8 076 00 14.4	Fl G 4s	9.8	3	White cylindrical tower with green upper portion. 6.1	Seasonal.
363.4	Myers Island light buoy H18	44 20 53.2 076 00 35.1	Fl R 4s	Red, spar, marked "H18".	Seasonal (in place year round).
364	Steeple Shoal light buoy H20	On S. side of shoal. 44 20 25.7 076 01 43.3	Fl R 4s	Red, spar, marked "H20".	Seasonal (in place year round).
364.4	Rowley Island light buoy H22	SE. of island. 44 19 56.3 076 03 02.0	Fl R 4s	Red, spar, marked "H22".	Seasonal (in place year round).
364.6	Abercrombie Island West light buoy H23	W. of island. 44 19 24.0 076 03 58.0	Fl G 4s	Green, spar, marked "H23".	Seasonal (in place year round).
364.9	Gananoque Narrows East	44 19 30.2 076 04 49.5	Fl R 4s	8.9	3	White cylindrical tower with red upper portion. 6.4	Seasonal.
365	Prince Regent Island	NE. end of island, S. side of channel. 44 19 27.9 076 04 51.0	Fl G 4s	12.1	3	White cylindrical tower with green upper portion. 8.4	Seasonal.
365.2	Gananoque Narrows West	On small islet, N. of island. 44 19 28.4 076 05 17.7	Fl R 4s	9.8	3	White cylindrical tower with red upper portion. 7.3	Seasonal.
365.3	Astounder Island	On crib. 44 18 42.8 076 05 39.9	Fl R 4s	9.4	3	White cylindrical tower with red upper portion. 5.9	Seasonal.
365.4	Bloodletter Island light buoy H26	S. of island. 44 18 20.0 076 06 24.0	Fl R 4s	Red, spar, marked "H26".	Seasonal (in place year round).
365.5	Camelot Island light buoy H30	W. of island. 44 18 02.7 076 07 08.3	Q R 1s	Red, spar, marked "H30".	Seasonal (in place year round).
365.8	Jackstraw Shoal light buoy J5	SE. of shoal. 44 19 28.6 076 07 02.3	Fl G 4s	Green, spar, marked "J5".	Seasonal (in place year round).
366	Jackstraw Shoal	N. side of channel, E. of Gananoque. 44 19 31.3 076 07 09.5	Fl R 4s	7.6	3	White cylindrical tower with red upper portion. 6.1	Seasonal.
366.2	Gananoque Approach light buoy J5/3	44 19 23.0 076 08 42.0	Fl G 4s	Green, spar, marked "J5/3".	Seasonal (in place year round).
366.5	Gananoque Floating Breakwater	On outer end of breakwater. 44 19 29.5 076 09 20.4	Fl Y 4s	4.0	White cylindrical mast. 3.0	Private aid. Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON							
367	Gananoque Harbour	E. of Ormiston Island. 44 19 18.0 076 09 47.7	Fl R 4s	6.7	6	White cylindrical tower with red upper portion. 5.0	Private aid. Seasonal.
367.3	Light buoy J8	44 19 09.0 076 09 54.0	Fl R 4s	Red, spar, marked "J8".	Seasonal (in place year round).
367.6	Spectacles Rocks light buoy J11	N. of rocks. 44 18 50.0 076 10 49.0	Q G 1s	Green, spar, marked "J11".	Seasonal (in place year round).
368	Spectacles Shoal	N. side of channel. 44 18 40.4 076 11 00.2	Fl R 4s	8.2	3	White cylindrical tower with red upper portion. 6.2	Seasonal.
368.2	Lindsay Island light buoy	44 18 30.5 076 10 46.8	Fl Y 4s	Orange-white.	Private aid. Seasonal.
368.5	Beaurivage Island light buoy J15	N. of island. 44 18 19.0 076 11 21.0	Fl G 4s	Green, spar, marked "J15".	Seasonal (in place year round).
369	Beaurivage Island	W. end of island. 44 18 09.2 076 11 25.9	Fl G 4s	7.3	3	White cylindrical tower with green upper portion. 5.8	Seasonal.
369.5	Anchor Shoal light buoy JVB	N. side of shoal. 44 18 06.5 076 11 35.0	Fl(2+1) R 6s	Red-green-red, spar, marked "JVB".	Seasonal.
370	Aubrey Island	E. side of island. 44 17 47.2 076 11 28.3	Fl R 4s	19.4	White cylindrical tower with orange upper portion. 8.9	Seasonal.
371	Juniper Island light buoy JE17	W. of island. 44 17 17.0 076 10 20.0	Fl G 4s	Green, spar, marked "JE17".	Seasonal (in place year round).
371.2	The Punts	On small islet, N. of The Punts. 44 17 57.0 076 07 48.8	Fl G 4s	11.3	4	White cylindrical tower with green upper portion. 7.6	Seasonal.
371.4	Seven Pines Island light buoy H32	S. of island. 44 17 04.0 076 09 31.0	Fl R 4s	Red, spar, marked "H32".	Seasonal (in place year round).
371.6	Black Ant Island light buoy H34	44 16 25.1 076 11 55.6	Fl R 4s	Red, spar, marked "H34".	Seasonal (in place year round).
372	Wolfe Island Cut light buoy PV1	44 13 57.2 076 10 36.3	Fl G 4s	Green, spar, marked "PV1".	Seasonal (in place year round).
373	Wolfe Island Cut light buoy PV2	E. of Beauvais Point. 44 13 58.6 076 10 29.0	Q R 1s	Red, spar, marked "PV2".	Seasonal (in place year round).
377	Wolfe Island Cut North light buoy PV6	E. side of island. 44 14 30.1 076 10 59.8	Fl R 4s	Red, spar, marked "PV6".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

378	Wolfe Island	On Quebec Head. 44 14 19.8 076 11 02.8	Iso W 4s	11.3	8	White tower. 6.4	Seasonal.
-----	--------------	--	----------	------	---	---------------------	-----------

Crossover Island to Cape Vincent

380	Irvine Point front range light	E. side of McGregor Bay. 44 12 15.8 076 18 37.5	F R	12.0	14	Square skeleton tower, orange daymark with black vertical stripe. 8.6	Seasonal.
381	Irvine Point rear range light	44 12 40.3 076 18 29.4 013°20' 780.3 m from front.	F R	23.4	14	Square skeleton tower, orange daymark with black vertical stripe. 16.6	Seasonal.
384 H2826	Bayfield Island Sector	E. side of island. 44 11 39.3 076 19 42.4	F R	14.2	10	White square skeleton tower, orange triangular daymark. 11.4	Seasonal. R 260°30'-262°; AI RW 262°-262°15'; W 262°15'-263°45'; AI GW 263°45'-264°; G 264°-265°30'.

Canadian Middle Channel

393	Howe Island	On S. side of island. 44 14 46.1 076 18 24.8	Fl R 4s	9.5	4	White cylindrical tower with red upper portion. 8.8	Seasonal.
394	Cold Bath Shoal light buoy H39	Off NE. end of shoal. 44 14 37.6 076 20 16.5	Fl G 4s	Green, spar, marked "H39".	Seasonal (in place year round).

Bateau Channel

394.2	Bateau Channel light buoy J17	44 18 36.0 076 12 50.0	Fl G 4s	Green, spar, marked "J17".	Seasonal (in place year round).
394.31	Light buoy J20	44 18 13.5 076 14 54.0	Fl R 4s	Red, spar, marked "J20".	Seasonal (in place year round).
394.4	Bateau Channel 2	S. end of point. 44 18 08.7 076 16 31.9	Fl R 4s	7.9	3	White cylindrical tower with red upper portion. 7.6	Seasonal.
394.5	Bateau Channel 3	On point. 44 17 56.9 076 17 09.1	Fl R 4s	9.1	3	Cylindrical mast, white daymark with red upper portion. 7.7	Seasonal.
394.6	Howe Island Ferry	On outer end of W. wharf. 44 16 37.4 076 19 37.7	Fl R 4s	10.5	5	White cylindrical tower with red upper portion. 7.8	Seasonal. Flash 1 s; eclipse 3 s.
394.7	Cassidy Shoal	44 15 45.2 076 21 11.0	Fl G 4s	6.2	4	White cylindrical tower with green upper portion. 4.8	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON

394.75	Bateau Channel light buoy J28	44 15 35.0 076 21 39.0	Fl R 4s	Red, spar, marked "J28".	Seasonal (in place year round).
--------	----------------------------------	---------------------------	---------	-------	-------	--------------------------	---------------------------------

394.8	Spit Head West Cardinal light buoy HJ	44 14 36.0 076 22 23.1	Q(9) W 15s	Yellow-black-yellow, spar, marked "HJ".	Seasonal (in place year round).
-------	--	---------------------------	------------	-------	-------	--	---------------------------------

Canadian Middle Channel

395	The Spectacles light buoy H42	S. of The Spectacles. 44 14 27.1 076 23 05.9	Fl R 4s	Red, spar, marked "H42".	Seasonal (in place year round).
-----	----------------------------------	---	---------	-------	-------	--------------------------	---------------------------------

397	Bayfield Shoal light buoy H43	N. end of shoal. 44 13 47.3 076 25 13.8	Fl G 4s	Green, pillar, marked "H43".	Seasonal (in place year round).
-----	----------------------------------	---	---------	-------	-------	---------------------------------	---------------------------------

397.1	Dawson Point North	Winter ferry wharf. 44 12 55.7 076 25 33.9	F G	7.9	Cylindrical mast.	Private aid. Year round. Operates 24 h.
-------	--------------------	--	-----	-------	-----	-------------------	---

Barrett Bay

398	Ferguson Point light buoy KA1	NW. of point. 44 12 30.9 076 27 18.9	Fl G 4s	Green, spar, marked "KA1".	Seasonal.
-----	----------------------------------	--	---------	-------	-------	----------------------------	-----------

398.1	Garden Island light buoy KA2	44 12 26.6 076 27 19.4	Fl R 4s	Red, spar, marked "KA2".	Seasonal.
-------	---------------------------------	---------------------------	---------	-------	-------	--------------------------	-----------

399	Wolfe Island light buoy KA5	44 11 54.2 076 26 31.4	Fl G 4s	Green, spar, marked "KA5".	Seasonal.
-----	--------------------------------	---------------------------	---------	-------	-------	----------------------------	-----------

399.1	Goose Island light buoy KA6	44 11 50.9 076 26 34.6	Q R 1s	Red, spar, marked "KA6".	Seasonal.
-------	--------------------------------	---------------------------	--------	-------	-------	--------------------------	-----------

399.3	Marysville Wharf	44 11 47.4 076 26 30.7	F G	6.2	Mast.	Year round.
-------	------------------	---------------------------	-----	-------	-----	-------	-------------

Canadian Middle Channel

401	Cedar Island	SW. end of island. 44 13 28.0 076 27 15.7	Fl R 4s	7.6	4	White cylindrical tower with red upper portion. 6.2	Seasonal.
-----	--------------	---	---------	-----	---	---	-----------