

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics			Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE HURON									
768	Point Edward front range light	On beach, E. from head of St. Clair River. 43 00 09.3 082 24 59.1	F	R	12.7	15	White cylindrical tower, orange triangular daymark with black vertical stripe. 9.5	Year round. Operates 24 h.
769	Point Edward rear range light	42 59 48.1 082 24 59.3 180°20' 652.3 m from front.	F	R	36.6	15	On bridge, orange triangular daymark with black vertical stripe.	Year round. Operates 24 h.
770	<i>Lake Huron Cut light buoy 2</i>	43 00 33.1 082 24 53.6	Q	R	1s	<i>Red, spar, marked "2".</i>	<i>Year round (YRLS).</i>
771	<i>Kettle Point Reef light buoy V4</i>	<i>NW. of point.</i> 43 14 51.8 082 03 21.8	FI	R	4s	<i>Red, spar, marked "V4".</i>	<i>Year round (YRLS).</i>
772.5	<i>Lower Lake Huron ODAS light buoy 45149</i>	43 32 30.0 082 04 30.0	FI(5)	Y	20s	<i>Yellow, ODAS, marked "45149".</i>	<i>Seasonal.</i>
773	Grand Bend Starboard Entrance	On breakwall. 43 18 48.5 081 46 02.8	FI	R	4s	5.8	Mast, red, white and red triangular daymark. 5.4	Private aid. Seasonal.
774	Grand Bend	On outer end of pier. 43 18 49.8 081 46 04.8	FI	G	4s	10.7	9	White cylindrical tower with green upper portion. 7.6	Seasonal. Flash 1 s; eclipse 3 s.
775.5	Bayfield front range light	On N. pier. 43 34 11.4 081 42 30.1	F	G	7.6	16	Cylindrical mast, white daymark with red vertical stripe. 4.9	Seasonal (in place year round). Operates 24 h.
775.6	Bayfield rear range light	43 34 11.8 081 42 27.5 076°45' 61.5 m from front.	F	G	10.0	16	Cylindrical mast, white daymark with red vertical stripe. 6.1	Seasonal (in place year round). Operates 24 h.
776	Bayfield Wharf	On S. breakwater. 43 34 10.1 081 42 33.0	F	R	10.3	5	Cylindrical mast, red and white rectangular daymark. 6.6	Seasonal (in place year round). Operates 24 h.
Goderich									
777	Goderich Main	On high bank, S. of harbour entrance. 43 44 31.8 081 43 28.8	FI(2)	W	25s	42.7	16	White square tower, red upper portion. 10.1	Private aid. Seasonal (in place year round). Operates 24 h. Flash 0.5 s; eclipse 5.5 s; flash 0.5 s; eclipse 18.5 s.
778	Goderich North Breakwater	On W. end of N. breakwater, off entrance to harbour. 43 44 47.9 081 44 15.5	FI	G	4s	7.8	5	White square tower. 6.1	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE HURON							
778.5	Maitland River	On breakwater at entrance to Maitland River. 43 44 57.0 081 43 58.3	Fl W 4s	9.1	5	Cylindrical mast. 4.1	Seasonal (in place year round).
779	Goderich South Breakwater	On W. end of S. breakwater. 43 44 43.1 081 44 11.0	Iso R 4s	10.3	7	White square tower.	Seasonal (in place year round).
780	Goderich North Pier front range light	On N. pier. 43 44 46.6 081 43 50.0	F R	10.0	15	Square skeleton tower, white daymark with orange vertical stripe. 8.2	Year round. Operates 24 h.
781	Goderich North Pier rear range light	43 44 47.0 081 43 41.0 086°30' 205.0 m from front.	F R	19.8	15	Skeleton tower, white daymark with orange vertical stripe. 16.1	Year round. Operates 24 h.
782	Point Clark	On extremity of low point. 44 04 22.1 081 45 26.2	Fl W 10s	28.3	21	White cylindrical tower. 21.0	Seasonal (in place year round). Operates 24 h. Flash 0.2 s; eclipse 9.8 s.
782.25	Kincardine South Pier West	On W. side of S. pier. 44 10 40.1 081 38 36.2	Fl R 4s	Red cylindrical mast. 1.5	Private aid. Seasonal.
782.5	Kincardine South Pier East	On E. side of S. pier. 44 10 40.1 081 38 34.0	Fl R 4s	Red cylindrical mast. 1.5	Private aid. Seasonal.
782.75	Kincardine North Pier	On W. side of N. pier. 44 10 41.2 081 38 36.2	Fl G 4s	Green cylindrical mast. 1.5	Private aid. Seasonal.
783	Kincardine Sector Light	Near W. end of N. pier. 44 10 41.3 081 38 36.0	Mo(D) R W G	10s	9.6	10 Cylindrical mast, orange rectangular daymark. 6.1	Seasonal (in place year round). Operates 24 h. Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. R 034°-099°; W 099°-103°; G 103°-168°. Fog Horn Blast 3 s; sil. 27 s. Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE HURON							
784	Kincardine	44 10 37.6 081 38 17.3	Fl R 5s	24.4	White octagonal tower, orange rectangular daymark. 19.2	Private aid. Seasonal (in place year round). Operates 24 h. Flash 1 s; eclipse 4 s.
785	Logie Rock light buoy VC2	N. of rock. 44 27 42.5 081 27 01.4	Fl R 4s	Red, pillar, marked "VC2".	Seasonal. (Winter spar.)
786	Port Elgin front range light	Near outer end of wharf. 44 26 39.9 081 24 12.7	F G	8.6	16	Cylindrical mast, white daymark with orange vertical stripe. 7.5	Seasonal (in place year round). Operates 24 h.
787	Port Elgin rear range light	44 26 38.3 081 24 06.6 109°12' 144.7 m from front.	F G	15.9	16	Square skeleton tower, white daymark with orange vertical stripe. 12.4	Seasonal (in place year round). Operates 24 h.
787.5	Port Elgin North Breakwater	On end of N. breakwater. 44 26 43.0 081 24 20.5	Fl G 4s	8.3	Cylindrical mast, red and white rectangular daymark. 6.0	Private aid. Seasonal (in place year round).
787.7	Port Elgin South Breakwater	On end of S. breakwater. 44 26 41.4 081 24 21.5	Fl R 4s	8.1	Cylindrical mast, red and white rectangular daymark. 6.5	Private aid. Seasonal (in place year round).
788	Chantry Island	On E. side of island, W. of Saugeen. 44 29 21.8 081 24 06.1	Fl W 4s	29.5	7	White cylindrical tower with red upper portion. 28.0	Seasonal (in place year round).
790	Saugeen front range light	On cribwork block on breakwater, near outer end. 44 30 05.5 081 22 31.1	F G	10.4	13	White tower with red rectangular daymark. 11.0	Seasonal (in place year round). Operates 24 h. Fog Horn Blast 3 s; sil. 17 s. Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.
791	Saugeen rear range light	44 30 03.4 081 21 58.6 095°15' 722.7 m from front.	F G	20.0	13	White tower with red rectangular daymark. 10.2	Seasonal (in place year round). Operates 24 h.
791.5	Saugeen River South Breakwater	On end of S. breakwater. 44 30 02.8 081 22 30.9	Fl R 4s	9.8	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.4	Private aid. Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE HURON							
792	Saugeen River Turning light buoy VJ3	S. of Lambert Shoal. 44 30 11.8 081 23 25.3	Q G 1s	Green, pillar, marked "VJ3".	Seasonal. (Winter spar.)
793	Southampton light buoy VJ2	Off NE. end of Chantry Shoal. 44 30 39.1 081 23 40.9	Fl R 4s	Red, pillar, marked "VJ2".	Seasonal. (Winter spar.)
794	Oliphant front range light	On crib. 44 43 49.5 081 16 52.8	F R	4.9	16	Cylindrical mast, white daymark with red vertical stripe. 4.8	Seasonal (in place year round). Operates 24 h.
795	Oliphant rear range light	44 43 53.3 081 16 44.3 058°08' 220.2 m from front.	F R	8.2	16	Cylindrical mast, white daymark with red vertical stripe. 7.6	Seasonal (in place year round). Operates 24 h.
795.5	Howdenvale	On wharf. 44 49 15.9 081 18 16.3	Fl W 4s	5.9	2	Mast, white cylindrical daymark. 5.1	Seasonal (in place year round).
796	Lyal Island	On W. side of island. 44 56 59.0 081 25 10.2	Fl W 4s	15.8	6	Square skeleton tower, red and white rectangular daymark. 13.5	Seasonal (in place year round).
796.3	Stokes Bay Entrance light buoy VK2	44 56 50.2 081 27 35.6	Fl R 4s	Red, pillar, marked "VK2".	Seasonal.
797	Stokes Bay front range light	On NW. extremity of most westerly Knife Islands. 44 58 01.5 081 23 25.2	Fl R 4s	9.4	5	Red and white cylindrical tower. 12.6	Seasonal (in place year round). Operates 24 h.
798	Stokes Bay rear range light	44 58 15.6 081 22 33.7 068°55' 1219.9 m from front.	F R	19.0	14	White square skeleton tower with red rectangular daymark.	Seasonal (in place year round). Operates 24 h.
798.5	Pine Tree Harbour front range light	45 04 18.5 081 29 53.6	Iso R 4s	6.8	5	Cylindrical mast, white daymark with orange vertical stripe. 6.1	Seasonal. Operates 24 h.
798.6	Pine Tree Harbour rear range light	45 04 20.7 081 29 51.8 035°59' 85.4 m from front.	F R	9.4	16	Cylindrical mast, white daymark with orange vertical stripe. 8.4	Seasonal. Operates 24 h.
799	Cape Hurd	On outer point of cape. 45 13 15.8 081 43 44.5	Fl R 4s	8.9	5	Cylindrical mast, red and white rectangular daymark. 7.7	Seasonal (in place year round).
800	Southwest Bank light buoy TA1	S. extremity of bank. 45 14 02.6 081 45 26.3	Fl G 4s	Green, pillar, marked "TA1".	Seasonal.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
LAKE HURON							
800.5	Devil Island light buoy TA6	W. of bank. 45 15 24.7 081 43 45.8	Fl R 4s	Red, spar, marked "TA6".	Seasonal.
800.7	Russel Reef light buoy TA8	W. of reef. 45 15 59.1 081 43 00.5	Q R 1s	Red, spar, marked "TA8".	Seasonal.
802.5	West Sister Shoal light buoy J2	N. side of shoal. 45 22 05.8 081 47 51.0	Fl R 4s	Red, pillar, marked "J2".	Seasonal. (Winter spar.)
804	Lucas Island	N. side of island. 45 23 36.3 081 45 58.3	Fl R 4s	13.4	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.4	Seasonal (in place year round).
805	Cove Island	On Gig Point, entrance to Georgian Bay. 45 19 37.1 081 44 07.4	Fl W 10s	31.4	11	White cylindrical tower. 28.4	Seasonal. Flash 1 s; eclipse 9 s.
806	South Baymouth light buoy JS2	SW. of Wallace Rock. 45 32 14.2 082 01 36.3	Fl R 4s	Red, pillar, marked "JS2".	Seasonal.
806.5	Inkster Rock light buoy JS5	SE. of rock. 45 33 08.0 082 01 05.0	Fl G 4s	Green, spar, marked "JS5".	Seasonal (in place year round).
806.6	South Baymouth light buoy JS6	45 33 08.6 082 00 58.1	Fl R 4s	Red, spar, marked "JS6".	Seasonal (in place year round).
806.7	McGaw Point light buoy JS8	South Baymouth. 45 33 19.7 082 00 50.1	Q R 1s	Red, spar, marked "JS8".	Seasonal (in place year round).
806.9	South Baymouth light buoy JS9	45 33 25.5 082 00 44.0	Fl G 4s	Green, spar, marked "JS9".	Seasonal (in place year round).
807	South Baymouth front range light	On SE. end of small island. 45 33 28.2 082 00 47.9	F G	8.5	11 White square structure with orange vertical stripe. 8.0	Seasonal (in place year round). Operates 24 h. Fog Horn Blast 2.5 s; sil. 27.5 s.
808	South Baymouth rear range light	45 33 35.2 082 00 43.3 024°51' 238.2 m from front.	F G	14.0	10 White square structure with orange vertical stripe. 10.9	Seasonal (in place year round). Operates 24 h.
809	Providence Bay light buoy JH1	45 38 55.5 082 17 29.5	Fl G 4s	Green, pillar, marked "JH1".	Seasonal.
810	Providence Bay	On extremity of Providence Point, Manitoulin Island. 45 39 04.2 082 16 31.8	F W	15.4	5 Skeleton tower, red and white rectangular daymark. 13.0	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

LAKE HURON

811	Providence Bay Wharf	On outer end of wharf. 45 39 31.0 082 16 08.2	Fl R 4s	7.8	5	Mast, white cylindrical daymark with red top. 6.6	Seasonal (in place year round).
812	Great Duck Island	On SW. point of island. 45 38 33.3 082 57 45.4	Fl W 10s	32.9	7	White octagonal tower with red upper portion. 25.9	Seasonal (in place year round). Flash 1 s; eclipse 9 s.
813	Mississagi Strait	On W. side of Manitoulin Island. 45 53 29.7 083 13 32.6	Iso W 4s	14.4	13	White square tower with red upper portion. 11.5	Seasonal (in place year round). Operates 24 h.