

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
814	North Point	On point, entrance to Tobermory. 45 15 45.7 081 39 55.0	Iso G 4s	10.5	5	Square skeleton tower, red and white rectangular daymark with green square in centre. 8.3	Seasonal (in place year round).
815	Lighthouse Point	On point. 45 15 27.5 081 40 21.9	F R	13.2	10	White hexagonal tower. 12.5	Seasonal (in place year round). Operates 24 h.
816	Tobermory Ferry Terminal	45 15 30.1 081 39 52.5	F W	5.5	White cylindrical mast. 1.7	Private aid. Seasonal.
818	Otter Islands	45 17 32.0 081 41 13.7	F W	15.5	14	Cylindrical mast, white daymark with orange vertical stripe. 6.2	Seasonal (in place year round). Operates 24 h. Secondary light: FI W 4s.
819	Flowerpot Island	NE. point of island. 45 18 25.7 081 36 51.5	FI W 10s	27.7	8	Square tower, white rectangular daymark.	Seasonal (in place year round). Flash 1 s; eclipse 9 s. Visible 100°-285°.
822	Halfmoon Island	On SE. end of island. 45 26 12.1 081 27 50.4	FI W 4s	13.1	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).
823	Wingfield Basin front range light	On S. side of basin. 45 14 32.7 081 17 46.9	F R	7.0	16	Cylindrical mast, white daymark with orange vertical stripe. 5.5	Seasonal (in place year round). Operates 24 h.
824	Wingfield Basin rear range light	45 14 31.2 081 17 46.5 167°32' 47.3 m from front.	F R	9.3	11	Cylindrical mast, white daymark with orange vertical stripe. 6.7	Seasonal (in place year round). Operates 24 h.
825	Lion's Head Harbour	On wharf. 44 59 25.9 081 14 53.6	Iso W 4s	8.4	9	White tower with red corners and upper portion.	Seasonal (in place year round).
825.2	<i>Lion's Head Harbour light buoy TV2</i>	44 59 23.9 081 14 51.5	FI R 4s	<i>Red, spar, marked "TV2".</i>	<i>Seasonal.</i>
826	Cabot Head	On cliff E. of Wingfield Basin. 45 14 42.8 081 17 31.1	FI W 10s	25.0	10	Skeleton tower. 13.9	Seasonal (in place year round). Flash 1 s; eclipse 9 s.
827	<i>Surprise Shoal light buoy T5</i>	<i>Off W. extremity of shoal. 45 03 31.1 081 01 44.5</i>	FI G 4s	<i>Green, spar, marked "T5".</i>	<i>Seasonal (in place year round).</i>
828	Cape Croker	On the point, SE. of Cape. 44 57 21.3 080 57 38.1	Iso W 4s	18.7	13	White octagonal tower with red upper portion. 15.9	Seasonal (in place year round). Operates 24 h.
829	Colpoys Bay	On wharf. 44 46 47.0 081 07 22.2	F R	7.1	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.4	Private aid. Seasonal (in place year round). Operates 24 h.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
830	Wiarton	On end of rock pile breakwater. 44 45 00.2 081 08 07.9	Fl R 5s	9.2	7	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.8	Seasonal. Flash 1 s; eclipse 4 s.
831	North Keppel Wharf	At inner end of wharf. 44 47 37.0 080 56 51.5	Iso G 4s	8.3	Cylindrical mast, red and white rectangular daymark.	Private aid. Seasonal. Operates 24 h.
832	Griffith Island	NE. side of island. 44 51 02.0 080 53 28.9	Fl W 4s	31.3	7	White cylindrical tower. 19.5	Seasonal.
832.5	South Georgian Bay ODAS light buoy 45143	44 56 42.0 080 37 36.0	Fl(5) Y 20s	Yellow, ODAS, marked "45143".	Seasonal.
834	Hibou light buoy T9	W. of shoal. 44 37 01.4 080 55 07.4	Fl G 4s	Green, spar, marked "T9".	Seasonal (in place year round).
834.6	Morrison Marina	On breakwater. 44 35 49.1 080 56 34.8	F W	4.6	Cylindrical mast. 2.3	Private aid. Seasonal (in place year round). Operates 24 h.
835	Owen Sound Harbour light buoy T12	44 35 11.2 080 56 19.3	Fl R 4s	Red, spar, marked "T12".	Seasonal (in place year round).
835.5	Owen Sound Marina	44 35 02.9 080 56 31.9	Fl R 4s	11.2	Red and white cylindrical tower. 7.7	Private aid. Seasonal (in place year round).
836	Owen Sound front range light	E. side of Sydenham River mouth. 44 34 39.6 080 56 28.0	F G	15.0	16	Skeleton tower, white daymark with red stripe. 13.0	Seasonal. Operates 24 h.
837	Owen Sound rear range light	44 34 29.7 080 56 31.8 195°17' 316.9 m from front.	F G	24.9	16	Skeleton tower, white daymark with orange vertical stripe. 22.8	Seasonal. Operates 24 h.
838	Owen Sound Pier	Outer end of W. pier. 44 34 46.0 080 56 29.2	Oc R 15s	9.0	Cylindrical mast, red and white rectangular daymark. 6.7	Private aid. Seasonal (in place year round). Operates 24 h. Flash 10 s; eclipse 5 s.
839	Vail Point Shoal light buoy T7	NW. of point. 44 44 47.5 080 47 20.1	Fl G 4s	Green, pillar, marked "T7".	Seasonal.
839.1	Meaford Firing Range Cautionary light buoy TMA	44 44 39.9 080 46 21.7	Fl Y 4s	Yellow, spar, marked "TMA".	Seasonal (in place year round).
839.11	Meaford Firing Range Cautionary light buoy TMC	44 44 39.9 080 41 49.6	Fl Y 4s	Yellow, spar, marked "TMC".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
839.12	Meaford Firing Range Cautionary light buoy TME	44 44 25.4 080 37 17.2	Fl Y 4s	Yellow, spar, marked "TME".	Seasonal (in place year round).
839.13	Meaford Firing Range Cautionary light buoy TMG	44 41 11.0 080 35 34.8	Fl Y 4s	Yellow, spar, marked "TMG".	Seasonal (in place year round).
840	Meaford Breakwater	On W. end of N. breakwater. 44 36 42.7 080 35 19.7	Fl G 4s	9.0	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 4.9	Seasonal (in place year round).
841	Meaford Harbour	At outer end of E. breakwall, at entrance to E. harbour. 44 36 39.7 080 35 01.6	Oc R 4s	12.7	11	White cylindrical tower with red upper portion. 9.2	Seasonal. Flash 3 s; eclipse 1 s.
842	Thornbury Sector	44 34 00.4 080 27 01.7	Mo(D) R W G	10s	8.3	11 Cylindrical mast, white and red rectangular daymark. 5.1	Seasonal. Operates 24 h. Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. R 164°-202°; W 202°-206°; G 206°-240°.
844	New Bank light buoy TN2	44 36 47.9 080 20 04.0	Fl R 4s	Red, spar, marked "TN2".	Seasonal (in place year round).
846	Lockerbie Rock light buoy TN11	NW. of rock. 44 32 14.6 080 13 48.6	Fl G 4s	Green, spar, marked "TN11".	Seasonal (in place year round).
849	Collingwood light buoy TN12	Outer approach to harbour. 44 31 11.0 080 13 35.0	Fl R 4s	Red, spar, marked "TN12".	Seasonal (in place year round).
852	Collingwood Harbour light buoy TN21	On E. side of channel. 44 30 50.4 080 13 31.0	Fl G 4s	Green, spar, marked "TN21".	Seasonal (in place year round).
853	Collingwood Sector	44 30 25.8 080 13 33.4	Mo(D) R W G	10s	13.2	11 Cylindrical tower, red and white rectangular daymark. 13.5	Seasonal. Operates 24 h. Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. R 148°-179°; W 179°-182°; G 182°-212°.
857	Hope Island	On NE. point of island. 44 54 56.6 080 09 52.3	Fl W 10s	17.8	9	Square skeleton tower. 15.5	Seasonal. Flash 1 s; eclipse 9 s.
857.5	Christian Island	On Lighthouse Point. 44 47 11.9 080 09 21.8	Fl W 4s	20.2	7	White cylindrical tower. 17.5	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
858	Bennet Bank light buoy M3	Off SW. edge of bank. 44 52 24.5 080 01 26.9	Fl G 4s	Green, spar, marked "M3".	Seasonal (in place year round).
859	Giants Tomb	On S. extremity of island. 44 52 50.0 080 00 24.3	Fl W 4s	17.2	6	Skeleton tower, red and white trapezoid daymark. 14.6	Seasonal (in place year round).
860	Sawlog Point light buoy M6	N. of point. 44 52 26.7 079 57 04.8	Fl R 4s	Red, spar, marked "M6".	Seasonal (in place year round).
862	Pinery Point light buoy M12	E. of point. 44 50 22.7 079 53 38.3	Fl R 4s	Red, spar, marked "M12".	Seasonal (in place year round).
862.1	Candlemas Shoal light buoy M14	Midland Channel. 44 49 22.0 079 52 44.1	Fl R 4s	Red, spar, marked "M14".	Seasonal (in place year round).
863	Candlemas Shoal light buoy M13	W. of shoal. 44 49 14.9 079 52 28.2	Fl G 4s	Green, spar, marked "M13".	Seasonal (in place year round).
863.5	Ross Shoal light buoy M15	W. of shoal. 44 48 24.7 079 51 54.7	Fl G 4s	Green, spar, marked "M15".	Seasonal (in place year round).
864	Brébeuf Island Sector	On N. end of island. 44 52 36.0 079 53 04.4	Iso W 4s F R W G	12.1	White tower with orange rectangular daymark. 11.0	Seasonal (in place year round). Operates 24 h. R 226°-268°; W 268°-269.5°; G 269.5°-271.5°.
866	Port McNicoll front range light	E. of Elimere Point. 44 45 44.8 079 50 02.2	F G	21.8	17 Skeleton tower, white daymark with red vertical stripe. 19.2	Seasonal (in place year round). Operates 24 h.
867	Port McNicoll rear range light	44 45 22.2 079 49 45.7 152°37' 785.0 m from front.	F G	45.6	17 Skeleton tower, white daymark with red vertical stripe. 13.5	Seasonal (in place year round). Operates 24 h.
870	Midland Bay Shoal light buoy M20	SE. of shoal. 44 45 57.0 079 52 44.0	Fl R 4s	Red, spar, marked "M20".	Seasonal (in place year round).
Penatang Harbour							
873	Whisky Island	Penatang Harbour entrance. 44 48 57.4 079 55 17.6	Fl W 4s	8.5	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal (in place year round).
874	Asylum Point	On outer end of pier. 44 48 34.3 079 55 57.2	Fl G 4s	8.7	5	Red and white cylindrical tower with green square daymark. 6.8	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
875	Penatang Harbour front range light	On S. shore of South Basin. 44 46 01.7 079 56 34.9	F R 6.1	16	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal (in place year round). Operates 24 h.	
876	Penatang Harbour rear range light	44 45 58.3 079 56 35.7 186°00' 117.6 m from front.	F R 8.3	16	Cylindrical mast, white daymark with orange vertical stripe. 6.0	Seasonal (in place year round). Operates 24 h.	
878	Sucker Creek Point	SE. of point. 44 48 29.4 079 52 29.1	Mo(D) R 10s 8.7	6	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal (in place year round). Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s.	
883	<i>Flat Point light buoy MM4</i>	<i>Off point.</i> 44 46 31.5 079 48 06.2	<i>Fl R 4s</i>	<i>Red, spar, marked "MM4".</i>	<i>Seasonal (in place year round).</i>	
884	<i>Victoria Harbour light buoy MV1</i>	<i>Entrance to Hogg Bay.</i> 44 45 10.7 079 47 11.4	<i>Fl G 4s</i>	<i>Green, spar, marked "MV1".</i>	<i>Seasonal (in place year round).</i>	
885	<i>Sturgeon Point light buoy MC4</i>	<i>E. of point.</i> 44 46 18.0 079 45 19.9	<i>Fl R 4s</i>	<i>Red, spar, marked "MC4".</i>	<i>Seasonal (in place year round).</i>	
886	Turning Rock, Waubaushene	S. of Canary Island. 44 46 20.4 079 44 23.7	Fl W 4s 10.4	5	Skeleton tower, red and white rectangular daymark. 9.3	Seasonal (in place year round).	
887	Mary Rocks	On the most eastern rock. 44 46 12.5 079 43 23.0	Fl W 4s 6.9	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.4	Seasonal (in place year round).	
Waubashene							
890	Waubashene front range light	On flat, N. of channel opposite village. 44 45 44.3 079 42 23.7	F R 4.1	15	Cylindrical mast, white daymark with orange vertical stripe. 3.0	Seasonal (in place year round). Operates 24 h.	
891	Waubashene rear range light	44 45 44.2 079 42 18.4 091°20' 117.3 m from front.	F R 8.2	15	Cylindrical mast, white daymark with orange vertical stripe. 6.6	Seasonal (in place year round). Operates 24 h.	
892	Waubashene Inner front range light	On pier on rock island. 44 45 37.1 079 42 19.7	F G 3.9	16	Cylindrical mast, white daymark with orange vertical stripe. 2.8	Seasonal (in place year round). Operates 24 h.	
893	Waubashene Inner rear range light	44 45 31.9 079 42 01.0 111°30' 443.5 m from front.	F G 9.1	16	Cylindrical mast, white daymark with orange vertical stripe. 7.7	Seasonal (in place year round). Operates 24 h.	

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
894	Turning Rock (Honey Harbour)	On shoal, SE. of Robert Island. 44 50 55.7 079 49 32.3	FI W 4s	5.9	5	Skeleton tower, white slatwork daymark.	Seasonal (in place year round).
895	Roberts Island light buoy MK	Honey Harbour, Turning Rock. 44 50 24.4 079 50 50.7	Mo(A) W 6s	Red-white, spar, marked "MK".	Seasonal (in place year round).
895.5	Tonch Point light buoy MN5	S. of point. 44 51 42.9 079 50 56.8	FI G 4s	Green, spar, marked "MN5".	Seasonal (in place year round).
896	Ardilaun Island	On E. end of island. 44 54 07.7 079 51 07.4	FI W 4s	7.7	7	Cylindrical mast, red and white rectangular daymark with green square in centre. 5.2	Seasonal (in place year round).
897	Minnicognashene Island front range light	On S. side of island. 44 53 50.2 079 54 02.4	F R	11.4	16	Cylindrical mast, white daymark with red vertical stripe. 6.1	Seasonal. Operates 24 h.
898	Minnicognashene Island rear range light	44 53 53.2 079 54 02.1 004°03' 92.3 m from front.	F R	20.7	16	Cylindrical mast, white daymark with red vertical stripe. 6.1	Seasonal. Operates 24 h.
899	Kindersley Island	E. point of island. 44 54 55.9 079 54 25.1	FI W 4s	7.9	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.0	Seasonal.
900	Newton Islands	On the E. island. 44 56 27.4 079 56 18.7	Iso G 4s	9.1	6	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.0	Seasonal.
901	Red Rock (Go Home Bay)	On summit of rock, entrance to Go Home Bay. 44 58 13.0 079 57 38.9	FI W 4s	10.3	5	Red and white cylindrical tower. 6.9	Seasonal.
902	Western Islands	On Double Top Island. 45 02 11.9 080 21 14.3	FI W 10s	22.6	9	White octagonal tower. 15.2	Seasonal (in place year round). Operates 24 h. Flash 1 s; eclipse 9 s.
902.4	Spain Rock West Cardinal light buoy MC	44 59 38.7 080 05 02.3	Q(9) W 15s	Yellow-black-yellow, spar, marked "MC".	Seasonal (in place year round).
902.5	O'Donnell Point	45 05 01.7 080 05 51.9	FI W 5s	14.7	6	Red and white cylindrical tower, red triangular daymark. 12.2	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

GEORGIAN BAY

903	Barrel Point	On point, E. side of Fryingpan Island. 45 10 12.3 080 07 56.9	Fl W 4s	6.2	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 3.0	Seasonal.
904	Seguin Bank light buoy P1	S. end of bank. 45 18 41.8 080 31 28.8	Fl G 4s	Green, pillar, marked "P1".	Seasonal. (Winter spar.)
905	Parry Sound Approach light buoy P2	SW. of Red Rock. 45 20 43.9 080 25 10.1	Fl R 4s	Red, pillar, marked "P2".	Seasonal. (Winter spar.)
906	Red Rock	At entrance to main channel leading to Parry Sound. 45 21 36.4 080 24 28.8	Fl W 10s	19.0	11	Red and white cylindrical tower. 18.3	Seasonal. Flash 1 s; eclipse 9 s.
907	Farr Rock light buoy P7	SW. of rock. 45 21 24.7 080 22 44.6	Fl G 4s	Green, pillar, marked "P7".	Seasonal.
Parry Sound							
908	Three Star Shoal light buoy P10	Off NE. end of shoal. 45 21 34.3 080 21 53.4	Q R 1s	Red, pillar, marked "P10".	Seasonal. (Winter spar.)
909	Snug Harbour front range light	On the westernmost Walton Island. 45 22 15.2 080 19 19.0	F G	11.8	21	Skeleton tower, red daymark with black vertical stripe. 7.1	Seasonal. Operates 24 h.
910	Snug Harbour rear range light	45 22 25.1 080 18 40.3 070°40' 902.9 m from front.	F G	17.5	21	White square tower with red upper portion and black vertical stripe. 14.7	Private aid. Seasonal (in place year round). Operates 24 h.
911	Ariel Rock light buoy P12	NE. side of shoal. 45 21 17.5 080 20 44.3	Fl R 4s	Red, pillar, marked "P12".	Seasonal. (Winter spar.)
912	Arthur Orr Rock light buoy P13	Off S. side of rock. 45 21 06.1 080 20 20.2	Fl G 4s	Green, pillar, marked "P13".	Seasonal. (Winter spar.)
913	Hall Rock Shoal light buoy P16	Off E. side of shoal, E. of Hall Rock. 45 20 28.8 080 19 33.0	Fl R 4s	Red, pillar, marked "P16".	Seasonal. (Winter spar.)
914	Middle Ground light buoy P19	Middle ground between Hall Reef and Twin Rock. 45 20 27.6 080 19 28.4	Fl G 4s	Green, pillar, marked "P19".	Seasonal. (Winter spar.)

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
915	Telegram Rock light buoy P22	NE. side of rock. 45 20 05.9 080 18 52.4	Fl R 4s	Red, pillar, marked "P22".	Seasonal. (Winter spar.)
916	Hooper Island Shoal light buoy P24	NE. of island. 45 19 48.5 080 18 17.9	Fl R 4s	Red, pillar, marked "P24".	Seasonal. (Winter spar.)
917	Jones Island front range light	On summit of northernmost Gordon Rocks. 45 18 55.8 080 16 56.7	F W	12.4	10 Red and white tower. 11.1	Seasonal (in place year round). Operates 24 h.
918	Jones Island rear range light	45 17 57.8 080 15 24.8 131°47' 2683.3 m from front.	F W	18.7	17 Red and white tower. 15.5	Seasonal (in place year round). Operates 24 h.
919	Borer Bank light buoy P26	N. end of bank. 45 19 41.5 080 16 55.6	Fl R 4s	Red, pillar, marked "P26".	Seasonal. (Winter spar.)
920	Spruce Island Shoal light buoy P27	S. of Shoal. 45 19 49.9 080 15 29.8	Fl G 4s	Green, pillar, marked "P27".	Seasonal. (Winter spar.)
920.2	McClelland Rock light buoy P28	NE. of rock. 45 19 47.1 080 15 27.7	Fl R 4s	Red, pillar, marked "P28".	Seasonal. (Winter spar.)
921	Carling Rock light buoy P30	Off N. edge of shoal. 45 20 06.4 080 14 10.3	Fl R 4s	Red, pillar, marked "P30".	Seasonal. (Winter spar.)
922	Sister Island	N. side of island. 45 20 01.1 080 11 52.4	Fl R 4s	12.1	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 9.4	Seasonal (in place year round).
923	Killbear Point	On SW. extremity of point. 45 19 57.9 080 10 11.9	Fl W 4s	14.4	5	Red and white cylindrical tower. 10.2	Seasonal (in place year round).
925	Alves Point	On SE. extremity of point. 45 23 25.4 080 09 39.5	Fl W 4s	10.4	4	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).
926	Three Mile Point	On the point. 45 20 46.3 080 05 20.7	Fl W 4s	12.9	5	Red and white cylindrical tower. 10.7	Seasonal (in place year round).
926.7	Busty Shoal light buoy P35	NE. of Two Mile Point. 45 20 49.2 080 03 43.9	Fl G 4s	Green, spar, marked "P35".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
927	McKerrel Rock light buoy P37	Off SW. side of rock. 45 20 35.9 080 03 10.0	Fl G 4s	Green, spar, marked "P37".	Seasonal (in place year round).
928	Salt Point	On point at entrance to inner harbour. 45 20 20.5 080 02 41.0	Fl R 4s	10.4	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal (in place year round).
929	Parry Sound Harbour control light buoy	On N. side of shoal. 45 20 05.8 080 02 06.0	Fl Y 4s	White-orange, spar, marked "PSSB".	Private aid. Seasonal.
930	Parry Sound front range light	On SE. shore of harbour. 45 19 45.3 080 02 10.1	F G	9.7	11 Cylindrical mast, white daymark with orange vertical stripe. 7.5	Seasonal (in place year round). Operates 24 h.
931	Parry Sound rear range light	45 19 42.2 080 02 07.5 150°16' 111.6 m from front.	F G	20.0	11 Cylindrical mast, white daymark with orange vertical stripe. 6.8	Seasonal (in place year round). Operates 24 h.
932	Jenkins Point	On W. extremity of point. 45 19 19.3 080 02 30.2	Fl R 4s	10.1	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 8.6	Seasonal (in place year round).
933.01	Rose Point Swing Bridge Northwest Light	On NW. side of the bridge, connecting Rose Point to Parry Island. 45 18 56.5 080 02 38.4	F R	Private aid. Seasonal (in place year round). Operates 24 h.
933.02	Rose Point Swing Bridge Breakwall Light	On N. end of breakwall. 45 18 56.8 080 02 37.0	F R	Private aid. Seasonal (in place year round). Operates 24 h.
933.03	Rose Point Swing Bridge Northeast Light	On NE. side of the bridge, connecting Rose Point to Parry Island. 45 18 55.8 080 02 37.4	F R	Private aid. Seasonal (in place year round). Operates 24 h.
933.04	Rose Point Swing Bridge Southwest Light	On SW. side of the bridge, connecting Rose Point to Parry Island. 45 18 56.3 080 02 38.6	F R	Private aid. Seasonal (in place year round). Operates 24 h.
933.05	Rose Point Swing Bridge South Breakwall Light	On S. end of breakwall. 45 18 55.3 080 02 39.0	F R	Private aid. Seasonal (in place year round). Operates 24 h.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
933.06	Rose Point Swing Bridge Southeast Light	On SE. side of the bridge, connecting Rose Point to Parry Island. 45 18 55.6 080 02 37.6	F R	Private aid. Seasonal (in place year round). Operates 24 h.
934	Lone Rock West Cardinal light buoy MCS	Lone Rock. 45 09 15.4 080 13 45.0	Q(9) W 15s	Yellow-black-yellow, spar, marked "MCS".	Seasonal (in place year round).
935	Turning Island (South Channel)	On S. point of island. 45 12 42.2 080 09 56.7	FI W 4s	9.3	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
936	Beauty Island	On NW. point of island. 45 13 39.7 080 09 38.9	FI R 4s	10.2	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
936.5	Seven Mile Narrows	W. side of cut. 45 15 37.1 080 06 44.2	FI G 4s	10.1	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.1	Seasonal.
937	Five Mile Narrows	W. side of Milton Island. 45 16 14.0 080 05 54.2	FI R 4s	6.4	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
938	McLaren Island East	E. end of island. 45 16 32.9 080 05 11.0	FI G 4s	7.3	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.1	Seasonal.
939	Three Mile Gap	On small island at entrance to gap. 45 17 40.6 080 03 30.2	FI R 4s	10.4	4	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
940	Galna Point	E. of point. 45 25 17.4 080 19 51.0	FI W 4s	5.1	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 3.0	Seasonal (in place year round).
941	Tizard Rock light buoy AA2	W. of rock. 45 34 05.2 080 33 17.5	FI R 4s	Red, spar, marked "AA2".	Seasonal (in place year round).
942	Pointe au Baril front range light	On S. extremity of point, close to water. 45 33 32.8 080 30 12.8	F R	13.1	16	White square tower.	Seasonal (in place year round). Operates 24 h.
943	Pointe au Baril rear range light	45 33 21.0 080 29 08.2 104°30' 1446.6 m from front.	F R	26.7	16	White skeleton tower, red stripe daymark. 28.6	Seasonal (in place year round). Operates 24 h.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
945	Brignall Narrows	S. side of narrows. 45 34 39.9 080 25 27.1	FI R 4s	9.0	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.7	Seasonal (in place year round).
946	Castor Island	On rock N. of island. 45 33 44.7 080 28 57.8	FI R 4s	7.3	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 4.9	Seasonal.
947	Opechee Island	On S. point of island. 45 35 31.4 080 24 05.7	FI G 4s	9.5	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 7.1	Seasonal.
948	Jergens Island	SE. point of island. 45 32 53.0 080 25 57.8	FI W 4s	8.9	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.8	Seasonal (in place year round).
949	Rogers Island	On shoal off island. 45 33 40.3 080 25 15.0	FI R 4s	7.4	Cylindrical mast, red and white rectangular daymark.	Private aid. Seasonal.
950	Pavis Island	On rock NW. of island. 45 33 47.5 080 28 17.0	FI W 4s	6.7	5	Cylindrical mast, red and white rectangular daymark.	Private aid. Seasonal.
951.1	<i>Puswawa Island light buoy AE4/2</i>	<i>Pointe au Baril Channel.</i> 45 34 05.5 080 28 06.8	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "AE4/2".</i>	<i>Seasonal (in place year round).</i>
951.5	Turning Island (Shawanaga Island)	SW. point of island. 45 31 45.5 080 24 19.9	FI R 4s	11.0	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.8	Seasonal (in place year round).
952	Poplar Island	On N. side of island. 45 34 21.5 080 27 00.5	FI R 4s	8.7	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.8	Seasonal (in place year round).
952.5	<i>Georgian Bay ODAS light buoy 45137</i>	45 32 42.0 081 00 54.0	<i>F(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, ODAS, marked "45137".</i>	<i>Seasonal.</i>
953	<i>Byng Inlet light buoy HH2</i>	<i>Westward of Magnetawan Ledges.</i> 45 43 57.8 080 44 39.8	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "HH2".</i>	<i>Seasonal (in place year round).</i>
954	Gereaux Island Racon G (- - .) X & S Bands	On S. side of entrance to Byng Inlet. 45 44 40.0 080 39 32.7	Oc W 10s	15.9	13	White square tower with red upper portion. 15.1	Seasonal (in place year round). Operates 24 h. Flash 7 s; eclipse 3 s.
955	<i>Burton Bank light buoy H13</i>	45 44 39.1 080 40 43.7	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "H13".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
955.2	Burton Bank South light buoy H12	Off Magnetawan Ledges. 45 44 34.1 080 40 52.3	Fl R 4s	Red, spar, marked "H12".	Seasonal (in place year round).
956	Britt Turning light buoy H19	45 45 00.1 080 39 27.1	Q G 1s	Green, spar, marked "H19".	Seasonal (in place year round).
957	Byng Inlet front range light	Close to S. side of channel. 45 45 07.4 080 38 40.8	F R	11.6	11 White tower, orange vertical stripe. 10.4	Seasonal (in place year round). Operates 24 h.
958	Byng Inlet rear range light	45 45 11.4 080 38 20.2 074°24' 461.0 m from front.	F R	17.4	11 White skeleton tower, orange rectangular daymark. 14.4	Seasonal (in place year round). Operates 24 h.
958.4	Keystone Rock light buoy H21	Off rock. 45 45 14.3 080 38 59.5	Fl G 4s	Green, spar, marked "H21".	Seasonal (in place year round).
959	Clark Islands front range light	S. side of E. island of Clark Islands. 45 45 51.8 080 37 50.7	F G	10.7	11 Cylindrical mast, white daymark with orange vertical stripe. 6.1	Seasonal (in place year round).
960	Clark Islands rear range light	45 45 55.6 080 37 43.9 051°00' 187.4 m from front.	F G	16.5	11 Skeleton tower, white daymark with orange vertical stripe. 6.1	Seasonal (in place year round).
961	Pinetree Point front range light	On the point. 45 46 03.3 080 36 58.6	F R	8.1	11 Cylindrical mast, white daymark with orange vertical stripe. 5.4	Seasonal (in place year round). Operates 24 h.
962	Pinetree Point rear range light	45 46 04.2 080 36 53.4 076°00' 121.9 m from front.	F R	12.9	15 Cylindrical mast, white daymark with orange vertical stripe. 5.4	Seasonal (in place year round). Operates 24 h.
963	Rabbit Island West End	45 46 03.1 080 34 30.7	Fl W 4s	6.1	5	Cylindrical mast, red and white rectangular daymark. 5.0	Seasonal.
964	Rabbit Island East End	45 46 05.7 080 34 17.5	Fl G 4s	7.0	5	Cylindrical mast, red and white rectangular daymark. 5.0	Seasonal.
965	Grondine Rock	45 54 15.6 081 08 40.1	Fl W 7.5s	12.6	5	Red and white cylindrical tower, red triangular daymark. 9.1	Seasonal (in place year round). Flash 0.8 s; eclipse 6.7 s.
French River							
966	Bustard Rocks	45 53 27.4 080 57 07.5	Fl W 10s	13.5	15	White tower. 12.1	Seasonal (in place year round). Flash 1 s; eclipse 9 s.

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
GEORGIAN BAY							
968	French River Inner	On Lefroy Island, W. side of river entrance. 45 56 20.2 080 54 14.7	Fl W 4s	9.7	5	Cylindrical mast, red and white rectangular daymark. 6.7	Seasonal (in place year round).
970	Wall Island	E. side of island. 45 33 36.9 081 41 06.2	Fl W 4s	12.5	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round). Visible 192°-020°.
971	Lonely Island	On summit of N. bluff. 45 34 24.3 081 28 05.6	Fl W 10s	59.4	18	White octagonal tower. 13.9	Seasonal (in place year round). Flash 0.5 s; eclipse 9.5 s.
972	Lonely Island, West	On W. side of island. 45 33 39.8 081 29 08.7	Fl G 4s	8.8	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).
972.5	Gull Island	On small rock. 45 51 20.6 081 16 19.3	Fl W 4s	13.1	5	Red and white cylindrical tower. 7.9	Seasonal (in place year round).
972.8	<i>Scarecrow Island light buoy DE2</i>	45 53 48.2 081 23 02.3	<i>Fl R 4s</i>	<i>Red, spar, marked "DE2".</i>	<i>Seasonal (in place year round).</i>
973	Flat Rock	W. entrance to Collins Inlet. 45 59 00.2 081 25 34.2	Fl W 4s	10.8	5	Red and white cylindrical tower. 7.5	Seasonal (in place year round).
974	Killarney East	On Red Rock Point, E. entrance to Killarney. 45 58 05.4 081 29 19.9	Iso W 4s	17.1	12	White square tower, red upper portion. 9.1	Seasonal (in place year round). Operates 24 h. Fog Horn Blast 3 s; sil. 27 s. Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.
975	<i>Jackman Rock light buoy E1</i>	<i>N. of rock. 45 57 58.6 081 29 35.0</i>	<i>Fl G 4s</i>	<i>Green, spar, marked "E1".</i>	<i>Seasonal (in place year round).</i>
976	Killarney West Entrance	On small island, W. of Le Haye Point. 45 58 19.8 081 31 18.8	Fl W 4s	8.7	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal.
978	Killarney Northwest	On Partridge Island. 45 59 01.3 081 31 55.6	Fl W 4s	12.3	4	White square tower, red upper portion. 8.9	Seasonal (in place year round).
979	<i>Ann Long Bank light buoy E11</i>	<i>N. of bank. 45 58 28.1 081 32 29.8</i>	<i>Fl G 4s</i>	<i>Green, spar, marked "E11".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

GEORGIAN BAY

979.5	Sandy Cove Ledge	45 57 03.2 081 32 08.3	Fl R 4s	9.9	5	Cylindrical mast, red and white rectangular daymark. 7.9	Seasonal (in place year round).
980.2	Cash Flow Rock	45 58 02.7 081 33 55.7	Fl R 4s	5.7	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre.	Seasonal (in place year round).
981	Killarney Quarries Entrance front range light	On foreshore E. of quarry dock. 45 58 19.4 081 35 07.0	F W	12.0	10	Cylindrical mast, white daymark with red vertical stripe. 6.6	Seasonal. Operates 24 h.
982	Killarney Quarries Entrance rear range light	45 58 20.4 081 35 09.8 295°15' 76.2 m from front.	F W	27.4	10	Cylindrical mast, white daymark with red vertical stripe. 6.7	Seasonal (in place year round). Operates 24 h.