

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NORTH CHANNEL - LAKE HURON								
983	Campbell Rock light buoy J12	On W. side of rock, NE. of Cape Smith. 45 49 36.7 081 33 22.8	Fl R 4s	Red, spar, marked "J12".	Seasonal (in place year round).	
984	Cape Smith	On shore. 45 47 03.9 081 34 40.4	Fl W 4s	7.0	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).	
985	Burnt Island Bank light buoy J13	E. of bank. 45 54 17.2 081 35 21.3	Fl G 4s	Green, spar, marked "J13".	Seasonal (in place year round).	
987	Badgeley Island	On SE. point of island. 45 55 42.5 081 36 07.5	Fl W 4s	12.9	7	White cylindrical tower with red upper portion. 9.2	Seasonal (in place year round).	
988	Centre Island Bank light buoy J16	S. of Centre Island. 45 55 09.9 081 39 20.7	Fl R 4s	Red, spar, marked "J16".	Seasonal (in place year round).	
989	Creak Island Shoal	On shoal SW. of island. 45 56 35.0 081 41 43.3	Fl W 4s	7.9	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 7.4	Seasonal (in place year round).	
989.3	Caroline Rocks light buoy EE6	W. of rocks. 46 00 08.8 081 43 13.3	Fl R 4s	Red, spar, marked "EE6".	Seasonal (in place year round).	
989.4	Duncan City Rock light buoy EE5	E. of rock. 46 00 14.0 081 43 26.6	Fl G 4s	Green, spar, marked "EE5".	Seasonal (in place year round).	
989.5	McGregor Point front range light	Entrance to bay. 46 01 12.5 081 44 39.5	F R	6.4	Mast, red daymark with yellow vertical stripe. 3.8	Private aid. Seasonal.
989.6	McGregor Point rear range light	46 01 14.8 081 44 42.6 317°18' 96.3 m from front.	F R	14.4	On silo, red daymark with yellow vertical stripe in centre.	Private aid. Seasonal.
990	Heywood Island	On Wharton Point. 45 55 30.2 081 47 14.7	Fl W 4s	8.2	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).	
991	Manitowaning	On the hill in the village, Manitoulin Island. 45 44 41.4 081 48 18.5	F G	24.4	11	White tower. 10.4	Seasonal (in place year round). Operates 24 h.
992	Sheguiandah	On outer end of wharf. 45 53 42.6 081 54 45.6	Fl W 4s	7.0	6	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).	
994	Strawberry Island light buoy J17	Off Langevin Rock. 45 56 42.0 081 49 01.9	Fl G 4s	Green, spar, marked "J17".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTH CHANNEL - LAKE HURON							
996	Strawberry Island	Northernmost point. 45 58 24.6 081 51 15.2	Fl W 4s	14.6	4	White tower with red upper portion. 12.3	Seasonal (in place year round).
997	Gibbons Point front range light	S. of point. 45 58 04.1 081 54 23.8	F G	9.1	16	Cylindrical mast, white daymark with orange vertical stripe. 5.2	Seasonal (in place year round). Operates 24 h.
998	Gibbons Point rear range light	45 58 03.4 081 54 28.4 259°09' 100.7 m from front.	F G	15.2	16	Cylindrical mast, white daymark with orange vertical stripe. 6.5	Seasonal (in place year round). Operates 24 h.
999	<i>Long Point light buoy J24</i>	<i>N. of point. 45 58 12.6 081 53 34.9</i>	Q R 1s	<i>Red, spar, marked "J24".</i>	<i>Seasonal (in place year round).</i>
1000	<i>Gibbons Point Turning light buoy J31</i>	<i>NW. of point. 45 58 40.1 081 54 17.8</i>	Q G 1s	<i>Green, spar, marked "J31".</i>	<i>Seasonal (in place year round).</i>
1001	Goat Island front range light	On S. side of island, E. of Mallard Cove. 45 58 51.3 081 54 24.1	F R	7.3	16	Cylindrical mast, white daymark with orange vertical stripe. 6.2	Seasonal (in place year round). Operates 24 h.
1002	Goat Island rear range light	45 58 57.5 081 54 31.9 319°00' 253.3 m from front.	F R	11.4	16	Cylindrical mast, white daymark with orange vertical stripe. 7.9	Seasonal (in place year round). Operates 24 h.
1003	Little Current Swing Bridge	Between Goat Island and Manitoulin Island, E. of Little Current. 45 58 48.9 081 54 50.5	F R W G	Private aid. Seasonal (in place year round). (Private - Railway).
1005	<i>Magazine Point light buoy J44</i>	45 58 57.5 081 55 30.2	Fl R 4s	<i>Red, spar, marked "J44".</i>	<i>Seasonal. (Winter spar.)</i>
1007	<i>Picnic Island light buoy J56</i>	<i>N. of island. 45 59 33.5 081 56 44.6</i>	Fl R 4s	<i>Red, spar, marked "J56".</i>	<i>Seasonal (in place year round).</i>
1008	Picnic Island	On NW. side of island. 45 59 28.2 081 56 51.7	Fl G 4s	9.0	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.9	Seasonal (in place year round).
1009	Narrow Island	On NW. side of island. 45 59 27.6 081 58 42.4	Fl W 4s	14.7	4	Skeleton tower, red and white slatwork daymark. 10.3	Seasonal.
1009.5	Whitefish River	At river entrance on small island. 46 06 28.1 081 44 01.0	Fl W 4s	6.1	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 3.9	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NORTH CHANNEL - LAKE HURON								
1010	James Foote Patch light buoy J66	On SW. edge of patch. 45 58 55.3 082 05 00.7	Fl R 4s	Red, spar, marked "J66".	Seasonal (in place year round).	
1012	Cartwright Point	On NE. extremity of point. 46 03 01.0 082 12 25.9	Fl W 4s	9.4	4	Cylindrical mast, red and white rectangular daymark. 7.5	Seasonal (in place year round).	
1013	Little Detroit	On NE. point of Aird Island. 46 08 57.1 082 22 32.0	Fl W 4s	13.8	5	Cylindrical mast, white trapezoid daymark with red vertical stripe. 6.6	Seasonal (in place year round).	
1013.3	Spanish River light buoy UV2	At river entrance. 46 10 50.6 082 22 28.2	Fl R 4s	Red, spar, marked "UV2".	Seasonal (in place year round).	
1014	Robertson Rock light buoy J72	Off rock. 46 03 27.2 082 13 28.6	Fl R 4s	Red, spar, marked "J72".	Seasonal (in place year round).	
1015	Clapperton Island	At N. point of island. 46 03 17.1 082 14 14.7	Fl W 4s	15.2	4	Square skeleton tower, white slatwork daymarks. 10.5	Seasonal (in place year round).	
1015.5	Middle Bank light buoy JD14	SW. of bank. 45 59 42.1 082 19 02.7	Fl R 4s	Red, spar, marked "JD14".	Seasonal (in place year round).	
1017	Meredith Rock	S. of Clapperton Island. 45 58 57.3 082 14 24.9	Fl R 4s	6.7	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal (in place year round).	
1018	Gooseberry Island	On NE. point of island, E. side of entrance to Mudge Bay. 45 57 02.8 082 13 58.4	Fl W 4s	9.1	5	Cylindrical mast, red and white rectangular daymark. 7.2	Seasonal (in place year round).	
1019	Kagawong	W. of wharf. 45 54 35.4 082 15 37.4	F R	13.4	11	White tower with red upper portion. 9.4	Seasonal (in place year round). Operates 24 h.
1020	Boyd Island	On island. 46 07 28.6 082 20 13.1	Fl W 4s	14.8	4	Skeleton tower, 3 red and white horizontally striped square daymarks on SW side of tower. 10.4	Seasonal (in place year round).	
1021	Innes Island light buoy J74	S. of island. 46 02 07.1 082 21 10.7	Fl R 4s	Red, spar, marked "J74".	Seasonal (in place year round).	
1022	Gore Bay light buoy JE2	Off breakwater. 45 55 17.3 082 27 27.4	Fl R 4s	Red, spar, marked "JE2".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTH CHANNEL - LAKE HURON

1023	Gore Bay	On Janet Head. 45 56 45.0 082 28 48.6	Oc W 5s	15.0	7	White square tower with red upper portion. 10.6	Seasonal (in place year round). Flash 3 s; eclipse 2 s.
1025.7	North Channel ODAS light buoy 45154	North Channel, E. end. 46 03 00.0 082 38 12.0	Fl(5) Y 20s	Yellow, ODAS, marked "45154".	Seasonal.
1026	Cape Robert	Near northern extremity of the cape. 45 59 48.0 082 48 37.0	Fl W 4s	16.2	4	Skeleton tower, white slatwork daymark. 9.1	Seasonal (in place year round).
1027	Mills Island	46 07 49.9 082 41 45.9	Fl W 4s	10.4	5	Mast, red and white cylindrical daymark. 5.1	Seasonal (in place year round).
1028	Whitcher Island front range light	46 08 26.6 082 41 33.9	F R	14.9	16	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal (in place year round). Operates 24 h.
1028.5	Whitcher Island rear range light	46 08 30.0 082 41 31.2 030°23' 118.5 m from front.	F R	18.3	16	Cylindrical mast, white daymark with orange vertical stripe.	Seasonal (in place year round). Operates 24 h.
1029	Decelles Island front range light	46 07 58.0 082 40 53.0	F G	8.1	16	Cylindrical mast, white daymark with orange vertical stripe. 6.2	Seasonal (in place year round). Operates 24 h.
1029.5	Decelles Island rear range light	46 07 56.3 082 40 48.2 122°56' 115.7 m from front.	F G	7.2	16	Cylindrical mast, white daymark with orange vertical stripe. 6.2	Seasonal (in place year round). Operates 24 h.

Blind River

1031	Blind River light buoy UP9	N. channel. 46 10 49.3 082 57 29.6	Fl G 4s	Green, spar, marked "UP9".	Seasonal (in place year round).
1032	Comb Point	On point. 46 10 23.1 082 58 01.8	Iso W 4s	9.1	7	Cylindrical mast, red and white rectangular daymark. 7.2	Seasonal (in place year round).
1033	Mississagi Island	On S. end of island. 46 06 27.3 083 00 26.8	Fl W 4s	20.9	4	Skeleton tower, white rectangular daymark. 18.0	Seasonal (in place year round). Obscured 139°-209°.
1034	Batture Island	Near NW. point of island, E. side of entrance Meldrum Bay. 45 58 20.5 083 04 10.9	Fl W 4s	7.6	6	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Inland Waters

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTH CHANNEL - LAKE HURON

1035.1	Meldrum Bay breakwater	E. point of rubble breakwater. 45 55 32.6 083 06 43.9	Fl Y 4s	3.9	Cylindrical mast. 0.9	Private aid. Year round.
1037	Cockburn Island Breakwater	On outer end of breakwater. 45 57 36.6 083 18 55.2	Fl R 4s	6.4	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 4.9	Seasonal (in place year round).
1037.4	Monk Point	On point. 45 59 09.1 083 24 37.4	Fl R 4s	8.5	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal (in place year round). Visible 050°-253°.
1038	Sulphur Island	S. end of island. 46 08 41.7 083 36 28.8	Fl W 4s	18.0	4	Skeleton tower, 4 red and white horizontally striped square daymarks on E. and W. side of tower. 12.2	Seasonal (in place year round).
1039	<i>Perrique Island light buoy KE2</i>	<i>S. of island. 46 08 02.5 083 45 45.7</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "KE2".</i>	<i>Seasonal (in place year round).</i>
1041	Koshkawong Point	On point. 46 07 45.7 083 48 48.2	Fl R 4s	8.5	5	Cylindrical mast, red and white rectangular daymark with red triangle in centre. 6.1	Seasonal (in place year round).