

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1082	Île Parisienne	On SW. extremity of island. 46 38 42.9 084 43 26.5	Fl W 10s	16.1	.....	White hexagonal tower, red upper portion. 16.6	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:14884(U.S.)</b>
1083	Goulais Bay	On point. 46 41 46.3 084 31 22.9	Fl W 4s	11.7	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.8	Seasonal.  <b>Chart:2315</b>
1084	Maple Island	On W. side of island. 46 46 07.7 084 34 51.9	Fl W 4s	9.5	.....	Square tower, red and white rectangular daymark, red triangle in centre. 9.7	Seasonal.  <b>Chart:14962(U.S.)</b>
1087	Coppermine Point	On extremity of point. 46 59 02.8 084 47 14.7	Fl W 4s	14.4	.....	Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2307</b>
1088	Mamainse Harbour  <b>Racon - - (M) X &amp; S Bands</b>	On N. point of largest island off Mamainse Point. 47 02 15.1 084 47 11.5	F R .....	11.3	.....	Red and white cylindrical tower, red and white triangular daymark. 9.1	Seasonal.  <b>Chart:2315</b>
1089	Montréal Point	On high bluff on point at Montréal River entrance. 47 14 27.4 084 39 02.4	Fl W 10s	39.3	.....	Cylindrical mast, red and white rectangular daymark. 8.1	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2307</b>
1089.5	Sinclair Island	SW. side of island. 47 22 29.6 084 42 33.2	Fl W 4s	16.2	.....	Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2315</b>
1090	Rowe Island	At NE. tip of island. 47 26 25 084 47 36	Fl W 4s	8.5	.....	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  <b>Chart:2307</b>
1091	Gargantua	On summit of Gargantua Island. 47 33 29.6 084 57 48.9	Fl W 4s	24.0	.....	Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.  <b>Chart:2315</b>
1092	Hursley Island	47 35 46 085 02 33	Fl W 4s	13.6	.....	Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  <b>Chart:2307</b>
1092.5	Michipicoten River Entrance	47 55 59.6 084 51 06.8	Iso W 4s	5.7	.....	Cylindrical mast.	Seasonal.  <b>Chart:2315</b>
1093	Michipicoten Harbour	On SE. extremity of Perkwakwia Point. 47 56 32.9 084 54 26.7	Fl W 10s	26.8	.....	Square tower. 12.7	Flash 1 s; eclipse 9 s. Visible 360°. Seasonal.  <b>Chart:2315 Edn 12/17 (D17-003)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>									
1094	Michipicoten Harbour range	On shore, N. of inner end of wharf. 47 57 41.9 084 54 04.3	F	R	.....	12.6	.....	Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.
1095		355°30' 86.5m from front.	F	R	.....	27.1	.....	Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.
<b>Chart:2315</b>									
1096	Caribou Island	On small island SW. of Caribou Island. 47 20 23 085 49 32	Fl	W	10s	36.9	9	White hexagonal tower. 35.1	Flash 1 s; eclipse 9 s. Seasonal.
<b>Chart:2310 Edn 09/14 (D14-010)</b>									
<b>Michipicoten Island</b>									
1097	Michipicoten Island	On NE. extremity of island. 47 45 13.6 085 35 48.6	Fl	W	10s	25.6	.....	White hexagonal tower. 24.3	Flash 1 s; eclipse 9 s. Seasonal.
<b>Chart:2309</b>									
1098	<b>Davieaux Island</b>	On summit of island, S. of Québec Harbour, Michipicoten Island. 47 41 40.9 085 48 40.6	Fl	W	20s	39.3	<b>15</b>	White hexagonal tower, red top.	Flash 0.5 s; eclipse 19.5 s. Visible 360°. Seasonal.
<b>Chart:2315 Edn 03/18 (D18-001)</b>									
1099	Québec Harbour range	On N. shore of harbour. 47 43 00.5 085 47 54.3	F	R	.....	6.4	.....	Skeleton tower, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
1100		000°51' 214m from front.	F	R	.....	20.1	.....	Square skeleton tower, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
<b>Chart:2315</b>									
1101	Michipicoten Island, West End	On small island, SW. of Cotton Cove. 47 43 07.1 085 57 21.7	Fl	W	4s	9.1	.....	Cylindrical mast, red and white rectangular daymark. 5.9	Seasonal.
<b>Chart:2308</b>									
1102	Otter Island	On NW. extremity of island. 48 06 42.2 086 04 00.1	Fl	W	10s	29.6	.....	White hexagonal tower. 6.3	Flash 1 s; eclipse 9 s. Seasonal.
<b>Chart:2308</b>									
1106	Hawkins Island	SW. of island. 48 43 10 086 25 54	Fl	W	4s	27.1	.....	Skeleton tower, white slatwork daymark. 12.8	Seasonal.
<b>Chart:2306</b>									
1107	Skin Island	On SW. corner of island. 48 43 41.8 086 23 40.8	Fl	W	4s	13.4	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.
<b>Chart:2306</b>									

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>LAKE SUPERIOR</b>								
1108	Slate Islands ODAS light buoy 45136	48 31 57.4 086 56 14.0	Fl(5) Y 20s	.....	.....	Yellow ODAS, marked "45136".	Maintained by Environment Canada. (Winter spar.) Seasonal.  <b>Chart:2303 Edn 08/20 (D20-020)</b>	
1110	Jackfish Bay	On SW. extremity of St. Patrick Island. 48 47 18.4 086 58 55	Fl W 4s	12.5	.....	Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.  <b>Chart:2305</b>	
1111	Slate Islands	On S. extremity of Patterson Island. 48 37 16 086 59 45	Fl(2) W 15s	68.3	.....	White octagonal tower. 10.5	Flash 0.5s; eclipse 4.5 s; flash 0.5.; eclipse 9.5 s. Seasonal.  <b>Chart:2303</b>	
1111.1	Terrace Bay	48 46 08 087 07 14	Fl W 4s	4.9	.....	White cylindrical mast. 4.8	Privately maintained by the Township of Terrace Bay. Seasonal.  <b>Chart:2303</b>	
1112	Rosspport	On wharf. 48 50 00.9 087 31 11	F R	.....	4.9	.....	Cylindrical mast. 3.7 Seasonal.  <b>Chart:2312</b>	
1113	Rosspport Harbour Entrance	On small island at entrance to harbour. 48 49 30.2 087 31 23.7	Fl W 4s	11.3	.....	Cylindrical mast, red and white rectangular daymark. 5.6	Seasonal.  <b>Chart:2312</b>	
1114	Rosspport Point	On point. 48 49 29.9 087 32 51.9	Fl W 4s	8.6	5	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  <b>Chart:2312 Edn 01/10 (D09-050)</b>	
<b>Nipigon Bay</b>								
1117	Battle Island	On W. end of island. 48 45 06.4 087 33 26.0	Fl W 10s	36.0	10	White octagonal tower with red top. 13.1	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2312 Edn 10/19 (D18-012)</b>	
1120	Crichton Island	At SE. end of island. 48 57 07.5 088 06 16.4	Fl W 4s	8.1	5	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:2312 Edn 01/10 (D09-049)</b>	
1121	Burnt Island	48 54 57.5 088 11 46.2	Fl W 4s	19.0	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2312</b>	
1124	Nipigon Strait range	48 41 56.4 088 06 03.5	F R	.....	8.3	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.3	Seasonal.
1125		013°11' 83.2m from front.	F R	.....	10.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.3	Seasonal.  <b>Chart:2312</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1126	Lamb Island	Centre of island. 48 36 12.4 088 08 34.5	Fl W 5s	30.2	.....	Tower. 13.6	Flash every 5 s. Seasonal.  <b>Chart:2312</b>
1127	Shaganash	On W. end of island No. 10, W. of Shaganash Island. 48 26 10 088 28 50	Fl W 4s	11.0	.....	White tower.	Seasonal.  <b>Chart:2302</b>
1128	Point Porphyry	On SW. extremity of island, entrance to Black Bay. 48 20 24 088 38 54	Fl W 10s	25.0	.....	White skeleton tower. 18.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2301</b>
1129	Trowbridge Island	On summit of island. 48 17 34 088 52 22	Fl W 5s	34.7	.....	White octagonal tower. 11.5	Flash every 5 s. Seasonal.  <b>Chart:2311</b>
1130	Angus Islands	Near N. end of islands. 48 14 07.9 089 00 26.7	Fl W 10s	24.7	.....	Skeleton tower. 15.9	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2311</b> <b>Edn 12/19 (D19-012)</b>
1131	Thunder Cape	W. side of cape. 48 18 06.4 088 56 17.3	Fl W 4s	10.7	5	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  <b>Chart:2311</b> <b>Edn 12/19 (D19-013)</b>
1132	<i>Hare Island light buoy A2</i>	<i>W. of Thunder Cape. 48 17 54 088 59 12</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "A2".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2311</b>
1133	Welcome Island	On NE. extremity of the eastern island. 48 22 10 089 07 14	Fl W 10s	.....	.....	Skeleton tower.	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2314</b>
<b>Thunder Bay</b>							
1135	<i>Mission Channel Approach light buoy AA4</i>	<i>48 21 14.5 089 10 33.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "AA4".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2314</b>
1136	Mission Channel Entrance	At outer corner of breakwater. 48 21 00.3 089 12 04	Fl G 4s	9.3	7	White cylindrical tower, green upper portion. 7.3	Seasonal.  <b>Chart:2314</b> <b>Edn 05/16 (D15-003)</b>
1137	<i>Mission Channel light buoy A8</i>	<i>On N. side of channel at entrance. 48 21 05.2 089 12 01.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "A8".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2314</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1138	Mission River Entrance Breakwater	On inner end of breakwater. 48 21 14 089 13 01	Fl G 4s	6.4	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Flash 0.5 s; eclipse 3.5 s. Seasonal.  <b>Chart:2314</b>
1139	Mission Channel range	At mouth of Mission River. 48 21 25 089 13 33	F R .....	11.3	.....	Cylindrical mast, white daymark, red vertical stripe. 9.1	Visible in line of range. Seasonal.
1140		289°05' 259.1m from front.	F R .....	17.1	.....	Square skeleton tower, white daymark, red vertical stripe. 13.7	Seasonal.  <b>Chart:2314</b>
1141	Old Dumping Ground Shoal light buoy P2	NE. of McKellar Island. 48 23 08.5 089 10 41.7	Fl R 4s	.....	.....	Red spar, marked "P2".	Seasonal (in place year round).  <b>Chart:2314</b>
1143.3	Kaministiquia River Entrance light buoy D1	E. side of river entrance. 48 23 45.5 089 11 57.2	Fl G 4s	.....	.....	Green spar, marked "D1".	Seasonal (in place year round).  <b>Chart:2314</b>
1144	Kaministiquia River Entrance	On breakwater at N. side of river entrance. 48 23 53 089 12 00	Fl R 10s	6.7	.....	Mast on a building.	Flash 4 s; eclipse 6 s. Emergency light. Floodlit. Seasonal.  <b>Chart:2314</b>
1144.1	Kaministiquia River Terminal Entrance light buoy D7	48 23 35.5 089 12 39.2	Q G 1s	.....	.....	Green spar, marked "D7".	Seasonal (in place year round).  <b>Chart:2314</b>
1144.3	Kaministiquia River Entrance Inner	N. side of Old Elevator wharf. 48 23 37.5 089 12 54.5	Fl R 5s	7.7	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:2314</b>
1144.4	Kaministiquia River Entrance South	48 23 32 089 12 50	F G .....	4.5	.....	Mast.	Privately maintained. Year round.  <b>Chart:2314</b>
1145	Kaministiquia River	On S. bank of river. 48 21 43 089 15 22.4	Iso G 8s	12.9	.....	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.  <b>Chart:2314</b>
1146	Kaministiquia River Water Mains Crossing North	On N. side of river. 48 21 47.9 089 15 31.7	Iso R 8s	10.1	.....	Cylindrical mast. 6.3	Visible from 285° through N. and E. to 105°. Seasonal.  <b>Chart:2314</b>
1147	Kaministiquia River Water Mains Crossing South	On S. side of river. 48 21 43.3 089 15 35.4	Iso G 8s	7.9	.....	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.  <b>Chart:2314</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1150	Thunder Bay South Entrance, North	On N. side of S. entrance to harbour. 48 24 43.5 089 12 21	Fl R 4s	9.4	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2314</b>
1150.3	Thunder Bay South Entrance, South	On breakwater, S. side of S. entrance. 48 24 38 089 12 18	Fl G 5s	8.2	.....	Mast on building.	Flash 1 s; eclipse 4 s. Floodlit. Seasonal.  <b>Chart:2314</b>
1151	Thunder Bay Central Entrance, South	On breakwater, S. side of main entrance. 48 25 54 089 11 52	Fl G 4s	7.0	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 5.1	Floodlit. Seasonal.  <b>Chart:2314</b>
1152	<b>Thunder Bay Main</b>	On end of breakwater, N. side of Central entrance. 48 25 58 089 11 45	Fl R 5s	14.9	<b>16</b>	White square tower. 9.4	Flash every 5 s. Floodlit. Seasonal.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2314</b>
1153	<i>Thunder Bay light buoy E3</i>	<i>W. of main entrance. 48 25 56 089 12 14.3</i>	Q G 1s	.....	.....	<i>Green spar, marked "E3".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2314</b>
1156	Thunder Bay North Entrance South	Near N. end of S. breakwater. 48 26 38 089 10 38	Fl G 4s	9.4	.....	Mast on a building.	Floodlit. Seasonal.  <b>Chart:2314</b>
1157	Thunder Bay North Entrance North	Near SW. end of N. breakwater. 48 26 42 089 10 32	Fl R 4s	8.5	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Floodlit. Seasonal.  <b>Chart:2314</b>
1158	Pie Island	On point of island. 48 13 40.9 089 10 28.6	Fl W 4s	8.3	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2311 Edn 12/19 (D19-014)</b>
1159	Mink Point	On point. 48 08 22 089 18 10	Fl W 4s	9.1	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2311</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**LAKE SUPERIOR**

1160	Jarvis Rock	W. side of Spar Channel. 48 06 10 089 17 35	Fl W 4s	12.2	.....	Cylindrical mast, red and white rectangular daymark.	Seasonal.        <b>Chart:2311</b>
1161	Victoria Island	Extremity of point at NW. end of island. 48 04 53 089 21 37	Fl W 4s	18.0	.....	Square tower, two red and white rectangular daymarks.	Visible from 022° through E. and S. to 241°. Seasonal.        <b>Chart:2311</b>