

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
<b>Lac des Deux Montagnes</b>							
1233.3	Pointe Cadieux light buoy CAD	45 26 23.4 074 00 17.9	Fl R 10s (2+1)	.....	.....	Red, green and red, marked "CAD".	Seasonal.  <b>Chart:1510</b>
1233.55	South Cardinal light buoy BAR	45 27 19.4 074 00 07.4	Q(6) W +LFI	15s	.....	Yellow and black, marked "BAR".	Seasonal.  <b>Chart:1510</b>
1234.6	La Goelette light buoy HD98	45 28 04.7 073 58 51.6	Fl R 4s	.....	.....	Red, marked "HD98".	Seasonal.  <b>Chart:1510</b>
1236.4	Pointe Calumet light buoy HD73	45 29 40 073 57 05.3	Fl G 4s	.....	.....	Green, marked "HD73".	Seasonal.  <b>Chart:1510</b> <b>Edn 03/13 (Q13-010)</b>
1237	Rapides du Cheval Blanc Upstream range	45 30 59.6 073 50 52.8	F R	.....	7.9	1	Seasonal.  The front light of the upper Rapides du Cheval Blanc range is placed higher than the rear light. Thus, if the low light appears left of the high light, the mariner is to the left of the leading line; if the low light appears right of the high light, the mariner is to the right of the leading line. Operates during the day only.
1238		261°47' 117 m from front.	F R	.....	3.5	1	Seasonal.  <b>Chart:1509</b> <b>Edn 02/12 (Q11-159, 160)</b>
1242.55	Pointe Cadieux light buoy H33	45 26 38.6 074 02 23.1	Fl G 4s	.....	.....	Green, marked "H33".	Seasonal.  <b>Chart:1510</b>
1244.8	Battures du Corbeau light buoy H87	45 28 49.9 074 09 51	Fl G 4s	.....	.....	Green, marked "H87".	Seasonal.  <b>Chart:1510</b>
1245	Pointe aux Anglais	45 29 37.7 074 10 45.7	Iso R 2s	10.9	4	White square tower.	Privately maintained by Club de Voile des Laurentides. Seasonal.  <b>Chart:1510</b>
1255	Carillon Lock (Foot of Lock)	On end of dyke at SE. entrance. 45 34 07.7 074 22 47.1	F R	.....	6.1	.....	Mast.  Maintained by Parks Canada. Seasonal.  <b>Chart:1510</b>
1256	Carillon Lock (Upper Entrance)	At NW. entrance. 45 34 16 074 22 57.6	F R	.....	3.8	.....	Mast.  Maintained by Parks Canada. Seasonal.  <b>Chart:1514</b>
1259.5	Light buoy H216	45 35 48.6 074 28 32.4	Fl R 4s	.....	.....	Red, marked "H216".	Privately maintained. Seasonal.  <b>Chart:1514</b>

## INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
1263	Pont Long-Sault	45 37 09.1 074 35 51.1	F R	.....	.....	On bridge.	Maintained by Ontario Ministry of Transport. Year round.  <b>Chart:1514</b>
1263.5	Pont Long-Sault	45 37 07.6 074 35 52.3	F G	.....	.....	On bridge.	Maintained by Ontario Ministry of Transport. Year round.  <b>Chart:1514</b>
1264.6	Hawkesbury Wharf light buoy HK3	45 36 59.2 074 36 04.6	Fl G 4s	.....	.....	Green, marked "HK3".	Privately maintained by Hawkesbury Township. Seasonal.  <b>Chart:1514</b>
1264.7	Hawkesbury Wharf light buoy HK4	45 37 00.2 074 36 05.6	Fl R 4s	.....	.....	Red, marked "HK4".	Privately maintained by Hawkesbury Township. Seasonal.  <b>Chart:1514</b>
1266	Grenville light buoy H245	45 37 25.2 074 36 30.6	Fl G 4s	.....	.....	Green spar, marked "H245".	(Winter spar.) Seasonal.  <b>Chart:1514 Edn 03/13</b>
1268	Grenville light buoy H247	45 37 24.2 074 37 05.6	Fl G 4s	.....	.....	Green spar, marked "H247".	(Winter spar.) Seasonal.  <b>Chart:1514 Edn 03/13</b>
1270.5	Light buoy H258	45 38 14.6 074 38 17.8	Fl R 4s	.....	.....	Red spar, marked "H258".	Seasonal.  <b>Chart:1514 Edn 03/13</b>
1271	Light buoy H259	45 38 15.2 074 38 46.7	Fl G 4s	.....	.....	Green spar, marked "H259".	Seasonal.  <b>Chart:1514 Edn 03/13</b>
1283.1	Île Ste-Rosalie light buoy H311	45 38 19.1 074 56 59	Fl G 4s	.....	.....	Green spar, marked "H311".	Seasonal.  <b>Chart:1514 Edn 03/13</b>
1284.31	Light buoy PAP	45 36 48.6 074 59 15.5	Fl R (2+1)	6s	.....	Red, green and red, marked "PAP".	Maintained by Municipalité du village de Papineauville. Seasonal.  <b>Chart:1514</b>
1284.32	Baie de la Pentecôte Entrance light buoy HP9	45 36 55.1 074 59 25.9	Fl G 4s	.....	.....	Green, marked "HP9".	Maintained by Municipalité du village de Papineauville. Seasonal.  <b>Chart:1514</b>
1284.34	Papineauville Wharf light buoy HP30	45 36 42.5 075 00 47.6	Fl R 4s	.....	.....	Red, marked "HP30".	Maintained by Municipalité du village de Papineauville. Seasonal.  <b>Chart:1514</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
1288.5	Îles Thurso light buoy H356	45 34 44.9 075 09 14.7	Fl R 4s	.....	.....	Red spar, marked "H356".	Seasonal.  Chart:1515 Edn 03/13
1288.7	Île Fer a Cheval light buoy H361	45 35 10.2 075 10 05.7	Fl G 4s	.....	.....	Green spar, marked "H361".	Seasonal.  Chart:1515 Edn 03/13
1289.9	Île Clarence light buoy H373	45 35 07.2 075 14 18.7	Fl G 4s	.....	.....	Green spar, marked "H373".	Seasonal.  Chart:1515 Edn 03/13
1291.1	Rockland light buoy H388	45 33 11.1 075 18 28.9	Fl R 4s	.....	.....	Red spar, marked "H388".	Seasonal.  Chart:1515 Edn 03/13
1293.9	Battures Way light buoy H424	45 30 07.2 075 31 01.2	Fl R 4s	.....	.....	Red spar, marked "H424".	Seasonal.  Chart:1515 Edn 03/13
1295.1	Battures Green light buoy H435	45 28 22.2 075 35 40.8	Fl G 4s	.....	.....	Green spar, marked "H435".	Seasonal.  Chart:1515 Edn 03/13
1295.6	Bifurcation light buoy KET	45 28 25.6 075 37 23.8	Fl R 6s (2+1)	.....	.....	Red, green and red, marked "KET".	Seasonal.  Chart:1515
1295.82	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 54.2 075 38 40.7	Fl Y 4s	.....	.....	White and orange, marked "PRIV, NO WAKE".	Private aid. Seasonal.  Chart:1515 Edn 10/18 (Q18-024)
1295.84	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 58.0 075 38 41.6	Fl Y 4s	.....	.....	White and orange, marked "PRIV, NO WAKE".	Private aid. Seasonal.  Chart:1515 Edn 10/18 (Q18-025)
1295.86	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 59.8 075 38 32.9	Fl Y 4s	.....	.....	White and orange, marked "PRIV, NO WAKE".	Private aid. Seasonal.  Chart:1515 Edn 10/18 (Q18-026)
1295.88	Rockcliffe Yacht Club – Information light buoy PRIV	45 28 01.7 075 38 25.6	Fl Y 4s	.....	.....	White and orange, marked "PRIV, NO WAKE".	Private aid. Seasonal.  Chart:1515 Edn 10/18 (Q18-027)
1295.9	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 57.7 075 38 25.9	Fl Y 4s	.....	.....	White and orange, marked "PRIV, NO WAKE".	Private aid. Seasonal.  Chart:1515 Edn 10/18 (Q18-028)
1295.92	Rockcliffe Yacht Club – Information light buoy PRIV	45 27 56.4 075 38 32.4	Fl Y 4s	.....	.....	White and orange, marked "PRIV, NO WAKE".	Private aid. Seasonal.  Chart:1515 Edn 10/18 (Q18-029)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
1296.2	South Cardinal light buoy OTT	45 27 48.1 075 40 38.8	Q(6) W 15s +LFI	.....	.....	Black and yellow, marked "OTT".	Seasonal.  Chart:1515
1296.30	Rockcliffe Information light buoy Priv	Rockcliffe, Ottawa River. 45 27 27.3 075 41 11.7	Fl Y 4s	.....	.....	White and Orange.	Privately maintained. Seasonal.  Chart:1515 Edn 04/16 (Q16-057)
1296.31	Rockcliffe Information light buoy Priv	Rockcliffe, Ottawa River. 45 27 27.3 075 41 6.8	Fl Y 4s	.....	.....	White and Orange.	Privately maintained. Seasonal.  Chart:1515 Edn 04/16 (Q16-058)
1296.32	Rockcliffe Information light buoy Priv	Rockcliffe, Ottawa River. 45 27 22 075 41 21.2	Fl Y 4s	.....	.....	White and Orange.	Privately maintained. Seasonal.  Chart:1515 Edn 04/16 (Q16-059)
1296.33	Rockcliffe Information light buoy Priv	Rockcliffe, Ottawa River. 45 27 20.1 075 41 18.1	Fl Y 4s	.....	.....	White and Orange.	Privately maintained. Seasonal.  Chart:1515 Edn 04/16 (Q16-060)
1296.34	Rockcliffe Information light buoy Priv	Rockcliffe, Ottawa River 45 27 15.5 075 41 24.1	Fl Y 4s	.....	.....	White and Orange.	Privately maintained. Seasonal.  Chart:1515 Edn 04/16 (Q16-061)
1296.35	Rockcliffe Information light buoy Priv	Rockcliffe, Ottawa River. 45 27 18.0 075 41 25.8	Fl Y 4s	.....	.....	White and Orange.	Privately maintained. Seasonal.  Chart:1515 Edn 04/16 (Q16-062)
1296.4	Casino de Hull Information light buoy	45 27 19.2 075 41 28.8	Fl Y 4s	.....	.....	White and orange marked "Casino de Hull, Quai d'accostage, Docking Facilites".	Privately maintained. Seasonal.  Chart:1515
1296.41	Casino de Hull Information light buoy	45 27 23.2 075 42 02.8	Fl Y 4s	.....	.....	White and orange marked "Casino de Hull, Quai d'accostage, Docking Facilites".	Privately maintained. Seasonal.  Chart:1515
1296.42	Casino de Hull Information light buoy	45 27 25.2 075 42 56.8	Fl Y 4s	.....	.....	White and orange marked "Casino de Hull, Quai d'accostage, Docking Facilites".	Privately maintained. Seasonal.  Chart:1515
1296.45	Bifurcation light buoy GAT	45 27 12 075 41 35	Fl R 6s (2+1)	.....	.....	Red, green and red, marked "GAT".	Seasonal.  Chart:1515 Edn 05/10 (Q10-023)
1296.46	Macdonald-Cartier Bridge	45 26 12.9 075 42 09.1	F G	.....	15.9	On bridge.	Year round.  Chart:1515
1296.47	Macdonald-Cartier Bridge	45 26 13.8 075 42 13.1	F R	.....	15.9	On bridge.	Year round.  Chart:1515

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
1296.48	Casino de Hull Information light buoy	45 26 12.2 075 42 11.8	Fl Y 4s	.....	.....	White and orange marked "Casino de Hull, Quai d'accostage, Docking Facilites".	Privately maintained. Seasonal.  Chart:1515
1296.49	Pont Alexandra FR	45 25 48.9 075 42 16.2	F R	.....	.....	.....	Privately maintained.  Chart:1515 Edn 08/15 (Q15-0138)
1296.491	Pont Alexandra FR	45 25 47.2 075 42 12.4	F G	.....	.....	.....	Privately maintained.  Chart:1515 Edn 08/15 (Q15-0139)
<b>Lac Deschênes</b>							
1296.5	Britannia Yacht Club range	45 22 24.5 075 48 14	F Y	.....	7.0	Cylindrical mast. 5.0	Maintained by Britannia Yacht Club. Floodlit. Seasonal.
1296.6		090°30' 174.1m from front.	F Y	.....	10.7	Cylindrical mast. 8.8	Maintained by Britannia Yacht Club. Floodlit. Seasonal.  Chart:1550
1296.7	Britannia Yacht Club	45 22 19.5 075 48 14	Q R 1s	5.5	.....	Cylindrical mast. 3.6	Maintained by Britannia Yacht Club. Seasonal.  Chart:1550
1297	Stillwater Park (Graham Bay)	End of breakwater, Nepean Yacht Club. 45 21 12.4 075 49 27.6	Fl R 4s	9.0	4	White cylindrical tower, red upper portion. 5.4	Seasonal.  Chart:1550
1299	Aylmer Island	On island. 45 23 50.4 075 53 18.8	Fl G 4s	9.2	6	White cylindrical tower, green upper portion. 7.7	Seasonal.  Chart:1550
1299.2	Aylmer Island light buoy	E. of island. 45 23 38.5 075 52 04	Mo(A) W 6s	.....	.....	Red and white vertical stripes.	Privately maintained. Seasonal.  Chart:1550
1299.5	Aylmer Marina West	On W. breakwater. 45 23 39.1 075 51 31.6	Fl G 4s	6.1	.....	White cylindrical tower, green upper portion. 4.3	Maintained by the Club de Voile Grande-Rivière. Seasonal.  Chart:1550
1299.9	Port of Call Marina	Centre pier. 45 28 38.7 075 59 34.1	Fl R 4s	4.8	.....	White cylindrical tower with red top. 3.2	Maintained by Port of Call Marina of Ottawa Ltd. Seasonal.  Chart:1550 Edn 02/21 (B21-001)

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
1300	Baskin's Beach range	NW. of Armitage. 45 28 46.6 076 00 25.7	F W .....	13.6	10	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.4	Seasonal.
1301		121°19' 338m from front.	F W .....	22.7	10	White cylindrical tower, orange triangular daymark, black vertical stripe. 8.9	Seasonal.  <b>Chart:1550 Edn 06/13 (B13-012, 013)</b>
1301.3	Île Allen	On island. 45 29 21.3 076 01 14.1	Fl R 4s	9.3	4	White cylindrical tower with red upper portion. 7.8	Seasonal.  <b>Chart:1550 Edn 12/20 (B20-004)</b>
1302	Sandhills	On crib off point S. shore, above Aylmer. 45 30 40.5 076 05 38.2	Fl W 4s	6.0	3	Mast, white cylindrical daymark. 6.8	Seasonal.  <b>Chart:1550 Edn 08/20 (B20-018)</b>
<b>Lac des Chats</b>							
1304	Amprior Island	On islet. 45 27 20.6 076 21 09.7	Fl W 4s	6.7	5	White cylindrical tower, red upper portion. 3.8	Seasonal.  <b>Chart:1551</b>
1305	Sand Point	Near inner end of wharf. 45 29 19.7 076 26 03.9	F W .....	7.0	10	White square structure green upper portion. 8.0	Seasonal.  <b>Chart:1551</b>
<b>Lac Coulonge</b>							
1305.2	Grand Calumet	On wharf. 45 43 19.2 076 36 35.9	Fl W 4s	3.0	.....	Mast. 2.4	Privately maintained. Seasonal.  <b>Chart:1552</b>
1305.4	Litchfield	On wharf. 45 46 06.3 076 38 20.5	Fl Y 4s	3.0	.....	Mast. 2.4	Privately maintained. Seasonal.  <b>Chart:1552</b>
1305.5	Davidson	On outer end of wharf. 45 52 21.3 076 46 25.3	Fl Y 4s	3.0	.....	Mast. 2.4	Private aid. Seasonal.  <b>Chart:1552 Edn 03/19 (B19-001)</b>
1306.1	Waltham Municipal Wharf	On wharf. 45 54 23.8 076 56 02	Fl Y 4s	3.0	....	Cylindrical mast. 2.8	Seasonal.  <b>Chart:1552</b>
1306.5	Petawawa	On John Doe Island. 45 54 05.7 077 13 40.8	Fl W 4s	8.0	5	White cylindrical mast, orange upper portion, orange rectangular daymark.	Seasonal.  <b>Chart:1553</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>OTTAWA RIVER</b>							
1306.7	Pembroke	On far end of breakwall at marina. 45 49 47.2 077 07 02.1	Iso G 4s	10.4	5	White cylindrical tower with green top. 6.1	Seasonal.  <b>Chart:1553 Edn 08/20 (B20-003)</b>
1307	Desjardinsville	On breakwater. 45 50 42.4 077 06 52.4	Fl R 6s	10.1	.....	White cylindrical tower, red upper portion. 6.6	Flash every 6 s. Maintained by Pontiac Waterway Development Corporation. Seasonal.  <b>Chart:1553</b>
1308	Passage Lower	On pier, W. end of Île Leblanc. 45 52 18.2 077 11 42.1	Fl R 4s	7.6	3	White structure, red trim.	Seasonal.  <b>Chart:1553</b>
1309	Fort William	On outer end of wharf. 45 57 03.1 077 16 20.5	Fl W 4s	7.6	5	White mast, orange square daymark. 6.2	Seasonal.  <b>Chart:1553</b>
1310.1	Short Turn Island light buoy K65/1	45 55 50.2 077 15 21.5	Q G 1s	.....	.....	Green spar, marked "K65/1".	Seasonal (in place year round).  <b>Chart:1553 Edn 08/20 (B20-035)</b>
1310.4	Short Turn Island light buoy K66	Fort William. 45 56 28.2 077 16 29.4	Fl R 4s	.....	.....	Red spar, marked "K66".	Seasonal (in place year round).  <b>Chart:1553 Edn 08/20 (B20-027)</b>
1311	Deep River Islet	Above islet. 46 00 45.8 077 16 49.4	Fl W 4s	15.8	5	White structure. 9.0	Seasonal.  <b>Chart:1553</b>
1312	McQuestin Point	On S. shore of Ottawa River. 46 03 52.2 077 22 52.7	Fl W 4s	6.4	5	White square structure. 6.5	Seasonal.  <b>Chart:1553</b>
1313	Deep River Harbour	On outer end of wharf. 46 06 26.6 077 29 13.2	Fl R 4s	6.3	5	White cylindrical tower, red upper portion. 45.3	Seasonal.  <b>Chart:1553</b>
1314	Marsh Lake Point	On islet. 46 11 32.2 077 45 07.1	Fl W 4s	4.8	5	White cylindrical mast, orange square daymark. 3.7	Seasonal.  <b>Chart:1554</b>
1315	Mackey Point	E. of point. 46 12 06.2 077 49 41.1	Fl W 4s	4.9	5	White cylindrical mast, orange square daymark. 3.7	Seasonal.  <b>Chart:1554</b>
1316	Stonecliffe	On S. shore W. of Stonecliffe. 46 13 08.2 077 54 05.1	Fl W 4s	5.5	5	White cylindrical mast, orange square daymark. 3.7	Seasonal.  <b>Chart:1554</b>

