

## INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2545 <i>H34</i>	Bear Island	On E. side of entrance to Coral Harbour. 64 00 30 083 13 01	Fl W 5s	20.1	7	Square tower, orange rectangular daymark. 11.8	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5410</b> <b>Edn 08/11 (A11-018)</b>
2546 <i>H35</i>	Munn Bay (Coral Harbour)	W. of harbour, Southampton Island. 64 07 33 083 15 13	Fl W 5s	21.0	7	Square tower, orange rectangular daymark. 11.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5410</b> <b>Edn 08/11 (A11-018)</b>
2547 <i>H33.4</i>	Walrus Island (Fisher Strait)	Centre of island. 63 16 45.0 083 40 15.0	Fl W 6s	54.9	8	Square skeleton tower, orange rectangular daymark. 9.8	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal (in place year round).  <b>Chart:5449</b> <b>Edn 09/11 (A11-018)</b> <b>Edn 10/17 (A17-060)</b>
2548 <i>H33</i>	Cape Pembroke	NE. end of Coats Island. 62 54 30 081 53 30	Fl W 5s	16.5	8	Square tower, orange rectangular daymark. 10.9	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5449</b> <b>Edn 08/11 (A11-018)</b>
2549 <i>H32</i>	Coats Island <b>Racon - . - . (C)</b> <b>X &amp; S Bands</b>	On Carys Swan Nest, SE. point of island. 62 10 20 083 08 00	Fl W 6s	12.5	8	Red and white skeleton tower, orange rectangular daymark. 11.2	Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 09/11 (A11-018)</b>
2550 <i>H36</i>	Mansel Island <b>Racon - . - (K)</b> <b>X &amp; S Bands</b>	N. extremity of island. 62 25 00 079 36 30	Fl W 5s	18.6	8	Square tower, orange rectangular daymark.15.5	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 08/11 (A11-018)</b>
2551 <i>H36.1</i>	Cape Acadia (Mansel Island)	S. extremity of island. 61 35 00 079 48 30	Fl W 5s	23.5	8	Square tower, orange rectangular daymark. 19.2	Flash 1 s; eclipse 4 s. Radar reflector. Seasonal.  <b>Chart:5449</b> <b>Edn 08/11 (A11-018)</b>
2552 <i>H36.4</i>	Broomfield Island <b>Racon - . (N)</b> <b>X &amp; S Bands</b>	55 40 24 079 14 18	Fl R 6s	44	8	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5707</b>
2553 <i>H38</i>	Digges Islet	On NW. islet of the Digges Islands. 62 35 14 078 06 36.8	Fl W 6s	27.7	8	Square tower, orange square daymark. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5412</b>
2554 <i>H40</i>	Nottingham Island <b>Racon - . (N)</b> <b>X &amp; S Bands</b>	On S. extremity of island. 63 05 10 077 57 00	Fl W 6s	27.7	8	Square tower, orange rectangular daymark, black vertical stripe. 12.4	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5449</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2554.4	Salluit Breakwater (Starboard Entrance)	62 12 34.8 075 39 04.6	Fl R 4s	3.2	2	Black mast. 1.4	Maintained by the Community of Inuit Salluit. Seasonal.  <b>Chart:5458</b>
2554.6	Salluit Breakwater (Porthand Entrance)	62 12 34.4 075 38 58.7	Fl G 4s	3.5	2	Black cylindrical mast. 1.3	Maintained by the Community of Inuit Salluit. Seasonal.  <b>Chart:5458</b>
2555 <i>H41</i>	Arctic Island	On centre of island. 62 14 28 074 45 44	Fl W 6s	29.6	8	Square tower, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5457</b>
2556 <i>H42</i>	Charles Island West End	62 42 30 074 40 00	Fl W 6s	20.7	8	Square tower, orange rectangular daymark. 16.1	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5450</b>
2558 <i>H48</i>	Wales Island	E. extremity of island. 61 51 38 071 58 00	Fl W 6s	83.2	8	Square mast, orange rectangular daymark. 6.7	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5390</b>
2560 <i>H52</i>	Cape Hopes Advance	61 04 41.8 069 33 28.4	Fl W 6s	.....	8	Square skeleton tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Radar reflector. Seasonal.  <b>Chart:5452</b>
<b>Iqaluit – Frobisher Bay</b>							
2566 <i>H53.4</i>	Cape Poillon range	63 07 55.9 067 52 14.8	Iso W 2s	84.0	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
2567 <i>H53.41</i>		149°28' 3427.9m from front.	Iso W 2s	203.5	14	Square tower, orange daymark.	Visible in line of range. Seasonal.  <b>Chart:7125</b>
2568 <i>H53.5</i>	Cape Poillon West	Pike Resor Channel. 63 08 49.8 067 55 00.8	Fl Y 6s	38.9	8	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:7125</b>
2569 <i>H54</i>	Basset Point	On Pike Island. 63 12 43.5 067 57 47.2	Fl R 5s	18.3	8	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:7125</b>
2570 <i>H54.2</i>	Pike Island range 1	Pike Resor Channel. 63 13 47.4 067 59 54.3	Iso W 2s	28.0	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
2571 <i>H54.21</i>		329°28' 385.4m from front.	Iso W 2s	44.4	8	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.  <b>Chart:7125</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2572 H54.3	Pike Island No. 2 range	63 15 04.1 068 01 46.8	Iso W 2s	20.9	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
2573 H54.31		146°04' 2463.2m from front.	Iso W 2s	52.0	14	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Seasonal.
<b>Chart:7125</b>							
2574 H54.4	Quadrifid Island	Pike Resor Channel, on Quadrifid Island. 63 18 13.8 068 07 47.2	Fl G 5s	33.6	6	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.
<b>Chart:7125</b>							
2575 H54.6	Lapointe Rock	63 21 35.9 068 14 23.5	Fl W 6s	14.0	8	Square tower, orange rectangular daymark.	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7125</b>							
2576 H56.4	Monument Island	On summit of island. 63 41 54.3 068 30 11.4	Fl R 6s	41.4	8	Square tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7127</b>							
2577	White Top Ledge light buoy N22	SW. of ledge. 63 42 50.2 068 30 07.7	Fl R 4s	.....	.....	Red, marked "N22".	Seasonal.
<b>Chart:7127</b>							
2578	Inuit light buoy N23	E. of reef. 63 43 01.2 068 30 42.5	Fl G 4s	.....	.....	Green, marked "N23".	Seasonal.
<b>Chart:7127</b>							
2579	Polaris Reef light buoy N26	S. of reef. 63 43 19.3 068 30 46.4	Fl R 4s	.....	.....	Red, marked "N26".	Seasonal.
<b>Chart:7127</b>							
2580 H55	Long Island	Koojesse Inlet. 63 43 31.1 068 30 05.1	Fl W 6s	14.2	8	Square tower, orange rectangular daymark. 5.4	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7127</b>							
2581	Black Ledge light buoy N30	W. of ledge. 63 43 40.1 068 31 08.3	Fl R 4s	.....	.....	Red, marked "N30".	Seasonal.
<b>Chart:7127</b>							
2582 H0055.5	Black Ledge range	W. of Long Island. 63 43 39.1 068 31 50.4	Iso R 2s	18.4	14	Skeleton tower, orange daymark with black vertical stripe. 15.8	Visible in line of range. Operates 24 h. Seasonal (in place year round).
2583 H0055.51		229°57' 576.1 m from front.	Iso R 2s	55.8	14	Square tower, orange daymark with black vertical stripe. 8.3	Visible in line of range. Operates 24 h. Seasonal (in place year round).
<b>Chart:7127</b> <b>Edn 12/20 (A20-005, 006)</b>							
2584 H56	Frobisher Landing	Koojesse Inlet. 63 44 16.3 068 31 34.8	Fl Y 6s	5.0	7	Square tower, orange rectangular daymark. 5.2	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:7127</b>							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2585 <i>H56.2</i>	<b>Koojesse Inlet range</b>	Center of the city. 63 44 43.9 068 31 24.3	F G .....	13.1	17	Square tower, orange daymark. 13.2	Visible in line of range. Seasonal.
2586 <i>H56.21</i>		344°01' 419.5m from front.	F G .....	30.3	17	Square tower, orange daymark. 16.4	Visible in line of range. Seasonal (in place year round).
<b>Chart:7127</b>							
2591 <i>H58</i>	<b>Koksoak River range</b>	Kuujjuaq. 58 27 37.2 068 12 26.9	F G .....	18.0	10	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Operates at night only. Seasonal.
2592 <i>H58.1</i>		197°38' 613.6m from front.	F G .....	39.6	13	Square tower, orange daymark, black vertical stripe. 24.4	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/12 (Q11-186, 187)</b>							
2593 <i>H58.4</i>	<b>Koksoak River East range</b>	Kuujjuaq. 58 29 42 068 10 20.2	Iso W 2s	19.7	16	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
2594 <i>H58.41</i>		189°36' 651.4m from front.	Iso W 2s	35.0	16	Square tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/12 (Q11-188, 189)</b>							
2595 <i>H59</i>	<b>Beacon Point (Inukshuktuyuk) range</b>	Koksoak River. 58 33 04.2 068 11 32.6	F W .....	17.4	15	Square tower, orange daymark, black vertical stripe.	Operates at night only. Seasonal.
2596 <i>H59.1</i>		219°49' 1025.2m from front.	F W .....	44.0	15	Square tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/12 (Q11-190, 191)</b>							
2597	<b>Stic range</b>	Koksoak river. Kuujjuaqé 58 16 32.1 068 16 45.3	Iso R 2s	18.3	14	Square skeleton tower, orange daymark, black vertical stripe. 14.2	Visible in line of range. Operates at night only. Seasonal.
2597.1		202°30' 285.8m from front.	Iso R 2s	28.6	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/14 (Q14-047, 048)</b>							
2597.2	<b>Tent range</b>	West shore Koksoak river. Kuujjuaq. 58 18 41.7 068 15 54.9	F G ....	24.3	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
2597.3		353° 21' 1468.5m from front.	F G ....	61.3	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/14 (Q14-049, 050)</b>							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2597.4	Chapel range	East shore Koksoak river. Kuujjuaq. 58 12 27 068 17 13.1	F G ....	24.7	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
2597.5		195° 46' 1429.3m from front.	F G ....	42.1	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/14 (Q14-051, 052)</b>							
2597.6	Whale range	West shore Koksoak river. Kuujjuaq. 58 11 10.6 068 19 35.2	F R ....	38.7	14	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
2597.7		209° 06' 1441.2m from front.	F R ....	70	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/14 (Q14-053, 054)</b>							
2597.8	Paint range	West shore Koksoak river. Kuujjuaq. 58 14 19 068 18 28.4	Iso G 2s	24.5	16	Square skeleton tower, orange daymark, black vertical stripe. 15.6	Visible in line of range. Operates at night only. Seasonal.
2597.9		359° 41' 1787.3m from front.	Iso G 2s	48.9	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
<b>Chart:5338 Edn 11/14 (Q14-055, 056)</b>							
2600 H35.4	Mission Lake	Chesterfield Inlet. 63 20 36.8 090 41 14	Fl W 6s	30.0	8	Square mast, orange rectangular daymark. 9.7	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5620</b>							
2601 H24	Dunne Foxe Island	On Easternmost Island. 62 15 42 091 59 20	Fl W 6s	21.7	8	Square skeleton mast. 10.0	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5630</b>							
2602 H25	Walrus Island <b>Racon -- (Y) X &amp; S Bands</b>	Mistake Bay. 61 57 59.4 092 28 41.1	Fl W 6s	28.5	8	Square skeleton mast, orange rectangular daymark. 11.0	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5642</b>							
2603 H25.5	Sentry Island (Arviat, NWT) <b>Racon -- (C) X &amp; S Bands</b>	61 09 35.6 093 52 14.6	Fl W 6s	35.4	8	Square skeleton mast. 18.4	Flash 1 s; eclipse 5 s. Seasonal.
<b>Chart:5641</b>							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>HUDSON STRAIT AND BAY</b>							
2603.021	Schooner Cove range	Chesterfield Inlet (Narrows). 63 59 17.8 094 15 50.3	Iso G 4s	4.0	7	Square skeleton tower, orange daymark, black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).
2603.022		110°37' 170.0 m from front.	Iso G 4s	11.1	7	Square skeleton tower, orange daymark, black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).  <b>Chart:5625 Edn 05/18 (A18-001, 002)</b>
2603.023	Twist Point range	Chesterfield Inlet (Narrows). 63 59 39.5 094 17 24.0	Iso W 4s	3.8	6	Square skeleton tower, orange daymark, black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).
2603.024		079°06' 259.5 m from front.	Iso W 4s	8.8	6	Square skeleton tower orange daymark, black vertical stripe. 4.1	Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round).  <b>Chart:5625 Edn 05/18 (A18-003, 004)</b>
<b>Churchill Harbour</b>							
2605.01	Hudson Bay Southwest ODAS light buoy 45158	59 00 00 094 00 00	Fl(5) Y 20s	.....	.....	Yellow, marked "45158".	Maintained by Environment Canada. Seasonal.  <b>Chart:5400</b>
2606	Merry Rock light buoy C1	58 47 31.5 094 12 23	Q G 1s	.....	.....	Green, marked "C1".	Maintained by the Port of Churchill. Seasonal.  <b>Chart:5640</b>
2607	Merry Rock light buoy C2	58 47 40.8 094 12 23.5	Q R 1s	.....	.....	Red, marked "C2".	Maintained by the Port of Churchill. Seasonal.  <b>Chart:5640</b>
2608 H28	Fort Prince of Wales range	58 47 39.3 094 12 55.8	F W .....	7.9	15	Skeleton tower, orange daymark, black vertical stripe.	Seasonal.
2609 H28.1		343°49' 385.2m from front.	F W .....	10.9	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.  <b>Chart:5640 Edn 06/11 (D11-015)</b>
2610 H29	Ship Point range	58 47 28.1 094 13 22.8	F W .....	9.1	15	Square skeleton mast, orange daymark, black vertical stripe. 6.1	Seasonal.
2611 H29.1		317°37' 196.4m from front.	F W .....	13.3	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.  <b>Chart:5640 Edn 06/11 (D11-015)</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

HUDSON STRAIT AND BAY

2612 H27	Churchill range	58 47 00.9 094 13 59.2	F W .....	23.0	15	Tripod skeleton tower, orange daymark.	Seasonal.
2613 H27.1		236°25' 1632.8m from front.	F W .....	47.1	15	Tripod skeleton tower, orange daymark, black vertical stripe.	Seasonal.
	Racon --. (G) X & S Bands						Chart:5640
2614	Merry Rock light buoy C4	58 47 22.8 094 12 57	Fl R 4s	.....	.....	Red, marked "C4".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640
2615	Cape Merry light buoy C3	58 47 16.4 094 12 34.7	Fl G 4s	.....	.....	Green, marked "C3".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640
2616	Cape Merry light buoy C5	58 47 09.8 094 12 33	Fl G 4s	.....	.....	Green, marked "C5".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640
2617	Cape Merry light buoy C6	58 47 01.3 094 12 43	Fl R 4s	.....	.....	Red, marked "C6".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640
2618	Churchill Wharf Approach light buoy C7	58 46 50.8 094 12 12.9	Fl G 4s	.....	.....	Green, marked "C7".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640
2620	Churchill Wharf light buoy C8	58 46 44.6 094 12 15.2	Fl R 4s	.....	.....	Red, marked "C8".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640
2621	Churchill Wharf light buoy C10	S. end of wharf. 58 46 16.8 094 11 40	Fl R 4s	.....	.....	Red, marked "C10".	Maintained by the Port of Churchill. Seasonal.
							Chart:5640

Buoys are placed by local knowledge to mark changing channel and may not be in the position shown.