

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**LAKE HURON**

768	<b>Point Edward range</b>	On beach, E. from head of St. Clair River. 43 00 09.3 082 24 59.1	F R .....	12.7	15	White cylindrical tower, orange triangular daymark, black vertical stripe. 9.5	Visible in line of range. Year round.
769		180°20' 652.3m from front.	F R .....	36.6	15	On bridge, orange triangular daymark, black vertical stripe.	Visible in line of range. Year round.  <b>Chart:14853 (U.S.)</b>
769.5	Lake Huron Cut light buoy 1 (U.S.)	43 00 32.8 082 25 04.1	Q G 1s .....	.....	.....	Green, marked "1".	(Winter spar.) Seasonal.  <b>Chart:14853 (U.S.)</b>
770	Lake Huron Cut light buoy 2	43 00 33.1 082 24 53.6	Q R 1s .....	.....	.....	Red, marked "2".	(Winter spar.) Seasonal.  <b>Chart:14853 (U.S.)</b>
771	Kettle Point Reef light buoy V4	NW. of point. 43 14 23 082 03 04	Fl R 4s .....	.....	.....	Red, marked "V4".	(Winter spar.) Seasonal.  <b>Chart:2260</b>
772.5	Lower Lake Huron ODAS light buoy 45149	43 32 30 082 04 30	Fl(5) Y 20s .....	.....	.....	Yellow, marked "45149".	Seasonal.  <b>Chart:2228</b>
773	Grand Bend Starboard Entrance	Onbreakwall. 43 18 48.5 081 46 02.8	Fl R 4s	5.8	.....	Mast, red white and red daymark. 7.6	Privately Maintained. Seasonal.  <b>Chart:2260</b>
774	Grand Bend	On outer end of pier. 43 18 49.8 081 46 04.8	Fl G 4s	10.7	9	White cylindrical tower, green upper portion. 7.6	Seasonal. <b>Horn</b> - Blast 3 s; sil. 27 s. Maintained by the Village of Grand Bend.  <b>Chart:2260</b>
775.5	Bayfield range	On N. pier. 43 34 13 081 42 27	F G .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 4.9	Visible in line of range. Seasonal.
775.6		076°45' 61.5m from front.	F G .....	10.0	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.1	Visible in line of range. Seasonal.  <b>Chart:2260</b>
776	Bayfield Wharf	On S. breakwater. 43 34 10.1 081 42 33.0	F R .....	10.3	5	Cylindrical mast, red and white rectangular daymark. 6.6	Operates 24 h. Seasonal (in place year round).  <b>Chart:2260 Edn 04/20 (D20-001)</b>

**Goderich**

777	<b>Goderich Main</b>	On high bank, S. of harbour entrance. 43 44 31.8 081 43 28.8	Fl(2) W 25s	42.7	16	White square tower, red upper portion. 10.1	Flash 0.5 s; eclipse 5.5 s; flash 0.5 s; eclipse 18.5 s. Privately maintained by the Corporation of the Town of Goderich. Seasonal.  <b>Chart:2228</b>
-----	----------------------	--	-------------	------	----	--	---

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE HURON</b>							
778	North Breakwater	On W. end of N. breakwater off entrance to harbour. 43 44 47.9 081 44 15.5	Fl G 4s	7.8	.....	White square tower. 6.1	Seasonal.  <b>Chart:2228</b>
778.5	Maitland River	43 44 57 081 43 58.3	Fl W 4s	9.1	.....	Cylindrical mast. 4.1	Seasonal.  <b>Chart:2228</b>
779	Goderich South Breakwater	On W. end of S. breakwater. 43 44 43.1 081 44 11	Iso R 4s	10.3	.....	White square tower.	Seasonal.  <b>Chart:2228</b>
780	<b>Goderich North Pier range</b>	On N. pier. 43 44 46.6 081 43 50.0	F R .....	10.0	<b>15</b>	Square skeleton tower, white daymark with orange vertical stripe. 8.2	Operates 24 h. Seasonal (in place year round).
781		086°30' 180.3 m from front.	F R .....	18.8	.....	Square skeleton tower, white daymark, orange vertical stripe. 15.2	Seasonal.  <b>Chart:2228 Edn 06/20 (D20-002)</b>
782	Point Clark	On extremity of low point. 44 04 22.1 081 45 26.2	Fl W 10s	28.3	<b>27</b>	White cylindrical tower. 21.0	Flash 0.2 s; eclipse 9.8 s. Seasonal.  <b>Chart:2291</b>
783	Kincardine Sector Light	Near W. end of N. pier. 44 10 41.3 081 38 36.0	Mo(D) R W G	10s 9.6	10	Cylindrical mast, orange rectangular daymark. 6.1	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Red from 034° to 099°, white from 099° to 103°; green from 103° to 168°. Operates 24 h. Seasonal (in place year round).  <b>Horn - Blast 3 s; sil. 27 s. Horn points 330°. Seasonal.</b>  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2291 Edn 11/19 (D19-008)</b>
784	Kincardine	44 10 37.6 081 38 17.3	Fl R 5s	24.4	.....	White octagonal tower, orange rectangular daymark. 19.2	Privately maintained by the Municipality of Kincardine. Seasonal.  <b>Chart:2291</b>
785	Logie Rock light buoy VC2	N. of rock. 44 27 42.5 081 27 01.4	Fl R 4s	.....	.....	Red, marked "VC2".	(Winter spar.) Seasonal.  <b>Chart:2291</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE HURON</b>							
786	Port Elgin range	Near outer end of wharf. 44 26 39.8 081 24 12.7	F G .....	8.6	11	Cylindrical mast, white daymark, orange vertical stripe. 7.5	Seasonal.
787		109°11' 144.7m from front.	F G .....	15.9	11	Square skeleton tower, white daymark, orange vertical stripe. 12.4	Seasonal.  <b>Chart:2291</b>
787.5	Port Elgin North Breakwater	On end of N. breakwater. 44 26 43 081 24 20.5	Fl G 4s	8.3	.....	Cylindrical mast, red and white rectangular daymark. 6.0	Privately maintained. Seasonal.  <b>Chart:2291</b>
787.7	Port Elgin South Breakwater	On end of S. breakwater. 44 26 41.4 081 24 21.5	Fl R 4s	8.1	.....	Cylindrical mast, red and white rectangular daymark. 6.5	Privately maintained. Seasonal.  <b>Chart:2291</b>
788	Chantry Island	On E. side of island W. from Saugeen. 44 29 24 081 24 09	Fl W 4s	31.4	.....	White cylindrical tower. 26.2	Seasonal.  <b>Chart:2292</b>
790	Saugeen range	On cribwork block on breakwater, near outer end. 44 30 06 081 22 33	F G .....	10.4	.....	White tower, red rectangular daymark. 11.0	Visible in line of range. Seasonal.  <b>Horn - Blast 3 s; sil. 17 s.</b>
791		095°15' 722.7m from front.	F G .....	20.0	.....	White tower, red rectangular daymark. 10.2	Visible in line of range and over a small arc on each side of range. Seasonal.  <b>Chart:2292</b>
791.5	Saugeen River South Breakwater	On end of S. breakwater. 44 30 04.7 081 22 33.3	Fl R 4s	9.8	.....	Cylindrical mast, red and white rectangular daymark, red triangle in center. 6.4	Privately maintained. Seasonal.  <b>Chart:2292</b>
792	Saugeen River Turning light buoy VJ3	S. of Lambert Shoal. 44 30 12 081 23 27	Q G 1s	.....	.....	Green, marked "VJ3".	(Winter spar.) Seasonal.  <b>Chart:2292</b>
793	Southampton light buoy VJ2	Off NE. end of Chantry Shoal. 44 30 39 081 23 41	Fl R 4s	.....	.....	Red, marked "VJ2".	(Winter spar.) Seasonal.  <b>Chart:2292</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE HURON</b>							
794	Elephant range	On crib. 44 43 49.3 081 16 53.3	F R .....	4.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 4.8	Seasonal.
795		058°12' 221m from front.	F R .....	8.2	.....	Cylindrical tower, white daymark, orange vertical stripe. 7.6	Seasonal.  <b>Chart:2292</b>
796	Lyal Island	On W. side of island. 44 57 03 081 25 07	Fl W 4s	15.8	.....	Square skeleton tower, red and white rectangular daymark. 13.5	Seasonal.  <b>Chart:2292</b>
796.3	Stokes Bay Entrance light buoy VK2	44 56 50 081 27 36	Fl R 4s	.....	.....	Red, marked "VK2".	Seasonal.  <b>Chart:2292</b>
797	Stokes Bay range	On NW. extremity of most westerly Knife Island. 44 58 01.3 081 23 25.6	Fl R 4s	9.4	.....	White cylindrical tower, red upper and lower portions. 12.6	Seasonal.
798		068°55' 1,219.1m from front.	F R .....	19.0	.....	White square skeleton tower, red rectangular daymark. 22.6	Seasonal.  <b>Chart:2292</b>
798.5	Pine Tree Harbour range	45 04 18.4 081 29 54	Iso R 4s	6.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.1	Seasonal.
798.6		035°59' 85.4m from front.	F R .....	9.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 8.4	Seasonal.  <b>Chart:2292</b>
799	Cape Hurd	On outer point of cape. 45 13 15.8 081 43 44.5	Fl R 4s	8.9	.....	Cylindrical mast, red and white rectangular daymark. 7.7	Seasonal.  <b>Chart:2274</b>
800	Southwest Bank light buoy TA1	S. extremity of bank. 45 14 02.6 081 45 26.3	Fl G 4s	.....	.....	Green, marked "TA1".	Seasonal.  <b>Chart:2274</b>
802.5	West Sister Shoal light buoy J2	N. side of shoal. 45 22 05.8 081 47 51	Fl R 4s	.....	.....	Red, marked "J2".	(Winter spar.) Seasonal.  <b>Chart:2235</b>
804	Lucas Island	N. side of island. 45 23 36.1 081 45 58.6	Fl R 4s	13.4	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.4	Seasonal.  <b>Chart:2235</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE HURON</b>							
805	Cove Island	On Gig Point, Entrance to Georgian Bay. 45 19 37.1 081 44 07.4	Fl W 10s	31.4	11	White cylindrical tower. 28.4	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2235 Edn 04/21 (D21-010)</b>
806	South Baymouth light buoy JS2	SW. of Wallace Rock. 45 32 14 082 01 36.5	Fl R 4s	.....	.....	Red, marked "JS2".	Seasonal.  <b>Chart:2273</b>
806.5	Inkster Rock light buoy JS5	SE. of rock. 45 33 07.5 082 01 05.5	Fl G 4s	.....	.....	Green spar, marked "JS5".	Seasonal (in place year round).  <b>Chart:2273</b>
806.7	McGaw Point light buoy JS8	45 33 19.5 082 00 51	Q R 1s	.....	.....	Red spar, marked "JS8".	Seasonal (in place year round).  <b>Chart:2273</b>
807	South Baymouth range	On SE. end of small island. 45 33 28 082 00 48.2	F G .....	8.5	.....	White square structure, orange vertical stripe. 8.0	Visible in line of range. Seasonal. <b>Horn - Blast 2.5 s; sil. 27.5 s.</b>  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.
808		024°50' 238.6m from front.	F G .....	14.0	.....	White square structure, orange vertical stripe. 10.9	Seasonal.  <b>Chart:2273</b>
809	Providence Bay light buoy JH1	45 38 56 082 17 30	Fl G 4s	.....	.....	Green, marked "JH1".	Seasonal.  <b>Chart:2266</b>
810	Providence Bay	On extremity of Providence Point, Manitoulin Island. 45 39 05 082 16 32	F W .....	14.3	12	Skeleton tower, rectangular daymark, red and white horizontal stripes on 3 seaward faces.	Seasonal.  <b>Chart:2266</b>
811	Providence Bay Wharf	On outer end of wharf. 45 39 31.0 082 16 08.2	Fl R 4s	7.8	5	Mast, white cylindrical daymark with red top. 6.6	Seasonal (in place year round).  <b>Chart:2266 Edn 12/20 (D20-017)</b>
812	Great Duck Island	On SW. point of island. 45 38 33.3 082 57 45.4	Fl W 10s	32.9	.....	White octagonal tower, red upper portion. 25.9	Flash 1 s; eclipse 9 s. Seasonal. Emergency light. (in place year round).  <b>Chart:2266</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**LAKE HURON**

813	Mississagi Strait	On W. side of Manitoulin Island. 45 53 30 083 13 33	Iso W 4s	14.4	13	White square tower. 11.5	Seasonal.
-----	-------------------	--	----------	------	----	-----------------------------	-----------

Chart:2267