

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>									
814	North Point	On point, entrance to Tobermory. 45 15 45.7 081 39 55	Iso	G	4s	10.5	.....	Square skeleton tower, red and white rectangular day mark, green square in centre.  8.3	Seasonal.  <b>Chart:2274</b>
815	Lighthouse Point	On point. 45 15 27.5 081 40 21.9	F	R	.....	13.2	.....	White hexagonal tower. 12.5	Seasonal.  <b>Chart:2274</b>
816	Tobermory Ferry Terminal	45 15 30.1 081 39 52.5	F	W	.....	5.5	.....	White cylindrical mast. 1.5	Privately maintained. Seasonal.  <b>Chart:2274</b>
817	Otter Islands (Georgian Bay) range	On S. side of South Otter Island. 45 17 09.2 081 41 41.2	F	W	.....	10.6	14	Cylindrical mast, white trapezoidal day mark, orange vertical stripe. 6.7	Seasonal (in place year round).
818		040°26' 924m from front.	F	W	.....	15.5	14	Cylindrical mast, white trapezoidal day mark, orange vertical stripe. 6.2	Seasonal (in place year round).  <b>Chart:2274</b> <b>Edn 01/10 (D09-043)</b>
819	Flowerpot Island	NE. point of island. 45 18 25.7 081 36 51.5	FI	W	10s	27.7	8	Square tower, white rectangular day mark.	Flash 1 s; eclipse 9 s. Visible from 100° through N. to 285°. Seasonal (in place year round).  <b>Chart:2235</b> <b>Edn 01/10 (D09-044)</b>
822	Half moon Island	On SE. end of island. 45 26 12.1 081 27 50.4	FI	W	4s	13.1	.....	Cylindrical mast, red and white rectangular day mark. 6.1	Seasonal.  <b>Chart:2235</b>
823	Wingfield Basin range	On S. side of basin. 45 14 32.7 081 17 46.9	F	R	.....	7.0	.....	Cylindrical mast, white day mark, orange vertical stripe.	Seasonal.
824		167°32' 47.3m from front.	F	R	.....	9.3	.....	Cylindrical mast, white day mark, orange vertical stripe.  <b>Chart:2282</b>	Seasonal.
825	Lion's Head Harbour	On wharf. 44 59 25.9 081 14 53.6	Iso	W	4s	8.4	9	White tower with red corners and upper portion.	Seasonal (in place year round).  <b>Chart:2282</b> <b>Edn 09/21 (D21-013)</b>
826	Cabot Head	On cliff E. of Wingfield Basin. 45 14 42.8 081 17 31.1	FI	W	10s	25.0	10	Skeleton tower. 13.9	Flash 1 s; eclipse 9 s. Seasonal (in place year round).  <b>Chart:2282</b> <b>Edn 08/20 (D20-010)</b>
827	<i>Surprise Shoal light buoy T5</i>	<i>Off W. extremity of shoal. 45 03 31.1 081 01 44.5</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "T5".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2282</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
828	Cape Croker	On the point, SE. of Cape Croker. 44 57 21.3 080 57 38.1	Iso W 4s	18.7	13	White octagonal tower, red upper portion. 15.9	Seasonal.  <b>Chart:2282</b>
829	Colpoys Bay	On wharf. 44 46 47 081 07 22.2	F R .....	7.1	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.4	Maintained by the Corporation of the Town of South Bruce Peninsula. Seasonal.  <b>Chart:2282</b>
830	Wiar-ton	On end of rock pile breakwater. 44 45 00.2 081 08 07.9	FI R 5s	9.2	7	Cylindrical mast, red and white rectangular day mark, red triangle in center. 6.7	Flash 1 s; eclipse 4s. Seasonal.  <b>Chart:2283 Edn 12/10 (D10-011)</b>
831	North Keppel Wharf	At inner end of wharf. 44 47 37 080 56 51.5	Iso G 4s	8.3	.....	Cylindrical mast, red and white rectangular day mark.	Privately maintained by the Township of Georgian Bluffs. Seasonal.  <b>Chart:2282</b>
832	Griffith Island	NE. side of island. 44 51 02 080 53 28.9	FI W 4s	31.3	.....	White cylindrical tower. 19.5	Seasonal.  <b>Chart:2282</b>
832.5	South Georgian Bay ODAS light buoy 45143	44 56 42 080 37 36	F(5) Y 20s	.....	.....	Yellow, marked "45143".	Maintained by Environment Canada. Seasonal.  <b>Chart:2283</b>
834	Squaw Point Shoal light buoy T9	W. of shoal. 44 37 01.4 080 55 07.4	FI G 4s	.....	.....	Green spar, marked "T9".	(Winter spar.) Seasonal.  <b>Chart:2283</b>
834.6	Morrison Marina	On breakwater. 44 35 49.1 080 56 34.8	F W .....	4.6	.....	Cylindrical mast. 2.3	Privately maintained. Seasonal.  <b>Chart:2283</b>
835	Owen Sound Harbour light buoy T12	44 35 11.2 080 56 19.3	FI R 4s	.....	.....	Red spar, marked "T12".	Seasonal (in place year round).  <b>Chart:2283</b>
835.5	Owen Sound Marina	44 35 02.9 080 56 31.9	FI R 4s	11.2	.....	White cylindrical tower, red bands. 7.7	Privately maintained. Seasonal.  <b>Chart:2283</b>
836	Owen Sound range	E. side of Sydenham River mouth. 44 34 39.6 080 56 28	F G .....	15.0	.....	White and red skeleton tower, red rectangular day mark. 13.0	Visible in line of range. Seasonal.
837		195° 17' 316.9m from front.	F G .....	24.9	.....	Skeleton tower, white day mark, orange vertical stripe. 22.8	Visible in line of range. Seasonal.  <b>Chart:2283</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GEORGIAN BAY</b>								
838	Owen Sound Pier	Outer end of W. pier. 44 34 46 080 56 29.2	Oc R 15s	9.0	.....	Cylindrical mast, red and white rectangular day mark. 6.7	Flash 10 s; eclipse 5 s. Privately maintained by the City of Owen Sound. Seasonal.	
<b>Chart:2283</b>								
839	Vail Point Shoal light buoy T7	NW. of Vail Point. 44 44 47.5 080 47 20.1	Fl G 4s	.....	.....	Green, marked "T7".	Seasonal.	
<b>Chart:2283</b>								
839.1	Meaford Firing Range Cautionary light buoy TMA	44 44 39.9 080 46 21.6	Fl Y 4s	.....	.....	Yellow spar, marked "TMA".	Owned by the Department of National Defence. Seasonal (in place year round).	
<b>Chart:2283</b>								
839.11	Meaford Firing Range Cautionary light buoy TMC	44 44 39.9 080 41 49.6	Fl Y 4s	.....	.....	Yellow spar, marked "TMC".	Owned by the Department of National Defence. Seasonal (in place year round).	
<b>Chart:2283</b>								
839.12	Meaford Firing Range Cautionary light buoy TME	44 44 25.3 080 37 17.2	Fl Y 4s	.....	.....	Yellow spar, marked "TME".	Owned by the Department of National Defence. Seasonal (in place year round).	
<b>Chart:2283</b>								
839.13	Meaford Firing Range Cautionary light buoy TMG	44 41 11 080 35 34.8	Fl Y 4s	.....	.....	Yellow spar, marked "TMG".	Owned by the Department of National Defence. Seasonal (in place year round).	
<b>Chart:2283</b>								
840	Meaford Breakwater	On W. end of N. breakwater. 44 36 42.7 080 35 19.7	Fl G 4s	9.0	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 4.9	Seasonal.	
<b>Chart:2283</b>								
841	Meaford Harbour	At outer end of E. breakwall at entrance to eastern harbour. 44 36 39.5 080 35 02.1	Oc R 4s	12.7	10	Cylindrical tower, red upper portion. 9.2	Flash 3 s; eclipse 1 s. Seasonal.	
<b>Chart:2283</b>								
842	Thornbury Sector	44 34 00 080 27 02.2	Mo(D) R W G	10s	8.3	11	Cylindrical mast, white and red rectangular day mark. 5.1	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible over an arc of 076°; red f from 164° to 202°; white f from 202° to 206°; green f from 206° to 240°. Seasonal.
<b>Chart:2283</b>								
844	New Bank light buoy TN2	44 36 47.9 080 20 04	Fl R 4s	.....	.....	Red spar, marked "TN2".	Seasonal (in place year round).	
<b>Chart:2283</b>								
846	Lockerbie Rock light buoy TN11	NW. of rock. 44 32 14.6 080 13 48.6	Fl G 4s	.....	.....	Green spar, marked "TN11".	Seasonal (in place year round).	
<b>Chart:2283</b>								

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
849	Collingwood light buoy TN12	Outer approach to harbour. 44 31 11 080 13 35	Fl R 4s	.....	.....	Red spar, marked "TN12".	Seasonal (in place year round).  <b>Chart:2283</b>
852	Collingwood Harbour light buoy TN21	On E. side of channel. 44 30 50.4 080 13 31	Fl G 4s	.....	.....	Green spar, marked "TN21".	Seasonal (in place year round).  <b>Chart:2283</b>
853	Collingwood Sector	44 30 25.8 080 13 33.4	Mo(D) R W G	10s	13.2	11 Cylindrical tower, red and white rectangular day mark. 13.5	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible over an arc of 064°; red from 148° to 179°; white from 179° to 182°; green from 182° to 212°. Operates 24 h. Seasonal.  <b>Chart:2283</b> <b>Edn 04/20 (D20-009)</b>
857	Hope Island	On NE. point of island. 44 54 56.6 080 09 52.3	Fl W 10s	17.8	9	Square skeleton tower. 15.5	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2241</b> <b>Edn 09/14 (D13-001)</b>
857.5	Christian Island	On Lighthouse Point. 44 47 11.9 080 09 21.8	Fl W 4s	20.2	.....	White cylindrical tower. 17.5	Seasonal.  <b>Chart:2241</b>
858	Bennet Bank light buoy M3	Off SW. edge of bank. 44 52 24.5 080 01 26.9	Fl G 4s	.....	.....	Green spar, marked "M3".	Seasonal (in place year round).  <b>Chart:2241</b>
859	Giants Tomb	On S. extremity of island. 44 52 50 080 00 24.3	Fl W 4s	17.2	.....	Skeleton tower, white rectangular day mark. 14.6	Seasonal.  <b>Chart:2241</b>
860	Sawlog Point light buoy M6	N. of point. 44 52 26.7 079 57 04.8	Fl R 4s	.....	.....	Red spar, marked "M6".	Seasonal (in place year round).  <b>Chart:2241</b>
862	Pinery Point light buoy M12	E. of point. 44 50 22.7 079 53 38.3	Fl R 4s	.....	.....	Red spar, marked "M12".	Seasonal (in place year round).  <b>Chart:2241</b>
863	Candlemas Shoal light buoy M13	W. of shoal. 44 49 14.9 079 52 28.2	Fl G 4s	.....	.....	Green spar, marked "M13".	Seasonal (in place year round).  <b>Chart:2241</b>
864	Brébeuf Island	On N. end of island. 44 52 36 079 53 04.4	Iso W 4s	12.1	8	White tower, orange rectangular day mark. 10.9	Seasonal.  <b>Chart:2241</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>									
866	<b>Port McNicoll range</b>	E. of Elimere Point. 44 45 44.8 079 50 02.2	F	G	.....	21.8	17	Skeleton tower, white day mark with red v vertical stripe. 19.2	Operates 24 h. Seasonal (in place year round).
867		152°37' 785 m f from front.	F	G	.....	45.6	17	Square skeleton tower, white day mark with red v vertical stripe. 13.5	Operates 24 h. Seasonal (in place year round).
870	<i>Midland Bay Shoal light buoy M20</i>	SE. of shoal. 44 45 57 079 52 44	Fl	R	4s	.....	.....	Red spar, marked "M20".	Seasonal (in place year round).
<b>Chart:2241 Edn 07/20 (D18-015, D20-011)</b>									
<b>Chart:2221</b>									
<b>Penetang Harbour</b>									
873	Whisky Island	Penetang Harbour entrance. 44 48 57.2 079 55 18.2	Fl	W	4s	8.5	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre.	Seasonal.
<b>Chart:2218</b>									
874	Asylum Point	On outer end of pier. 44 48 34.2 079 55 57.8	Fl	G	4s	8.7	.....	Red and white horizontally striped cylindrical tower, green square day mark. 6.8	Seasonal.
<b>Chart:2218</b>									
875	<b>Penetang Harbour range</b>	On S. shore of South Basin. 44 46 01.5 079 56 35.5	F	R	.....	6.1	.....	Cylindrical mast, white day mark, orange v vertical stripe.	Visible in line of range. Seasonal.
876		186° 117.6 m f from front.	F	R	.....	8.3	16	Cylindrical mast, white day mark with orange v vertical stripe. 6.0	Operates 24 h. Visible in line of range. Seasonal (in place year round).
<b>Chart:2218 Edn 04/21 (D21-007)</b>									
878	Sucker Creek Point	SE. of point. 44 48 29.2 079 52 29.7	Mo(D)	R	10s	8.7	.....	Cylindrical mast, red and white rectangular day mark. 6.5	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Seasonal.
<b>Chart:2202</b>									
883	<i>Flat Point light buoy MM4</i>	Off point. 44 46 31.5 079 48 06.2	Fl	R	4s	.....	.....	Red spar, marked "MM4".	Seasonal (in place year round).
<b>Chart:2241</b>									
884	<i>Victoria Harbour light buoy MV1</i>	Entrance to Hog Bay. 44 45 10.5 079 47 12	Fl	G	4s	.....	.....	Green spar, marked "MV1".	Seasonal (in place year round).
<b>Chart:2223</b>									
885	<i>Sturgeon Point light buoy MC4</i>	E. of point. 44 46 18 079 45 18	Fl	R	4s	.....	.....	Red spar, marked "MC4".	Seasonal (in place year round).
<b>Chart:2202</b>									
886	Turning Rock, Waubashene	S. of Canary Island. 44 46 20.4 079 44 23.7	Fl	W	4s	10.4	5	Skeleton tower, red and white rectangular day mark. 9.3	Seasonal (in place year round).
<b>Chart:2029 Edn 08/20 (D20-012)</b>									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
887	Mary Rocks	On the most eastern rock. 44 46 12.5 079 43 23.0	FI W 4s	6.9	5	Cylindrical mast, red and white rectangular day mark, green square in centre. 6.4	Seasonal (in place year round).  Chart:2241 Edn 08/20 (D20-013)
<b>Waubashene</b>							
890	Waubashene range	On flat, N. of channel opposite village of Waubashene. 44 45 43.5 079 42 24	F R .....	4.1	.....	Cylindrical mast, white day mark, orange vertical stripe. 3.0	Seasonal.
891		092° 117.3m from front.	F R .....	8.2	.....	Cylindrical mast, white day mark, orange vertical stripe. 7.0	Seasonal.  Chart:2202
892	Waubashene Inner range	On pier on rock island. 44 45 37 079 42 20.3	F G .....	3.9	.....	Cylindrical mast, white day mark, orange vertical stripe. 2.8	Seasonal.
893		111°30' 443.5m from front.	F G .....	9.1	.....	Cylindrical mast, white day mark, orange vertical stripe. 7.7	Seasonal.  Chart:2202
894	Turning Rock (Honey Harbour)	On shoal, SE. of Robert Island. 44 50 55.5 079 49 32.9	FI W 4s	5.9	.....	Skeleton tower, white slatwork day mark.	Seasonal.  Chart:2202
895	Roberts Island light buoy MK	S. of island. 44 50 23 079 50 51	Mo(A) W 6s	.....	.....	Red and white vertically striped spar, marked "MK".	Seasonal (in place year round).  Chart:2202
895.5	Tonch Point light buoy MN5	S. of point. 44 51 43 079 50 57	FI G 4s	.....	.....	Green spar, marked "MN5".	Seasonal (in place year round).  Chart:2202
896	Ardilaun Island	On E. end of island. 44 54 07.7 079 51 07.4	FI W 4s	7.7	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 5.2	Seasonal.  Chart:2202
897	Minnicognashene Island range	On S. side of island. 44 53 50.2 079 54 02.4	F R .....	11.4	16	Cylindrical mast, white day mark with red vertical stripe. 6.1	Operates 24 h. Seasonal.
898		004°03' 92.3 m from front.	F R .....	20.7	16	Cylindrical mast, white day mark with red vertical stripe. 6.1	Operates 24 h. Seasonal.  Chart:2241 Edn 04/21 (D21-005, 006)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
899	Kindersley Island	E. point of island. 44 54 55.9 079 54 25.1	Fl W 4s	7.9	6	Cylindrical mast, red and white rectangular day mark with green square in centre. 6.0	Seasonal.  <b>Chart:2202 Edn 04/21 (D21-008)</b>
900	Newton Islands	On the E. island. 44 56 27.4 079 56 18.7	Iso G 4s	9.1	6	Cylindrical mast, red and white rectangular day mark with green square in centre. 6.0	Seasonal.  <b>Chart:2202 Edn 04/21 (D21-009)</b>
901	Red Rock (Go Home Bay)	On summit of rock, entrance to Go Home Bay. 44 58 12.9 079 57 39.4	Fl W 4s	9.2	.....	Red and white cylindrical tower. 5.5	Seasonal.  <b>Chart:2202</b>
902	Western Islands	On Double Top Island. 45 02 11.9 080 21 14.3	Fl W 10s	22.6	.....	White octagonal tower. 15.2	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2242</b>
902.4	Spain Rock West Cardinal light buoy MC	44 59 38.7 080 05 02.3	Q(9) W 15s	.....	.....	Yellow, black and yellow spar, marked "MC".	Seasonal (in place year round).  <b>Chart:2241</b>
902.5	O'Donnell Point	45 05 00 080 06 00	Fl W 5s	14.7	.....	Red and white cylindrical tower, red triangular day mark. 12.2	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:2202</b>
903	Barrel Point	On point, E. side of Fryingpan Island. 45 10 12.1 080 07 57.5	Fl W 4s	6.2	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 3.0	Seasonal.  <b>Chart:2202</b>
904	Seguin Bank light buoy P1	S. end of bank. 45 18 41.8 080 31 28.8	Fl G 4s	.....	.....	Green, marked "P1".	(Winter spar.) Seasonal.  <b>Chart:2242</b>
905	Parry Sound Approach light buoy P2	SW. of Red Rock. 45 20 44 080 25 11	Fl R 4s	.....	.....	Red, marked "P2".	(Winter spar.) Seasonal.  <b>Chart:2225</b>
906	Red Rock	At entrance to main channel leading to Parry Sound. 45 21 36 080 24 29	Fl W 10s	19	11	White cylindrical tower with red bands. 18.3	Flash 1s; eclipse 9 s. Visible 360°. Seasonal.  <b>Chart:2225 Edn 07/16 (D16-003)</b>
907	Farr Rock light buoy P7	SW. of rock. 45 21 25 080 22 46	Fl G 4s	.....	.....	Green, marked "P7".	Seasonal.  <b>Chart:2225</b>

**Parry Sound**

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
908	Three Star Shoal light buoy P10	Off NE. end of shoal. 45 21 34 080 21 53	Q R	1s	.....	Red, marked "P10".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
909	Snug Harbour range	On the westernmost Walton Island. 45 22 15 080 19 19.5	F G	.....	11.8	Skeleton tower, red day mark, black v vertical stripe. 7.0	Seasonal.
910		070°40' 902.9m f from front.	F G	.....	17.5	White square tower, red upper portion, black vertical stripe. 14.7	Seasonal.
							<b>Chart:2225</b>
911	Ariel Rock light buoy P12	NE. side of shoal. 45 21 17 080 20 45	Fl R	4s	.....	Red, marked "P12".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
912	Arthur Orr Rock light buoy P13	Off S. side of rock. 45 21 06 080 20 20	Fl G	4s	.....	Green, marked "P13".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
913	Hall Rock Shoal light buoy P16	Off E. side of shoal, E. of Hall Rock. 45 20 28 080 19 33.5	Fl R	4s	.....	Red, marked "P16".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
914	Middle Ground light buoy P19	Middle ground between Hall Reef and Twin Rock. 45 20 26 080 19 29	Fl G	4s	.....	Green, marked "P19".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
915	Telegram Rock light buoy P22	NE. side of rock. 45 20 06 080 18 53	Fl R	4s	.....	Red, marked "P22".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
916	Hooper Island Shoal light buoy P24	NE. of island. 45 19 47 080 18 18	Fl R	4s	.....	Red, marked "P24".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
917	Jones Island range	On summit of northernmost Gordon Rocks. 45 18 55.5 080 16 57	F W	.....	12.4	Red and white tower. 11.1	Visible in line of range only. Seasonal.
918		131°47' 2683.3m f from front.	F W	.....	18.7	Red and white square tower. 15.5	Visible in line of range only. Seasonal.
							<b>Chart:2225</b>
919	Borer Bank light buoy P26	N. end of bank. 45 19 40 080 16 55	Fl R	4s	.....	Red, marked "P26".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>
920	Spruce Island Shoal light buoy P27	S. of shoal. 45 19 49.5 080 15 30	Fl G	4s	.....	Green, marked "P27".	(Winter spar.) Seasonal.
							<b>Chart:2225</b>



INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GEORGIAN BAY</b>								
920.2	McClelland Rock light buoy P28	NE. of rock. 45 19 46.8 080 15 28.2	Fl R 4s	.....	.....	Red, marked "P28".	(Winter spar.) Seasonal.  Chart:2225	
921	Carling Rock light buoy P30	Off N. edge of shoal. 45 20 05.6 080 14 10.2	Fl R 4s	.....	.....	Red, marked "P30".	(Winter spar.) Seasonal.  Chart:2224	
922	Sister Island	N. side of island. 45 20 01.1 080 11 52.4	Fl R 4s	12.1	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 9.4	Seasonal.  Chart:2242	
923	Killbear Point	On SW. extremity of point. 45 19 57.9 080 10 11.9	Fl W 4s	14.4	.....	Red and white cylindrical tower. 10.2	Seasonal.  Chart:2224	
925	Alves Point	On SE. extremity of point. 45 23 25.4 080 09 39.5	Fl W 4s	11.4	.....	Cylindrical mast, red and white rectangular day mark.	Seasonal.  Chart:2224	
926	Three Mile Point	On the point. 45 20 46.3 080 05 20.7	Fl W 4s	12.9	5	White cylindrical tower red horizontal bands. 10.7	Seasonal (in place year round).  Chart:2224 Edn 07/13 (D13-010)	
926.7	Busty Shoal light buoy P35	NE. of Two Mile Point. 45 20 49.2 080 03 43.9	Fl G 4s	.....	.....	Green spar, marked "P35".	Seasonal (in place year round).  Chart:2224	
927	McKerrel Rock light buoy P37	Off SW. side of rock. 45 20 35.9 080 03 10	Fl G 4s	.....	.....	Green spar, marked "P37".	Seasonal (in place year round).  Chart:2224	
928	Salt Point	On point at entrance to inner harbour. 45 20 20.5 080 02 41.0	Fl R 4s	10.4	5	Cylindrical mast, red and white rectangular day mark with red triangle in the centre. 6.1	Seasonal (in place year round).  Chart:2224 Edn 04/21 (D21-011)	
929	Parry Sound Harbour control light buoy	On N. side of shoal. 45 20 05.8 080 02 06	Fl Y 4s	.....	.....	White and orange spar, marked "Priv".	Seasonal.  Chart:2224	
930	Parry Sound range	On SE. shore of harbour. 45 19 45.3 080 02 10.1	F G	.....	9.7	.....	Cylindrical mast, white day mark, orange vertical stripe. 7.5	Seasonal.
931		150°16' 111.6m from front.	F G	.....	20.0	.....	Cylindrical mast, white day mark, orange vertical stripe. 6.8	Seasonal.  Chart:2224

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
932	Jenkins Point	On W. extremity of point. 45 19 19.3 080 02 30.2	FI R 4s	10.1	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 8.6	Seasonal.  <b>Chart:2224</b>
933	Rose Point Swing Bridge	From westernmost extremity of Rose Point to Parry Island. 45 18 56 080 02 38	F G-R	.....	.....	.....	Green lights – bridge open. Red lights – bridge closed. Privately maintained. Seasonal.  <b>Chart:2224</b>
934	<i>Lone Rock West Cardinal light buoy MCS</i>	<i>Near Lone Rock.</i> 45 09 15.4 080 13 45	Q(9) W 15s	.....	.....	<i>Yellow, black and yellow spar, marked "MCS".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2242</b>
935	Turning Island (South Channel)	On S. point of island. 45 12 42 080 09 57.3	FI W 4s	9.3	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2202</b>
936	Beauty Island	On NW. point of island. 45 13 39.5 080 09 39.5	FI R 4s	10.2	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2202</b>
936.5	Seven Mile Narrows	W. side of cut. 45 15 37.2 080 06 44.4	FI G 4s	10.1	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 6.1	Seasonal.  <b>Chart:2202</b>
937	Five Mile Narrows	W. side of Milton Island. 45 16 13.5 080 05 54	FI R 4s	6.4	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2202</b>
938	McLaren Island East	E. end of island. 45 16 32.5 080 05 11	FI G 4s	7.3	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 6.1	Seasonal.  <b>Chart:2202</b>
939	Three Mile Gap	On small island at entrance to gap. 45 17 40 080 03 30	FI R 4s	10.4	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2202</b>
940	Galna Point	E. of point. 45 25 17.4 080 19 51	FI W 4s	5.1	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 3.0	Seasonal.  <b>Chart:2203</b>
941	<i>Tizard Rock light buoy AA2</i>	<i>W. of rock.</i> 45 34 05.2 080 33 17.5	FI R 4s	.....	.....	<i>Red spar, marked "AA2".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2203</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
942	Pointe au Baril range	On S. extremity of point, close to water.	F R	.....	13.1	.....	White square tower. Visible in line of range. Seasonal.
		45 33 32.8 080 30 12.8	F R	.....	.....	.....	
943		On Macklin Island, 104°30' 1446.6m from front.	F R	.....	26.7	.....	White skeleton tower, red stripe day mark. 28.6 Visible in line or range. Seasonal.
							<b>Chart:2203</b>
945	Brignall Narrows	S. side of narrows. 45 34 39.9 080 25 27.1	FI R	4s	9.0	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.7 Seasonal.
							<b>Chart:2203</b>
946	Castor Island	On rock N. of island. 45 33 44.7 080 28 57.8	FI R	4s	7.3	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 4.9 Seasonal.
							<b>Chart:2203</b>
947	Opechee Island	On S. point of island. 45 35 31.4 080 24 05.7	FI G	4s	9.5	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 7.1 Seasonal.
							<b>Chart:2203</b>
948	Jergens Island	SE. point of island. 45 32 53 080 25 57.8	FI W	4s	8.9	.....	Cylindrical mast, red and white rectangular day mark, green square in centre. 6.8 Seasonal.
							<b>Chart:2203</b>
949	Rogers Island	On shoal off island. 45 33 40.3 080 25 15	FI R	4s	7.4	.....	Cylindrical mast, red and white rectangular day mark. Privately maintained. Seasonal.
							<b>Chart:2203</b>
950	Pavis Island	On rock NW. of island. 45 33 47.5 080 28 17	FI W	4s	6.7	.....	Cylindrical mast, red and white rectangular day mark. Privately maintained. Seasonal.
							<b>Chart:2203</b>
951.1	<i>Puswawa Island light buoy AE4/2</i>	<i>Pointe au Baril Channel. 45 34 05.5 080 28 06.8</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "AE4/2."</i> Seasonal (in place year round).
							<b>Chart:2203 Edn 01/10 (D09-042)</b>
951.5	Turning Island (Shawanaga Island)	SW. point of island. 45 31 45.5 080 24 19.9	FI R	4s	11.0	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.8 Seasonal.
							<b>Chart:2203</b>
952	Poplar Island	On N. side of island. 45 34 21.5 080 27 00.5	FI R	4s	8.7	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.8 Seasonal.
							<b>Chart:2203</b>
952.5	<i>Georgian Bay ODAS light buoy 45137</i>	<i>45 32 42 081 00 54</i>	<i>F(5) Y</i>	<i>20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "45137".</i> Maintained by Environment Canada. Seasonal.
							<b>Chart:2201</b>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GEORGIAN BAY</b>								
953	Byng Inlet light buoy HH2	Westward of Magnetawan Ledges. 45 43 57.8 080 44 39.8	Fl R 4s	.....	.....	Red spar, marked "HH2".	Seasonal (in place year round).	
<b>Chart:2293</b>								
954	Gereaux Island  Racon - - . (G) X & S Bands	On S. side of entrance to Byng Inlet. 45 44 40 080 39 32.7	Oc W 10s	15.9	.....	White square tower. 15.1	Flash 7s; eclipse 3 s. Seasonal.	
<b>Chart:2293</b>								
955	Burton Bank light buoy H13	45 44 39.1 080 40 43.7	Q G 1s	.....	.....	Green spar, marked "H13".	Seasonal (in place year round).	
<b>Chart:2293</b>								
955.2	Burton Bank South light buoy H12	Off Magnetawan Ledges. 45 44 34.1 080 40 52.3	Fl R 4s	.....	.....	Red spar, marked "H12".	Seasonal (in place year round).	
<b>Chart:2293</b>								
956	Britt Turning light buoy H19	45 45 00.1 080 39 27.1	Q G 1s	.....	.....	Green spar, marked "H19".	Seasonal (in place year round).	
<b>Chart:2293</b>								
957	Byng Inlet range	Close to S. side of channel. 45 45 07.4 080 38 40.8	F R	.....	11.6	.....	White tower, orange vertical stripe. 10.1	Visible in and over a small arc on each side of range. Seasonal.
958		074°24' 461m from front.	F R	.....	17.4	.....	White skeleton tower, orange rectangular day mark. 14.4	Seasonal.
<b>Chart:2293</b>								
958.4	Keystone Rock light buoy H21	Off rock. 45 45 14.3 080 38 59.5	Fl G 4s	.....	.....	Green spar, marked "H21".	Seasonal (in place year round).	
<b>Chart:2293</b>								
959	Clark Islands range	S. side of E. island of Clark Islands. 45 45 51.8 080 37 50.7	F G	.....	10.7	.....	Cylindrical mast, white day mark, orange vertical stripe. 6.1	Seasonal.
960		051° 187.4m from front.	F G	.....	16.5	.....	Skeleton tower, white day mark, orange vertical stripe. 6.1	Seasonal.
<b>Chart:2293</b>								
961	Pinetree Point range	On the point. 45 46 03.3 080 36 58.6	F R	.....	8.1	11	Cylindrical mast, white day mark, orange vertical stripe. 5.4	Seasonal (in place year round).
962		076° 121.9m from front.	F R	.....	12.9	15	Cylindrical mast, white day mark, orange vertical stripe. 5.4	Seasonal (in place year round).
<b>Chart:2293 Edn 08/09 Edn 09/14 (D13-002)</b>								

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
963	Rabbit Island West End	45 46 03.1 080 34 30.7	Fl W 4s	6.1	5	Cylindrical mast, red and white rectangular day mark. 5.0	Seasonal.  Chart:2293 Edn 09/19 (D17-005)
964	Rabbit Island East End	45 46 05.7 080 34 17.5	Fl G 4s	7.0	5	Cylindrical mast, red and white rectangular day mark. 5.0	Seasonal.  Chart:2293 Edn 09/19 (D17-004)
965	Grondine Rock	45 54 15.1 081 08 40.1	Fl W 7.5s	14.3	.....	Red and white cylindrical tower. 10.6	Flash 0.8 s; eclipse 6.7 s. Seasonal.  Chart:2204
<b>French River</b>							
966	Bustard Rocks	45 53 27.1 080 57 07.6	Fl W 10s	14.6	.....	White tower. 11.9	Seasonal.  Chart:2204
968	French River Inner	On Lefroy Island, W. side of river entrance. 45 56 20.1 080 54 15.6	Fl W 4s	6.7	.....	Cylindrical mast, white day mark, orange vertical stripe. 3.7	Seasonal.  Chart:2204
970	Wall Island	E. side of island. 45 33 36.9 081 41 06.2	Fl W 4s	12.5	.....	Cylindrical mast, red and white rectangular day mark. 6.1	Visible from 192° through W. and N. to 020°. Seasonal.  Chart:2235
971	Lonely Island	On summit of N. bluff. 45 34 24.3 081 28 05.6	Fl W 10s	59.4	.....	White octagonal tower. 13.9	Flash 0.5 s; eclipse 9.5 s. Seasonal.  Chart:2235
972	Lonely Island, West	On W. side of island. 45 33 39.8 081 29 08.7	Fl G 4s	8.8	.....	Cylindrical mast, red and white rectangular day mark. 6.1	Seasonal.  Chart:2235
972.5	Gull Island	On small rock. 45 51 20.6 081 16 19.3	Fl W 4s	13.1	.....	Red and white cylindrical tower. 7.9	Seasonal.  Chart:2245
972.8	Scarecrow Island light buoy DE2	45 53 48.2 081 23 02.3	Fl R 4s	.....	.....	Red spar, marked "DE2".	Seasonal (in place year round).  Chart:2245
973	Flat Rock	W. entrance to Collins Inlet. 45 59 00.2 081 25 34.2	Fl W 4s	10.8	.....	Red and white cylindrical tower. 7.5	Seasonal.  Chart:2204

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
974	Killarney East	On Red Rock Point, E. entrance to Killarney . 45 58 05.4 081 29 19.9	Iso W 4s	17.1	.....	White square tower, red upper portion. 9.1	Seasonal.  <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 150°.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2204</b>
975	Jackman Rock light buoy E1	N. of rock. 45 57 58.6 081 29 35	Fl G 4s	.....	.....	Green spar, marked "E1".	Seasonal (in place year round).  <b>Chart:2205</b>
976	Killarney West Entrance	On small island, W. of Le Haye Point. 45 58 19.8 081 31 18.8	Fl W 4s	8.7	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2204</b>
978	Killarney Northwest	On Partridge Island. 45 59 01.3 081 31 55.6	Fl W 4s	12.3	4	White square tower, red upper portion. 8.9	Seasonal (in place year round).  <b>Chart:2205</b> <b>Edn 01/10 (D09-45)</b>
979	Ann Long Bank light buoy E11	N. of bank. 45 58 28.1 081 32 29.8	Fl G 4s	.....	.....	Green spar, marked "E11".	Seasonal (in place year round).  <b>Chart:2205</b>
979.5	Sandy Cove Ledge	45 57 03.2 081 32 08.3	Fl R 4s	9.9	.....	Cylindrical mast, red and white rectangular day mark. 7.9	Seasonal.  <b>Chart:2205</b>
980.2	Cash Flow Rock	45 58 02.7 081 33 55.7	Fl R 4s	5.7	.....	Cylindrical mast, red and white rectangular day mark, red triangle in centre.	Seasonal.  <b>Chart:2205</b>
981	Killarney Quarries Entrance range	On foreshore E. of quarry dock. 45 58 19.4 081 35 07	Fl W .....	12.0	.....	Cylindrical mast, white day mark, red vertical stripe. 6.6	Seasonal.
982		295°15' 76.2m from front.	Fl W .....	27.4	.....	Cylindrical mast, white day mark, red vertical stripe. 6.7	Visible in line of range. Seasonal.  <b>Chart:2205</b>