

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
FORTUNE BAY								
100 H0348	Green Island Light Station and Fog Signal	Point Crewe. 46 52 47.0 056 05 08.5	Iso W 10s	45.4	15	Square skeleton tower, red and white rectangular daymark. 6.7	Year round. Operates 24 h. Fog Horn Blast 4 s; sil. 56 s.	
101 H0290	Brunette Island Light	N. of Fortune. 47 15 26.7 055 51 58.7	FI W 4s	124.0	7	Square skeleton tower, red and white square daymark. 4.7	Year round.	
102 H0325	Fortune Head Light Station and Fog Signal	47 04 28.0 055 51 34.0	FI W 5s	23.8	15	White tower with red top. 9.9	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Fog Horn Blast 3 s; sil. 27 s.	
103	<i>Fortune Harbour light buoy VF1</i>	47 04 41.3 055 49 30.2	FI G 4s	<i>Green, spar, marked "VF1".</i>	<i>Year round.</i>	
103.3 H0323.2	Fortune Harbour Wharf Light	47 04 18.4 055 49 49.9	FI R 4s	3.5	2	Mast. 2.1	Year round.	
103.4 H0323.3	Fortune Harbour Fisherman's Wharf Light	47 04 22.7 055 49 50.4	FI G 4s	3.5	2	Mast. 2.1	Year round.	
103.5	Fortune Gut Western Breakwater Light	47 04 35.2 055 49 42.5	FI R 4s	4.8	4	Skeleton tower. 3.5	Year round.	
105 H0324	Fortune Wharf Light	47 04 32.8 055 49 41.7	FI G 4s	4.0	4	Mast. 3.4	Year round.	
105.1	<i>Fortune Harbour Inner light buoy VF4</i>	47 04 22.0 055 49 52.0	FI R 4s	<i>Red, spar, marked "VF4".</i>	<i>Year round.</i>	
105.2	<i>Fortune Harbour Inner light buoy VF2</i>	47 04 25.0 055 49 52.0	FI R 4s	<i>Red, spar, marked "VF2".</i>	<i>Year round.</i>	
105.3 H0324.1	Fortune Harbour Floating Dock Wharf Light	47 04 20.4 055 49 52.7	FI R 4s	3.2	2	Mast. 2.6	Year round.	
106 H0322	Grand Bank Wharf Light	47 06 04.7 055 44 57.8	Q G 1s	8.2	5	White octagonal tower with red upper portion. 7.1	Year round.	
106.5 H0322.4	Grand Bank Sector Light	Grand Bank Harbour. 47 06 04.7 055 45 02.8	F R W G	9.1	12	Square skeleton tower.	Year round. Operates 24 h. R 069°30'-072°35'; AI RW 072°35'-074°16'; W 074°16'-074°44'; AI GW 074°44' -076°25'; G 076°25'-079°30'.
107 H0321	Grand Bank West Pier Light	47 06 06.8 055 44 58.7	Q R 1s	5.7	4	Mast. 4.9	Year round.	
108 H0320	Grand Bank Breakwater Light	47 06 09.2 055 44 53.2	FI R 4s	5.6	4	Mast. 3.2	Year round.	
111.09	<i>Grand Bank light buoy VA1</i>	47 06 11.9 055 44 13.4	FI G 4s	<i>Green, spar, marked "VA1".</i>	<i>Year round.</i>	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FORTUNE BAY							
111.095	Curb Rocks West Cardinal light buoy VC	Garnish. 47 12 49.8 055 28 06.0	Q(9) W 15s	Yellow-black-yellow, pillar, marked "VC".	Year round.
111.1	Whales Rock light buoy VFC1	Garnish. 47 13 36.0 055 25 06.0	Fl G 4s	Green, pillar, marked "VFC1".	Year round.
111.2	Raggey Rock light buoy VFC2	Garnish. 47 13 39.7 055 24 03.4	Fl R 4s	Red, pillar, marked "VFC2".	Year round.
111.7	Enragee light and bell buoy VFC6	47 23 24.0 055 18 17.4	Fl R 4s	Red, pillar, marked "VFC6".	Year round. Audible signal: Bell
111.8	Garnish Sunker North Cardinal light buoy VFC	47 14 58.2 055 24 02.0	Q W 1s	Black-yellow, pillar, marked "VFC".	Year round.
111.9	Garnish Fairway light and bell buoy VFD	47 15 14.5 055 22 20.2	Mo(A) W 6s	Red-white, pillar, marked "VFD".	Year round. Audible signal: Bell
111.94	Garnish Outer light buoy VFG1	47 14 13.0 055 21 28.0	Fl G 4s	Green, pillar, marked "VFG1".	Year round.
112 H0318	Garnish Light	47 14 11.3 055 21 29.8	Q R 1s	8.5	6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round.
112.1 H0318.2	Garnish Inner Breakwater Light	47 14 10.7 055 21 28.3	Fl G 4s	3.5	4	Mast. 2.2	Year round.
112.5	Fox Cove West Cardinal light buoy VF	Garnish. 47 18 22.2 055 18 55.2	Q(9) W 15s	Yellow-black-yellow, pillar, marked "VF".	Year round.
113 H0314	Ragged Point Light	Bay L'Argent. 47 33 28.0 054 52 34.0	Fl W 5s	62.2	9	Rectangular skeleton tower, red and white rectangular daymark. 3.8	Year round. Flash 1 s; eclipse 4 s.
113.06	English Harbour East Wharf Light	On the public wharf. 47 37 56.3 054 53 07.9	Fl G 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
113.07	Western Head light buoy VJK1	47 37 38.0 054 52 55.4	Fl G 4s	Green, spar, marked "VJK1".	Seasonal (in place year round). Operates 24 h.
113.08	Mille Harbour Entrance light buoy VM2	47 35 06.4 054 53 07.6	Fl R 4s	Red, spar, marked "VM2".	Year round.
113.09	Harbour Mille light buoy VM4	47 34 53.5 054 53 06.0	Fl R 4s	Red, pillar, marked "VM4".	Year round.
113.2 H0313.5	Bay L'Argent Wharf Light	47 32 51.0 054 52 52.0	Fl R 4s	3.1	4	Mast. 2.6	Year round.
113.3 H0313	St. Bernard's Breakwater Light	47 31 42.7 054 57 03.7	Fl R 5s	4.3	2	Mast. 2.4	Year round. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
FORTUNE BAY								
113.4	St. Bernard's light buoy VS1	47 31 47.8 054 57 09.2	Fl G 4s	Green, spar, marked "VS1".	Year round.	
113.6	Jacques Fontaine Rock light buoy VJF1	47 31 48.0 054 55 30.0	Fl G 4s	Green, pillar, marked "VJF1".	Year round.	
114.9	Long Point Rock South Cardinal light buoy VL	47 34 37.0 055 09 29.0	VQ(6) + LFI	W 10s	Yellow-black, pillar, marked "VL".	Year round.
115.8	Rencontre East Harbour South Cardinal light buoy VRE	47 38 08.1 055 12 46.0	VQ(6) + LFI	W 10s	Yellow-black, spar, marked "VRE".	Year round.
115.9 H0309.5	Rencontre East Wharf Light	Middle of outer wharf edge. 47 38 09.4 055 12 42.1	Fl Y 4s	7	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.	
116 H0310	Rencontre East Light	47 37 22.0 055 11 59.0	Fl W 4s	17.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Year round.	
116.3 H0309	Pool's Cove Wharf Light	47 40 49.6 055 25 46.2	Fl R 4s	3.4	Mast. 2.6	Year round.	
116.4	Hare Rock light buoy VD5	South West Arm. 47 35 47.8 055 25 00.0	Fl G 4s	Green, spar, marked "VD5".	Year round.	
116.41	English Harbour West light buoy VE1	47 27 29.0 055 29 41.7	Fl G 4s	Green, pillar, marked "VE1".	Year round.	
116.5	Ducie Rock light and bell buoy VD1	South West Arm. 47 35 58.3 055 22 48.1	Fl G 4s	Green, pillar, marked "VD1".	Year round. Audible signal: Bell	
116.6	Belle Bay Shoal North Cardinal light buoy VB	47 35 52.7 055 19 41.9	Q W 1s	Black-yellow, pillar, marked "VB".	Year round.	
116.9 H0306	Belleoram Wharf Light	47 31 34.8 055 24 33.6	Fl G 4s	2.1	2	Mast.	Year round. Operates 24 h.	
117 H0308	Belleoram Light	47 31 40.0 055 24 31.5	Fl W 3s	10.5	5	Red and white cylindrical tower. 6.9	Year round. Flash 0.5 s; eclipse 2.5 s.	
118 H0304	St. Jacques Island Light Station and Fog Signal	47 28 26.0 055 24 23.0	Fl W 6s	39.9	16	White cylindrical tower. 10.1	Year round. Flash 1 s; eclipse 5 s. Fog Horn Blast 3 s; sil. 27 s.	
118.1	St. Jacques Harbour Wharf Light	47 29 16.5 055 25 15.4	Fl Y 5s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.	
119 H0302	English Harbour West Light	47 27 18.0 055 29 33.0	Fl R 4s	13.7	5	Square mast, red and white square daymark. 4.3	Year round.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

FORTUNE BAY

119.5 H0301	Boxey Breakwater Light	47 27 05.2 055 33 28.2	Fl G 5s	3.5	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
120 H0300	Boxey Point Light	47 24 13.8 055 35 02.5	Fl W 5s	16.8	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
120.1	Boxey Rock light and whistle buoy VB9	47 23 42.3 055 35 20.8	Fl G 4s	Green, pillar, marked "VB9".	Year round. Audible signal: Whistle