

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
SOUTHWEST COAST								
121 H0298	Coomb's Cove Light	47 27 22.5 055 37 52.4	FI G 4s	10.0	5	Square skeleton tower, green and white rectangular daymark. 4.3	Year round.	
122 H0296	Wreck Cove Wharf Light	47 29 51.0 055 36 28.0	FI R 4s	4.4	4	Mast. 2.6	Year round.	
122.5	Inner Shoal light buoy VW3	Wreck Cove. 47 29 59.9 055 36 43.1	FI G 4s	Green, spar, marked "VW3".	Year round.	
122.6	Bufford Cove South Cardinal light buoy VW	Great Bay de l'Eau. 47 31 01.4 055 35 42.6	Q(6) + W LFI	15s	Yellow-black, pillar, marked "VW".	Year round.
123	Shag Rock Sunker light and bell buoy VS2	Comb's Cove. 47 26 57.5 055 40 02.5	FI R 4s	Red, pillar, marked "VS2".	Year round. Audible signal: Bell	
124 H0294	Rocky Point Light (Harbour Breton)	47 28 46.3 055 47 34.4	FI W 4s	16.2	9	Red and white cylindrical tower. 7.6	Year round.	
125	Harbour Rock light buoy VB1	Harbour Breton. 47 29 02.9 055 47 56.0	FI G 4s	Green, pillar, marked "VB1".	Year round.	
126	Southwest Arm light buoy VB3	Harbour Breton. 47 28 53.5 055 48 18.7	FI G 4s	Green, pillar, marked "VB3".	Year round.	
126.1 H0295	Harbour Breton Wharf Light	Harbour Breton. 47 28 44.6 055 48 38.8	FI R 4s	2	Mast. 2.6	Year round.	
127.4 H0288.2	Hermitage Wharf Light	47 33 37.3 055 55 40.0	FI R 4s	4.3	4	Mast.	Year round. Flash 1 s; eclipse 3 s.	
127.5	Hermitage light buoy VH3	47 33 27.5 055 55 28.3	FI G 4s	Green, spar, marked "VH3".	Year round.	
127.51	Hermitage West Breakwater Light	47 33 26.9 055 55 29.9	FI R 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.	
127.52	Hermitage East Breakwater Light	47 33 27.0 055 55 28.6	FI G 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.	
127.7 H0288.4	Little Fox Island Light	Hermitage. 47 34 49.4 055 55 26.3	FI R 4s	6.4	7	Mast. 2.6	Year round.	
127.8 H0288.6	Black Rock Light	47 34 28.4 055 56 54.3	FI R 6s	11.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Flash 1 s; eclipse 5 s.	
128 H0288	Fox Island Light (Hermitage Bay)	47 33 55.1 055 58 23.2	FI W 4s	22.6	7	Square skeleton tower, red and white rectangular daymark. 4.7	Year round.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
SOUTHWEST COAST								
129 H0286	Pass Island Light	47 29 24.3 056 11 46.7	FI W 10s	85.6	12	White skeleton tower. 9.4	Year round. Flash 1 s; eclipse 9 s. Obscured 077°-298°. Secondary light: FI R 4s.	
130 H0286.1	Pass Island Fog Signal	47 28 56.3 056 11 52.8	Skeleton tower, white rectangular daymark with black horizontal stripe.	Year round. Fog Horn Blast 3 s; sil. 27 s.	
130.31	Net Rocks light buoy V23	47 28 35.2 056 02 22.2	FI G 4s	Green, pillar, marked "V23".	Year round.	
130.32	Sunker Rock light buoy V30	Seal Cove. 47 28 52.0 056 01 58.3	FI R 4s	Red, spar, marked "V30".	Year round.	
130.33	Divers Shoal light buoy V25	Seal Cove. 47 28 59.0 056 02 31.8	Q G 1s	Green, pillar, marked "V25".	Year round.	
130.34	Sunken Rock light buoy VSC	Seal Cove. 47 28 57.4 056 01 23.8	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "VSC".	Year round. Operates 24 h.
130.4 H0289.5	Seal Cove Breakwater Light	47 29 16.4 056 02 54.8	FI G 4s	5.0	4	Mast. 3.1	Year round.	
130.8	Goose Rock light buoy VU2	Gaultois Harbour. 47 36 19.8 055 53 59.9	FI R 4s	Red, pillar, marked "VU2".	Year round.	
130.82	Gaultois light buoy VU4	47 36 26.7 055 54 03.4	FI R 4s	Red, spar, marked "VU4".	Year round.	
131 H0289	Gaultois Harbour Light	47 36 17.8 055 54 03.1	FI G 3s	5.5	5	Square skeleton tower, green and white rectangular daymark. 4.7	Year round. Flash 0.5 s; eclipse 2.5 s.	
131.5 H02891	Gaultois Dolphin Light	47 36 23.7 055 54 07.1	FI G 4s	5	Mast. 2.6	Year round.	
132 H0287	Little Bay Light (Tinker Rock)	47 36 49.7 056 03 08.1	FI W 4s	14.6	7	Square skeleton tower, red and white rectangular daymark. 3.6	Year round.	
132.5 H0279	St. Alban's Wharf Light	47 51 46.9 055 50 06.5	FI Y 4s	4.0	6	Mast. 2.5	Year round. Flash 1 s; eclipse 3 s.	
132.51 H0279.5	Conne River Wharf Light	47 51 44.2 055 46 20.2	FI R 5s	3.2	5	Pipe tower. 2.6	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.	
133 H0278	Roti Point Light	S. of St. Alban's, Bay d'Espoir. 47 47 26.8 055 50 28.9	FI G 5s	6.7	6	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.	
133.1	Margery Rock light buoy VG1/1	Little Passage. 47 36 44.1 055 52 43.0	Q G 1s	Green, spar, marked "VG1/1".	Year round. Operates 24 h.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
133.11	Roti Bay light buoy VR1	47 47 12.4 055 51 46.1	Fl G 4s	Green, spar, marked "VR1".	Private aid. Year round.
133.12	Roti Bay light buoy VR2	47 47 29.5 055 51 39.7	Fl R 4s	Red, spar, marked "VR2".	Private aid. Year round.
133.13	Roti Bay light buoy VR3	47 47 35.3 055 52 07.4	Fl G 4s	Green, spar, marked "VR3".	Private aid. Year round.
133.14	Roti Bay light buoy VR4	47 47 47.5 055 52 22.4	Fl R 4s	Red, spar, marked "VR4".	Private aid. Year round.
133.15	Roti Bay light buoy VR5	47 47 43.0 055 52 25.0	Fl G 4s	Green, spar, marked "VR5".	Private aid. Year round.
133.16	Roti Bay light buoy VR7	47 47 59.1 055 52 50.1	Fl G 4s	Green, spar, marked "VR7".	Private aid. Year round.
133.17	Roti Bay light buoy VR6	47 48 11.0 055 53 07.1	Fl R 4s	Red, spar, marked "VR6".	Private aid. Year round.
133.19	Roti Bay light buoy VR9	47 48 19.7 055 53 34.7	Fl G 4s	Green, spar, marked "VR9".	Private aid. Year round.
133.2 H0277	Cape Mark Light	E. of Bois Island. 47 44 32.0 055 52 06.9	Fl R 5s	7.9	6	Square skeleton tower, red and white square daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
133.4 H0282	Day Point Light	Bay d'Espoir. 47 41 20.9 055 55 21.0	Fl W 5s	10.1	6	Square skeleton tower, red and white square daymark.	Year round. Flash 1 s; eclipse 4 s.
133.6 H0283	Little Island Light	E. of Stickland Cove. 47 39 34.9 055 56 04.0	Fl R 5s	10.4	6	Square skeleton tower, red and white square daymark.	Year round. Flash 1 s; eclipse 4 s.
133.66	Riches Island light buoy VG6	Dawson Point. 47 46 35.7 055 50 55.5	Q R 1s	Red, pillar, marked "VG6".	Year round. Operates 24 h.
133.78	Pigeon Island Shoal light buoy Q22	Western Harbour. 47 38 06.0 056 09 18.0	Fl R 4s	Red, pillar, marked "Q22".	Year round.
133.8	McCallum (Whale Rock) light and whistle buoy Q23	47 36 38.9 056 12 07.1	Fl G 4s	Green, pillar, marked "Q23".	Year round. Audible signal: Whistle
134 H0276	Dawson's Point Light Station	47 38 35.9 056 08 57.6	Fl W 5s	16.8	16	Square skeleton tower, red and white rectangular daymark.	Year round.
135 H0275	Salmon Point Light	47 37 02.9 056 12 01.4	Fl W 4s	21.9	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round.
135.1	McCallum Marine Wharf Light	On the ferry wharf. 47 37 52.9 056 13 36.4	Fl Y 4s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
136.9	François Entrance light and bell buoy QL4	47 33 47.0 056 43 24.4	Fl R 4s	Red, pillar, marked "QL4".	Year round. Audible signal: Bell
137 H0270	West Point Light Station	François. 47 33 35.7 056 44 02.1	Fl G 6s	46.0	12	White square tower with green band on top. 4.7	Year round. Flash 1 s; eclipse 5 s.
137.1	François West Wharf Light	47 34 41.5 056 44 39.9	Fl G 5s	4	Pipe tower. 2.1	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
137.15	François North Wharf Light	47 34 50.7 056 44 37.1	Fl G 4s	2	Pipe tower.	Year round. Operates 24 h.
137.23	Lower Rock South Cardinal light buoy QLC	S. of New Harbour. 47 34 50.4 056 38 57.8	Q(6) + W LFI	15s	Yellow-black, pillar, marked "QLC".	Year round.
138 H0268	Cape La Hune Light	47 31 44.8 056 51 47.0	Fl W 6s	25.0	8	Square skeleton tower, red and white square daymark.	Year round. Flash 1 s; eclipse 5 s.
138.5	Watch Rock North Cardinal light and whistle buoy QLB	E. of Penquin Islands. 47 23 24.8 056 50 08.0	Q W 1s	Black-yellow, pillar, marked "QLB".	Year round. Audible signal: Whistle
139 H0266	Harbour Island Light	47 23 00.6 056 58 39.1	Fl W 10s	21.9	17	Square skeleton tower, red and white square daymark. 5.8	Year round. Operates 24 h. Flash 0.2 s; eclipse 9.8 s.
139.1	Penguin Island North Cardinal light and whistle buoy QLE	47 23 41.4 056 56 55.6	Q W 1s	Black-yellow, pillar, marked "QLE".	Year round. Audible signal: Whistle
139.2	Penguin Island West Cardinal light and whistle buoy QLW	E. of the island. 47 23 03.3 057 00 53.9	Q(9) W 15s	Yellow-black-yellow, pillar, marked "QLW".	Year round. Audible signal: Whistle
139.21	Grey River Rocks North Cardinal light and whistle buoy QGR	47 28 26.4 057 05 35.4	Q W 1s	Black-yellow, pillar, marked "QGR".	Year round. Audible signal: Whistle
139.3	Grey River light and bell buoy QJ	47 33 51.5 057 06 43.7	Mo(A) W 6s	Red-white, pillar, marked "QJ".	Year round. Audible signal: Bell
139.5 H0265	Grey River Point Light	47 34 24.9 057 06 47.4	LFI G 6s	27.1	4	Square skeleton tower, green and white rectangular daymark. 4.3	Year round. Flash 2 s; eclipse 4 s.
139.51 H0265.5	Grey River Wharf Light	47 35 20.0 057 06 05.7	Fl G 5s	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
139.7	Eastern Passage light and whistle buoy QA	N. of Great Island. 47 32 04.8 057 22 13.2	F(2+1) G 6s	Green-red-green, pillar, marked "QA".	Year round. Audible signal: Whistle
139.8 H026.4	Ramea Light (Browns Rock)	E. of Great Island. 47 31 32.2 057 22 38.4	Fl R 4s	3.7	4	Mast. 2.6	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
139.82	Art Coley's Rock light buoy QA2	E. of Ramea. 47 31 27.2 057 22 43.2	Fl R 4s	Red, spar, marked "QA2".	Year round.
139.85 H0264.6	Ship Cove Wharf Light	Ramea Harbour. 47 31 15.2 057 23 12.7	Fl G 5s	4.3	2	Cylindrical mast.	Year round. Flash 1 s; eclipse 4 s.
140.5	Bad Rock light buoy QQ2	SE. of Harbour Island. 47 29 55.7 057 21 48.1	Fl R 4s	Red, spar, marked "QQ2".	Year round.
140.51	Turnip Island Rock light buoy QR2	N. of island. 47 30 46.1 057 22 36.6	Fl R 4s	Red, spar, marked "QR2".	Year round.
140.52	Ramea South Bank light buoy QR3	47 25 53.4 057 19 34.8	Fl G 4s	Green, pillar, marked "QR3".	Year round.
140.53	Shoal Northwest light buoy QR5	Ramea. 47 31 24.4 057 22 34.7	Fl G 4s	Green, spar, marked "QR5".	Year round.
140.54	Ramea Inner light buoy QR5/1	47 31 19.4 057 22 50.6	Fl G 4s	Green, spar, marked "QR5/1".	Year round.
140.55 H0264.7	Ship Cove Ferry Wharf Light	Ramea. 47 31 16.7 057 23 06.5	Fl R 5s	3.9	5	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
140.57	Ship Cove Floating Dock Light	47 31 17.6 057 23 13.4	Fl Y 5s	Pipe swing pole.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
140.6	Bengy light buoy QQ4	SW. of Southwest Island. 47 29 06.0 057 26 15.0	Fl R 4s	Red, spar, marked "QQ4".	Year round.
140.7	Southwest Rock light buoy QS2	S. of Northwest Island. 47 30 16.8 057 25 04.1	Fl R 4s	Red, spar, marked "QS2".	Year round.
141 H0264	Northwest Head Light Station and Fog Signal	Ramea Islands. 47 30 44.9 057 24 31.5	Fl W 3s	38.1	14	White cylindrical tower, white and red spiral bands. 7.3	Year round. Operates 24 h. Flash 0.06 s; eclipse 2.94 s. Fog Horn Blast 3 s; sil. 27 s.
142 H0258	West Flat Island Light	Burgee Islands. 47 35 04.3 057 42 26.2	Fl W 4s	10.7	6	Mast. 2.6	Year round.
142.5 H0263	Bay de Loup Point Light	47 37 31.1 057 33 05.1	Fl W 4s	22.7	7	Square skeleton tower, red and white rectangular daymark. 4.9	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
143	Boar Rock light and bell buoy QG2	NE. of Burgeo. 47 35 32.5 057 33 42.5	Fl R 4s	Red, pillar, marked "QG2".	Year round. Operates 24 h. Audible signal: Bell
143.5	Fish Island Rock light buoy QG3	E. of Burgeo. 47 37 03.7 057 35 06.9	Fl G 4s	Green, pillar, marked "QG3".	Year round. Operates 24 h.
143.7	Short Reach light buoy QG5	NE. of Burgeo. 47 37 10.8 057 35 29.9	Fl G 4s	Green, spar, marked "QG5".	Year round. Operates 24 h.
143.71	Shoal Short Reach light buoy QG5.1	NE. of Burgeo. 47 37 01.4 057 36 26.6	Q G 1s	Green, spar, marked "QG5.1".	Year round. Operates 24 h.
143.72	Short Reach light buoy QG6	NE. of Burgeo. 47 37 09.7 057 35 57.4	Fl R 4s	Red, spar, marked "QG6".	Year round. Operates 24 h.
143.74	Harbour Shoal light buoy QG5/3	Burgeo. 47 36 49.4 057 36 25.5	Fl G 4s	Green, spar, marked "QG5/3".	Seasonal (in place year round). Operates 24 h.
144 H0260	Boar Island Light Station and Fog Signal	47 36 23.2 057 35 12.2	Fl W 5s	63.1	15	Skeleton tower. 10.0	Year round. Flash 0.2 s; eclipse 4.8 s. Fog Horn Blast 2 s; sil. 18 s.
144.512	Stern Rock light buoy QV2.2	Burgeo Islands. 47 35 17.2 057 40 17.3	Fl R 4s	Red, spar, marked "QV2.2".	Year round. Operates 24 h.
144.52	Marchand Rock light buoy QV2.4	Burgeo Islands. 47 35 27.6 057 39 33.8	Fl R 4s	Red, spar, marked "QV2.4".	Year round. Operates 24 h.
144.53	Sandbanks # 1 light buoy QV2.6	Burgeo Islands. 47 35 48.0 057 38 59.0	Fl R 4s	Red, spar, marked "QV2.6".	Year round. Operates 24 h.
144.54	Sandbanks #2 light buoy QV3.7	Burgeo Islands. 47 35 55.2 057 38 45.0	Fl G 4s	Green, spar, marked "QV3.7".	Year round. Operates 24 h.
144.55	North of Douglas light buoy QV2.8	Burgeo Islands. 47 36 03.0 057 37 42.1	Fl R 4s	Red, spar, marked "QV2.8".	Year round. Operates 24 h.
144.56	Morgan Island light buoy QV4	Burgeo Islands. 47 36 16.7 057 36 53.6	Fl R 4s	Red, spar, marked "QV4".	Year round. Operates 24 h.
144.57	Eclipse Island light buoy QV5	Burgeo Islands. 47 36 23.6 057 36 38.3	Fl G 4s	Green, spar, marked "QV5".	Year round. Operates 24 h.
144.58	Cuttail Island #1 light buoy QV7	Burgeo. 47 36 24.6 057 35 41.4	Fl G 4s	Green, pillar, marked "QV7".	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
144.59	Cuttail Island #2 light buoy QV8	Burgeo. 47 36 24.6 057 35 37.2	Fl R 4s	Red, pillar, marked "QV8".	Year round. Operates 24 h.
144.6	Cuttail Island #3 light buoy QV9	Burgeo. 47 36 15.5 057 35 23.5	Fl G 4s	Green, pillar, marked "QV9".	Year round. Operates 24 h.
144.8 H0259	Rencontre Island Light	E. of Burgeo Islands. 47 35 13.0 057 36 29.3	Fl W 4s	57.3	8	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
145 H0262	Burgeo Ferry Wharf	47 36 30.6 057 36 31.8	Fl R 4s	4.0	4	Mast. 2.4	Year round.
145.8	La Poile Approach light and bell buoy QE2	47 37 37.3 058 23 11.4	Fl R 4s	Red, pillar, marked "QE2".	Year round. Audible signal: Bell
145.81	Offer Seal Island West Rock light buoy QE2.2	47 37 13.7 058 35 55.1	Q R 1s	Red, spar, marked "QE2.2".	Year round.
145.82	Cox Rock light buoy QE3	La Poile. 47 37 52.2 058 25 50.4	Fl G 4s	Green, pillar, marked "QE3".	Year round.
145.83	La Poile North Shore light buoy QE4	47 41 01.4 058 23 23.0	Fl R 4s	Red, spar, marked "QE4".	Year round.
145.84	Seal Rocks light buoy QE5	La Poile. 47 40 57.0 058 23 22.0	Fl G 4s	Green, spar, marked "QE5".	Year round.
145.85	Tooth Rock light buoy QE4.2	La Poile Harbour. 47 40 56.7 058 22 45.6	Fl R 4s	Red, spar, marked "QE4.2".	Year round. Operates 24 h.
145.86	Naked Man North Cardinal light buoy QEN	La Poile. 47 38 42.6 058 22 37.0	Q W 1s	Black-yellow, pillar, marked "QEN".	Year round.
145.9	Reubans Rock light buoy QF2	E. of Burgeo. 47 36 33.6 057 36 17.0	Fl R 4s	Red, pillar, marked "QF2".	Year round. Operates 24 h.
146 H0252	Ireland Island Light	S. of La Poile. 47 38 00.3 058 22 10.7	Fl W 6s	18.6	7	Square skeleton tower, red and white rectangular daymark. 7.1	Year round. Flash 1 s; eclipse 5 s.
147 H0254	Grand Bruit Light	47 38 31.9 058 13 29.3	Fl W 4s	11.0	7	Square skeleton tower, red and white rectangular daymark. 4.6	Year round. Flash 1 s; eclipse 3 s.
148 H0250	Little Harbour Light (La Poile)	On Christmas Head. 47 40 40.0 058 23 14.0	Q G 1s	12.1	3	Square skeleton tower, green and white rectangular daymark. 4.6	Year round.
148.4 H0249	La Poile Wharf Light	47 41 02.2 058 23 43.6	Fl R 4s	2	Mast. 2.6	Year round.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
148.9	Rose Blanche light buoy QRB	47 35 28.1 058 41 42.8	Mo(A) W 6s	Red-white, pillar, marked "QRB".	Year round. Operates 24 h. Audible signal: Whistle
149.09	Rose Blanche Shoal light buoy QR1/1	47 35 44.0 058 42 07.2	Fl G 4s	Green, pillar, marked "QR1/1".	Year round.
149.2 H0243	Harbour Le Cou Breakwater Light	47 37 28.0 058 40 55.0	Fl G 5s	3.5	2	Mast. 2.3	Seasonal. Flash 1 s; eclipse 4 s.
149.3	Calapoose Rocks light buoy QT8	Harbour Le Cou. 47 37 24.2 058 40 29.3	Fl R 4s	Red, spar, marked "QT8".	Seasonal (in place year round).
150 H0242.1	Rose Blanche East Wharf Light	47 36 35.0 058 41 37.2	Fl R 5s	3.2	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
150.1 H0242.2	Rose Blanche Ferry Wharf Light	47 36 53.0 058 41 58.5	Fl Y 5s	4.2	2	Mast. 2.4	Year round. Flash 1 s; eclipse 4 s.
150.19 H0242.5	Rose Blanche Light	47 36 06.7 058 41 40.9	Fl R 10s	29.0	13	Tower.	Year round. Flash 0.5 s; eclipse 9.5 s.
150.2 H0233.8	Burnt Islands Deep Water Wharf Light	47 35 45.4 058 53 16.1	Fl R 4s	2.9	2	Mast. 2.3	Year round.
150.3 H0233.9	Burnt Islands West Wharf	47 35 50.2 058 53 13.5	Fl R 4s	2.4	2	Mast. 2.3	Year round.
151.07	Cains Island Light	47 36 08.1 058 42 05.4	Fl R 5s	1.9	4	Mast.	Year round. Flash 1 s; eclipse 4 s.
151.2	Rose Blanche light buoy QR6	47 36 33.3 058 41 38.5	Fl R 4s	Red, spar, marked "QR6".	Seasonal (in place year round).
151.4	North Shoal Shag Rocks light buoy QH2	SW. of Rose Blanche. 47 35 46.7 058 43 57.1	Fl R 4s	Red, spar, marked "QH2".	Seasonal (in place year round).
151.5	Green Island Sunkers light buoy QH1	SW. of Rose Blanche. 47 35 35.8 058 44 24.4	Fl G 4s	Green, spar, marked "QH1".	Seasonal (in place year round).
151.6	Diamond Cove (Rose Blanche) light buoy QD2	47 36 31.9 058 42 07.2	Fl R 4s	Red, spar, marked "QD2".	Year round.
152 H0152	Goose Island light buoy QD3	Diamond Cove. 47 36 31.1 058 42 10.4	Fl G 4s	Green, spar, marked "QD3".	Year round.
153	Cuff Island light buoy QD5	Diamond Cove. 47 36 42.1 058 42 06.7	Fl G 4s	Green, spar, marked "QD5".	Year round.
153.6	Burnt Islands light and bell buoy QB1	47 35 01.9 058 54 33.3	Fl G 4s	Green, pillar, marked "QB1".	Year round. Audible signal: Bell

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
154 H0234	Burnt Islands front range light	47 35 51.4 058 53 32.4	F R	16.2	13	Square skeleton tower, white daymark with red vertical stripe. 5.2	Year round. Operates 24 h.
155 H0234.1	Burnt Islands rear range light	47 35 52.3 058 53 31.6 034°25' 37.5 m from front.	F R	20.4	13	Square skeleton tower, white daymark with red vertical stripe. 5.2	Year round. Operates 24 h.
156 H0238	Colombier Islands Light Station	47 35 30.9 058 53 50.3	Fl W 5s	18.3	15	Square skeleton tower with octagonal upper portion. 11.3	Year round. Operates 24 h. Flash 0.5 s; eclipse 4.5 s. Fog Horn Blast 3 s; sil. 27 s.
156.2	<i>Burnt Islands light buoy QB3</i>	47 35 40.9 058 53 27.9	Fl G 4s	<i>Green, spar, marked "QB3".</i>	<i>Seasonal (in place year round).</i>
156.3	<i>Bad Neighbour light and bell buoy Q34</i>	<i>S. of Burnt Island. 47 34 29.4 058 54 15.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "Q34".</i>	<i>Year round. Audible signal: Bell</i>
156.8 H0232.4	Isle aux Morts Wharf Light	Isle aux Morts. 47 34 56.0 058 58 42.4	Fl G 4s	3.8	4	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
157 H0232	Pitman's Island Light	Isle aux Morts. 47 34 48.4 058 58 49.0	Fl W 5s	9.1	7	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
157.5	<i>Fish Point light buoy QX2</i>	<i>Isle aux Morts. 47 34 23.0 058 58 37.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "QX2".</i>	<i>Year round.</i>
158	<i>Isle aux Morts light and whistle buoy QX</i>	<i>Isle aux Morts. 47 34 02.7 058 58 26.5</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "QX".</i>	<i>Year round. Audible signal: Whistle</i>
158.3	<i>Harrys Rock light buoy QXX</i>	<i>Isle aux Morts. 47 34 54.0 058 58 58.5</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, spar, marked "QXX".</i>	<i>Year round.</i>
158.31	<i>Potato Island light buoy QX9</i>	<i>Isle aux Morts. 47 34 56.3 058 59 03.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "QX9".</i>	<i>Year round. Operates 24 h.</i>
158.4	<i>White Sunkers Inner light buoy QX5</i>	<i>Isle aux Morts. 47 34 38.5 058 58 52.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "QX5".</i>	<i>Year round.</i>
158.41	<i>Pittmans Island Inner light buoy QX6</i>	<i>Isle aux Morts. 47 34 43.5 058 58 51.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QX6".</i>	<i>Year round.</i>
158.42	<i>Isle aux Morts light buoy QX7</i>	<i>Isle aux Morts. 47 34 53.2 058 58 46.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "QX7".</i>	<i>Year round.</i>
158.71	<i>Two Foot Shoal light buoy QW4</i>	<i>Isle aux Morts. 47 34 37.0 059 00 24.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QW4".</i>	<i>Seasonal (in place year round).</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
158.72	Five Foot Shoal light buoy QW2	Isle aux Morts. 47 34 02.5 059 01 57.4	Fl R 4s	Red, pillar, marked "QW2".	Seasonal (in place year round).
158.721	Dead Head Shoal light buoy QW3	Isle aux Morts. 47 34 32.6 059 00 46.2	Fl G 4s	Green, spar, marked "QW3".	Seasonal (in place year round).
158.74	Little Grave Island Rock light buoy QW5	Isle aux Morts. 47 34 43.4 059 00 12.9	Fl G 4s	Green, spar, marked "QW5".	Seasonal (in place year round).
158.75 H0233.3	Isle aux Morts North Wharf Light	47 35 18.0 058 58 47.0	Fl R 4s	3.1	4	Mast.	Year round. Flash 1 s; eclipse 3 s.
158.76	Big Sunkers Outer light buoy QX1	Isle aux Morts. 47 34 20.3 058 58 44.8	Fl G 4s	Green, pillar, marked "QX1".	Year round.
158.77	Middle Sunker light buoy QX3	Isle aux Morts. 47 34 29.9 058 58 51.4	Fl G 4s	Green, pillar, marked "QX3".	Year round.
159.01	Fox Roost Breakwater Light	47 34 20.8 059 02 32.8	Fl G 5s	4	Cylindrical mast.	Seasonal (in place year round). Operates 24 h. Flash 1 s; eclipse 4 s.
159.1	Black Rock Shoal light buoy QM2.2	Margaree. 47 33 57.0 059 04 02.0	Fl R 4s	Red, spar, marked "QM2.2".	Seasonal.
159.11	Net Shoal light buoy QM1	Margaree. 47 33 44.7 059 04 06.1	Fl G 4s	Green, pillar, marked "QM1".	Year round.
159.12	Shag Rock light buoy QM2.4	Margaree. 47 34 13.8 059 03 51.5	Q R 1s	Red, spar, marked "QM2.4".	Seasonal (in place year round).
159.13	Margaree Harbour light buoy QM4	47 34 17.2 059 03 49.3	Fl R 4s	Red, spar, marked "QM4".	Seasonal (in place year round).
159.14 H0231	Margaree Wharf Light	47 34 25.0 059 03 49.1	Fl Y 4s	2.9	2	Mast. 2.2	Year round. Flash 1 s; eclipse 3 s.
159.2	Flat Islands light buoy QM2	Margaree. 47 34 07.0 059 04 00.5	Fl R 4s	Red, pillar, marked "QM2".	Seasonal (in place year round).
159.3	Western Island light buoy QM3	SSE. of island, Margaree Harbour. 47 34 15.7 059 03 50.2	Q G 1s	Green, spar, marked "QM3".	Seasonal (in place year round).
159.42	Margaree Ruin light buoy QM6	47 34 23.6 059 03 49.1	Fl R 4s	Red, spar, marked "QM6".	Seasonal (in place year round).
159.5 H0230	Margaree Point Light	Margaree. 47 34 13.0 059 04 01.4	Fl W 4s	6.4	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHWEST COAST							
160 H222	Channel Head Light Station Racon C (- . - .) X & S Bands	Port aux Basques. 47 33 57.0 059 07 24.6	Fl W 10s	29.0	17	White cylindrical tower.	Year round. Flash 1 s; eclipse 9 s.
160.1	<i>Motherlake Bay West light buoy QK2</i>	<i>W. of Port aux Basques. 47 33 42.9 059 08 36.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QK2".</i>	<i>Seasonal (in place year round).</i>
160.2	<i>Channel Gut Five Foot Rock light buoy QG1</i>	<i>Port aux Basques. 47 33 51.6 059 08 15.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "QG1".</i>	<i>Seasonal (in place year round).</i>
160.3	<i>4 Foot Shoal light buoy QK4</i>	<i>Motherlake Bay. 47 33 50.0 059 08 36.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QK4".</i>	<i>Seasonal (in place year round).</i>
160.7 H0222.4	Channel Gut Wharf Light	Port aux Basques. 47 33 57.6 059 07 34.6	Fl R 4s	3.6	2	Mast. 2.4	Year round.
161	<i>East Baldwin Rock light and bell buoy QP2</i>	<i>Port aux Basques. 47 34 23.8 059 07 32.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "QP2".</i>	<i>Year round. Operates 24 h. Audible signal: Bell</i>
162 H0244	Graveyard Point Light	Port aux Basques. 47 34 23.5 059 07 45.2	Fl W 4s	9.5	5	Mast. 2.5	Year round. Outer end of breakwater is floodlit.
162.5	<i>Graveyard Point Breakwater light buoy QP3</i>	<i>Port aux Basques. 47 34 25.2 059 07 46.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "QP3".</i>	<i>Year round.</i>
163 H0227	Vardys Island Light (Rhode Island)	Port aux Basques. 47 34 37.6 059 08 12.3	Fl R 4s	5.8	7	Square skeleton tower, red and white rectangular daymark. 4.4	Year round.
164	<i>Vardys Island light buoy QP10</i>	<i>Port aux Basques. 47 34 39.0 059 08 14.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "QP10".</i>	<i>Year round.</i>
165	<i>Pikes Island West light buoy QP12</i>	<i>Port aux Basques. 47 34 47.5 059 08 02.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "QP12".</i>	<i>Year round.</i>
166 H0223	Port aux Basques front range light	47 34 45.9 059 08 33.0	F G	38.8	14 6.3	Year round. Operates 24 h.
167 H0223.1	Port aux Basques rear range light	47 34 49.2 059 08 41.2 300°43' 202.0 m from front.	F G	67.3	14 6.3	Year round. Operates 24 h.
168	<i>Channel Head light and whistle buoy QP</i>	<i>Port aux Basques. 47 33 55.5 059 06 35.9</i>	<i>Fl(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "QP".</i>	<i>Year round. Audible signal: Whistle</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SOUTHWEST COAST

169	Middle Baldwin light and bell buoy QP4	Port aux Basques. 47 34 27.5 059 07 41.7	Fl R 4s	Red, pillar, marked "QP4".	Year round. Audible signal: Bell
170 H0226	Pikes Island Breakwater Light	Port aux Basques. 47 34 32.7 059 07 55.7	Fl R 4s	17.0	5	Triangular mast, red and white rectangular daymark. 10.0	Year round.
170.5	Pikes Island Breakwater light buoy QP6	Port aux Basques. 47 34 31.8 059 07 56.0	Fl R 4s	Red, pillar, marked "QP6".	Year round.
171	Point Pleasant light buoy QP7	Port aux Basques. 47 34 30.9 059 08 10.4	Fl G 4s	Green, spar, marked "QP7".	Year round.
172	Pancake Rock light buoy QP9	Port aux Basques. 47 34 34.8 059 08 22.0	Fl G 4s	Green, spar, marked "QP9".	Year round.