

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>WEST COAST</b>							
173 H0220	<b>Cape Ray Light Station and Fog Signal</b>	47 37 16.0 059 18 14.1	Fl W 15s	36.0	17	White octagonal tower, red daymark with white horizontal band. 17.7	Year round. Flash 1 s; eclipse 14 s.  <b>Fog Horn</b> Blast 4 s; sil. 56 s.
173.1	<i>Brandies Rock West Cardinal light buoy QBR</i>	<i>W. of Cape Ray. 47 37 12.2 059 20 11.8</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, pillar, marked "QBR".</i>	<i>Seasonal (in place year round).</i>
173.12	<i>Halibut Rock West Cardinal light buoy QHR</i>	<i>SE. of Cape Ray. 47 34 59.5 059 15 39.6</i>	<i>VQ(9) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, pillar, marked "QHR".</i>	<i>Seasonal (in place year round).</i>
173.5	<i>Codroy Fairway light buoy XY</i>	<i>47 52 03.0 059 23 25.5</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-white, pillar, marked "XY".</i>	<i>Seasonal.</i>
174 H0219	Codroy Light	47 52 14.2 059 24 06.3	Fl G 6s	7.1	4	Square skeleton tower, green and white rectangular daymark. 4.9	Year round. Flash 1 s; eclipse 5 s.
174.1	<i>Codroy Island Outer light buoy XY1</i>	<i>47 52 24.5 059 23 37.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "XY1".</i>	<i>Seasonal.</i>
174.12	<i>Codroy light buoy XY3</i>	<i>47 52 39.3 059 23 49.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "XY3".</i>	<i>Seasonal.</i>
174.2	<i>Codroy Outer light buoy XY2</i>	<i>47 52 26.6 059 23 32.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XY2".</i>	<i>Seasonal.</i>
174.3	<i>Beach Point light buoy XY4</i>	<i>Codroy. 47 52 41.0 059 23 46.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XY4".</i>	<i>Seasonal.</i>
174.5 H0219.4	Codroy Breakwater Light	47 52 46.5 059 23 55.0	Fl R 4s	4.0	4	Mast. 2.5	Year round.
174.6	Codroy Outer Breakwater Light	47 52 45.0 059 23 48.1	Fl R 4s	.....	2	Cylindrical mast. 2.3	Year round. Operates 24 h. Flash 1 s; eclipse 3 s.
175 H218	<b>Cape Anguille Light Station and Fog Signal</b>	47 54 02.0 059 24 40.5	Fl W 5s	24.7	15	White octagonal tower with red top. 17.8	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s.  <b>Fog Horn</b> Blast 3 s; sil. 27 s.
175.98	<i>Fischells Entrance Outer light buoy XE2</i>	<i>At the entrance to harbour. 48 19 23.1 058 42 23.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XE2".</i>	<i>Seasonal.</i>
175.99	<i>Fischells Entrance Inner light buoy XE1</i>	<i>Harbour entrance. 48 19 24.0 058 42 21.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "XE1".</i>	<i>Seasonal.</i>
176	<i>Crabbes River Entrance light buoy XD2</i>	<i>48 13 15.2 058 51 57.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XD2".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>WEST COAST</b>							
176.1	Crabbes River Harbour light buoy XD5	48 13 11.6 058 51 48.6	Fl G 4s	.....	.....	Green, spar, marked "XD5".	Seasonal.
176.11	Crabbes River light buoy XD3	48 13 14.9 058 51 53.2	Fl G 4s	.....	.....	Green, spar, marked "XD3".	Seasonal.
176.12	Crabbes River Channel #2 light buoy XD1	48 13 17.3 058 51 57.4	Fl G 4s	.....	.....	Green, spar, marked "XD1".	Seasonal.
176.2	Crabbes River Harbour light buoy XD4	48 13 13.7 058 51 54.7	Fl R 4s	.....	.....	Red, spar, marked "XD4".	Seasonal.
176.3	Crabbes River Channel light buoy XD6	48 13 10.7 058 51 49.7	Fl R 4s	.....	.....	Red, spar, marked "XD6".	Seasonal.
176.35	Crabbes River Light	48 13 08.5 058 51 47.5	Fl W 5s	.....	3	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
176.4	Crabbes River Inner Cautionary light buoy X	48 13 07.7 058 51 44.4	Fl Y 4s	.....	.....	Yellow, spar, marked "X".	Seasonal.
178 H0208	Harbour Point Light	St. George's. 48 27 26.0 058 29 20.4	Fl W 6s	10.7	6	Cylindrical tower, red and white horizontal bands. 10.2	Seasonal. Flash 1 s; eclipse 5 s.
178.12	St. George's Harbour Outer light buoy XG1	48 26 06.5 058 29 16.4	Fl G 4s	.....	.....	Green, spar, marked "XG1".	Seasonal.
178.13	St. George's Harbour Outer light buoy XG2	48 26 06.5 058 29 21.4	Fl R 4s	.....	.....	Red, spar, marked "XG2".	Seasonal.
178.14	St. George's Harbour Inner light buoy XG3	48 25 57.4 058 29 17.6	Q G 1s	.....	.....	Green, spar, marked "XG3".	Seasonal.
178.15	St. George's Harbour Inner light buoy XG4	48 26 00.5 058 29 20.0	Fl R 4s	.....	.....	Red, spar, marked "XG4".	Seasonal.
179.3 H0206	Port Harmon front range light	48 32 00.1 058 31 23.1	F G	.....	42.8	14 Square skeleton tower, red daymark with white vertical stripe. 27.1	Year round. Operates 24 h.
179.4 H0206.1	<b>Port Harmon rear range light</b>	48 32 07.3 058 31 18.2  024°00' 243.6 m from front.	F G	.....	55.7	15 Square skeleton mast, red daymark with white vertical stripe. 27.1	Year round. Operates 24 h.
179.5	Port Harmon light buoy XS	48 29 43.2 058 32 52.8	Mo(A) W 6s	.....	.....	Red-white, pillar, marked "XS".	Seasonal.
180	Port Harmon Entrance light buoy XS1	48 30 20.5 058 32 32.4	Fl G 4s	.....	.....	Green, spar, marked "XS1".	Year round.
180.1 H0205	Port Harmon Breakwater Light	48 30 27.0 058 32 30.4	Fl W 3s	5.2	5	Mast. 2.5	Year round. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>WEST COAST</b>							
180.2 H0205.08	Port Harmon Channel light buoy XS2	48 30 30.4 058 32 21.4	Fl R 4s	.....	.....	Red, spar, marked "XS2".	Year round.
180.51	Port Harmon Channel light buoy XS3	48 30 34.7 058 32 22.9	Fl G 4s	.....	.....	Green, spar, marked "XS3".	Year round.
180.52	Port Harmon Inner light buoy XS5	48 30 49.0 058 32 13.0	Q G 1s	.....	.....	Green, spar, marked "XS5".	Year round.
180.53	Port Harmon Channel light buoy XS6	48 30 49.6 058 32 08.5	Fl R 4s	.....	.....	Red, spar, marked "XS6".	Year round.
180.54	Port Harmon Channel light buoy XS7	48 31 09.0 058 31 59.4	Fl G 4s	.....	.....	Green, spar, marked "XS7".	Year round.
180.55	Port Harmon Channel light buoy XS8	48 31 09.6 058 31 54.6	Fl R 4s	.....	.....	Red, spar, marked "XS8".	Year round.
180.6	Port Harmon Turn Basin light buoy XS9	48 31 30.5 058 31 45.4	Q G 1s	.....	.....	Green, spar, marked "XS9".	Year round.
180.61	Port Harmon East Turning Basin light buoy XS10	48 31 34.3 058 31 34.7	Fl R 4s	.....	.....	Red, spar, marked "XS10".	Year round.
180.62	Port Harmon West Turning Basin light buoy XS11	48 31 45.6 058 31 48.6	Fl G 4s	.....	.....	Green, spar, marked "XS11".	Year round.
183 H0214	St. George's Cautionary Light	48 25 53.9 058 29 08.1	Fl Y 4s	3.0	.....	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
183.1 H0214.2	St. George's Breakwater Light	48 26 06.0 058 29 37.0	F G	.....	3.5	Square tower, yellow and red horizontal bands. 1.4	Private aid. Year round. Operates 24 h.
183.2 H0214.3	St. George's North Breakwater Light	48 26 15.0 058 29 57.4	Fl R 3s	5.1	.....	Square tower, yellow and red horizontal bands. 1.4	Private aid. Seasonal. Operates 24 h.
183.5 H0210	Flintkote Wharf Light	St. George's Harbour. 48 26 35.5 058 28 32.4	Fl G 4s	6.4	.....	Skeleton tower.	Private aid. Seasonal. Operates 24 h.
183.7	Lower Cove light buoy XLC	Pigeon Head. 48 30 57.1 059 01 21.1	Fl(2) W 10s	.....	.....	Black-red-black, pillar, marked "XLC".	Seasonal.
183.82 H0203	Rouzes Brook West Breakwater Light	Cape St. George. 48 28 36.2 059 11 58.8	Fl G 5s	.....	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
184 H0202	Red Island Light	W. of Port au Port. 48 33 52.0 059 13 45.0	Fl W 3s	65.0	7	Skeleton tower, white daymark.	Year round. Flash 0.5 s; eclipse 2.5 s.
184.83 H0204	Rouzes Brook East Breakwater Light	Cape St. George. 48 28 37.6 059 11 57.7	Fl R 5s	.....	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>WEST COAST</b>							
185 H0196	Long Point Light	Port au Port. 48 46 52.5 058 46 22.0	Fl W 6s	14.6	5	Skeleton tower, red slatwork daymark. 11.0	Year round. Flash 0.5 s; eclipse 5.5 s.
185.2 H0197	Beach Point Breakwater Light	Port au Port. 48 45 52.0 058 47 20.0	Fl R 4s	4.4	4	Mast. 2.6	Year round.
185.3 H0197.2	Beach Point South Light	Port au Port bay. 48 45 49.0 058 47 26.5	Fl G 4s	4.3	4	Mast. 2.6	Year round.
185.5	Shoal Point light buoy XU3	Port au Port bay. 48 40 43.0 058 50 49.0	Fl G 4s	.....	.....	Green, pillar, marked "XU3".	Seasonal.
185.7 H0200	Head Harbour Wharf Light (Pic à Denis Harbour)	Port au Port bay. 48 34 35.8 058 54 06.1	Fl R 4s	3.0	4	Mast. 2.6	Seasonal.
185.8 H0201.5	Fox Brook South Wharf Light	48 41 42.7 058 40 56.6	Fl R 3s	3.1	2	Cylindrical mast.	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 2.5 s.
185.9 H0201	Fox Brook Light	Port au Port bay. 48 41 44.5 058 40 57.3	Fl G 3s	2.0	3	Pipe tower. 2.6	Year round. Flash 0.5 s; eclipse 2.5 s.
188 H0198	Broad Cove Point Light	Port au Port bay. 48 45 41.0 058 37 57.0	Fl W 4s	42.7	7	Square skeleton tower, red and white rectangular daymark. 5.8	Seasonal.
189 H0195	Shag Island Light	Port au Port bay. 48 52 18.0 058 35 25.0	Fl W 4s	31.7	6	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal.
190 H0178	Eagle Island Light (Bay of Islands)	N. of Middle Arm Point. 49 09 42.1 058 08 47.1	Fl W 6s	33.2	6	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal. Flash 1 s; eclipse 5 s.
191 H0179	Middle Arm Point Light	Entrance to Bay of Islands. 49 07 54.1 058 08 45.1	Fl W 4s	21.9	6	Square skeleton tower, red and white rectangular daymark. 4.2	Seasonal.
192 H0192	South Head Light	Entrance to Bay of Islands. 49 08 48.1 058 22 11.1	Fl W 4s	34.5	6	Cylindrical tower, red with white bands. 11.0	Year round.
193 H0190	White Point Light	Entrance to Bay of Islands. 49 08 32.1 058 21 09.1	Fl W 6s	30.5	6	Skeleton tower, white daymark.	Year round. Flash 1 s; eclipse 5 s.
193.4	Lark Harbour Entrance light buoy XL1	Bay of Islands. 49 06 23.2 058 20 36.1	Q G 1s	.....	.....	Green, spar, marked "XL1".	Seasonal.
193.5	Lark Harbour Spit light buoy XL2	49 05 51.7 058 22 16.5	Fl R 4s	.....	.....	Red, spar, marked "XL2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>WEST COAST</b>							
193.7	Woods Island Harbour light buoy XWH2	49 05 51.7 058 13 37.6	Fl R 4s	.....	.....	Red, spar, marked "XWH2".	Seasonal.
193.83	Frenchman's Cove Wharf Light	49 03 30.2 058 10 48.3	Fl R 5s	.....	3	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
194.5	Allen's light buoy XCB2	Corner Brook. 48 57 57.7 058 01 12.6	Fl R 4s	.....	.....	Red, spar, marked "XCB2".	Seasonal.
194.6 H0179.5	Corner Brook Breakwater West Light	48 57 55.7 058 01 13.6	Fl R 4s	.....	2	Mast. 2.6	Year round.
194.7 H0179.7	Corner Brook Breakwater East Light	48 57 54.5 058 01 11.9	Fl G 4s	.....	2	Mast. 2.6	Year round.
194.8	Corner Brook East Cardinal light buoy XCB	48 57 33.1 057 57 02.6	Q(3) W 10s	.....	.....	Black-yellow-black, spar, marked "XCB".	Year round. Operates 24 h.
195 H0180	Meadows Point Light	Entrance to Corner Brook harbour. 48 59 32.6 058 03 38.1	Fl G 3s	20.4	5	Square skeleton tower, green and white rectangular daymark. 9.7	Seasonal. Flash 0.5 s; eclipse 2.5 s.
196 H0194	Little Port Head Light	Bay of Islands. 49 06 31.1 058 25 41.2	Fl W 4s	67.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
196.1	Little Port light buoy XLH1	49 06 34.6 058 25 31.3	Fl G 4s	.....	.....	Green, spar, marked "XLH1".	Seasonal.
196.6	Lark Harbour Wharf Light	On wharf. 49 06 04.3 058 21 48.3	Fl R 4s	.....	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
197 H0188	Woods Island Light	Bay of Islands. 49 05 40.1 058 13 19.1	Iso W 4s	11.0	6	Square skeleton tower, red and white rectangular daymark. 4.6	Year round.
197.5	Peter Point Shoal South Cardinal light buoy XWC	Woods Island. 49 04 48.4 058 09 46.4	Q(6) + LFl W 15s	.....	.....	Yellow-black, pillar, marked "XWC".	Seasonal.
198 H0186	Frenchman's Head Light	Entrance to Humber Arm. 49 03 27.1 058 09 28.1	Fl W 5s	82.6	.....	Skeleton tower, red and white rectangular daymark. 9.8	Year round. Flash 1 s; eclipse 4 s.
199 H0175	Trout River Light	49 28 58.7 058 07 58.4	Fl W 5s	24.3	6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
199.1	Trout River Point Rock light buoy XT2	49 28 57.1 058 07 52.8	Fl R 4s	.....	.....	Red, spar, marked "XT2".	Seasonal.
199.2	Trout River Bay Shoal light buoy XT3	49 28 56.2 058 07 52.0	Fl G 4s	.....	.....	Green, spar, marked "XT3".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>WEST COAST</b>							
199.4 H0176	Trout River Wharf Light	49 28 51.1 058 07 57.2	Fl G 3s	2.6	3	Mast. 2.2	Seasonal. Flash 1 s; eclipse 2 s.
200 H0168	Woody Point Light	Bonne Bay. 49 30 17.2 057 54 44.9	LFl W 6s	13.7	4	White pyramid tower with red top. 7.3	Seasonal. Flash 2 s; eclipse 4 s.
200.1	Curzon Village Light	Outer corner of the wharf. 49 30 32.2 057 55 01.9	Fl Y 4s	.....	4	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
200.2	Rocky Harbour Entrance light buoy XR2	49 35 34.8 057 56 42.6	Fl R 4s	.....	.....	Red, spar, marked "XR2".	Seasonal.
200.3 H0165	Rocky Harbour Wharf Light	49 35 27.4 057 55 08.1	Fl G 4s	.....	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
201 H0164	Lobster Cove Head Light	Bonne Bay. 49 36 10.2 057 57 21.1	Iso W 4s	35.0	12	White lighthouse. 8.4	Year round.
202.2 H0163	Cow Head Wharf Light	49 55 23.3 057 48 14.0	Fl R 4s	4.6	2	Mast. 2.6	Seasonal.
202.3	Harbour Rock light buoy XW2	Cow Head Harbour. 49 55 31.1 057 48 22.9	Fl R 4s	.....	.....	Red, spar, marked "XW2".	Seasonal.
202.4	Cow Head Harbour light buoy XW3	49 55 30.7 057 48 13.0	Fl G 4s	.....	.....	Green, spar, marked "XW3".	Seasonal.
202.5	Cow Head Outer light buoy XW4	49 55 28.3 057 48 11.8	Q R 1s	.....	.....	Red, spar, marked "XW4".	Seasonal.
202.6	Cow Head Harbour light buoy XW1	49 55 32.7 057 48 21.0	Fl G 4s	.....	.....	Green, spar, marked "XW1".	Seasonal.
203.1	Parson's Pond Entrance #2 light buoy XPP2	50 02 01.4 057 42 51.2	Fl R 4s	.....	.....	Red, spar, marked "XPP2".	Seasonal.
203.2	Parson's Pond Entrance #1 light buoy XPP1	50 02 02.5 057 42 50.9	Fl G 4s	.....	.....	Green, spar, marked "XPP1".	Seasonal.
204 H0169	Norris Point Light	49 30 55.2 057 52 39.8	Fl G 5s	7.6	4	Square skeleton tower, green and white rectangular daymark. 5.6	Seasonal. Flash 1 s; eclipse 4 s.
205 H0170	Gadds Point Light	Gadds Harbour entrance. 49 30 41.5 057 52 33.0	Fl W 5s	14.3	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
205.2	Neddy Harbour Breakwater Light	49 31 38.3 057 52 21.7	Fl R 5s	.....	2	Cylindrical mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
207.2	Daniel's Harbour light buoy XDH2	50 14 33.6 057 35 16.3	Fl R 4s	.....	.....	Red, spar, marked "XDH2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

**WEST COAST**

207.5 <i>H0158</i>	River of Ponds Breakwater Light	50 31 42.6 057 23 46.2	Fl R 4s	5.0	2	Mast. 2.3	Seasonal. Operates 24 h.
208 <i>H0156</i>	Keppel Island Light Station	NW. side of island, Port Saunders. 50 37 58.9 057 19 19.9	Fl W 5s	36.5	11	Square skeleton tower with an octagonal lantern house. 11.3	Seasonal. Flash 1 s; eclipse 4 s.
208.05	<i>Cotton Shoal light buoy XPS2</i>	<i>Port Saunders Entrance. 50 38 28.3 057 16 38.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "XPS2".</i>	<i>Seasonal.</i>
208.06 <i>H155</i>	Port Saunders Wharf Light	50 38 43.0 057 16 26.9	Fl G 4s	2.1	2	Mast. 2.6	Year round.