

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
211 H0154	Pointe Riche Light	50 41 54.6 057 24 36.8	Fl W 5s	29.3	10	White octagonal tower with red upper portion. 19.8	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
211.1	Port au Choix light buoy XLP1	Northern peninsula. 50 43 06.6 057 22 22.3	Q G 1s	Green, spar, marked "XLP1".	Seasonal. Operates 24 h.
211.15	Barbace Point North Cardinal light buoy XPB	50 44 00.2 057 20 37.2	VQ W 0.5s	Black-yellow, pillar, marked "XPB".	Seasonal. Operates 24 h.
211.2	Querré Island light buoy XP2.2	Port au Choix. 50 43 10.2 057 20 12.5	Fl R 4s	Red, spar, marked "XP2.2".	Seasonal. Operates 24 h.
211.3	Querré Island light buoy XP1	Port au Choix. 50 43 17.9 057 19 55.0	Q G 1s	Green, spar, marked "XP1".	Seasonal.
211.5	Port au Choix light buoy XP2	50 44 17.9 057 20 04.2	Fl R 4s	Red, spar, marked "XP2".	Year round (YRLS).
211.6	Querré Island Shoal light buoy XP3	Port au Choix. 50 43 07.9 057 20 10.5	Fl G 4s	Green, spar, marked "XP3".	Seasonal.
211.7	Ardent Rock light buoy XP4	Port au Choix entrance. 50 43 17.3 057 20 01.2	Q R 1s	Red, spar, marked "XP4".	Seasonal.
211.74	Back Arm light buoy XP6	Port au Choix Harbour. 50 42 37.8 057 20 58.9	Fl R 4s	Red, spar, marked "XP6".	Seasonal.
211.815	Back Arm Wharf Light	Port au Choix Harbour. 50 42 21.9 057 21 06.1	Fl G 4s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
211.82 H0153.6	Back Arm South Cautionary Light	Port au Choix Harbour. 50 42 19.5 057 21 07.0	Fl Y 4s	3.5	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
211.83 H0153.7	Back Arm West Wharf Light	Port au Choix Harbour. 50 42 27.4 057 21 23.2	Fl R 4s	3.5	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
212 H152	Port au Choix Light	50 43 13.6 057 19 58.6	Fl W 6s	8.5	6	Square skeleton tower, red and white rectangular daymark. 4.9	Seasonal. Flash 1 s; eclipse 5 s.
212.1 H0152.5	Port au Choix front range light	50 42 13.2 057 21 33.0	F R	20.6	13	Square skeleton tower, red daymark with white vertical stripe. 8.8	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
212.2 H0152.51	Port au Choix rear range light	50 42 07.7 057 21 41.0 224°00' 237.0 m from front.	F R	25.1	13	Square skeleton tower, red daymark with white vertical stripe. 9.3	Seasonal.
212.5	Flowers Cove light buoy XF	51 17 55.3 056 46 27.0	Mo(A) W 6s	Red-white, pillar, marked "XF".	Seasonal.
212.54	Capstan Point light buoy XF3	Flowers Cove entrance. 51 17 46.8 056 45 18.6	Fl G 4s	Green, spar, marked "XF3".	Seasonal.
212.55	Seal Ledges light buoy XF2	Flowers Cove entrance. 51 17 43.2 056 45 43.8	Fl R 4s	Red, spar, marked "XF2".	Seasonal.
212.56 H0142	Nameless Point Light	Nameless Cove approaches. 51 18 44.5 056 44 30.0	Fl W 10s	12.8	17	Square skeleton tower, red and white rectangular daymark. 9.1	Seasonal. Flash 0.2 s; eclipse 9.8 s.
213 H0144	Flowers Cove Light	51 17 41.5 056 44 42.0	Fl G 3s	5.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.
213.51	Flowers Cove Outer light buoy XF6	51 17 48.6 056 44 21.0	Fl R 4s	Red, spar, marked "XF6".	Seasonal.
213.58	Flowers Cove Inner light buoy XF8	51 17 52.5 056 44 15.1	Fl R 4s	Red, spar, marked "XF8".	Seasonal.
213.59 H0143.5	Flowers Cove Wharf Light	51 17 57.8 056 44 09.1	Fl G 4s	2	Mast. 2.6	Seasonal.
214 H0143	Flowers Cove front range light	51 17 34.7 056 44 32.0	F R	4.9	13	Skeleton tower, orange daymark with black vertical stripe. 4.0	Seasonal. Operates 24 h.
215 H0143.1	Flowers Cove rear range light	51 17 33.8 056 44 26.9 107°00' 114.3 m from front.	F R	7.9	13	Skeleton tower, orange daymark with black vertical stripe. 5.8	Seasonal. Operates 24 h.
215.3 H0144.7	Anchor Cove Light	51 13 58.8 056 47 53.9	Fl R 6s	7.0	4	Mast. 2.5	Seasonal. Flash 1 s; eclipse 5 s.
215.4 H0144.5	Anchor Point Light	51 13 59.3 056 47 55.8	Fl G 4s	7.0	3	Mast. 2.6	Seasonal.
215.41	Anchor Point light buoy XA2	51 13 48.7 056 48 01.1	Fl R 4s	Red, spar, marked "XA2".	Seasonal.
215.42	Anchor Point Inner light buoy XA3	51 13 51.9 056 48 11.1	Q G 1s	Green, spar, marked "XA3".	Seasonal.
215.43	Anchor Point Outer light buoy XA1	51 13 40.6 056 48 32.9	Fl G 4s	Green, spar, marked "XA1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
215.8 H0145.7	St. Barbe front range light	St. Barbe Harbour. 51 12 40.3 056 46 01.0	F G 6.4	9.0	11	Square skeleton tower, red daymark with black vertical stripe. 6.4	Year round.
215.9 H0145.71	St. Barbe rear range light	51 12 39.2 056 45 50.0 100°00' 140.0 m from front.	F G 3.7	13.0	11	Square skeleton tower, white daymark with black vertical stripe. 3.7	Year round.
215.99 H0146.8	Bird Cove Wharf Light	51 03 10.2 056 56 06.5	Fl G 4s 2.3	4.0	2	Mast. 2.3	Seasonal. Operates 24 h.
216 H0145	Harbour Point Light	N. of St Barbe wharf. 51 12 22.8 056 46 33.2	Fl R 5s 5.9	6.1	4	Square skeleton tower, red and white rectangular daymark. 5.9	Year round. Flash 1 s; eclipse 4 s.
216.09	St Barbe Outer light buoy XB1	At St Barbe entrance. 51 12 50.5 056 46 56.8	Fl G 4s	Green, pillar, marked "XB1".	Seasonal.
216.1	St Barbe light buoy XB2	At St Barbe entrance. 51 12 43.3 056 46 56.4	Q R 1s	Red, pillar, marked "XB2".	Seasonal.
216.12	St Barbe Inner light buoy XB3	At St Barbe entrance. 51 12 23.3 056 46 15.1	Fl G 4s	Green, spar, marked "XB3".	Seasonal.
216.13	Harbour Point light buoy XB4	At St Barbe entrance. 51 12 24.5 056 46 24.2	Fl R 4s	Red, spar, marked "XB4".	Seasonal.
216.3 H0146	St. Barbe Harbour Light	51 12 15.3 056 46 22.0	Fl Y 6s 2.6	3.4	4	Mast. 2.6	Year round. Flash 1 s; eclipse 5 s.
216.35 H0146.5	Black Duck Cove Wharf Light	51 11 50.1 056 47 55.3	F R 3.0	2	Mast. 3.0	Seasonal.
216.4	Black Duck Cove light buoy XK3	51 11 51.7 056 47 53.5	Fl G 4s	Green, spar, marked "XK3".	Seasonal.
216.5	West Shoal light buoy XK2	Approaches to Black Duck Cove. 51 11 52.6 056 48 03.4	Fl R 4s	Red, spar, marked "XK2".	Seasonal.
216.55	Black Duck Cove Inner light buoy XK4	51 11 51.0 056 47 56.4	Fl R 4s	Red, spar, marked "XK4".	Seasonal.
216.6	East Shoal light buoy XK1	Approaches to Black Duck Cove. 51 11 55.4 056 47 59.3	Fl G 4s	Green, spar, marked "XK1".	Seasonal.
216.9	Old Ferolle Entrance light buoy XFF1	51 04 21.0 056 54 26.4	Fl G 4s	Green, spar, marked "XFF1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
STRAIT OF BELLE ISLE							
217.1	New Ferolle Outer light buoy XFG2	51 02 05.1 057 03 08.9	Q R 1s	Red, spar, marked "XFG2".	Seasonal. Operates 24 h.
217.11	New Ferolle Inner light buoy XFG4	51 01 38.3 057 03 09.6	Fl R 4s	Red, spar, marked "XFG4".	Seasonal. Operates 24 h.
217.12	Shoal Cove West Breakwater Light	51 01 26.8 057 01 33.7	Fl G 4s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
217.13	Reefs Harbour light buoy XFG6	51 00 43.0 057 00 14.5	Fl R 4s	Red, spar, marked "XFG6".	Seasonal. Operates 24 h.
219.5 H0137	Raleigh Breakwater Light	Raleigh harbour. 51 33 51.1 055 43 59.2	Fl G 4s	4.5	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
219.6	Raleigh light buoy XR1	Raleigh harbour. 51 34 00.4 055 43 56.1	Fl G 4s	Green, spar, marked "XR1".	Seasonal. Operates 24 h.
220 H0148	New Ferolle Peninsula Light Station and Fog Signal	51 01 22.1 057 05 44.5	Fl(2) W 5s	27.7	20	White octagonal tower with red upper portion. 19.2	Year round. Operates 24 h. Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 3.75 s. Fog Horn Blast 4 s; sil. 56 s.
221 H0150	White Island Light	Approaches to Bartletts Harbour. 50 55 52.8 057 01 21.8	Fl W 6s	9.4	7	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal. Flash 1 s; eclipse 5 s.
221.31 H0149	Bartletts Cove Wharf Light	50 56 28.5 056 59 29.2	Fl G 4s	3.5	3	Mast. 2.6	Seasonal.
221.32 H0151	Castor River North Wharf Light	50 55 54.0 056 56 36.0	Fl G 5s	4.0	2	Mast. 2.3	Seasonal. Flash 1 s; eclipse 4 s.
222.1 H0140.5	Sandy Cove Wharf Light	51 20 35.8 056 40 36.8	Fl R 5s	3.6	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
222.12	Cooper Island light buoy XV2	Savage Cove Harbour. 51 19 55.0 056 42 17.8	Fl R 4s	Red, spar, marked "XV2".	Seasonal.
222.13 H0141.7	Savage Cove Wharf Light	51 19 52.0 056 42 08.6	Fl G 5s	3.6	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
223 H0140	Cape Norman Light Station	51 38 04.0 055 54 37.5	Fl(3) W 27s	38.7	21	White octagonal tower with red top. 15.2	Year round. Operates 24 h.
225 H0132	Cape Bauld Light Station	51 38 24.2 055 25 35.9	Fl W 15s	53.9	17	Red hexagonal tower. 14.6	Year round. Operates 24 h. Flash 0.5 s; eclipse 14 .5 s.
226.3 H0141.2	Green Island Cove Wharf Light	51 23 03.0 056 34 44.2	Fl R 5s	3.4	4	Cylindrical mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
STRAIT OF BELLE ISLE								
226.5 H0117	L'Anse au Clair Wharf Light	51 25 24.0 057 04 01.0	Fl G 5s	4.9	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.	
226.55	Pointe L'Anse au Clair light buoy NL1	51 24 37.2 057 04 42.0	Fl G 4s	Green, pillar, marked "NL1".	Seasonal.	
226.6	L'Anse au Clair light buoy NL2	51 24 43.9 057 03 33.0	Fl R 4s	Red, pillar, marked "NL2".	Seasonal.	
226.8 H0141	Green Island Brook Wharf Light	51 24 01.8 056 31 27.7	Fl R 5s	5.5	4	Mast. 3.1	Seasonal. Flash 1 s; eclipse 4 s.	
227 H0114	Amour Point Light Station	51 27 37.7 056 51 29.3	Oc W 20s	46.3	24	White cylindrical tower, black horizontal band. 33.3	Seasonal. Flash 16 s; eclipse 4 s.	
228 H0116	Forteau Wharf Light	51 28 09.9 056 57 11.9	Fl Y 4s	5.0	4	Mast. 2.6	Seasonal.	
228.1 H0112.55	L'Anse au Loup Inner Wharf Light	51 31 20.0 056 49 44.0	Fl R 4s	2	Mast. 2.4	Year round. Operates 24 h.	
228.2 H0112.6	L'Anse au Loup Outer Wharf Light	51 31 03.8 056 49 43.0	Fl G 4s	5.1	2	Mast. 2.6	Year round.	
228.3	L'Anse-au-Diable light buoy ND2	At entrance. 51 33 25.2 056 45 35.5	Fl R 4s	Red, spar, marked "ND2".	Seasonal.	
228.4	L'Anse-au-Diable light buoy ND1	At entrance. 51 33 25.1 056 45 39.9	Fl G 4s	Green, spar, marked "ND1".	Seasonal.	
229.1	Soldier Rock East Cardinal light buoy NPW	Two miles NE. of West St. Modeste. 51 37 30.6 056 37 01.0	VQ(3) W 5s	Black-yellow-black, pillar, marked "NPW".	Seasonal.	
229.6	Saddle Island light buoy NR6	Red Bay Harbour. 51 43 41.8 056 26 04.6	Fl R 4s	Red, pillar, marked "NR6".	Seasonal.	
229.65	Penney Island light buoy NR7	51 43 49.0 056 25 57.4	Fl G 4s	Green, pillar, marked "NR7".	Seasonal. Operates 24 h.	
229.7	The Basin light buoy NR8	51 44 03.8 056 25 55.2	Fl R 4s	Red, pillar, marked "NR8".	Seasonal. Operates 24 h.	
229.8	The Louse light buoy NR3	S. of Saddle Island. 51 42 20.8 056 26 20.6	Fl G 4s	Green, pillar, marked "NR3".	Seasonal.	
230 H0110	Red Bay Light Station	51 43 28.6 056 26 09.0	Fl W 5s	36.0	15	Square skeleton tower. 6.7	Seasonal.	
230.1	Scab Rock light buoy NR4	E. of Saddle Island. 51 43 08.3 056 25 28.3	Fl R 4s	Red, pillar, marked "NR4".	Seasonal.	
230.2	Thistle Rock South Cardinal light buoy NR	E. of Saddle Island. 51 43 10.1 056 23 43.6	Q(6) + LFl	W 15s	Yellow-black, pillar, marked "NR".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

STRAIT OF BELLE ISLE

232 H0096	Belle Isle North End Light Station	52 00 49.1 055 16 49.3	FI W 10s	39.1	17	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 0.2 s; eclipse 9.8 s.
233 H0102	Belle Isle South End Upper Light Station	51 52 48.1 055 22 54.4	FI W 20s	137.1	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 19 s. Visible 240°-110°30'.
233.14	<i>Norman Rock light buoy XC2</i>	51 37 29.0 055 49 51.1	FI R 4s	<i>Red, pillar, marked "XC2".</i>	<i>Seasonal. Operates 24 h.</i>
233.15 H0138	Schooner Island Light	Approaches to Cooks Harbour, N. of island. 51 36 21.8 055 50 21.8	FI W 6s	10.4	5	Square skeleton tower, red and white rectangular daymark. 4.9	Seasonal. Flash 1 s; eclipse 5 s.
233.17	<i>Cooks Harbour Outer light buoy XC6</i>	51 36 23.5 055 50 58.5	Q R 1s	<i>Red, spar, marked "XC6".</i>	<i>Seasonal.</i>
233.18	<i>Cooks Harbour Outer light buoy XC4</i>	51 36 30.1 055 50 41.1	FI R 4s	<i>Red, spar, marked "XC4".</i>	<i>Seasonal.</i>
233.2	<i>Green Island light buoy XC1</i>	<i>Cooks Harbour entrance. 51 36 53.6 055 49 05.9</i>	FI G 4s	<i>Green, spar, marked "XC1".</i>	<i>Seasonal.</i>
233.21	<i>Cooks Harbour Middle light buoy XC5</i>	51 36 20.0 055 51 21.3	FI G 4s	<i>Green, spar, marked "XC5".</i>	<i>Seasonal.</i>
233.22	<i>Cooks Harbour light buoy XC7</i>	51 36 19.7 055 51 39.0	FI G 4s	<i>Green, spar, marked "XC7".</i>	<i>Seasonal.</i>
233.25	Cooks Harbour Wharf Light	On outer edge of wharf. 51 36 23.7 055 51 43.6	FI R 4s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
234 H0104	Belle Isle, South End Lower Light	51 52 38.0 055 23 03.0	FI W 20s	49.7	18	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 19 s.