

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
235 H0136	Quirpon Light	N. end of Jacques-Cartier Island. 51 35 59.5 055 27 22.0	Fl W 6s	22.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
235.3	Brehat Shoal South Cardinal light buoy KQG	Great Brehat Harbour. 51 25 09.4 055 26 06.5	Q(6) + W LFl	15s	Yellow-black, pillar, marked "KQG".	Seasonal.
235.31	Broize Point light buoy KQ3	Griquet Harbour entrance. 51 32 29.4 055 26 42.2	Fl G 4s	Green, pillar, marked "KQ3".	Seasonal.
235.32	Griquet light buoy KQ5	Griquet Harbour. 51 32 23.9 055 27 43.7	Q G 1s	Green, spar, marked "KQ5".	Seasonal.
235.34	Alcock's Point light buoy KQ7	Griquet Harbour. 51 32 11.6 055 27 45.7	Fl G 4s	Green, spar, marked "KQ7".	Seasonal.
235.35	Sandy Point light buoy KQ8	Griquet Harbour. 51 31 59.7 055 27 38.2	Fl R 4s	Red, spar, marked "KQ8".	Seasonal.
235.5	Hay Cove Shoal North Cardinal light buoy XM	E. of Cape Ardoise. 51 36 22.8 055 30 10.2	Q W 1s	Black-yellow, pillar, marked "XM".	Seasonal.
235.6	L'Anse aux Meadows Shoal light buoy XM4	Medee Bay. 51 36 17.8 055 31 33.9	Fl R 4s	Red, spar, marked "XM4".	Seasonal.
235.7	L'Anse aux Meadows light buoy XM5	Medee Bay. 51 36 08.7 055 31 40.9	Fl G 4s	Green, spar, marked "XM5".	Seasonal. Operates 24 h.
235.8	L'Anse aux Meadows Harbour light buoy XM6	Medee Bay. 51 36 08.4 055 31 42.5	Fl R 4s	Red, spar, marked "XM6".	Seasonal. Operates 24 h.
235.91	Quirpon Approaches light buoy KQ1	51 36 08.2 055 27 29.6	Fl G 4s	Green, spar, marked "KQ1".	Seasonal.
235.92	Jacques Cartier Island light buoy KQ2	NE. of the island. 51 36 01.8 055 27 18.6	Fl R 4s	Red, spar, marked "KQ2".	Seasonal.
237.01	Quirpon Wharf Light	Seaward edge of the wharf. 51 35 20.5 055 27 31.1	Fl Y 4s	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
237.05	Jacques Cartier Road light buoy KQJ	Quirpon Harbour. 51 35 21.3 055 27 23.4	VQ W 0.5s	Black-yellow, spar, marked "KQJ".	Seasonal.
237.1	Vincent Shoal South Cardinal light buoy KQV	Quirpon Harbour. 51 35 16.8 055 27 11.4	Q(6) + W LFl	15s	Yellow-black, spar, marked "KQV".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
237.2	Vincent Shoal North Cardinal light buoy KQ	Quirpon Harbour. 51 35 14.4 055 27 12.7	Q W 1s	Black-yellow, spar, marked "KQ".	Seasonal.
237.3	Peaked Rock light buoy KQP	Quirpon Harbour. 51 35 00.6 055 26 45.6	VQ W 0.5s	Black-yellow, spar, marked "KQP".	Seasonal.
237.4	Butterpot Rock light buoy KQB	Quirpon Harbour entrance. 51 34 52.9 055 26 29.2	Fl(2) W 10s	Black-red-black, spar, marked "KQB".	Seasonal.
238.2	Cow Rock light buoy KU2	Griquet Harbour entrance. 51 31 58.5 055 26 48.6	Fl R 4s	Red, spar, marked "KU2".	Seasonal.
238.21	Gull Rock light buoy KU3	Griquet Harbour entrance. 51 31 54.7 055 26 51.2	Fl G 4s	Green, spar, marked "KU3".	Seasonal.
238.4	Garden Cove Point light buoy KU4	Griquet Harbour entrance. 51 31 47.2 055 26 59.4	Fl R 4s	Red, spar, marked "KU4".	Seasonal.
238.45	Smith's Point light buoy KU5	Griquet Harbour entrance. 51 31 23.6 055 27 19.0	Fl G 4s	Green, spar, marked "KU5".	Seasonal.
238.5	Leo's Rock light buoy KU6	Griquet Harbour entrance. 51 31 24.1 055 27 19.6	Fl R 4s	Red, spar, marked "KU6".	Seasonal.
239 H0736	Griquet Harbour Light	51 32 40.9 055 27 26.2	Fl W 5s	16.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
239.21 H0735.5	Doggy Point Light	Entrance to St. Lunaire Bay. 51 29 25.9 055 27 24.4	Fl W 5s	5	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
239.22	Vanguard Shoal light buoy KN1	Entrance to St. Lunaire Bay. 51 29 24.0 055 28 04.2	Fl G 4s	Green, pillar, marked "KN1".	Seasonal.
239.23 H0735	Garden Cove Point Light	St. Lunaire Bay. 51 29 45.5 055 28 18.0	Fl R 5s	3.1	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
239.24	St. Lunaire Harbour light buoy KN3	51 30 00.2 055 28 36.7	Fl G 4s	Green, spar, marked "KN3".	Seasonal.
239.25	Harbour Shoal light buoy KN5	St. Lunaire Harbour. 51 30 02.5 055 28 33.1	Q G 1s	Green, spar, marked "KN5".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
239.27 H0737	St. Lunaire Wharf Light	51 30 01.6 055 28 31.4	Fl R 5s	3.5	2	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
240 H0730	Fox Point (Fishing Point) Light Station and Fog Signal	Entrance to St. Anthony Harbour. 51 21 22.0 055 33 18.3	Fl W 10s	26.8	17	White square tower with red horizontal bands. 9.3	Year round. Flash 0.3 s; eclipse 9.7 s. Fog Horn Blast 4 s; sil. 56 s.
240.3	Flat Point, Goose Cove light buoy KG1	51 18 32.0 055 38 33.2	Fl G 4s	Green, spar, marked "KG1".	Seasonal.
240.6	Goose Cove (Mouse Island) light buoy KG2	51 18 31.3 055 38 30.4	Fl R 4s	Red, spar, marked "KG2".	Seasonal.
241 H0728	Mouse Island Light	St. Anthony Harbour. 51 18 30.5 055 38 27.2	Fl W 4s	9.1	6	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal.
241.1	Goose Cove (Ant Island) light buoy KG3	51 18 30.0 055 38 12.4	Fl G 4s	Green, spar, marked "KG3".	Seasonal.
241.16	Goose Cove Inner (Cigale Point) light buoy KG5	51 18 32.6 055 38 08.3	Fl G 4s	Green, spar, marked "KG5".	Seasonal.
242 H0732	St. Anthony Harbour Light	51 21 34.5 055 33 29.4	Fl W 4s	11.0	5	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal.
242.3	St. Anthony Harbour light buoy KA2	51 21 36.2 055 34 08.9	Fl R 4s	Red, spar, marked "KA2".	Year round.
242.31	North Harbour Rock light buoy KA1	St. Anthony Harbour. 51 21 35.0 055 34 11.4	Fl G 4s	Green, spar, marked "KA1".	Year round.
243 H0734	Harbour Rock Light	St. Anthony Harbour. 51 21 32.3 055 34 11.0	Fl G 4s	6.0	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal.
243.1	Marguerite Point light buoy KA4	St. Anthony Harbour. 51 21 57.9 055 34 43.1	Fl R 4s	Red, spar, marked "KA4".	Seasonal.
243.11	Middle Arm light buoy KA2.2	St. Anthony Harbour. 51 21 48.0 055 34 32.4	Q R 1s	Red, spar, marked "KA2.2".	Year round.
243.2	St. Anthony Outer light buoy KM1	51 22 02.5 055 34 50.9	Fl G 4s	Green, spar, marked "KM1".	Seasonal.
243.3	St. Anthony Inner light buoy KA6	51 22 05.1 055 35 00.3	Q R 1s	Red, spar, marked "KA6".	Seasonal.
243.31 H0734.5	Marguerite Point Wharf Light	51 21 55.0 055 34 36.8	Fl R 4s	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
244 H0725	Brent Islands Light	Main Brook entrance. 51 15 20.2 055 56 02.1	FI W 5s	8.5	7	Square skeleton tower, red and white square daymark. 4.0	Seasonal. Flash 1 s; eclipse 4 s.
245 H0724	Cailloux Island Light	Main Brook entrance. 51 12 04.2 055 59 28.1	FI R 5s	6.7	4	Square skeleton tower, red and white square daymark. 4.0	Seasonal. Flash 1 s; eclipse 4 s.
246 H0726	Main Brook Wharf Light	51 10 10.2 055 59 48.1	FI R 5s	5.0	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
247 H0722	Conche Light	Conche Harbour entrance. 50 53 09.9 055 53 50.2	FI R 5s	7.2	4	Square skeleton tower, red and white rectangular daymark. 6.7	Seasonal. Flash 1 s; eclipse 4 s.
247.1 H0723	Conche Wharf Light	50 53 09.9 055 53 40.9	Q R 1s	2	Mast. 2.6	Seasonal.
248 H0721	Cape Fox	50 51 40.2 055 53 24.0	FI W 5s	58.8	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
249 H0716	Nid Island Light	S. end of island, off La Crique. 50 42 18.0 055 37 46.7	LFI W 10s	12.5	8	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
249.9	Englee Harbour Outer East Cardinal light buoy KEN	50 42 59.0 056 06 13.0	Q(3) W 10s	Black-yellow-black, pillar, marked "KEN".	Seasonal. Operates 24 h.
250 H0718	Englee Harbour Light	Harbour entrance. 50 43 13.5 056 06 49.1	FI W 5s	15.2	7	Rectangular skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
250.1	Barred Island Light	50 43 20.5 056 06 23.5	FI G 5s	3	Cylindrical mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
250.2	Englee Harbour Inner light buoy KEN2	50 43 27.7 056 06 24.0	FI R 4s	Red, spar, marked "KEN2".	Seasonal. Operates 24 h.
251 H0718.4	Englee Wharf Light	Englee Harbour. 50 43 56.0 056 06 24.0	FI Y 5s	4.0	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
251.5	Marten's Rock light buoy KR2	Entrance to Chimmey Bay. 50 45 22.7 056 09 14.9	FI R 4s	Red, spar, marked "KR2".	Seasonal.
252 H0719	Bad Rock Light	Chimmey Channel. 50 46 58.7 056 09 35.9	FI G 5s	4.6	6	Square skeleton tower, green and white square daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
253 H0720	Roddickton-Bide Arm Breakwater Light	50 51 46.6 056 07 54.7	FI G 5s	3.7	4	Mast. 2.1	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
254 H0712	Duckbill Point	Entrance to N. arm. 50 35 48.2 056 12 08.2	Fl W 5s	21.6	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
255 H0710	Fourché Harbour Light	Granite Point. 50 30 44.5 056 16 32.5	LFI W 6s	24.7	5	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 2 s; eclipse 4 s.
256 H0708	Great Harbour Deep Light	50 22 38.9 056 24 40.8	Fl W 6s	18.6	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 5 s.
257 H0698	Partridge Point Light	N. end of point. 50 09 10.8 056 08 34.4	Fl W 5s	45.7	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
257.2 H0697.7	Fleur de Lys Entrance Light	Fleur de Lys Harbour. 50 06 52.9 056 07 12.9	Fl W 5s	4.0	5	Mast. 2.4	Year round. Flash 1 s; eclipse 4 s.
257.3	<i>Fleur de Lys light buoy KF1</i>	50 06 59.3 056 07 32.9	<i>Fl G 4s</i>	<i>Green, spar, marked "KF1".</i>	<i>Seasonal.</i>
257.31	<i>Fleur de Lys (Welsh Point) light buoy KF2</i>	50 07 03.0 056 07 33.7	<i>Fl R 4s</i>	<i>Red, spar, marked "KF2".</i>	<i>Seasonal.</i>
257.4	<i>Fleur de Lys (White Bay) light buoy KF3</i>	50 07 02.3 056 07 38.9	<i>Fl G 4s</i>	<i>Green, spar, marked "KF3".</i>	<i>Seasonal.</i>
257.41	<i>Fleur de Lys light buoy KF4</i>	50 07 06.1 056 07 46.8	<i>Fl R 4s</i>	<i>Red, spar, marked "KF4".</i>	<i>Seasonal.</i>
257.42	<i>Fleur de Lys light buoy KF5</i>	50 07 01.9 056 07 57.5	<i>Fl G 4s</i>	<i>Green, spar, marked "KF5".</i>	<i>Seasonal.</i>
257.5 H0693	St. Barbe Islands Light	SE. entrance to W. cove. 50 11 57.1 055 44 40.7	Fl W 5s	21.3	3	Rectangular skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Flash 1 s; eclipse 4 s.
258 H0707	Jackson Arm Light	S. end of Eastern Head. 49 51 44.5 056 46 14.0	Fl W 6s	20.0	9	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 5 s.
260 H0704	Westport Cove Light	49 47 09.8 056 38 41.8	Fl W 4s	10.1	7	White octagonal tower. 5.5	Seasonal.
260.5	Westport Breakwater Light	49 47 06.7 056 38 36.7	Fl G 4s	2	Mast.	Seasonal (in place year round). Flash 1 s; eclipse 3 s.
261 H0705	Sops Arm Light	On White Point. 49 44 58.0 056 49 40.0	Fl W 4s	16.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WHITE BAY							
263 H0702	Seal Cove Wharf Light	Seal Cove Harbour. 49 56 09.1 056 23 37.4	Fl R 3s	3.4	3	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.
263.5	Wild Cove Wharf Light	Seaward side of wharf. 49 59 35.0 056 20 30.2	Fl G 4s	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
264	Pacquet Harbour Entrance Light	49 58 41.1 055 51 20.6	Fl W 5s	30.2	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
264.1	<i>Pacquet Harbour light buoy KP1</i>	49 59 12.8 055 52 18.5	<i>Fl G 4s</i>	<i>Green, spar, marked "KP1".</i>	<i>Seasonal.</i>
264.2	<i>Pacquet Harbour light buoy KP2</i>	49 59 22.2 055 52 18.1	<i>Fl R 4s</i>	<i>Red, spar, marked "KP2".</i>	<i>Seasonal.</i>
265 H0694.5	Pacquet Wharf Light	NW. end of Pacquet Harbour. 49 59 25.5 055 52 27.0	Fl R 5s	3.5	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
265.1	<i>Crocodile Shoal light buoy KE2</i>	<i>Harbour Round. 49 55 20.8 055 43 58.4</i>	<i>Fl R 4s</i>	<i>Red, spar, marked "KE2".</i>	<i>Seasonal.</i>
266.1	<i>Sleepy Point West Cardinal light buoy KL</i>	<i>Off the point in LaScie. 49 58 21.2 055 36 35.9</i>	<i>Q(9) W 15s</i>	<i>Yellow-black-yellow, pillar, marked "KL".</i>	<i>Seasonal.</i>
267 H0692.4	La Scie Harbour Breakwater Light	49 57 42.5 055 36 10.3	Fl R 5s	5.0	3	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
267.1	<i>La Scie light buoy KL4</i>	49 57 30.0 055 35 53.4	<i>Fl R 4s</i>	<i>Red, spar, marked "KL4".</i>	<i>Seasonal.</i>
267.3 H0692.55	La Scie Harbour Wharf Light	49 57 46.2 055 36 13.8	Fl G 5s	4.3	3	Mast.	Seasonal. Flash 1 s; eclipse 4 s.
267.5 H0692.6	Ming's Bight Wharf Light	49 58 38.9 056 02 16.3	Fl G 5s	3.4	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
267.9	<i>The Sisters West light buoy KC1</i>	<i>E. of Coachman's Cove Harbour entrance. 50 03 59.7 056 02 59.8</i>	<i>Fl G 4s</i>	<i>Green, pillar, marked "KC1".</i>	<i>Seasonal.</i>
268 H0696	Coachman's Cove Harbour Light	Coachman's Harbour. 50 03 13.3 056 05 41.2	Fl W 3s	11.9	5	Square skeleton tower, red and white square daymark. 5.2	Seasonal. Flash 0.5 s; eclipse 2.5 s.
268.1	<i>Gentile Island Shoal light buoy KC3</i>	<i>Coachman's Harbour. 50 03 13.0 056 06 31.3</i>	<i>Fl G 4s</i>	<i>Green, spar, marked "KC3".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

WHITE BAY

268.5 H0696.5	Coachman's Cove Wharf Light	50 03 01.1 056 06 35.3	Fl G 5s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
269.2	Sisters East light buoy KV4	E. of Coachman's Cove Harbour entrance. 50 03 26.5 056 01 52.9	Fl R 4s	Red, pillar, marked "KV4".	Seasonal.