

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
269.99	Twelve Foot Rock (Henely Harbour) West Cardinal light buoy NJT	W. of Chateau. 51 58 53.3 055 51 47.5	VQ(9) W 10s	Yellow-black-yellow, spar, marked "NJT".	Seasonal.
270 H0108	Chateau Point Light	Henley Harbour entrance. 51 58 19.9 055 51 11.3	FI W 6s	20.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
270.01	Flat Island Rock light buoy NJ1	Henley Harbour entrance. 51 59 14.9 055 51 58.6	FI G 4s	Green, spar, marked "NJ1".	Seasonal.
270.02	Freezer Rock light buoy NJ2	Henley Harbour entrance. 51 59 37.7 055 51 57.0	FI R 4s	Red, pillar, marked "NJ2".	Seasonal.
270.03	Allen Shoal East Cardinal light buoy NP	E. of Eastern Island. 52 03 56.5 055 38 55.4	Q(3) W 10s	Black-yellow-black, pillar, marked "NP".	Seasonal.
270.1 H0086.8	Cape St. Francis Light	E. of Granby Island. 52 33 51.0 055 42 13.8	FI W 5s	39.4	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.
270.2	Williams Harbour light buoy NW5	52 33 14.8 055 46 17.2	FI G 4s	Green, spar, marked "NW5".	Seasonal.
270.23	Leg Island light buoy NW6	Williams Harbour Run. 52 34 11.4 055 51 00.2	FI R 4s	Red, pillar, marked "NW6".	Seasonal.
270.25	Main Tickle Shoal light buoy NW7	52 33 48.9 055 52 55.3	FI G 4s	Green, spar, marked "NW7".	Seasonal.
270.3	Shinney Rock light buoy NW3	Williams Harbour entrance. 52 32 19.9 055 44 39.2	FI G 4s	Green, pillar, marked "NW3".	Seasonal.
270.4	Red Point Bank East Cardinal light buoy NWW	NE. of Red Point, Denbigh Island. 52 31 21.7 055 44 21.7	Q(3) W 10s	Black-yellow-black, pillar, marked "NWW".	Seasonal.
270.45	Mad Moll Rocks light buoy NA1/1	Alexis Bay. 52 30 28.8 055 43 51.0	FI G 4s	Green, pillar, marked "NA1/1".	Seasonal.
270.5 H0087	Bobs Island Light	Alexis Bay. 52 30 47.0 055 45 54.0	FI R 5s	19.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
270.7	Gull Rock light buoy NA1	Northern Ships Run. 52 31 41.7 055 51 24.4	FI G 4s	Green, spar, marked "NA1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
270.9	Northern Ship light buoy NA3	52 32 11.5 055 59 37.2	Fl G 4s	Green, spar, marked "NA3".	Seasonal.
270.92	Brandies Shoal light buoy NA5	Northern Ships Run. 52 32 35.6 056 02 24.9	Fl G 4s	Green, spar, marked "NA5".	Seasonal.
270.93	Grove Island Tickle light buoy NA7	52 32 22.2 056 09 15.0	Fl G 4s	Green, spar, marked "NA7".	Seasonal.
271	Grove Island Tickle North light buoy NA8	E. of island. 52 32 22.9 056 09 21.5	Fl R 4s	Red, spar, marked "NA8".	Seasonal.
271.5	Groves Island Tickle light buoy NA10	52 32 11.8 056 10 46.0	Fl R 4s	Red, spar, marked "NA10".	Seasonal.
272	Grove Island Tickle South light buoy NA9	SE. of island. 52 32 06.7 056 09 35.8	Fl G 4s	Green, spar, marked "NA9".	Seasonal.
272.5	Seal Rocks light buoy NA11	Port Hope Simpson. 52 32 23.0 056 12 08.3	Fl G 4s	Green, spar, marked "NA11".	Seasonal. Operates 24 h.
272.7	Port Hope Simpson light buoy NA13	At the entrance. 52 32 26.7 056 13 41.3	Fl G 4s	Green, spar, marked "NA13".	Seasonal. Operates 24 h.
273 H0088	Grove Island, East- West front range light	Entrance to Port Hope Simpson. 52 31 56.3 056 09 31.4	Iso R 8s	7.9	11	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal.
274 H0088.1	Grove Island, East- West rear range light	52 31 53.9 056 09 17.5 106°26' 269.1 m from front.	Iso R 8s	15.8	11	Square skeleton tower, white daymark with red vertical stripe. 3.3	Seasonal.
275 H0089	Grove Island, North- South front range light	Entrance to Port Hope Simpson. 52 31 49.4 056 09 57.4	Iso R 8s	9.2	11	Square skeleton tower, white daymark with red vertical stripe. 7.8	Seasonal.
276 H0089.1	Grove Island, North- South rear range light	52 31 46.0 056 10 01.6 216°13' 134.7 m from front.	Iso R 8s	14.5	11	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal.
276.1	Port Hope Simpson Wharf Light	52 32 14.6 056 16 47.1	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
276.2 H0089.5	Spears Point Light	52 26 41.5 055 37 48.3	Fl W 3s	39.1	5	Cylindrical mast, red and white daymark. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
276.3	Fox Harbour light buoy NF1	At the harbour entrance. 52 21 37.2 055 41 49.6	Fl G 4s	Green, spar, marked "NF1".	Seasonal. Operates 24 h.
276.4	Fox Harbour light buoy NF2	At the harbour entrance. 52 21 35.7 055 41 41.4	Fl R 4s	Red, pillar, marked "NF2".	Seasonal.
276.5	Fox Harbour light buoy NF3	At the harbour entrance. 52 21 55.0 055 41 04.5	Fl G 4s	Green, spar, marked "NF3".	Seasonal.
276.55	Shag Rocks light buoy NMS2	St. Lewis Sound. 52 20 27.7 055 44 34.1	Fl R 4s	Red, pillar, marked "NMS2".	Seasonal. Operates 24 h.
276.7	Captain Jacks light buoy NMS1	St. Lewis Sound. 52 19 47.6 055 46 46.9	Fl G 4s	Green, pillar, marked "NMS1".	Seasonal.
276.75	Duck Island Shoal light buoy NS2	St. Lewis Sound. 52 18 10.1 055 46 42.0	Fl R 4s	Red, spar, marked "NS2".	Seasonal.
276.77	Burnt Point Shoal light buoy NMH2	Entrance to Mary's Harbour. 52 18 48.0 055 49 00.5	Fl R 4s	Red, spar, marked "NMH2".	Seasonal.
276.771	Mary's Harbour Inner light buoy NMH4	52 18 37.0 055 50 02.9	Fl R 4s	Red, spar, marked "NMH4".	Seasonal.
276.78	Mary's Harbour Inner light buoy NMH3	52 18 34.8 055 50 01.6	Fl G 4s	Green, spar, marked "NMH3".	Seasonal.
276.8	Marley Rocks light buoy NS1	St. Lewis Sound. 52 17 44.8 055 45 43.5	Fl G 4s	Green, pillar, marked "NS1".	Seasonal.
276.81 H0089.7	Cape St. Lewis Light	Entrance to St. Lewis Sound. 52 22 04.8 055 37 48.0	Fl W 4s	40.7	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
276.85 H0091	Killick Island Light	Entrance to Battle Harbour. 52 16 40.0 055 35 33.0	Fl G 5s	6.3	2	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
276.87 H0089.8	Green Island Light	St. Lewis Sound. 52 17 38.0 055 41 02.0	Fl W 5s	13.7	5	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
276.89 H0091.5	Tilcey Point Light	52 16 42.0 055 35 58.0	Fl R 5s	11.3	2	Pipe tower. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
277 H0090	Copper Island Light	Caribou Run. 52 15 50.1 055 40 11.6	Fl W 3s	9.1	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
277.2	Caribou Run South light buoy NU2	52 14 51.4 055 38 57.9	Fl R 4s	Red, pillar, marked "NU2".	Seasonal.
277.3	Caribou Run Inner light buoy NU1	52 14 50.0 055 39 01.5	Fl G 4s	Green, spar, marked "NU1".	Seasonal.
277.4	Caribou Run North light buoy NU4	52 15 32.3 055 39 51.0	Fl R 4s	Red, pillar, marked "NU4".	Seasonal.
277.5 H0093	Wall Island Point Light	52 13 10.2 055 36 48.4	Fl G 5s	30.6	4	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
277.56	Caribou Run Mid Rock light buoy NU6	52 15 55.2 055 39 49.2	Fl R 4s	Red, spar, marked "NU6".	Seasonal.
277.6	St. Charles Inner light buoy NUC2	52 13 13.2 055 36 17.4	Fl R 4s	Red, pillar, marked "NUC2".	Seasonal.
278 H0092	Double Island Light	SE. of Battle Harbour. 52 15 18.0 055 33 16.4	Fl W 6s	38.4	7	White cylindrical tower, black and white horizontal bands. 9.1	Seasonal. Flash 1 s; eclipse 5 s.
278.1	Hussey Shoal light buoy NUB1	Battle Harbour. 52 17 27.0 055 35 24.0	Fl G 4s	Green, pillar, marked "NUB1".	Seasonal. Operates 24 h.
279 H0094	Camp Islands Light Station	Strait of Belle Isle, Labrador side. 52 10 00.7 055 38 24.8	Fl W 5s	41.3	15	White octagonal tower with red upper portion. 9.9	Seasonal. Flash 0.2 s; eclipse 4.8 s.
279.282	Long Island light buoy NMP2	Pinsent's Arm. 52 42 08.2 055 51 02.6	Fl R 4s	Red, spar, marked "NMP2".	Seasonal.
279.283	Pinsent's Arm light buoy NMP1	52 42 06.3 055 50 06.8	Fl G 4s	Green, pillar, marked "NMP1".	Seasonal.
279.285	Pinsent's Arm Entrance light buoy NMP4	52 41 18.0 055 53 03.3	Fl R 4s	Red, spar, marked "NMP4".	Seasonal.
279.286	Pinsent's Arm light buoy NMP3	52 41 14.4 055 53 04.2	Fl G 4s	Green, spar, marked "NMP3".	Seasonal.
279.287	Pinsent's Arm Inner light buoy NMP6	52 41 17.0 055 53 13.7	Q R 1s	Red, spar, marked "NMP6".	Seasonal. Operates 24 h.
279.29	Mad Moll Rock light buoy NM2	St. Michaels Bay. 52 42 42.5 055 48 06.1	Fl R 4s	Red, pillar, marked "NM2".	Seasonal.
279.3 H0086.7	Twin Islands Light	N. of Ship Harbour Head. 52 40 18.0 055 44 50.0	Fl W 5s	30.8	4	Pipe tower, red and white cylindrical daymark. 3.0	Seasonal. Flash 1 s; eclipse 4 s.
279.31 H0086.65	Pigeon Island Light	St. Michaels Bay. 52 43 01.7 055 51 25.1	Fl G 5s	11.5	4	Square skeleton tower, green and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
279.4 H0086.4	Deepwater Island Light	St. Michaels Bay. 52 43 34.0 055 53 50.9	Fl W 5s	7.6	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 4 s.
279.45	St. Michaels Bay light buoy NM5	52 44 00.8 055 54 54.5	Fl G 4s	Green, pillar, marked "NM5".	Seasonal.
279.5	St. Michaels Bay light buoy NM6	52 44 12.0 055 55 20.6	Fl R 4s	Red, spar, marked "NM6".	Seasonal.
279.58	Curlew Island North light buoy NM9	St. Michaels Bay. 52 44 28.2 055 56 02.8	Fl G 4s	Green, pillar, marked "NM9".	Seasonal.
279.59	Narrows Island South light buoy NM8	St. Michaels Bay. 52 44 31.0 055 55 56.2	Fl R 4s	Red, spar, marked "NM8".	Seasonal.
279.6	St. Michaels Bay North light buoy NM7	52 44 20.4 055 55 35.5	Fl G 4s	Green, pillar, marked "NM7".	Seasonal. Operates 24 h.
279.62	Narrows Island light buoy NM10	St. Michaels Bay. 52 44 37.2 055 56 08.8	Fl R 4s	Red, spar, marked "NM10".	Seasonal.
279.65	Charlottetown Inner light buoy NM12	52 46 34.7 056 07 00.0	Fl R 4s	Red, spar, marked "NM12".	Seasonal.
279.66	Charlottetown Breakwater Light	52 46 25.6 056 07 16.5	Fl R 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
279.7 H0086.6	Goose Island Light	Charlottetown Harbour entrance. 52 47 36.0 056 06 09.0	Fl W 5s	7.6	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
279.72	Bar Tickle Shoal West Cardinal light buoy NM	52 46 33.5 055 54 18.3	VQ(9) W 10s	Yellow-black-yellow, spar, marked "NM".	Seasonal.
279.73	Square Island South Cardinal light buoy NMS	52 46 14.4 055 54 22.2	Q(6) + LF W 15s	Yellow-black, spar, marked "NMS".	Seasonal.
279.74 H0086.5	Bar Tickle Light	52 46 45.0 055 54 20.0	Fl R 5s	15.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
279.8 H0086.2	Cape Bluff Light	N. of St. Michaels Bay. 52 50 13.2 055 48 24.0	Fl W 5s	54.7	4	Pipe tower, red and white daymark.	Seasonal. Flash 1 s; eclipse 4 s.
279.809	Gull and Matthews Rock West Cardinal light buoy NGM	NNE. of Cape Bluff. 52 51 34.2 055 47 14.9	Q(9) W 15s	Yellow-black-yellow, pillar, marked "NGM".	Seasonal.
279.81	Lady Arm Shoal light buoy NG2	Entrance to Martin Bay. 52 56 18.4 055 53 35.8	Fl R 4s	Red, pillar, marked "NG2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
279.83	The Sisters light buoy NM4	St. Michaels Bay. 52 43 03.7 055 49 16.7	Fl R 4s	Red, spar, marked "NM4".	Seasonal.
279.84	Whales Back Shoal light buoy NE1	St. Michaels Bay. 52 56 42.6 055 49 38.2	Fl G 4s	Green, pillar, marked "NE1".	Seasonal.
279.9	Barr Tickle North light buoy NMN1	St. Michaels Bay. 52 46 56.9 055 54 07.0	Q G 1s	Green, spar, marked "NMN1".	Seasonal. Operates 24 h.
280	Red Island Light	SW. side of island. 53 00 37.6 055 45 36.7	Fl W 5s	28.0	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
280.009	Ambush Rock South Cardinal light buoy ND	53 01 17.0 055 45 37.4	Q(6) + LFl W 15s	Yellow-black, pillar, marked "ND".	Seasonal. Operates 24 h.
280.01	Squasho North light buoy NE3	53 04 46.5 055 52 14.8	Fl G 4s	Green, spar, marked "NE3".	Seasonal.
280.011	Deer Pass light buoy NE2	53 04 43.9 055 52 11.7	Fl R 4s	Red, spar, marked "NE2".	Seasonal.
280.012	Squasho South North Cardinal light buoy NE	Hawke Island. 53 05 42.0 055 51 28.9	Q W 1s	Black-yellow, pillar, marked "NE".	Seasonal.
280.013	Squasho South North Cardinal light buoy NEE	53 05 38.0 055 50 51.0	VQ W 0.5s	Black-yellow, pillar, marked "NEE".	Seasonal. Operates 24 h.
280.015	Locks Rock West Cardinal light buoy NKK	53 07 01.6 055 46 33.8	Q(9) W 15s	Yellow-black-yellow, pillar, marked "NKK".	Seasonal. Operates 24 h.
280.02	The Feather Bed North Cardinal light buoy NKF	N. of Big Island. 53 07 35.7 055 45 40.7	Q W 1s	Black-yellow, pillar, marked "NKF".	Seasonal.
280.03	Old King East Cardinal light buoy NK	53 07 46.1 055 43 12.9	Q(3) W 10s	Black-yellow-black, pillar, marked "NK".	Seasonal.
280.04	The Pippies South Cardinal light buoy NLP	53 11 36.5 055 41 32.5	Q(6) + LFl W 15s	Yellow-black, pillar, marked "NLP".	Seasonal.
280.05 H0085.7	Fish Island Light	53 12 45.4 055 43 13.7	Fl W 5s	17.7	5	Square skeleton tower, red and white square daymark.	Seasonal. Flash 1 s; eclipse 4 s.
280.09	Squasho Run light buoy NE5	53 02 58.2 055 53 40.1	Fl G 4s	Green, spar, marked "NE5".	Seasonal. Operates 24 h.
280.1	Bradbury Island South Cardinal light buoy NL	53 15 27.8 055 41 22.1	Q(6) + LFl W 15s	Yellow-black, pillar, marked "NL".	Seasonal.
280.13	Walker Island West Cardinal light buoy NLW	53 18 50.2 055 45 06.7	VQ(9) W 10s	Yellow-black-yellow, pillar, marked "NLW".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NEWFOUNDLAND AND LABRADOR COAST								
280.15	Gushue Rock East Cardinal light buoy NLG	53 20 56.6 055 43 42.4	Q(3) W 10s	Black-yellow-black, pillar, marked "NLG".	Seasonal.	
280.16	Toole Rock light buoy NB2	53 23 45.8 055 45 20.5	Fl R 4s	Red, pillar, marked "NB2".	Seasonal.	
280.17	Outer Sandy Islands light buoy NLL	53 20 17.8 055 38 50.6	Fl(2) W 5s	Black-red-black, pillar, marked "NLL".	Seasonal. Operates 24 h. Flash 0.4 s; eclipse 0.6 s; flash 0.4 s; eclipse 3.6 s.	
280.4	Punchbowl Channel light buoy NL5	53 15 09.7 055 45 06.8	Fl G 4s	Green, spar, marked "NL5".	Seasonal.	
280.79	Spotted Islands Harbour light buoy NSP2	53 29 21.1 055 45 37.4	Fl R 4s	Red, pillar, marked "NSP2".	Seasonal.	
280.8	Roundhill Island Light	53 26 07.4 055 36 41.0	Fl W 3s	66.5	5	Trapezoidal skeleton tower, red daymark with white horizontal band.	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
280.85	Saddle Bank South Cardinal light buoy NBT	53 25 06.1 055 42 43.5	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "NBT".	Seasonal.
280.9 H0085.7	Cod Bag Islets Light	53 25 58.9 055 44 39.5	Fl W 5s	32.6	5	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 4 s.	
280.91	Black Tickle light buoy NBT1	53 27 07.2 055 45 49.5	Fl G 4s	Green, spar, marked "NBT1".	Seasonal.	
280.95 H0083	Black Tickle Wharf Light	53 27 21.7 055 45 50.5	Fl G 5s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.	
281 H0084	Domino Point Light Racon Y (- - -) X & S Bands	53 27 42.4 055 44 31.0	Fl W 5s	38.7	7	Rectangular skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	
281.7	St. Mary Island South light buoy N12	53 33 02.2 055 58 35.6	Fl R 4s	Red, pillar, marked "N12".	Seasonal.	
281.8	Terra Nova Point light buoy N14	53 33 35.3 055 59 23.5	Fl R 4s	Red, spar, marked "N14".	Seasonal.	
281.9	White Rowsel Shoal light buoy N15	53 33 32.3 055 59 42.6	Fl G 4s	Green, spar, marked "N15".	Seasonal.	
282 H0082	White Point Light	53 34 38.4 056 01 31.0	Fl W 5s	20.9	7	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 4 s.	
283 H0081	South Wolf Island Light	53 41 06.4 055 54 12.3	Fl W 6s	88.1	6	Skeleton tower. 14.0	Seasonal. Flash 1 s; eclipse 5 s.	
284 H0080	Cape North Light	53 47 10.4 056 28 35.3	Fl W 5s	72.5	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
284.1	Tinker Rock South Cardinal light buoy NCT	53 48 33.4 056 34 53.2	VQ(6) W 10s + LFI	Yellow-black, pillar, marked "NCT".	Seasonal. Operates 24 h.
284.3	Hare Rock light buoy NC1	53 46 10.0 056 48 42.9	FI G 4s	Green, pillar, marked "NC1".	Seasonal. Operates 24 h.
284.35 H0079.7	Leading Mark Island Light	53 45 31.2 057 03 56.4	FI G 5s	8.9	2	Square skeleton tower, green and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 4 s.
284.351	Packs Harbour Approaches light buoy NX2	53 51 13.9 056 59 11.6	FI R 4s	Red, spar, marked "NX2".	Seasonal. Operates 24 h.
284.352	Packs Harbour Approaches light buoy NX1	53 51 18.9 056 59 18.5	FI G 4s	Green, spar, marked "NX1".	Seasonal. Operates 24 h.
284.354	Quebecer Shoal light buoy NCA2	53 47 03.1 057 02 39.5	FI R 4s	Red, spar, marked "NCA2".	Seasonal. Operates 24 h.
284.355	Diver Island Shoal light buoy NCA4	53 47 43.0 057 02 43.1	FI R 4s	Red, spar, marked "NCA4".	Seasonal. Operates 24 h.
284.4	Crab Head light buoy NC2	53 44 49.6 056 55 03.3	FI R 4s	Red, spar, marked "NC2".	Seasonal. Operates 24 h.
284.41	Crab Head Shoal light buoy NC3	Near Cartwright. 53 44 37.0 056 55 07.1	FI G 4s	Green, spar, marked "NC3".	Seasonal. Operates 24 h.
284.42	Crab Island Shoals light buoy NC2/2	Near Cartwright. 53 44 28.2 056 56 21.5	FI R 4s	Red, spar, marked "NC2/2".	Seasonal. Operates 24 h.
284.5	Cartwright light buoy NC5	Cartwright Harbour. 53 42 10.0 057 02 07.0	Q G 1s	Green, pillar, marked "NC5".	Seasonal. Operates 24 h.
284.51	Cartwright Fishermans Wharf Light	53 42 07.3 057 01 41.1	FI G 5s	3	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
284.6	Cartwright light buoy NC4	53 43 00.4 057 01 35.8	FI R 4s	Red, pillar, marked "NC4".	Seasonal. Operates 24 h.
284.71	Cartwright light buoy NC6	53 42 00.1 057 01 11.6	FI R 4s	Red, spar, marked "NC6".	Seasonal. Operates 24 h.
284.72 H0079.5	Cartwright Wharf Light	53 42 11.0 057 01 16.5	FI Y 5s	3.4	3	Pipe tower.	Seasonal. Flash 1 s; eclipse 4 s.
284.73	Woody Island Rock light buoy NCH1	Near Cartwright. 53 40 44.7 057 04 38.0	FI G 4s	Green, spar, marked "NCH1".	Seasonal. Operates 24 h.
284.74	Woody Island light buoy NCH3	Near Cartwright. 53 40 42.3 057 04 38.3	Q G 1s	Green, spar, marked "NCH3".	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
284.8	Hatten Shoal light buoy NCH2	53 39 29.2 057 04 24.4	Fl R 4s	Red, spar, marked "NCH2".	Seasonal.
284.96 H0079	Snack Cove Light	53 47 39.2 056 48 11.4	Fl W 5s	23.6	5	Rectangular skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
285 H0078	Packs Harbour Light	53 51 31.2 056 59 25.4	Fl W 5s	32.3	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
285.2	Old Man Shoal East Cardinal light buoy HM	54 09 24.1 057 18 50.6	Q(3) W 10s	Black-yellow-black, pillar, marked "HM".	Seasonal. Operates 24 h.
287.2	George Island South Cardinal light buoy HGE	54 13 21.1 057 15 46.9	VQ(6) + LFI W 10s	Yellow-black, pillar, marked "HGE".	Seasonal. Operates 24 h.
287.3	South Duck Island Shoal light buoy HD1	54 13 28.3 057 21 22.0	Fl G 4s	Green, pillar, marked "HD1".	Seasonal. Operates 24 h.
287.4	George Island Shoal light buoy HG	W. of island. 54 14 56.8 057 22 09.7	Q W 1s	Black-yellow, pillar, marked "HG".	Seasonal. Operates 24 h.
288 H0075	Little Black Island Light	54 18 24.6 057 50 03.9	Fl W 6s	36.0	7	Square skeleton tower, red and white square daymark. 4.3	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 5.5 s.
289 H0075	Big Island Light	54 17 12.6 058 02 01.9	Fl W 4s	12.2	2	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
290	Man of War Rock light buoy H1	54 13 19.7 058 20 03.2	Fl G 4s	Green, pillar, marked "H1".	Seasonal. Operates 24 h.
290.3 H0075.55	Hart Head Light	Hamilton Inlet. 54 11 40.1 058 24 36.4	Fl R 5s	7.1	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
290.31	Dart Rock light buoy HR1	54 10 52.3 058 25 27.9	Fl G 4s	Green, pillar, marked "HR1".	Seasonal. Operates 24 h.
290.5 H0075.65	Rigolet Cove Wharf Light	54 10 53.0 058 25 34.5	Fl Y 5s	4.8	3	Pipe tower. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
291 H0075.6	Rigolet Light	S. of Rigolet Point. 54 10 39.6 058 25 35.9	Fl W 5s	12.3	5	Square skeleton tower. 8.8	Seasonal. Flash 1 s; eclipse 4 s.
292 H0075.7	Snooks Cove Light	54 04 38.3 058 34 08.1	Fl W 6s	5.3	5	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 5.5 s.
293 H0075.8	Henrietta Island Light	54 04 12.2 058 33 36.6	Fl W 5s	5.5	1	Square skeleton tower, red and white rectangular daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NEWFOUNDLAND AND LABRADOR COAST

294 H0075.9	Eskimo Island Light	54 03 11.7 058 33 39.5	FI W 3s	5.5	7	Square skeleton tower, red and white rectangular daymark. 4.0	Seasonal. Operates 24 h. Flash 0.5 s; eclipse 2.5 s.
295	Lareto Shoal light buoy H2	Lake Melville. 53 58 38.8 058 45 50.4	FI R 4s	Red, pillar, marked "H2".	Seasonal. Operates 24 h.
296 H0076	Green Island Light	Lake Melville. 53 55 37.3 058 59 36.6	FI W 5s	18.9	3	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
296.1 H0076.2	Long Point Light	Lake Melville. 53 41 45.7 059 19 06.1	FI W 5s	53.4	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
297	Cartier Shoal light buoy H4	Lake Melville. 53 35 48.4 059 50 53.5	FI R 4s	Red, pillar, marked "H4".	Seasonal. Operates 24 h.
297.5	Epinette Point light buoy H7	Lake Melville, W. of point. 53 31 20.6 059 56 56.4	FI G 4s	Green, spar, marked "H7".	Seasonal (in place year round).
297.51	Southern Epinette Shoal light buoy HC1	53 29 45.0 059 56 42.0	FI G 4s	Green, spar, marked "HC1".	Seasonal.
297.52	Carter Basin Outside light buoy HC2	53 30 02.2 059 53 10.1	FI R 4s	Red, spar, marked "HC2".	Seasonal.
297.53	Carter Basin Inside light buoy HC4	53 29 57.8 059 52 49.7	FI R 4s	Red, spar, marked "HC4".	Seasonal.
297.6	North West Point light buoy H8	Lake Melville. 53 30 02.4 060 00 25.2	FI R 4s	Red, spar, marked "H8".	Seasonal (in place year round).
298	North West River Entrance light buoy HN1	Lake Melville. 53 31 23.6 060 07 07.1	FI G 4s	Green, pillar, marked "HN1".	Seasonal.
Goose Bay							
298.1 H0077.6	Montagnais Islands Light	53 33 30.0 060 04 01.9	FI W 5s	3.8	2	Mast. 2.6	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
298.2	Montagnais Shoal light buoy HN	Outside the entrance to North West River. 53 33 50.3 060 00 52.6	Q(9) W 15s	Yellow-black-yellow, pillar, marked "HN".	Seasonal. Operates 24 h.
298.3	North West River light buoy HN3	53 31 19.7 060 08 02.7	FI G 4s	Green, spar, marked "HN3".	Seasonal.
298.5 H0077.5	Baikie Point Light	53 31 25.7 060 07 59.9	FI R 4s	3.2	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NEWFOUNDLAND AND LABRADOR COAST							
299 H0076.4	Brule Point front range light	Lake Melville. 53 26 34.3 059 56 42.7	Oc G 6s	7.9	13	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal. Flash 4 s; eclipse 2 s.
300 H0076.5	Brule Point rear range light	53 26 31.6 059 56 41.5 163°30' 88.4 m from front.	Oc G 6s	19.2	13	Square skeleton tower, white daymark with red vertical stripe. 6.3	Seasonal. Flash 4 s; eclipse 2 s.
301 H0077	Kenamu River front range light	Lake Melville. 53 28 14.6 059 54 52.4	Oc G 6s	7.9	13	Square skeleton tower, white daymark with red vertical stripe. 6.4	Seasonal. Flash 4 s; eclipse 2 s.
302 H0077.1	Kenamu River rear range light	53 28 47.8 059 53 51.7 047°30' 1517.9 m from front.	Oc G 6s	18.9	13	Square skeleton tower, white daymark with red vertical stripe. 18.6	Seasonal. Flash 4 s; eclipse 2 s.
303	Sandy Point Turning light buoy H10	53 27 19.5 059 57 26.5	Q R 1s	Red, spar, marked "H10".	Seasonal (in place year round).
304	Sandy Point Channel light buoy H12	53 26 13.1 059 58 43.4	Fl R 4s	Red, spar, marked "H12".	Seasonal (in place year round).
305	Sandy Point Channel light buoy H11	53 26 09.0 059 58 33.0	Fl G 4s	Green, spar, marked "H11".	Seasonal (in place year round).
306	Sandy Point Channel light buoy H14	53 25 41.4 059 59 44.4	Fl R 4s	Red, spar, marked "H14".	Seasonal (in place year round).
307	Sandy Point Channel light buoy H13	53 25 39.0 059 59 33.0	Fl G 4s	Green, spar, marked "H13".	Seasonal (in place year round).
307.3	Sandy Point Channel light buoy H15	53 25 24.0 060 00 01.0	Fl G 4s	Green, spar, marked "H15".	Seasonal (in place year round).
307.6	Sandy Point Channel light buoy H16	53 25 25.2 060 00 09.0	Fl R 4s	Red, spar, marked "H16".	Seasonal (in place year round).
308	Sandy Point Channel light buoy H18	53 25 03.6 060 00 47.4	Fl R 4s	Red, spar, marked "H18".	Seasonal (in place year round).
308.1	Goose Bay Narrows Turning light buoy H18/2	53 24 29.6 060 02 00.2	Q R 1s	Red, spar, marked "H18/2".	Seasonal (in place year round). Operates 24 h.
309	Sandy Point Channel light buoy H17	53 25 03.3 060 00 38.9	Fl G 4s	Green, spar, marked "H17".	Seasonal (in place year round).
310	Rabbit Island East light buoy H19	53 24 36.4 060 07 16.5	Fl G 4s	Green, spar, marked "H19".	Seasonal (in place year round).
310.5	Rabbit Island West light buoy H21	53 23 53.2 060 11 29.3	Fl G 4s	Green, spar, marked "H21".	Seasonal (in place year round). Operates 24 h.
311	Rabbit Island North light buoy H20	53 25 04.4 060 10 45.0	Fl R 4s	Red, spar, marked "H20".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NEWFOUNDLAND AND LABRADOR COAST

312	Birch Island light buoy H22	53 23 21.8 060 14 16.9	Fl R 4s	Red, pillar, marked "H22".	Seasonal.
313	Chaulk Point light buoy H23	53 21 51.6 060 17 38.5	Fl G 4s	Green, pillar, marked "H23".	Seasonal.
313.5	Grebe Point light buoy H25	53 21 22.1 060 18 53.6	Fl G 4s	Green, pillar, marked "H25".	Seasonal.
313.6	Groves Point Entrance light buoy H27	53 21 01.5 060 20 57.1	Fl G 4s	Green, spar, marked "H27".	Seasonal (in place year round).
314	Terrington Narrows Channel light buoy H30	53 21 02.5 060 21 11.5	Fl R 4s	Red, spar, marked "H30".	Seasonal (in place year round).
315	Terrington Narrows Channel light buoy H29	53 20 59.5 060 21 11.8	Fl G 4s	Green, spar, marked "H29".	Seasonal (in place year round).
316	Terrington Narrows Channel light buoy H32	53 21 00.3 060 21 34.1	Fl R 4s	Red, spar, marked "H32".	Seasonal (in place year round).
317	Terrington Narrows Channel light buoy H33	53 20 57.3 060 21 33.8	Fl G 4s	Green, spar, marked "H33".	Seasonal (in place year round).
317.5 H0076.3	Terrington Narrows Sector Light	53 20 37.3 060 24 07.1	F R W G	10.5	19 Square skeleton tower, red and white rectangular daymark. 10.0	Seasonal. Operates 24 h. R 255°35'-256°55'; AI RW 256°55'-257°10'; W 257°10'-257°30'; AI GW 257°30'-257°45'; G 257°45'-259°05'.