

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
326 H0686	Gull Island Light Station (Cape St. John)	49 59 48.3 055 21 54.4	FI W 10s	160.0	17	Square skeleton tower, red and white rectangular daymark. 5.2	Seasonal. Flash 0.2 s; eclipse 9.8 s.
326.05	Shoe Cove Breakwater Light	49 54 50.4 055 33 31.3	FI G 5s	4	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
326.11 H0684	Round Harbour Wharf Light	49 51 10.1 055 39 22.5	FI G 5s	4.1	3	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
326.2	<i>Nippers Harbour light buoy DNR4</i>	49 47 41.3 055 51 43.6	FI R 4s	<i>Red, spar, marked "DNR4".</i>	<i>Seasonal.</i>
326.3	<i>Nippers Harbour light buoy DNR2</i>	49 47 28.0 055 51 14.0	FI R 4s	<i>Red, pillar, marked "DNR2".</i>	<i>Seasonal.</i>
326.4	<i>Nippers Harbour light buoy DNR3</i>	49 47 37.5 055 51 36.0	FI G 4s	<i>Green, spar, marked "DNR3".</i>	<i>Seasonal.</i>
327 H0681	Nippers Island Light	49 46 52.4 055 50 23.9	FI W 3s	33.8	7	Skeleton tower. 7.9	Seasonal. Flash 0.5 s; eclipse 2.5 s.
327.5 H0682	Smiths Harbour Wharf Light	49 44 20.9 055 58 05.3	FI R 4s	3.0	4	Red cylindrical mast. 2.1	Seasonal.
327.6	<i>Smiths Harbour Rock light buoy DSM4</i>	49 44 03.1 055 57 40.2	FI R 4s	<i>Red, spar, marked "DSM4".</i>	<i>Seasonal.</i>
327.8 H0682.5	Jackson's Cove Wharf Light	49 41 14.0 056 00 15.0	FI R 4s	4.0	2	Mast. 2.6	Seasonal.
327.9	<i>Middle Arm Rock light buoy DMM6</i>	49 42 19.0 056 02 32.7	FI R 4s	<i>Red, spar, marked "DMM6".</i>	<i>Seasonal.</i>
328 H0683	Middle Arm Wharf Light	49 42 10.7 056 05 36.1	FI R 3s	3.4	4	Mast. 2.5	Seasonal. Flash 0.5 s; eclipse 2.5 s.
331.9	<i>Black Rock Sunker East Cardinal light buoy DLB</i>	<i>Little Bay Islands. 49 38 11.5 055 45 55.6</i>	Q(3) W 10s	<i>Black-yellow-black, spar, marked "DLB".</i>	<i>Seasonal.</i>
332 H0679	Little Bay Island Light	49 38 05.2 055 46 16.3	FI W 6s	7.6	5	Square skeleton tower, red and white rectangular daymark. 3.7	Seasonal. Flash 0.5 s; eclipse 5.5 s.
332.2 H0679.2	Macks Island Light	49 38 30.2 055 46 54.3	FI G 4s	4.7	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal.
332.6 H0674.3	Miles Cove Wharf Light	49 32 27.4 055 46 48.5	FI G 4s	4	Mast. 2.6	Year round.
332.61	<i>Wilfred's Rock light buoy DR1</i>	<i>Island Rock Cove. 49 31 49.6 055 45 40.4</i>	FI G 4s	<i>Green, spar, marked "DR1".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
332.7 H0674.2	Pilley's Island Ferry Wharf Light	49 33 41.9 055 44 18.5	FI R 4s	4.0	3	Mast, yellow and black daymark. 2.4	Year round.
332.9 H0676	Long Island Ferry Wharf Light	49 34 03.0 055 44 10.8	FI R 4s	4.0	2	Mast. 2.6	Year round.
333	Lushes Bight light buoy DL1	49 35 22.6 055 43 35.2	FI G 4s	Green, pillar, marked "DL1".	Seasonal.
334 H0677.6	Lushes Bight Light	49 35 18.2 055 43 19.3	FI W 6s	6.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 5.5 s.
335 H0677	Lushes Bight Wharf Light	49 35 34.2 055 43 07.3	FI R 3s	3.0	4	Skeleton tower. 2.3	Year round. Flash 0.5 s; eclipse 2.5 s.
335.5 H0680.7	Beachside Wharf Light	49 38 34.0 055 53 44.8	FI R 5s	3.6	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
336	Tom Cod Rock West Cardinal light buoy DBB	E. of Otter Island. 49 36 41.9 055 53 11.3	Q(9) W 15s	Yellow-black-yellow, spar, marked "DBB".	Seasonal.
338.09	Island Rock Cove light buoy DHS	49 30 10.2 056 02 54.1	Q(6) + LFI W 15s	Yellow-black, spar, marked "DHS".	Seasonal.
339 H0678	Gull Rock Light	Little Bay. 49 41 01.2 055 41 41.5	FI W 4s	18.9	5	Square skeleton tower. 14.0	Seasonal.
339.5 H0678.4	Giles Island Light	49 37 02.8 055 40 04.7	FI R 3s	10.7	4	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.
340 H0675	East End Long Island Light	49 35 52.7 055 34 44.3	FI W 6s	31.4	7	Square skeleton tower, red and white rectangular daymark. 9.4	Year round. Flash 0.5 s; eclipse 5.5 s.
340.1	League Rock East light buoy DLR1	49 34 33.7 055 30 03.2	FI G 4s	Green, spar, marked "DLR1".	Seasonal.
340.3	League Rock West light buoy DLR3	49 34 18.6 055 31 00.9	FI G 4s	Green, spar, marked "DLR3".	Seasonal.
340.5	Grassy Point East Cardinal light buoy DNC	Triton Area. 49 32 44.5 055 36 23.6	Q(3) W 10s	Black-yellow-black, spar, marked "DNC".	Seasonal.
341 H0674	Big Triton Island Light	49 32 41.2 055 36 01.3	FI W 4s	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
341.1 H0674.1	Moses Point Light	49 32 45.0 055 38 59.3	FI G 4s	4	Square skeleton tower, green and white rectangular daymark.	Seasonal.
341.2	Caplin Cove Rock light buoy DNC2	49 32 26.6 055 36 56.3	FI R 4s	Red, spar, marked "DNC2".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
341.3 H0673	Cards Harbour Point Light	Badger Bay. 49 30 26.0 055 37 50.0	Fl R 4s	4	Mast. 2.6	Year round.	
341.32	Georgies Rock light buoy DBW2	Triton Area. 49 27 03.4 055 38 43.4	Fl R 4s	Red, spar, marked "DBW2".	Seasonal.	
341.4 H0673.5	Jims Cove Point Light	49 30 38.7 055 37 10.4	Q R 1s	4	Mast. 2.6	Year round.	
341.494	Haywards Gull Island light buoy DR1/1	Entrance to Robert's Arm. 49 29 57.9 055 46 30.1	Fl G 4s	Green, spar, marked "DR1/1".	Seasonal. Operates 24 h.	
341.495	Moorey Cove Shoal light buoy DR2	49 29 42.8 055 47 06.2	Fl R 4s	Red, spar, marked "DR2".	Seasonal.	
341.496	Bear Cove Head light buoy DR3	49 29 22.1 055 47 50.5	Fl G 4s	Green, spar, marked "DR3".	Seasonal.	
341.5 H0674.4	Roberts Arm Wharf Light	49 29 18.8 055 48 20.8	Fl R 4s 2.7	4	Red cylindrical mast. 2.4	Seasonal.	
342 H0672	Leading Ticks Light	49 30 21.8 055 24 25.4	Fl W 3s 25.3	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 0.5 s; eclipse 2.5 s.	
344 H0670.5	Cottrells Cove Light	49 28 56.5 055 18 16.4	Fl W 4s 16.8	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal.	
344.39	Change Islands light buoy DWG1	49 40 41.3 054 22 58.1	Fl G 4s	Green, spar, marked "DWG1".	Seasonal. Operates 24 h.	
344.4	Skinners Rock light buoy DWG3	N. of Change Islands. 49 40 35.7 054 23 23.0	Fl G 4s	Green, spar, marked "DWG3".	Seasonal.	
344.41	Skinner Rock light buoy DWG5	Change Islands. 49 40 32.5 054 23 38.0	Q G 1s	Green, spar, marked "DWG5".	Seasonal.	
344.42	Old Tim light buoy DWG7	Change Islands. 49 40 23.1 054 24 05.9	Fl G 4s	Green, spar, marked "DWG7".	Seasonal.	
344.5	Cottrells Cove Shoal light buoy DW4.2	49 29 09.8 055 17 23.4	Fl R 4s	Red, spar, marked "DW4.2".	Seasonal.	
344.6	Seal Rock light buoy DW1	Cottrells Cove. 49 29 26.8 055 17 32.2	Fl G 4s	Green, spar, marked "DW1".	Seasonal.	
344.8	Long Island Rock light buoy DDW1	Osmonton Arm. 49 28 44.8 055 22 08.2	Fl G 4s	Green, spar, marked "DDW1".	Seasonal.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
344.9	Ritters Arm Shoal light buoy DW5	S. of Indian Cove. 49 22 52.6 055 15 45.2	Fl G 4s	Green, spar, marked "DW5".	Seasonal.
345 H0671.5	Point Leamington Wharf Light	49 20 23.8 055 23 51.4	Fl R 4s	3.4	4	Mast. 2.1	Seasonal.
345.3	Brandies Rock East Cardinal light buoy DWD	W. of Jacob Cove. 49 31 17.8 055 21 08.4	VQ(3) W 5s	Black-yellow-black, pillar, marked "DWD".	Seasonal. Operates 24 h.
345.41	White Ground Shoal light buoy DWG2	N. of Change Islands. 49 40 36.6 054 23 28.2	Fl R 4s	Red, spar, marked "DWG2".	Seasonal.
346.2	Western Bay Head light buoy DW2	49 32 33.6 055 14 14.7	Fl R 4s	Red, pillar, marked "DW2".	Seasonal.
346.3	Bed Rock Shoal light buoy DD2.2	N. of Fortune Harbour. 49 32 39.7 055 12 56.9	Fl R 4s	Red, spar, marked "DD2.2".	Seasonal.
Bay of Exploits							
346.36	Ship Run light buoy DSR2	W. of Exploits. 49 32 02.3 055 08 35.5	Fl R 4s	Red, pillar, marked "DSR2".	Seasonal.
347 H0656	Surgeon Cove Point Light Station	49 31 06.6 055 07 01.0	Fl W 5s	73.8	16	Cylindrical tower, red and white vertical stripes. 4.3	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s.
347.11	Exploits Outer light buoy DE4	49 30 58.2 055 04 04.8	Fl R 4s	Red, spar, marked "DE4".	Seasonal.
347.2	Long Island Outer Shoal light buoy DBE1	49 29 07.0 055 01 13.9	Q G 1s	Green, spar, marked "DBE1".	Seasonal.
347.3	Long Island Rocks light buoy DBE3	49 28 52.1 055 01 12.4	Fl G 4s	Green, spar, marked "DBE3".	Seasonal.
347.37	Little Burnt Bay light buoy DBE3/1	NE. of Southern Head Cove. 49 21 27.1 055 04 39.4	Fl G 4s	Green, spar, marked "DBE3/1".	Seasonal.
347.4	Swan Island Rock light buoy DBE2	NE. of Southern Head Cove. 49 27 49.2 055 01 41.7	Fl R 4s	Red, spar, marked "DBE2".	Seasonal.
347.5 H0651.4	Bridgeport Wharf Light	49 32 58.6 054 52 21.8	Fl G 4s	2	Mast. 2.6	Seasonal.
348 H0658	Upper Black Island Light	49 24 47.3 055 08 08.5	Fl W 3s	16.8	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 0.5 s; eclipse 2.5 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
348.2	Upper Black Island Rocks light buoy DBE5	W. of island. 49 24 18.4 055 08 16.0	Fl G 4s	Green, spar, marked "DBE5".	Seasonal.
349 H0660	Cabbage Harbour Head Light	49 19 43.2 055 12 14.3	Fl W 5s	34.7	5	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
349.5 H0662	Govers Point Island Light	49 19 39.9 055 14 11.9	Fl R 5s	4	Square skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
350 H0664	Grassy Island Light	49 15 36.0 055 14 10.0	Fl R 5s	11.7	4	Square skeleton tower, red and white square daymark. 4.7	Year round. Flash 1 s; eclipse 4 s.
350.1 H0664.5	Point of Bay Wharf Light	49 15 37.9 055 14 36.9	Fl R 5s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
350.12	Point of Bay Shoal light buoy DPB	49 15 43.3 055 14 25.9	Fl(2) W 10s	Black-red-black, spar, marked "DPB".	Seasonal.
350.6 H0665.5	Phillips Head Wharf Light	49 13 30.0 055 18 23.0	Fl Y 5s	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
351 H0666	Lower Sandy Point Light	49 12 36.0 055 17 50.0	Fl G 5s	5.5	4	Square skeleton tower, green and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
351.2	Phillips Head light buoy DPH2	49 13 11.2 055 17 56.6	Q R 1s	Red, spar, marked "DPH2".	Seasonal. Operates 24 h.
351.4	Lower Sandy Shoal light buoy DPH1	49 13 07.0 055 17 04.3	Q G 1s	Green, spar, marked "DPH1".	Seasonal. Operates 24 h.
352 H0668	Mill Point Light (Botwood)	49 08 51.2 055 20 04.6	Fl R 1.5s	5.5	4	Cylindrical tower, red and white horizontal bands. 4.3	Year round. Flash 0.5 s; eclipse 1 s.
352.15	Sunker Rock West Cardinal light buoy DSR	Black Island. 49 32 32.4 054 57 19.2	VQ(9) W 10s	Yellow-black-yellow, spar, marked "DSR".	Seasonal.
352.16	Seal Rock light buoy DBT2	Black Island. 49 32 16.9 054 58 08.4	Q R 1s	Red, spar, marked "DBT2".	Seasonal.
352.18	Western Rock # 1 light buoy DBT7	49 31 55.3 054 58 36.5	Fl G 4s	Green, spar, marked "DBT7".	Seasonal.
352.19	Western Rock # 2 light buoy DBT6	Black Island. 49 31 55.8 054 58 37.1	Fl R 4s	Red, spar, marked "DBT6".	Seasonal.
352.2	Whale Back Rock North Cardinal light buoy DDN	49 31 10.3 054 58 24.1	Q W 1s	Black-yellow, pillar, marked "DDN".	Seasonal. Operates 24 h.
352.4	Jobs Island South Cardinal light buoy DLW	49 17 46.1 055 00 22.4	Q(6) + LFl W 15s	Yellow-black, spar, marked "DLW".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
352.6	Little Burnt Bay Shoal light buoy DBE4	W. of Birchy Island. 49 21 24.8 055 04 42.7	Fl R 4s	Red, spar, marked "DBE4".	Seasonal.
352.7 H0653	Little Burnt Bay Wharf Light	49 21 24.1 055 04 45.2	Fl G 4s	3.3	4	Mast. 2.4	Seasonal.
352.8	Mussel Bed Rocks light buoy DLW1	E. of Masons Cove. 49 18 55.9 054 58 21.7	Fl G 4s	Green, spar, marked "DLW1".	Seasonal (in place year round).
352.94	Shoal Tickle East Cardinal light buoy DSC	49 20 40.2 055 01 27.6	Q(3) W 10s	Black-yellow-black, spar, marked "DSC".	Seasonal.
352.95 H0652.8	Shoal Tickle Light	49 21 02.9 055 01 32.9	Fl R 4s	6.0	2	Mast. 2.6	Year round.
352.96	Shoal Tickle light buoy DSP1	49 21 08.0 055 01 35.6	Fl G 4s	Green, spar, marked "DSP1".	Seasonal.
352.97	Shoal Tickle light buoy DSP2	Little Burnt Bay. 49 21 14.2 055 01 44.8	Q R 1s	Red, spar, marked "DSP2".	Seasonal.
353 H0654	St. Michael's Island Light	49 17 21.6 054 59 51.2	Fl W 3s	56.7	5	Skeleton tower, red and white rectangular daymark. 8.6	Seasonal. Flash 0.5 s; eclipse 2.5 s.
353.1 H0654.5	Seal Island Rock Light	49 16 22.0 055 00 06.0	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal.
353.2 H0655.05	Lewisporte Floating Dock Light	49 14 30.5 055 03 26.4	Fl R 4s	2	Red cylindrical mast. 2.6	Year round.
353.25	Shoal Point (Lewisporte) light buoy DLW3	49 14 42.8 055 02 35.0	Fl G 4s	Green, spar, marked "DLW3".	Seasonal (in place year round).
353.5 H0655.15	Lewisport Marina Light	49 14 28.5 055 03 24.5	Fl R 4s	3.1	Mast.	Private aid. Year round.
353.6 H0654.9	Lewisporte Outer Dolphin Light	49 14 56.3 055 02 57.5	Fl W 4s	Square mast.	Private aid. Year round.
353.7 H0655.3	Lewisporte Middle Catwalk Light	49 14 55.4 055 02 57.5	Fl W 4s	Black cylindrical mast.	Private aid. Year round.
353.8 H0655.5	Lewisporte Inner Wharf Light	49 14 54.7 055 02 57.4	Fl R 4s	4	Mast. 2.6	Year round.
353.9 H0651.8	Comfort Cove Wharf Light	49 24 19.7 054 51 17.2	Fl Y 4s	2	Mast.	Seasonal.
353.91	Loon Bay Breakwater Light	49 24 23.7 054 51 16.6	Fl R 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
354 H0652	Knights Island Rock Light	49 25 20.0 054 54 58.6	Fl W 4s	13.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
354.5	Gleed Island Light	49 27 22.5 054 53 04.1	Fl W 6s	4	Square skeleton tower, red and white daymark.	Seasonal. Operates 24 h. Flash 1 s; eclipse 5 s.
354.95	Summerford light buoy DU2	49 29 13.4 054 47 51.0	Fl R 4s	Red, spar, marked "DU2".	Seasonal.
355 H0651.6	Summerford Wharf Light	49 29 21.3 054 47 48.5	Fl G 5s	3.6	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.
355.071	Dildo Run light buoy DY2	49 32 03.3 054 40 31.1	Fl R 4s	Red, spar, marked "DY2".	Seasonal.
355.072	Dildo Run light buoy DY3	49 31 54.4 054 41 04.4	Fl G 4s	Green, spar, marked "DY3".	Seasonal.
355.073	Dildo Run light buoy DY4	49 31 42.4 054 41 22.9	Fl R 4s	Red, spar, marked "DY4".	Seasonal.
355.074	Dildo Run light buoy DY5	49 31 35.8 054 41 30.0	Fl G 4s	Green, spar, marked "DY5".	Seasonal.
355.075	Dildo Run light buoy DY6	49 31 33.3 054 41 36.6	Fl R 4s	Red, spar, marked "DY6".	Seasonal.
355.076	Dildo Run light buoy DY7	49 31 05.7 054 42 07.2	Fl G 4s	Green, spar, marked "DY7".	Seasonal.
355.077	Sloping Rock light buoy DY8	Dildo Run. 49 30 54.4 054 42 17.0	Fl R 4s	Red, spar, marked "DY8".	Seasonal.
355.078	7/8 Point light buoy DY9	Dildo Run. 49 30 29.2 054 42 42.9	Fl G 4s	Green, spar, marked "DY9".	Seasonal.
355.079	Dildo Run light buoy DY10	49 30 29.5 054 42 46.9	Fl R 4s	Red, spar, marked "DY10".	Seasonal.
355.08	Dildo Run light buoy DY12	49 30 10.4 054 42 59.2	Fl R 4s	Red, spar, marked "DY12".	Seasonal.
355.081	Jermey Rock light buoy DY13	Dildo Run. 49 30 08.2 054 42 57.0	Fl G 4s	Green, spar, marked "DY13".	Seasonal.
355.082 H0651.5	Hare Island Light	Dildo Run. 49 29 55.1 054 43 05.1	Fl R 5s	4.4	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
355.083	Tanners Rock light buoy DY15	Dildo Run. 49 29 38.3 054 43 17.8	Fl G 4s	Green, spar, marked "DY15".	Seasonal.
355.084	Dildo Run light buoy DY17	49 29 27.5 054 43 24.8	Fl G 4s	Green, spar, marked "DY17".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
355.085 H0651.55	Tea Kettle Island Light	Dildo Run. 49 29 01.6 054 43 49.7	Fl R 5s	4.2	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
355.086	Curtis Causeway Outer light buoy DY19	Dildo Run. 49 28 58.1 054 43 48.1	Fl G 4s	Green, spar, marked "DY19".	Seasonal.
355.087	Curtis Causeway Outer light buoy DY21	Dildo Run. 49 28 35.9 054 44 20.0	Fl G 4s	Green, spar, marked "DY21".	Seasonal.
355.088	Curtis Causeway Inner light buoy DY23	Dildo Run. 49 27 59.7 054 45 27.4	Fl G 4s	Green, spar, marked "DY23".	Seasonal.
355.089	South Downkist light buoy DY24	Dildo Run. 49 27 51.0 054 45 54.3	Fl R 4s	Red, spar, marked "DY24".	Seasonal.
355.09	Curtis Causeway Inner light buoy DY25	Dildo Run. 49 27 33.9 054 46 21.3	Fl G 4s	Green, spar, marked "DY25".	Seasonal.
355.091	Dildo Channel light buoy DY27	Dildo Run. 49 27 24.2 054 46 53.8	Fl G 4s	Green, spar, marked "DY27".	Seasonal.
355.092	Dildo Run light buoy DY28	49 27 21.5 054 47 09.4	Fl R 4s	Red, spar, marked "DY28".	Seasonal.
355.093	Butterfly Rock light buoy DY29	Dildo Run. 49 27 17.9 054 47 12.8	Fl G 4s	Green, spar, marked "DY29".	Seasonal.
355.094 H0651.7	Butterfly Island Light	Dildo Run. 49 27 21.3 054 47 29.5	Fl R 5s	6.5	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
355.095	Solid Island light buoy DY30	Dildo Run. 49 27 23.9 054 48 17.8	Fl R 4s	Red, spar, marked "DY30".	Seasonal.
355.123	Joe Island Shoal light buoy DA1	49 30 38.5 054 52 38.4	Q G 1s	Green, spar, marked "DA1".	Seasonal. Operates 24 h.
355.13	Cottlesville Harbour light buoy DAA1	49 30 47.1 054 52 02.5	Fl G 4s	Green, spar, marked "DAA1".	Seasonal.
355.131	Cottlesville Wharf Light	49 30 44.9 054 52 01.2	Fl R 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
355.2	Bridgeport Rock light buoy DBP2	W. of Bridgeport. 49 32 15.9 054 53 49.6	Fl R 4s	Red, pillar, marked "DBP2".	Seasonal.
355.3	Bridgeport Harbour Light	49 32 37.3 054 52 40.9	Fl R 4s	2	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
355.5 H0651.2	Pond Island Point Light	S. of Saltwater Pond. 49 33 55.3 054 54 02.5	Fl R 4s	4	Square skeleton tower, red and white square daymark. 4.3	Year round.
355.6	Sheers Rock light buoy DVP3	W. of Saltwater Pond. 49 33 57.2 054 54 04.3	Fl G 4s	Green, spar, marked "DVP3".	Seasonal.
355.7	Point of Lamb light buoy DVP4	W. of Saltwater Pond. 49 33 59.6 054 53 56.9	Fl R 4s	Red, spar, marked "DVP4".	Seasonal.
355.8	Bilge Rock light buoy DVP5	W. of Saltwater Pond. 49 34 00.2 054 53 57.1	Fl G 4s	Green, spar, marked "DVP5".	Seasonal.
356 H0651	Moreton's Harbour Wharf Light	49 34 39.4 054 52 17.4	Fl R 4s	4.0	2	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
356.05	Cross Cove light buoy DM2	49 34 40.6 054 51 57.4	Q R 1s	Red, spar, marked "DM2".	Seasonal. Operates 24 h.
356.1	Moreton's Harbour Outer light buoy DM3	49 34 23.8 054 51 48.4	Fl G 4s	Green, spar, marked "DM3".	Seasonal.
356.2	Moreton's Harbour Inner light buoy DM5	49 34 19.3 054 51 47.8	Fl G 4s	Green, spar, marked "DM5".	Seasonal.
357 H0650	Moreton's Harbour Light	49 34 51.7 054 51 35.8	Fl W 4s	18.0	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal. Flash 1 s; eclipse 3 s.
Twillingate							
358 H0640	Long Point (Twillingate) Light Station and Fog Signal	49 41 16.0 054 48 00.0	Fl W 5s	100.9	16	Red and white rectangular tower. 14.3	Year round. Fog Horn Blast 4 s; sil. 56 s.
358.1	Twillingate Harbour light buoy DT2	49 39 17.4 054 46 07.8	Fl R 4s	Red, spar, marked "DT2".	Seasonal.
358.11	White Ground light buoy D9	Burnt Island Tickle. 49 40 27.5 054 45 59.5	Fl G 4s	Green, spar, marked "D9".	Seasonal.
358.12	Burnt Island Channel light buoy D7	49 40 40.5 054 45 36.0	Fl G 4s	Green, spar, marked "D7".	Seasonal.
358.13	Hackett Cove Head light buoy D8	Burnt Island Tickle. 49 40 45.0 054 45 43.2	Fl R 4s	Red, spar, marked "D8".	Seasonal.
358.132 H0641	Upper Jenkins Cove Wharf Light	49 40 03.7 054 45 22.6	Fl G 4s	4.0	2	Mast. 2.6	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
358.14	Little Red Rock light buoy D6	Burnt Island Tickle. 49 40 47.0 054 45 15.0	Fl R 4s	Red, spar, marked "D6".	Seasonal.
358.15	Roses Head light buoy D4	Burnt Island Tickle. 49 40 52.0 054 44 54.0	Fl R 4s	Red, spar, marked "D4".	Seasonal.
358.159	Burnt Island Channel light buoy D5	Burnt Island Tickle. 49 40 45.8 054 45 04.4	Fl G 4s	Green, spar, marked "D5".	Seasonal.
358.16	9 Feet Rock light buoy D2	Burnt Island Tickle. 49 41 01.5 054 44 08.0	Fl R 4s	Red, spar, marked "D2".	Seasonal.
358.161	Rodger light buoy D3	Burnt Island Tickle. 49 40 49.2 054 44 40.2	Fl G 4s	Green, spar, marked "D3".	Seasonal.
358.17	Pauls Cap light buoy D1	Burnt Island Tickle. 49 40 54.0 054 44 06.0	Fl G 4s	Green, spar, marked "D1".	Seasonal.
358.191	Twillingate light buoy DT3	Twillingate Harbour. 49 39 16.8 054 46 04.2	Fl G 4s	Green, spar, marked "DT3".	Seasonal.
358.192	Twillingate (North Young Point) light buoy DT4	Twillingate Harbour. 49 39 13.9 054 46 07.3	Fl R 4s	Red, spar, marked "DT4".	Seasonal (in place year round).
358.193	Twillingate light buoy DT5	Twillingate Harbour. 49 39 12.0 054 46 04.6	Fl G 4s	Green, spar, marked "DT5".	Seasonal.
358.2	Twillingate (Young Point) light buoy DT6	Twillingate Harbour. 49 39 10.2 054 46 07.2	Fl R 4s	Red, spar, marked "DT6".	Seasonal.
358.3	Twillingate light buoy DT8	Twillingate Harbour. 49 39 05.4 054 46 06.6	Fl R 4s	Red, spar, marked "DT8".	Seasonal.
358.39	Twillingate light buoy DT9	Twillingate Harbour. 49 39 06.0 054 46 06.0	Fl G 4s	Green, spar, marked "DT9".	Seasonal.
358.4	Twillingate light buoy DT10	Twillingate Harbour. 49 39 01.2 054 46 03.0	Fl R 4s	Red, spar, marked "DT10".	Seasonal.
358.44	Twillingate light buoy DT12	49 39 00.1 054 46 02.0	Fl R 4s	Red, spar, marked "DT12".	Seasonal. Operates 24 h.
358.55	Twillingate light buoy DT13	Near the CCG base. 49 38 57.0 054 46 03.5	Fl G 4s	Green, spar, marked "DT13".	Seasonal (in place year round). Operates 24 h.
358.6	Twillingate Cautionary light buoy DT	Twillingate Harbour. 49 38 58.8 054 45 58.8	Fl Y 4s	Yellow, spar, marked "DT".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOTRE DAME BAY

359 <i>H0644</i>	Twillingate Wharf Light	Twillingate Harbour. 49 39 32.0 054 46 18.7	FI R 4s	4.6	4	Mast. 2.4	Seasonal.
359.2 <i>H0642</i>	Twillingate Harbour Light	49 39 15.3 054 46 01.5	FI G 4s	6.2	Square skeleton tower, green and white square daymark. 4.3	Seasonal.
359.5 <i>H0646</i>	Twillingate Breakwater Light	Twillingate Harbour. 49 39 05.8 054 46 04.6	FI G 4s	3.7	4	Mast. 2.4	Seasonal.
360 <i>H0648</i>	Duck Island Light	SW. of Main Tickle, Friday Bay. 49 35 33.0 054 43 32.7	FI W 4s	17.4	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
360.1	<i>Harbour Rock light buoy DPU1</i>	<i>Purcell's Harbour. 49 36 48.5 054 42 03.0</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DPU1".</i>	<i>Seasonal.</i>
360.2	<i>Shiphouse Rock light buoy DPU2</i>	<i>Purcell's Harbour. 49 36 47.2 054 42 06.8</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DPU2".</i>	<i>Seasonal.</i>
360.47	<i>Virgin Arm Inner Shoal light buoy DVA5</i>	<i>49 31 56.6 054 45 58.6</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DVA5".</i>	<i>Seasonal.</i>
360.48	<i>Virgin Arm light buoy DVA3</i>	<i>49 32 10.8 054 45 47.3</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DVA3".</i>	<i>Seasonal.</i>
360.49	<i>Virgin Arm Shoal light buoy DVA2</i>	<i>49 32 43.0 054 45 35.0</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DVA2".</i>	<i>Seasonal.</i>
360.5 <i>H0649</i>	Hillgrade Wharf Light	49 34 24.4 054 42 15.3	FI Y 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
360.51 <i>H0651.45</i>	Virgin Arm Wharf Light	49 31 38.2 054 46 18.0	FI R 4s	2	Mast. 2.6	Seasonal. Flash 1 s; eclipse 3 s.
360.52	<i>Carter's Cove Rock light buoy DCC2</i>	<i>49 32 19.9 054 47 25.2</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DCC2".</i>	<i>Seasonal.</i>
360.53	<i>Captain Pierce Rock Shoal light buoy DCC</i>	<i>49 34 19.4 054 47 38.9</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow-black-yellow, pillar, marked "DCC".</i>	<i>Seasonal. Operates 24 h.</i>
360.54	<i>Black Island Shoal light buoy DHL2</i>	<i>49 34 29.1 054 43 10.4</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DHL2".</i>	<i>Seasonal.</i>
Twillingate							
361 <i>H0645</i>	Shoal Tickle Light	Twillingate. 49 38 40.0 054 46 18.1	FI G 4s	14.6	4	Square skeleton tower, green and white rectangular daymark. 5.4	Seasonal. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
Bay of Exploits							
361.02	Exploits Outer light buoy DE5	49 30 55.2 055 04 03.0	Fl G 4s	Green, spar, marked "DE5".	Seasonal.
361.03	Exploits Inner light buoy DE6	49 31 14.3 055 04 03.4	Fl R 4s	Red, spar, marked "DE6".	Seasonal.
361.04	Exploits Inner light buoy DE7	49 31 04.8 055 04 06.0	Fl G 4s	Green, spar, marked "DE7".	Seasonal.
Twillingate							
361.1	Primer Rock light buoy DUR1	Farmers Arm. 49 40 08.0 054 44 21.3	Fl G 4s	Green, spar, marked "DUR1".	Seasonal. Operates 24 h.
361.2	Durrell Outer Harbour light buoy DUR3	Farmers Arm. 49 40 03.1 054 44 32.0	Fl G 4s	Green, spar, marked "DUR3".	Seasonal. Operates 24 h.
361.3	Durrell Inner Harbour light buoy DUR4	Farmers Arm. 49 40 03.8 054 44 33.0	Fl R 4s	Red, spar, marked "DUR4".	Seasonal. Operates 24 h.
361.32	Durrell Inner Harbour light buoy DUR5	Farmers Arm. 49 39 59.7 054 44 38.5	Fl G 4s	Green, spar, marked "DUR5".	Seasonal. Operates 24 h.
361.33	Durrell Inner Harbour light buoy DUR6	Farmers Arm. 49 40 00.1 054 44 39.1	Fl R 4s	Red, spar, marked "DUR6".	Seasonal. Operates 24 h.
361.4	Parky Rock light buoy DUL2	49 40 31.9 054 44 05.8	Fl R 4s	Red, spar, marked "DUL2".	Seasonal. Operates 24 h.
361.5	Mad Rocks light buoy DUR2	49 40 12.2 054 44 14.3	Fl R 4s	Red, spar, marked "DUR2".	Seasonal. Operates 24 h.
361.52	Farmers Arm light buoy DUR1/3	49 40 05.2 054 44 24.9	Fl G 4s	Green, spar, marked "DUR1/3".	Seasonal. Operates 24 h.
361.6	Primer Rock light buoy DUL3	49 40 10.4 054 43 59.7	Fl G 4s	Green, spar, marked "DUL3".	Seasonal. Operates 24 h.
361.61	Durrell Arm light buoy DUL4	49 40 01.9 054 44 09.2	Fl R 4s	Red, spar, marked "DUL4".	Seasonal. Operates 24 h.
361.62	Durrell Arm light buoy DUL5	49 39 54.1 054 44 12.5	Fl G 4s	Green, spar, marked "DUL5".	Seasonal. Operates 24 h.
361.63	Durrell Arm Wharf light buoy DUL7	49 39 47.2 054 44 13.5	Fl G 4s	Green, spar, marked "DUL7".	Seasonal. Operates 24 h.
362 H0638	Ship Island Light	49 39 07.0 054 35 54.0	Fl W 3s	28.7	5	Skeleton tower, white slatwork daymark. 4.3	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
362.5 H0635	Bacalhao Island Sector Light	49 41 14.5 054 33 17.1	Al R W G	71.0	23	Square skeleton tower, red rectangular daymark with white vertical stripe. 3.6	Year round. Operates 24 h. R 301°-300.5°; AI RW 300.5°-299.5°; W 299.5°-297.5°; AI GW 297.5°-296.5°; G 296.5°-296°.
363 H0636	Bacalhao Island Light	49 41 12.8 054 33 24.6	FI W 10s	106.0	17	Square skeleton tower, red and white rectangular daymark. 10.7	Year round. Flash 0.2 s; eclipse 9.8 s.
363.5 H0624.5	Barrack's Island Light	49 47 52.0 054 00 04.7	FI W 6s	10.0	5	Square skeleton tower, red and white square daymark. 4.3	Seasonal. Flash 1 s; eclipse 5 s.
364 H0622	Little Fogo Islands Light	49 49 12.2 054 05 37.1	FI W 4s	48.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
364.5 H0623	Storehouse Island Light	49 48 59.8 054 10 52.5	Iso W 6s	46.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
364.7	<i>Deans Rock North Cardinal light buoy DJD</i>	49 44 54.5 054 12 01.0	Q W 1s	<i>Black-yellow, pillar, marked "DJD".</i>	<i>Seasonal.</i>
364.8 H0623.5	Gappy Island Light	49 46 31.5 054 16 43.8	FI W 3s	24.2	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 2 s.
365 H0618	Rags Island (Fogo Island) Light	49 43 46.4 054 15 35.2	FI W 4s	25.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
365.22	<i>Eastern Tickle East Cardinal light buoy DFE</i>	<i>Fogo Harbour Entrance. 49 43 43.8 054 15 42.6</i>	Q(3) W 10s	<i>Black-yellow-black, spar, marked "DFE".</i>	<i>Seasonal.</i>
365.26	<i>Simms Island light buoy DF2</i>	<i>Fogo. 49 43 40.6 054 16 02.4</i>	FI R 4s	<i>Red, spar, marked "DF2".</i>	<i>Seasonal.</i>
365.3	<i>Pilly Rock light buoy DF3</i>	<i>Fogo Harbour. 49 43 37.0 054 16 17.5</i>	Q G 1s	<i>Green, spar, marked "DF3".</i>	<i>Seasonal.</i>
365.4	<i>Garrison Point North Cardinal light buoy DFN</i>	49 43 34.7 054 16 39.6	Q W 1s	<i>Black-yellow, spar, marked "DFN".</i>	<i>Seasonal. Operates 24 h.</i>
365.5	<i>Harbour Rock light buoy DF4</i>	<i>Fogo Harbour. 49 43 25.0 054 16 22.6</i>	FI R 4s	<i>Red, spar, marked "DF4".</i>	<i>Seasonal.</i>
365.508	<i>Fogo Harbour light buoy DF4/2</i>	49 43 09.2 054 16 27.4	FI R 4s	<i>Red, spar, marked "DF4/2".</i>	<i>Seasonal.</i>

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
365.509	Fogo Harbour light buoy DF5/1	49 43 09.4 054 16 24.8	Fl G 4s	Green, spar, marked "DF5/1".	Seasonal.
365.515	Fogo Harbour light buoy DF6	49 43 05.5 054 16 23.9	Q R 1s	Red, spar, marked "DF6".	Seasonal. Operates 24 h.
365.52	Fogo Harbour light buoy DF7	49 43 04.6 054 16 22.3	Fl G 4s	Green, spar, marked "DF7".	Seasonal. Operates 24 h.
365.7 H0618.5	Fogo Harbour Wharf Light	49 43 03.3 054 16 24.6	Fl R 4s	4.2	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
367.51	Shag Island light buoy DV3	49 42 25.5 054 17 47.6	Fl G 4s	Green, spar, marked "DV3".	Seasonal.
368 H0626	Change Island Light	49 34 10.3 054 24 27.6	Fl W 3s	13.7	5	Square skeleton tower, red and white rectangular daymark. 9.5	Seasonal. Flash 1 s; eclipse 2 s.
369 H0628	Ruth Island Light	E. of Change Island. 49 40 46.3 054 22 50.7	Fl W 3s	10.7	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 2 s.
370 H0629	Change Islands Tickle - front range light	49 40 25.3 054 24 18.2	F R	20.1	13 Square skeleton tower, red daymark with white vertical stripe. 9.6	Seasonal.
371 H0629.1	Change Islands Tickle rear range light	49 40 24.2 054 24 23.7 252°45' 121.9 m from front.	F R	24.4	13 Square skeleton tower, white daymark with red vertical stripe. 5.8	Seasonal.
371.1	Woody Island Light	On a rock at N. tip of the island. 49 34 34.3 054 22 09.4	Fl W 4s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
372 H0630	Tickle Point Light	Change Island. 49 40 07.5 054 24 49.0	Fl G 5s	9.4	4	Square skeleton tower, green and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
372.2	Stag Harbour light buoy DG2	49 34 29.3 054 16 29.5	Fl R 4s	Red, spar, marked "DG2".	Seasonal.
372.21	Fox Head light buoy DXY3	49 40 00.8 054 25 05.1	Fl G 4s	Green, spar, marked "DXY3".	Seasonal.
372.3 H0625.5	Cork Rock Light	Change Island. 49 33 42.6 054 22 59.4	Fl W 6s	6.0	6	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 5 s.
372.4	John Wheaton Rock cautionary light buoy DHJ	Fogo Island and Change Island ferry route. 49 33 20.8 054 24 50.2	Fl Y 4s	Yellow, spar, marked "DHJ".	Seasonal (in place year round).

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
372.5 H0606.5	Man O'War Cove Wharf Light	Fogo Island. 49 34 15.6 054 18 17.8	FI G 4s	6.7	4	Mast. 2.4	Year round.
372.6	Stag Harbour Run East Cardinal light buoy DX	49 34 07.7 054 15 55.5	Q(3) W 10s	Black-yellow-black, spar, marked "DX".	Seasonal. Operates 24 h.
372.61	Stag Harbour Run light buoy DX7	49 33 37.2 054 16 29.1	FI G 4s	Green, spar, marked "DX7".	Seasonal. Operates 24 h.
372.62	Stag Harbour Run light buoy DX6	49 33 39.8 054 16 38.6	FI R 4s	Red, spar, marked "DX6".	Seasonal.
372.63	Stag Harbour light buoy DX5	49 33 45.6 054 16 13.5	FI G 4s	Green, spar, marked "DX5".	Seasonal.
372.7 H0606.6	Man O'War Cove Dolphin Light	Fogo Island. 49 34 15.8 054 18 05.5	FI R 4s	4.1	4	Mast. 2.4	Year round.
372.9	Indian Lookout South Cardinal light buoy DHL	49 33 21.9 054 19 58.8	Q(6) + LFI W 15s	Yellow-black, spar, marked "DHL".	Seasonal (in place year round).
373	Stag Rock light buoy DX8	Stag Harbour. 49 33 34.2 054 17 12.3	FI R 4s	Red, pillar, marked "DX8".	Seasonal.
373.1	Rogers Point Shoal light buoy DH1	S. of Fogo Island. 49 34 13.5 054 19 13.3	FI G 4s	Green, spar, marked "DH1".	Seasonal (in place year round).
374 H0606	Stag Harbour Run Light	Fogo Island. 49 33 18.9 054 17 46.4	FI W 4s	6.0	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 3 s.
374.3	Perry Island light buoy DX3	49 34 02.9 054 13 58.6	FI G 4s	Green, spar, marked "DX3".	Seasonal.
374.5 H0625	Farewell Harbour Ferry Wharf Light	49 33 24.2 054 28 31.2	FI R 4s	3.1	4	Mast. 2.6	Year round.
375 H0634	Dram Island Light	W. of New World Island. 49 35 14.8 054 31 47.6	FI W 5s	10.1	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
375.1	Pikes Arm #1 light buoy DPA2	49 38 56.0 054 34 00.0	Q R 1s	Red, spar, marked "DPA2".	Seasonal.
375.2	Pikes Arm #2 light buoy DPA1	49 38 54.0 054 34 12.0	Q G 1s	Green, spar, marked "DPA1".	Seasonal.
375.34	Pikes Arm #3 light buoy DPA4	49 38 55.0 054 34 22.0	FI R 4s	Red, spar, marked "DPA4".	Seasonal.
375.43	Pikes Arm #4 light buoy DPA3	49 38 56.0 054 34 28.0	FI G 4s	Green, spar, marked "DPA3".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NOTRE DAME BAY								
375.5	Pikes Arm #5 light buoy DPA6	49 38 56.0 054 34 36.0	Fl R 4s	Red, spar, marked "DPA6".	Seasonal.	
375.6	Pikes Arm #6 light buoy DPA5	49 38 51.0 054 34 41.0	Fl G 4s	Green, spar, marked "DPA5".	Seasonal.	
375.7	Pikes Arm #7 light buoy DPA8	49 38 39.0 054 34 48.0	Q R 1s	Red, spar, marked "DPA8".	Seasonal.	
375.8	Pikes Arm #8 light buoy DPA7	49 38 34.0 054 34 53.0	Q G 1s	Green, spar, marked "DPA7".	Seasonal.	
376	Five Fathoms West Cardinal light buoy DHC	W. of Change Island. 49 38 02.4 054 28 55.8	Q(9) W 15s	Yellow-black-yellow, pillar, marked "DHC".	Seasonal.	
376.1	Cobbs Arm light buoy DCB1	New World Island. 49 37 13.8 054 33 48.0	Fl G 4s	Green, spar, marked "DCB1".	Seasonal.	
376.2	Cobbs Arm light buoy DCB2	New World Island. 49 37 11.2 054 33 54.7	Fl R 4s	Red, spar, marked "DCB2".	Seasonal.	
377 H0632	Smoker Island Light	W. of Change Island. 49 36 41.8 054 27 09.6	Fl W 5s	10.7	5	Square skeleton tower, red and white rectangular daymark. 5.3	Year round. Flash 1 s; eclipse 4 s.	
377.85	East Farewell Reef East Cardinal light buoy DHE	N. of Farewell Harbour. 49 35 32.8 054 26 59.6	Q(3) W 10s	Black-yellow-black, pillar, marked "DHE".	Seasonal.	
377.87	Smoker Island South Cardinal light buoy DHF	W. of Change Island. 49 36 21.8 054 27 11.6	Q(6) + LFI	W 15s	Yellow-black, pillar, marked "DHF".	Seasonal. Operates 24 h.
377.91 H0627	Change Island Southwest front range light	49 34 33.1 054 24 32.2	Oc R 6s	11.7	13	Square skeleton tower, white daymark with red vertical stripe. 5.3	Year round. Flash 4 s; eclipse 2 s.	
377.92 H0627.1	Change Island Southwest rear range light	49 34 31.2 054 24 28.8 130°24' 91.1 m from front.	Oc R 6s	18.1	13	Square skeleton tower, white daymark with red vertical stripe. 4.6	Year round. Flash 4 s; eclipse 2 s.	
378 H0612	Burnt Point Light Station	49 36 03.6 054 09 29.3	Fl W 5s	13.1	11	Square skeleton tower with octagonal upper portion. 9.3	Year round. Flash 1 s; eclipse 4 s.	
378.5	Burnt Point Shoal light buoy DD2	49 35 51.1 054 09 36.1	Fl R 4s	Red, pillar, marked "DD2".	Seasonal.	
378.6	Black Reef light buoy DD3	Seldom Cove. 49 35 40.7 054 10 35.6	Fl G 4s	Green, pillar, marked "DD3".	Seasonal.	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
378.7 H0613	Seldom Breakwater Light	49 36 38.5 054 10 56.4	FI G 4s	3.4	Mast. 2.4	Seasonal.
378.9	<i>Pennys Rock (Seldom) light buoy DS2</i>	<i>Seldom Cove. 49 36 41.4 054 11 01.2</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DS2".</i>	<i>Seasonal.</i>
379 H0608	Tinker Rock Light	S. of Seldom, Fogo Island. 49 35 00.9 054 10 31.6	FI W 4s	10.4	6	White cylindrical tower with red horizontal bands. 4.3	Year round.
380.2	<i>Mouse Island Shoal North Cardinal light buoy DDS</i>	<i>S. of Little Seldom. 49 35 20.9 054 12 11.6</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, pillar, marked "DDS".</i>	<i>Seasonal.</i>
381	<i>Grandfather Rock light buoy DX1</i>	<i>S. of Fogo Island. 49 33 06.8 054 08 35.6</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "DX1".</i>	<i>Seasonal.</i>
382 H0605	Blundon's Island (Sir Charles Hamilton Sound) Light	S. of Fogo Island. 49 32 55.4 054 13 43.0	FI W 4s	3.7	6	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
382.5 H0617.6	Barr'd Island Light	49 43 48.2 054 11 40.0	FI R 4s	10.1	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
383 H0617	Middle Rock Light	49 43 58.2 054 10 05.8	FI R 4s	5.5	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 3 s.
383.3	<i>Drovers Rock light buoy DDR</i>	<i>49 46 53.9 054 06 35.0</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow, pillar, marked "DDR".</i>	<i>Seasonal. Operates 24 h.</i>
383.5 H0617.4	Joe Batt's Arm Wharf Light	49 43 49.2 054 09 30.5	FI G 4s	3.7	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.
383.55	<i>Baker Rock light buoy DJ10</i>	<i>Joe Batt's Arm, Fogo Island. 49 43 50.2 054 09 34.7</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DJ10".</i>	<i>Seasonal.</i>
383.551	<i>Joe Batt's Arm Outer light buoy DJ13</i>	<i>Fogo Island. 49 43 46.7 054 09 54.1</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DJ13".</i>	<i>Seasonal.</i>
383.552	<i>Joe Batt's Arm Inner light buoy DJ14</i>	<i>Fogo Island. 49 43 40.7 054 09 58.6</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DJ14".</i>	<i>Seasonal.</i>
383.553	<i>Joe Batt's Arm Inner light buoy DJ15</i>	<i>Fogo Island. 49 43 37.4 054 09 58.4</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, spar, marked "DJ15".</i>	<i>Seasonal.</i>
383.56	<i>Joe Batt's Arm Outer light buoy DJ12</i>	<i>Fogo Island. 49 43 46.5 054 10 00.6</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, spar, marked "DJ12".</i>	<i>Seasonal.</i>
383.6 H0617.5	Joe Batt's Arm Wharf Light	Fogo Island. 49 43 32.9 054 10 05.3	FI R 4s	3.5	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 3 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
383.78	Browns Point light buoy DJ1/3	49 44 06.8 054 10 19.0	Q G 1s	Green, spar, marked "DJ1/3".	Seasonal. Operates 24 h.
383.8	Pomeroy Rock light buoy DJ2	Joe Batt's Arm, Fogo Island. 49 43 55.5 054 09 53.7	Q R 1s	Red, spar, marked "DJ2".	Seasonal.
383.81	Foots Rock Sandbar light buoy DJ5	Joe Batt's Arm, Fogo Island. 49 43 52.4 054 09 42.4	FI G 4s	Green, spar, marked "DJ5".	Seasonal.
383.82	Foots Rock light buoy DJ4	Joe Batt's Arm, Fogo Island. 49 43 51.1 054 09 43.6	FI R 4s	Red, spar, marked "DJ4".	Seasonal.
383.84	Duck Island Point light buoy DJ3	Joe Batt's Arm, Fogo Island. 49 44 02.5 054 10 04.8	FI G 4s	Green, spar, marked "DJ3".	Seasonal.
383.9	Joe Batts Arm light buoy DJ1	Fogo Island. 49 44 41.2 054 10 26.5	FI G 4s	Green, pillar, marked "DJ1".	Seasonal.
384 H0616	Joe Batt's Point Light	Fogo Island. 49 45 06.8 054 09 11.9	LFI W 6s	29.6	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 2 s; eclipse 4 s.
384.9	Vesuvius Rock West Cardinal light buoy DHV	SW. of Middle Dog Bay Island. 49 31 18.0 054 26 40.8	Q(9) W 15s	Yellow-black-yellow, pillar, marked "DHV".	Seasonal.
385 H0624	Steering Island Light	SW. of Middle Dog Bay Island. 49 31 00.7 054 27 35.9	FI W 5s	11.6	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
385.1	Gulnare Rocks East Cardinal light buoy DHG	SW. of Middle Dog Bay Island. 49 30 34.8 054 26 38.8	Q(3) W 10s	Black-yellow-black, pillar, marked "DHG".	Seasonal.
387	Frederickton Harbour light buoy DK6	Frederickton Harbour. 49 25 53.7 054 21 12.8	FI R 4s	Red, spar, marked "DK6".	Seasonal.
387.91	Bloody Arm Point light buoy DK2	Frederickton Harbour. 49 26 33.3 054 21 21.1	FI R 4s	Red, spar, marked "DK2".	Seasonal.
388 H0601	Noggin Cove Islands (Grass Islands) Light	49 27 49.8 054 18 59.6	FI W 3s	6.7	7	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.
388.2	Noggin Cove light buoy DN4	49 25 00.0 054 18 40.2	FI R 4s	Red, spar, marked "DN4".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NOTRE DAME BAY							
388.3	Noggin Cove light buoy DN5	49 25 00.6 054 18 36.0	Fl G 4s	Green, spar, marked "DN5".	Seasonal.
389 H0597	Green Island Light	Rocky Bay. 49 26 55.9 054 13 41.6	Fl W 5s	9.8	5	Rectangular skeleton tower, red and white rectangular daymark.	Year round. Flash 1 s; eclipse 4 s.
389.7	Lord Rock light buoy DC2	N. of Carmanville. 49 26 17.9 054 15 42.6	Fl R 4s	Red, spar, marked "DC2".	Seasonal (in place year round). Operates 24 h.
389.71	Wabby Rock light buoy DC3	N. of Carmanville. 49 26 13.9 054 15 04.6	Fl G 4s	Green, spar, marked "DC3".	Seasonal (in place year round). Operates 24 h.
390	Carters Rock light buoy DC7	Carmanville. 49 24 46.9 054 16 11.6	Fl G 4s	Green, spar, marked "DC7".	Seasonal (in place year round). Operates 24 h.
390.12	Carmanville Harbour light buoy DC8	49 24 31.9 054 16 37.6	Fl R 4s	Red, spar, marked "DC8".	Seasonal. Operates 24 h.
390.13	Paytrick Rock light buoy DC9	Carmanville. 49 24 26.9 054 16 27.6	Fl G 4s	Green, spar, marked "DC9".	Seasonal. Operates 24 h.
390.131	Carmanville light buoy DC	49 23 34.9 054 16 54.6	Fl(2) W 10s	Black-red-black, spar, marked "DC".	Seasonal. Operates 24 h.
390.14	Tucks High Point light buoy DC11	Carmanville. 49 24 15.9 054 16 28.6	Fl G 4s	Green, spar, marked "DC11".	Seasonal. Operates 24 h.
390.15	Kim's Shoal Cautionary light buoy DCK	Carmanville Harbour. 49 24 12.6 054 16 57.5	Fl Y 4s	Yellow, spar, marked "DCK".	Seasonal. Operates 24 h.
391 H0600	Carmanville Wharf Light	49 24 13.9 054 16 50.1	Fl R 4s	5.2	Mast. 2.4	Year round. Flash 1 s; eclipse 3 s.
392 H0599	Carmanville Sector Light	49 23 31.4 054 17 08.8	F R W G	7.9	Square skeleton tower.	Year round. Operates 24 h. R 201°-202°; AI RW 202°-202°30'; W 202°30'-204°30'; AI WG 204°30'-205°; G 205°-206°.
393.4 H0590	Grassy Island Light	Ladle Cove. 49 28 28.9 054 03 17.6	Fl R 5s	4	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal. Flash 1 s; eclipse 4 s.
393.5	Ladle Cove Outer light buoy JA1	49 28 34.8 054 02 58.2	Fl G 4s	Green, spar, marked "JA1".	Seasonal.
393.6	Ladle Cove Inner light buoy JA2	49 28 28.2 054 03 12.0	Fl R 4s	Red, spar, marked "JA2".	Seasonal.
393.62	Ladle Cove light buoy JA3	49 28 27.7 054 03 14.7	Fl R 4s	Red, spar, marked "JA3".	Seasonal. Operates 24 h.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NOTRE DAME BAY

393.7 H0590.2	Ladle Cove Wharf Light	49 28 25.0 054 03 27.0	Fl R 5s	3	Red mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
394 H0614	Tilton Harbour Light	49 42 32.9 054 03 49.0	Fl R 4s	27.7	5	Skeleton tower, white daymark. 6.4	Seasonal.
394.1	<i>Tilting Harbour light buoy DTL1</i>	49 42 30.2 054 03 37.0	Fl G 4s	Green, spar, marked "DTL1".	Seasonal.
394.2	<i>Tilting Harbour light buoy DTL2</i>	49 42 27.7 054 03 38.6	Fl R 4s	Red, spar, marked "DTL2".	Seasonal.
394.3	<i>Tilting Harbour light buoy DTL3</i>	49 42 24.6 054 03 40.3	Fl G 4s	Green, spar, marked "DTL3".	Seasonal.
394.31	<i>Tilting Harbour light buoy DTL4</i>	49 42 23.5 054 03 43.4	Fl R 4s	Red, spar, marked "DTL4".	Seasonal.
395 H0586	Peckford Island Light	49 31 49.3 053 51 07.3	Fl W 10s	15.5	17	Square skeleton tower, red and white rectangular daymark. 9.6	Year round. Flash 0.2 s; eclipse 9.8 s.