

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
TRINITY BAY								
450.1	Shag Rock light buoy TM1	Melrose Harbour. 48 28 26.3 053 03 32.8	Fl G 4s	Green, spar, marked "TM1".	Seasonal.	
450.2	Bill's Shoal light buoy TM2	Melrose Harbour. 48 28 43.2 053 03 58.1	Fl R 4s	Red, spar, marked "TM2".	Seasonal.	
450.3	Harbour Rock light buoy TM3	Melrose Harbour. 48 28 44.0 053 04 04.4	Fl G 4s	Green, spar, marked "TM3".	Seasonal. Operates 24 h.	
452	Brandies light buoy TC2	E. of Green Island. 48 30 12.9 053 01 26.5	Fl R 4s	Red, pillar, marked "TC2".	Seasonal.	
453 H0526	Green Island (Catalina) Light Station and Fog Signal	48 30 14.8 053 02 36.4	Fl W 3.33 s	28.0	15	Red and white octagonal tower.	Year round. Flash 0.07 s; eclipse 3.26 s. Fog Horn Blast 4 s; sil. 56 s.	
453.2 H0526.5	Burnt Point (Catalina) Light	48 30 32.8 053 02 58.4	Fl W 6s	5.2	6	Square skeleton tower, red and white rectangular daymark. 4.6	Year round. Flash 0.5 s; eclipse 5.5 s.	
453.5	Charlton Rock light buoy TC4	Catalina Harbour. 48 30 44.0 053 03 13.5	Fl R 4s	Red, spar, marked "TC4".	Seasonal (in place year round).	
454 H0527	Catalina Harbour Outer front range light	48 30 56.0 053 03 43.5	F R	14.6	13	Skeleton tower, red daymark with black vertical stripe. 4.3	Year round. Operates 24 h.
455 H0527.1	Catalina Harbour Outer rear range light	48 30 57.0 053 03 46.4 297°10' 65.5 m from front.	F R	22.9	13	Skeleton tower, red daymark with black vertical stripe. 5.0	Year round. Operates 24 h.
456 H0530	Catalina Harbour Inner front range light	48 30 21.7 053 04 32.8	F G	10.0	14	Skeleton tower, black daymark with red vertical stripe. 7.3	Year round. Operates 24 h.
457 H0530.1	Catalina Harbour Inner rear range light	48 30 19.0 053 04 45.6 252°00' 269.7 m from front.	F G	17.1	14	Skeleton tower, black daymark with red vertical stripe. 5.2	Year round. Operates 24 h.
457.5	Lowe Rock light buoy TC5	Catalina Harbour. 48 30 28.6 053 03 52.2	Fl G 4s	Green, spar, marked "TC5".	Seasonal (in place year round).	
458.81	Catalina Harbour Channel light buoy TC6	48 30 41.0 053 04 16.5	Fl R 4s	Red, spar, marked "TC6".	Seasonal (in place year round).	
459	Catalina Harbour Channel light buoy TC7	48 30 42.0 053 04 19.8	Fl G 4s	Green, spar, marked "TC7".	Seasonal (in place year round).	

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
459.1	Catalina Harbour Channel light buoy TC10	48 30 51.0 053 04 14.8	Fl R 4s	Red, spar, marked "TC10".	Seasonal (in place year round).
460	Catalina Harbour Channel light buoy TC11	48 30 51.4 053 04 18.1	Q G 1s	Green, spar, marked "TC11".	Seasonal (in place year round).
460.2	Catalina Harbour Basin North light buoy TC14	48 30 58.6 053 04 22.2	Fl R 4s	Red, spar, marked "TC14".	Seasonal.
461 H0531	Catalina Wharf Light	48 30 55.3 053 04 30.1	Fl R 3s	3.6	4	Mast. 2.4	Seasonal. Flash 0.5 s; eclipse 2.5 s.
462 H0520	Fort Point Light Station and Fog Signal	48 21 55.9 053 20 45.2	Fl W 5s	23.9	15	Square skeleton tower. 12.4	Year round. Operates 24 h. Fog Horn Blast 2 s; sil. 18 s.
462.31	Port Rexton Shoal light buoy TR1	48 23 18.7 053 19 33.9	Q G 1s	Green, spar, marked "TR1".	Seasonal.
462.5	Bennett's Point Rock light buoy TCW1	Entrance to Champney's West. 48 22 32.4 053 17 27.6	Fl G 4s	Green, spar, marked "TCW1".	Seasonal.
462.51	Pinchgut Island Light	48 22 58.4 053 17 45.1	Fl G 5s	4	Mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
463 H0522	Flat Rock Fog Signal Station	On building. 48 20 58.0 053 12 27.0	Year round. Fog Horn Blast 4 s; sil. 56 s.
463.1	Old Bonaventure Entrance light buoy TRB3	48 17 03.8 053 25 37.5	Q G 1s	Green, spar, marked "TRB3".	Seasonal.
463.2 H0520.5	Trinity East Wharf Light	48 22 40.9 053 20 43.0	Fl R 4s	2	Mast. 2.1	Year round.
463.29	Old Bonaventure Inner light buoy TRB4	48 17 01.7 053 25 35.3	Q R 1s	Red, spar, marked "TRB4".	Seasonal.
463.3 H0519	Old Bonaventure Wharf Light	Outer corner of wharf. 48 17 06.2 053 25 39.5	Fl G 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
463.35	Old Bonaventure Inner light buoy TRB6	Inner part of harbour. 48 17 05.3 053 25 36.3	Fl R 4s	Red, spar, marked "TRB6".	Seasonal. Operates 24 h.
464 H0518	Ragged Islands Light	48 14 29.5 053 26 32.7	Fl W 4s	33.8	5	Red and white cylindrical tower. 3.7	Year round.
464.5 H0516.5	Lower Lance Cove Wharf Light	48 08 49.2 053 41 45.6	Fl R 4s	3.3	4	Mast. 2.4	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
464.6	Indian Rock West Cardinal light buoy TRP	48 12 32.4 053 31 52.7	VQ(9) W 10s	Yellow-black-yellow, spar, marked "TRP".	Seasonal.
465 H0514	Random Head Harbour Light	Motion Islands. 48 05 41.1 053 32 43.1	Fl W 5s	38.4	5	Red and white cylindrical tower. 10.2	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
465.2	Little Heart's Ease Shoal light buoy TS1	48 01 17.1 053 41 22.9	Fl G 4s	Green, spar, marked "TS1".	Seasonal. Operates 24 h.
465.3	Gooseberry Cove Breakwater Light	48 01 49.0 053 38 22.9	Fl R 4s	5.6	4	Mast. 2.5	Year round.
465.37 H0514.4	Southport Shore Light	48 02 43.5 053 38 47.0	Q G 1s	4	Mast. 2.6	Year round.
465.38	Southport Rock #1 light buoy TSP2	48 02 37.9 053 38 47.6	Fl R 4s	Red, spar, marked "TSP2".	Seasonal.
465.39	Southport Rock #2 light buoy TSP4	48 02 37.6 053 38 42.3	Fl R 4s	Red, spar, marked "TSP4".	Seasonal.
465.4 H0514.5	Southport Wharf Light	48 02 41.2 053 38 37.2	Fl R 4s	4.0	4	Mast. 2.5	Seasonal.
465.6 H0515	Little Heart's Ease Wharf Light	48 00 53.8 053 41 22.1	Fl Y 5s	3.0	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
465.7 H0513.5	Sunnyside Wharf Light	47 51 13.1 053 53 01.4	Fl R 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
465.8	Quarry Rock light buoy TV4	48 05 21.7 053 42 26.9	Fl R 4s	Red, spar, marked "TV4".	Seasonal.
465.9 H0513.7	Lower Harbour Point Light	48 05 38.0 053 43 42.0	Fl R 4s	7.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal. Flash 1 s; eclipse 3 s.
466.01	Fosters Point Rock light buoy TV10	48 06 35.8 053 53 57.0	Fl R 4s	Red, spar, marked "TV10".	Seasonal.
466.08	Weybridge Shoal light buoy TV6	48 05 44.0 053 53 01.4	Fl R 4s	Red, spar, marked "TV6".	Seasonal.
466.1	Gooseberry Cove Shoal light buoy TVG	48 01 45.0 053 38 21.0	Fl(2) W 10s	Black-red-black, spar, marked "TVG".	Seasonal.
466.2	Clarenville Marina Breakwater Light	48 09 35.2 053 57 34.2	Fl R 4s	4	Cylindrical mast. 2.1	Seasonal. Operates 24 h. Flash 1 s; eclipse 3 s.
466.6 H0513.9	Hickman's Harbour Wharf Light	48 05 58.8 053 44 24.8	Fl G 4s	3.4	3	Mast. 2.6	Year round.
466.75	Petley Rock light buoy TRP2	48 09 21.4 053 44 30.1	Fl R 4s	Red, spar, marked "TRP2".	Seasonal.
466.8 H0517	Petley Wharf Light	48 09 15.8 053 44 41.3	Fl R 5s	3.8	4	Mast. 2.4	Seasonal. Flash 1 s; eclipse 4 s.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
466.84	Long Cove Outer light buoy TL1	47 34 05.4 053 40 01.8	Fl G 4s	Green, spar, marked "TL1".	Seasonal.
466.86	Long Cove Inner light buoy TL3	47 34 02.4 053 39 54.0	Fl G 4s	Green, spar, marked "TL3".	Seasonal.
466.88	Long Cove North Light	On N. side of the entrance to Long Cove Harbour. 47 34 04.1 053 39 57.7	Q G 1s	2	Mast.	Seasonal. Operates 24 h.
466.89 H0511.1	Long Cove Wharf Light	Inner corner of the wharf. 47 34 02.4 053 39 56.5	Fl R 4s	2	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
466.9 H0511.15	Long Cove Light	47 34 03.5 053 39 59.2	Fl R 4s	10.8	4	Square skeleton tower, red and white rectangular daymark.	Seasonal. Flash 1 s; eclipse 3 s.
466.91	New Harbour Outer light buoy TN2	47 35 39.0 053 33 17.4	Fl R 4s	Red, spar, marked "TN2".	Seasonal.
466.92	New Harbour (Middle) light buoy TN4	47 35 29.9 053 33 12.9	Fl R 4s	Red, spar, marked "TN4".	Seasonal.
466.93	New Harbour Inner light buoy TN5	47 35 21.5 053 33 05.1	Fl G 4s	Green, spar, marked "TN5".	Seasonal.
467 H0512	Hopeall Head Light	47 37 57.4 053 33 47.8	Fl W 5s	62.4	4	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Flash 1 s; eclipse 4 s.
467.02	Hopeall Wharf Light	47 36 59.5 053 30 42.1	Fl G 5s	2	Mast.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s.
467.05	Chapel Arm light buoy TA2	47 31 15.8 053 40 10.5	Fl R 4s	Red, spar, marked "TA2".	Seasonal. Operates 24 h.
467.06 H0511.5	Dildo Head Light	47 34 06.0 053 34 24.0	Fl G 4s	24.4	4	Square skeleton tower, green and white rectangular daymark. 4.3	Year round.
467.08 H0511.55	South Dildo Wharf Light	47 31 56.2 053 33 09.1	Fl G 4s	3.0	2	Mast. 2.4	Seasonal.
467.09 H0511.6	Dildo Breakwater Light	47 34 07.5 053 33 41.0	Fl G 4s	3.4	4	Mast. 2.6	Seasonal.
467.14	Tobin' Rock light buoy TG1	Bellevue. 47 38 25.3 053 44 46.8	Fl G 4s	Green, spar, marked "TG1".	Seasonal.
467.15	Bellevue Outer light buoy TG3	47 38 15.0 053 44 42.6	Fl G 4s	Green, spar, marked "TG3".	Seasonal.
467.16	Bellevue Inner light buoy TG5	47 38 15.4 053 44 27.9	Fl G 4s	Green, spar, marked "TG5".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
467.17	Bellevue Inner light buoy TG6	47 38 20.4 053 44 48.0	Fl R 4s	Red, spar, marked "TG6".	Seasonal.
467.18	Bellevue Inner light buoy TG7	47 38 17.6 053 44 12.6	Q G 1s	Green, spar, marked "TG7".	Seasonal. Operates 24 h.
467.19	Bellevue Inner light buoy TG8	47 38 15.0 053 44 12.3	Fl R 4s	Red, spar, marked "TG8".	Seasonal. Operates 24 h.
467.24	Black Rock light buoy TB1	Chance Cove. 47 40 58.5 053 48 28.5	Fl G 4s	Green, pillar, marked "TB1".	Seasonal.
467.25	Black Cove Rock light buoy TB3	Chance Cove. 47 40 48.7 053 49 10.8	Q G 1s	Green, spar, marked "TB3".	Seasonal.
467.26	Carney's Point light buoy TB2	Chance Cove. 47 40 54.5 053 49 17.2	Fl R 4s	Red, spar, marked "TB2".	Seasonal.
467.27 H0512.5	Chance Cove Breakwater Light	47 40 49.6 053 49 36.7	Fl R 5s	2.6	4	Mast. 2.6	Seasonal. Flash 1 s; eclipse 4 s.
467.28	Chance Cove Rock light buoy TB5	47 40 47.3 053 49 40.2	Fl G 4s	Green, spar, marked "TB5".	Seasonal.
467.45	Islington Wharf Light	47 45 45.2 053 28 50.5	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
467.5 H0511	Whiteway Breakwater Light	47 41 45.3 053 28 53.5	Fl G 4s	4.4	4	Mast. 2.6	Year round. Flash 1 s; eclipse 3 s.
467.506	Heart's Delight North Wharf Light	47 46 39.4 053 28 17.3	Fl G 5s	2	Pipe tower.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
467.51 H0510.8	Heart's Delight Breakwater Light	47 46 19.9 053 28 00.5	Fl R 5s	2	Cylindrical mast.	Seasonal. Operates 24 h. Flash 1 s; eclipse 4 s.
468 H0510	Heart's Content Light	47 52 56.1 053 23 06.3	Fl W 4s	25.2	Red and white cylindrical tower. 8.7	Year round.
468.7 H0508	Bloody Point Light	47 54 53.8 053 21 34.0	Fl R 5s	11.4	9	Square skeleton tower, red and white rectangular daymark. 4.2	Year round. Flash 1 s; eclipse 4 s.
468.8 H0510.5	Heart's Content Wharf Light	47 52 46.2 053 22 16.3	Fl G 5s	4	Mast. 2.6	Year round. Flash 1 s; eclipse 4 s.
469 H0506	Jeans Head Light	47 55 37.3 053 21 48.5	Fl W 4s	48.5	5	Square skeleton tower, red and white rectangular daymark. 4.3	Year round.
469.21	Northern Point Rock light buoy TW1	47 57 45.0 053 20 06.0	Fl G 4s	Green, spar, marked "TW1".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
TRINITY BAY							
469.22	Winterton Shoal light buoy TW2	47 57 23.0 053 19 59.0	Fl R 4s	Red, spar, marked "TW2".	Seasonal.
469.8	West light buoy TW	W. of Hants Harbour. 48 01 37.8 053 17 28.6	Mo(A) W 6s	Red-white, pillar, marked "TW".	Seasonal.
469.89	Rift Raft Rocks light buoy TH1	Hants Harbour. 48 03 06.0 053 14 25.0	Q G 1s	Green, spar, marked "TH1".	Seasonal.
470 H0504	Hant's Harbour Light	48 01 18.4 053 15 16.0	Iso W 6s	19.8	13	Red and white structure. 8.0	Year round.
470.1 H0504.4	Hant's Harbour Breakwater Light	48 01 09.4 053 15 34.4	Fl R 4s	4.9	4	Mast. 2.6	Year round.
470.2	Sibley's Cove light buoy TSC2	48 02 40.8 053 06 13.4	Fl R 4s	Red, spar, marked "TSC2".	Seasonal.
470.3	Sibley's Cove light buoy TSC1	48 02 42.2 053 06 11.4	Fl G 4s	Green, spar, marked "TSC1".	Seasonal.
470.4 H0503.3	Sibley's Cove Breakwater Light	48 02 38.6 053 06 13.8	Fl R 6s	4.6	4	Cylindrical mast, red and white spiral bands. 2.6	Seasonal. Flash 1 s; eclipse 5 s.
470.5 H0503.2	Old Perlican Inner Breakwater Light	48 05 14.0 053 00 29.6	Fl R 3s	4.6	4	Mast. 2.6	Seasonal. Flash 0.5 s; eclipse 2.5 s.
470.51	Old Perlican Inner light buoy TP9	48 05 15.3 053 00 31.4	Fl G 4s	Green, spar, marked "TP9".	Seasonal.
470.52	Old Perlican Inner light buoy TP	48 05 17.8 053 00 25.9	Fl Y 4s	Yellow, spar, marked "TP".	Seasonal. Operates 24 h.
470.53	Old Perlican Inner Harbour light buoy TP11	48 05 17.8 053 00 27.5	Fl G 4s	Green, spar, marked "TP11".	Seasonal.
470.55	Old Perlican Inner Harbour light buoy TP8	48 05 10.3 053 00 36.2	Fl R 4s	Red, spar, marked "TP8".	Seasonal.
470.7 H0503	Old Perlican Inner Breakwater Light	48 05 12.6 053 00 36.3	Fl G 3s	4.0	4	Mast. 2.6	Seasonal. Flash 0.5 s; eclipse 2.5 s.
470.71	Old Perlican Inner light buoy TP6	48 05 18.9 053 00 48.2	Fl R 4s	Red, spar, marked "TP6".	Seasonal.
470.72	Old Perlican Inner light buoy TP7	48 05 19.8 053 00 47.9	Fl G 4s	Green, spar, marked "TP7".	Seasonal.
470.73	Old Perlican Outer light buoy TP4	48 05 25.5 053 00 53.4	Fl R 4s	Red, spar, marked "TP4".	Seasonal.
470.74	Old Perlican Outer light buoy TP5	48 05 25.7 053 00 51.8	Fl G 4s	Green, spar, marked "TP5".	Seasonal.

List of Lights, Buoys and Fog Signals – Newfoundland and Labrador Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

TRINITY BAY

470.75	Old Perlican Outer light buoy TP3	At the entrance to channel. 48 05 30.3 053 00 57.2	Fl G 4s	Green, spar, marked "TP3".	Seasonal. Operates 24 h.
470.76	Old Perlican Outer light buoy TP2	At the entrance to channel. 48 05 34.1 053 01 05.0	Fl R 4s	Red, spar, marked "TP2".	Seasonal. Operates 24 h.
471 H0502	Old Perlican Light	48 05 22.4 053 01 34.2	Fl W 5s	38.4	7	Rectangular skeleton tower, red and white rectangular daymark. 6.9	Year round. Flash 1 s; eclipse 4 s.
471.51	Old Perlican Outer light buoy TP1	At the entrance to channel. 48 05 56.5 053 01 19.7	Fl G 4s	Green, spar, marked "TP1".	Seasonal.