

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
121	Coomb's Cove	On Bull Point. 47 27 22.5 055 37 52.4	Fl G 4s	10.0	5	Square skeleton tower, red and white rectangular day mark. 4.3	Year round.  Chart:4830
122	Wreck Cove Wharf	47 29 51 055 36 28	Fl R 4s	4.4	4	Cylindrical mast. 2.6	Year round.  Chart:4830
122.5	Inner Shoal light buoy VW3	47 29 59.9 055 36 43.1	Fl G 4s	.....	.....	Green spar, marked "VW3".	Year round.  Chart:4830
122.6	Bufford Cove South Cardinal light buoy VW	Great Bay de l'Eau. 47 31 01.4 055 35 42.6	Q(6) +LFl	W 15s	.....	.....	Yellow and black, marked "VW". Year round.  Chart:4830 Edn 10/11 (N11-074)
123	Shag Rock Sunker light and bell buoy VS2	47 26 57.5 055 40 02.5	Fl R 4s	.....	.....	Red, marked "VS2".	Year round.  Chart:4830
124	Rocky Point (Harbour Breton)	On point. 47 28 46.3 055 47 34.4	Fl W 4s	16.2	9	Red and white cylindrical tower, red and white day mark. 7.6	Year round.  Chart:4830
125	Harbour Rock light buoy VB1	N. of rock. 47 29 02.9 055 47 56	Fl G 4s	.....	.....	Green, marked "VB1".	Year round.  Chart:4830
126	Southwest Arm light buoy VB3	47 28 53.4 055 48 18	Fl G 4s	.....	.....	Green, marked "VB3".	Year round.  Chart:4830
126.1 H0295	Harbour Breton Wharf Light	47 28 44.6 055 48 38.8	Fl R 4s	.....	2	Mast. 2.6	Year round.  Chart:4830 Edn 08/18 (N18-039)
127.35	Virgin Rock light buoy VH1	47 34 05.9 055 57 10.1	Fl G 4s	.....	.....	Green spar, marked "VH1".	Year round.  Chart:4644
127.4	Hermitage Wharf	47 33 37.3 055 55 40	Fl R 4s	4.3	2	Cylindrical mast. 2.6	Year round.  Chart:4644
127.5	Hermitage light buoy VH3	47 33 27.9 055 55 27.1	Fl G 4s	.....	.....	Green, marked "VH3".	Year round.  Chart:4644
127.7	Little Fox Island	On E. end of Island. 47 34 49.4 055 55 26.3	Fl R 4s	6.4	4	Mast. 2.6	Year round.  Chart:4644 Edn 01/11 (N10-066)
127.8	Black Rock	On rock. 47 34 28.4 055 56 54.3	Fl R 6s	11.6	5	Square skeleton tower, red and white rectangular day mark. 4.7	Flash 1 s; eclipse 5 s. Year round.  Chart:4644

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
128	Fox Island (Hermitage Bay)	47 33 55.1 055 58 23.2	Fl W 4s	22.6	5	Square skeleton tower, red and white rectangular day mark. 4.7	Year round.  <b>Chart:4644</b>
129 H0286	Pass Island Light	47 29 24.3 056 11 46.7	Fl W 10s Fl R 4s	85.6 84.0	12 4	White skeleton tower. 9.4	Flash 1 s; eclipse 9 s. Obscured from 77° to 298° in a clockwise direction through E., S. and W. Year round.  <b>Chart:4644 Edn 08/14 (N14-041) Edn 11/19</b>
130	Pass Island Fog Signal	SW. end of island. 47 28 56.3 056 11 52.8	.....	.....	.....	Skeleton tower, white rectangular day mark, black horizontal stripe.	<b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 259°06'. Year round.  <b>Chart:4644 Edn 05/11 (N11-020)</b>
130.31	Net Rocks light buoy V23	Seal Cove, Fortune Bay. 47 28 35.2 056 02 22.2	Fl G 4s	.....	.....	Green spar, marked "V23".	Year round.  <b>Chart:4827 Edn 01/10 Edn 12/14 (N14-074) Edn 02/15 (N14-077)</b>
130.32	Sunker Rock light buoy V30	Seal Cove, Fortune Bay. 47 28 52 056 01 58.3	Q R 4s	.....	.....	Red spar, marked "V30".	Year round.  <b>Chart:4827 Edn 12/09 (N09-049) Edn 12/14 (N14-075)</b>
130.33	Divers Shoal light buoy V25	47 28 59 056 02 31.8	Q G 1s	.....	.....	Green, marked "V25".	Year round.  <b>Chart:4827 Edn 12/14 (N14-078)</b>
130.34	Sunken Rock light buoy VSC	Seal Cove, South Coast. 47 28 57.4 056 01 23.8	Q (6) +LFl	W 15s	.....	Yellow – black, marked "VSC".	Year round.  <b>Chart:4827 Edn 12/14 (N14-068) Edn 09/15 Edn 11/15 (N15-071)</b>
130.4	Seal Cove Breakwater	47 29 16.2 056 02 54	Fl G 4s	5.0	4	Mast. 3.1	Year round.  <b>Chart:4827</b>
130.8	Goose Rock light buoy VU2	Off rock. 47 36 19.8 055 53 59.9	Fl R 4s	.....	.....	Red spar, marked "VU2".	Year round.  <b>Chart:4644</b>
130.82	Gaultois light buoy VU4	47 36 26.7 055 54 03.4	Fl R 4s	.....	.....	Red spar, marked "VU4".	Year round.  <b>Chart:4644</b>
131	Gaultois Harbour	On rock awash near West Head. 47 36 17.8 055 54 03.1	Fl G 3s	5.5	5	Square skeleton tower, green and white rectangular day mark. 4.7	Flash 0.5 s; eclipse 2.5 s. Year round.  <b>Chart:4644</b>
131.5	Gaultois Dolphin	47 36 23.7 055 54 07.1	Fl G 4s	.....	5	Mast. 2.6	Year round.  <b>Chart:4644 Edn 01/11 (N10-066)</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
132	Little Bay (Tinker Rock)	S. entrance of bay . 47 36 49.7 056 03 08.1	Fl W 4s	14.6	5	Square skeleton tower, red and white rectangular day mark. 4.6	Year round.  <b>Chart:4644</b>
132.5	St. Alban's Wharf	On wharf . 47 51 46.9 055 50 06.2	Fl G 4s	4.0	6	Cylindrical mast. 2.5	Year round.  <b>Chart:4644</b>
132.51	Conne River Wharf	47 51 44.2 055 46 20.2	Fl R 4s	3.2	2	Cylindrical mast.	Year round.  <b>Chart:4644</b>
133 H0278	Roti Point Light	S. of St. Alban's, Bay d'Espoir. 47 47 26.8 055 50 28.9	Fl G 4s	6.7	4	Square skeleton tower, green and white rectangular day mark. 4.3	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4644 Edn 05/18 (N18-020)</b>
133.1	Margery Rock light buoy VG1/1	Little Passage, South Coast. 47 36 44.1 055 52 43.0	Q G 1s	.....	.....	Green spar, marked "VG1/1".	Operates 24 h. Year round.  <b>Chart:4644 Edn 12/14 (N14-057) Edn 12/17 (N17-071)</b>
133.11	Roti Bay light buoy VR1	47 47 12.4 055 51 46.1	Fl G 4s	.....	.....	Green spar, marked "VR1".	Privately maintained. Year round.  <b>Chart:4644</b>
133.12	Roti Bay light buoy VR2	47 47 29.5 055 51 39.7	Fl R 4s	.....	.....	Red spar, marked "VR2".	Privately maintained. Year round.  <b>Chart:4644</b>
133.13	Roti Bay light buoy VR3	47 47 35.3 055 52 07.4	Fl G 4s	.....	.....	Green spar, marked "VR3".	Privately maintained. Year round.  <b>Chart:4644</b>
133.14	Roti Bay light buoy VR4	47 47 47.5 055 52 22.4	Fl R 4s	.....	.....	Red spar, marked "VR4".	Privately maintained. Year round.  <b>Chart:4644</b>
133.15	Roti Bay light buoy VR5	47 47 43 055 52 25	Fl G 4s	.....	.....	Green spar, marked "VR5".	Privately maintained. Year round.  <b>Chart:4644</b>
133.16	Roti Bay light buoy VR7	47 47 59.1 055 52 50.1	Fl G 4s	.....	.....	Green spar, marked "VR7".	Privately maintained. Year round.  <b>Chart:4644</b>
133.17	Roti Bay light buoy VR6	47 48 11 055 53 07.1	Fl R 4s	.....	.....	Red spar, marked "VR6".	Privately maintained. Year round.  <b>Chart:4644</b>
133.19	Roti Bay light buoy VR9	47 48 19.7 055 53 34.7	Fl G 4s	.....	.....	Green spar, marked "VR9".	Privately maintained. Year round.  <b>Chart:4644</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
133.2	Cape Mark	On point. 47 44 32 055 52 06.9	Fl R 4s	7.9	4	Square skeleton tower, red and white square day mark. 4.3	Year round.  Chart:4644
133.3	Gimlet Point light buoy VG3	Little passage South side. 47 37 55.1 055 54 05.3	Fl G 4s	.....	.....	Green spar, marked "VG3".	Year round.  Chart:4644 Edn 11/14 (N14-053)
133.4	Day Point	On point. 47 41 20.9 055 55 21	Fl W 4s	10.1	5	Square skeleton tower, red and white square day mark. 6.6	Year round.  Chart:4644
133.44	Deer Cove Shoal Light Buoy VG4	Little Passage, South coast. 47 40 37.1 055 55 50.2	Fl R 4s	.....	.....	Red spar, marked "VG4".	Year round.  Chart:4644 Edn 12/14 (N14-061)
133.5	Cold Harbour Shoal light buoy VG5	Little Passage. 47 40 19.6 055 55 56.6	Fl G 4s	.....	.....	Green spar, marked "VG5".	Operates 24 h. Year round.  Chart:4644 Edn 12/14 (N14-055) Edn 11/19
133.6	Little Island	On Island. 47 39 34.9 055 56 04	Fl R 4s	10.4	4	Square skeleton tower, red and white square day mark. 6.6	Year round.  Chart:4644
133.66	Riches Island Light buoy VG6	Dawson's Point, South coast. 47 46 43.9 055 50 55.7	Q R 1s	.....	.....	Red, marked "VG6".	Year round.  Chart:4644 Edn 12/14 (N14-065)
133.78	Pigeon Island Shoal light buoy Q22	47 38 06 056 09 18	Fl R 4s	.....	.....	Red spar, marked "Q22".	Year round.  Chart:4644
133.8	McCallum (Whale Rock) light and whistle buoy Q23	47 36 38.9 056 12 07.1	Fl G 4s	.....	.....	Green, marked "Q23".	Year round.  Chart:4644
134	<b>Dawson's Point</b>	On point. 47 38 35.9 056 08 57.6	Fl W 5s	16.8	16	Square skeleton tower, red and white rectangular day mark.	Flash every 5 s. Year round.  Chart:4644 Edn 04/14 (N14-022)
135	Salmon Point	47 37 02.9 056 12 01.4	Fl W 4s	21.9	7	Square skeleton tower, red and white rectangular day mark. 4.3	Year round.  Chart:4644
136	New Harbour Island	47 35 55.7 056 39 41.2	Fl G 6s	27.8	5	Square skeleton tower, green and white rectangular day mark. 4.7	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:4826 Edn 05/11 (N11-020)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
136.9	<i>François Entrance light and bell buoy QL4</i>	47 33 47 056 43 23.4	Fl R 4s	.....	.....	Red, marked "QL4".	Year round.  Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020)
137	West Point	François Bay Entrance. 47 33 35.7 056 44 02.1	Fl G 5s	46.0	12	White square tower, green band on top, attached to building.  4.7	Flash 0.1 s; eclipse 4.9 s. Year round.  Chart:4826 Edn 05/11 (N11-020)
137.23	<i>Lower Rock South Cardinal light buoy QLC</i>	S. of New Harbour. 47 34 50.4 056 38 57.8	Q (6) W + LFI	15s	.....	.....	Yellow and black spar, marked "QLC".  Year round.  Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020)
138	Cape La Hune	On W. side of island. 47 37 44.8 056 51 47	Fl R 6s	25.0	4	Square skeleton tower, red and white square day mark.  4.6	Flash 1 s; eclipse 5 s. Year round.  Chart:4826 Edn 05/11 (N11-020)
138.5	<i>Watch Rock North Cardinal light and whistle buoy QLB</i>	E. of Penquin Islands. 47 23 23.9 056 50 06	Q W 1s	.....	.....	Black and yellow, marked "QLB".	Year round.  Chart:4826 Edn 05/11 (N11-020)
139 H266	<b>Harbour Island</b>	E. side of island. 47 23 00.6 056 58 39.1	Fl W 10s	21.9	17	Square skeleton tower, red square day mark, white horizontal stripe.  5.8	Flash 0.2 s; eclipse 9.8 s. Year round.  Chart:4826 Edn 05/11 (N11-020)
139.1	<i>Penguin Island North Cardinal light and whistle buoy QLE</i>	47 23 41.4 056 56 55.6	Q W 1s	.....	.....	Black and yellow, marked "QLE".	Year round.  Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020)
139.2	<i>Penguin Island West Cardinal light and whistle buoy QLW</i>	E. of island. 47 23 03.3 057 00 53.9	Q(9) W 15s	.....	.....	Yellow, black and yellow, marked "QLW".	Year round.  Chart:4826 Edn 05/11 (N11-020)
139.21	<i>Grey River Rocks North Cardinal light and whistle buoy QGR</i>	47 28 26.4 057 05 35.4	Q W 1s	.....	.....	Black and yellow, marked "QGR".	Year round.  Chart:4826 Edn 12/09 (N09-051) Edn 12/13 (N13-038) Edn 02/14 (N14-001)
139.3	<i>Grey River light and bell buoy QJ</i>	SW. of Grey River Point. 47 33 51.5 057 06 43.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "QJ".	Year round.  Chart:4826 Edn 06/10 (N10-016) Edn 05/11 (N11-020)
139.5	Grey River Point	W. side of entrance. 47 34 24.9 057 06 47.4	Q G 1s	27.1	4	Square skeleton tower, green and white rectangular day mark.  4.3	Year round.  Chart:4826 Edn 05/11 (N11-020)
139.51	Grey River Wharf	47 35 20 057 06 05.3	Fl G 4s	.....	2	Mast.  2.6	Year round.  Chart:4826 Edn 05/11 (N11-020)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
139.7	Eastern Passage light and whistle buoy QA	47 32 04.8 057 22 13.1	Fl G 6s (2+1)	.....	.....	Green, red and green, marked "QA".	Year round.  Chart:4825
139.8	Ramea (Browns Rock)	47 31 32.2 057 22 38.4	Fl R 4s	3.7	4	Cylindrical mast. 2.6	Year round.  Chart:4825
139.82	Art Coley's Rock light buoy QA2	47 31 27.2 057 22 43.2	Fl R 4s	.....	.....	Red spar, marked "QA2".	Year round.  Chart:4825
139.84	Ship Cove Ferry Wharf	47 31 16.7 057 23 06.5	Fl R 4s	3.9	.....	Cylindrical mast. 2.6	Year round.  Chart:4825
139.85	Ship Cove Wharf	Ramea Harbour. 47 31 15.2 057 23 12.7	Fl G 4s	4.3	2	Cylindrical mast.	Year round.  Chart:4825 Edn 10/11 (N11-060)
140.5	Bad Rock light buoy QQ2	Off Ramea Islands. 47 29 55.7 057 21 48.1	Fl R 4s	.....	.....	Red spar, marked "QQ2".	Year round.  Chart:4825
140.51	Turnip Island Rock light buoy QR2	47 30 46.2 057 22 32.5	Fl R 4s	.....	.....	Red spar, marked "QR2".	Year round.  Chart:4825
140.52	Ramea South Bank light buoy QR3	47 25 53.4 057 19 34.8	Fl G 4s	.....	.....	Green, marked "QR3".	Year round.  Chart:4826 Edn 05/11 (N11-020)
140.53	Shoal Northwest light buoy QR5	47 31 22.2 057 22 38.9	Fl G 4s	.....	.....	Green spar, marked "QR5".	Year round.  Chart:4825
140.54	Ramea Inner light buoy QR5/1	47 31 19.4 057 22 50.6	Fl G 4s	.....	.....	Green spar, marked "QR5/1".	Year round.  Chart:4825
140.6	Bengy light buoy QQ4	47 29 06 057 26 15	Fl R 4s	.....	.....	Red, marked "QQ4".	Year round.  Chart:4825
140.7	Southwest Rock light buoy QS2	47 30 16.8 057 25 04.1	Fl R 4s	.....	.....	Red spar, marked "QS2".	Year round.  Chart:4825
141	Northwest Head	On Northwest Island. 47 30 44.9 057 24 31.5	Fl W 3s	38.1	14	White cylindrical tower, white and red spiral bands. 7.3	Flash 0.06 s; eclipse 2.94 s. Year round.  Horn - Blast 3 s; sil. 27 s. Horn points 237°06'.  Chart:4825
142	West Flat Island	Burgeo Islands. 47 34 53 057 42 22.5	Fl W 4s	10.7	6	Square skeleton tower, red and white rectangular day mark. 4.5	Year round.  Chart:4825
142.5	Bay de Loup Point	47 37 31.1 057 33 05.1	Fl W 4s	22.7	7	Square skeleton tower, red and white rectangular day mark. 4.9	Year round.  Chart:4825

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
143	Boar Rock light and bell buoy QG2	S. of rock. 47 35 32.5 057 33 42.5	Fl R 4s	.....	.....	Red, marked "QG2".	Year round.  Chart:4825
143.5	Fish Island Rock light and bell buoy QG3	E. of Fish Island. 47 37 03.7 057 35 06.9	Fl G 4s	.....	.....	Green, marked "QG3".	Year round.  Chart:4825
143.7	Short Reach light buoy QG5	47 37 10.8 057 35 29.9	Fl G 4s	.....	.....	Green, marked "QG5".	Year round.  Chart:4825
143.71	Shoal Short Reach light buoy QG5.1	47 37 01.1 057 36 25.1	Fl G 4s	.....	.....	Green, marked "QG5.1".	Year round.  Chart:4825
143.72	Short Reach light buoy QG6	47 37 09 057 37 57	Fl R 4s	.....	.....	Red, marked "QG6".	Year round.  Chart:4825
144	<b>Boar Island</b>	E. extremity of Burgeo Islands. 47 36 23.2 057 35 12.2	Fl W 5s	63.1	15	Skeleton tower. 10.0	Flash 0.2 s; eclipse 4.8 s. Year round.  Horn - Blast 2 s; sil. 18 s. Horn points 140° 12'.  Chart:4825
144.512	Stern Rock light buoy QV2.2	47 35 17.2 057 40 17.3	Fl R 4s	.....	.....	Red spar, marked "QV2.2".	Year round.  Chart:4825
144.52	Marchand Rock light buoy QV2.4	47 35 28 057 39 35	Fl R 4s	.....	.....	Red spar, marked "QV2.4".	Year round.  Chart:4825
144.53	Sandbanks # 1 light buoy QV2.6	47 35 48 057 38 58.2	Fl R 4s	.....	.....	Red spar, marked "QV2.6".	Year round.  Chart:4825
144.54	Sandbanks # 2 light buoy QV3.7	47 35 56 057 39 00	Fl G 4s	.....	.....	Green spar, marked, "QV3.7".	Year round.  Chart:4825
144.55	North of Douglas light buoy QV2.8	47 36 03 057 37 42.1	Fl R 4s	.....	.....	Red spar, marked "QV2.8".	Year round.  Chart:4825
144.56	Indian Hole Tickle light buoy QV4	47 36 16.8 057 36 48.3	Fl R 4s	.....	.....	Red spar, marked "QV4".	Year round.  Chart:4825
144.57	Eclipse Island light buoy QV5	Burgeo Islands. 47 36 23.6 057 36 38.3	Fl G 4s	.....	.....	Green spar, marked "QV5".	Operates 24 h. Year round.  Chart:4825 Edn 04/21 (N21-030P)
144.58	Cuttail Island #1 light buoy QV7	Burgeo. 47 36 24.6 057 35 41.4	Fl G 4s	.....	.....	Green, marked "QV7".	Year round.  Chart:4825 Edn 10/11 (N11-077)
144.59	Cuttail Island #2 light buoy QV8	Burgeo. 47 36 24.6 057 35 37.2	Fl R 4s	.....	.....	Red, marked "QV8".	Year round.  Chart:4825 Edn 10/11 (N11-078)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
144.6	Cuttail Island #3 light buoy QV9	Burgeo. 47 36 15.5 057 35 23.5	Fl G 4s	.....	.....	Green, marked "QV9".	Year round.  Chart:4825 Edn 10/11 (N11-076)
144.8	Rencontre Island	47 35 13 057 36 29.3	Fl W 4s	57.3	6	Square skeleton tower, red and white rectangular day mark.  4.7	Year round.  Chart:4825
145	Burgeo Ferry Wharf	47 36 30.6 057 36 31.8	Fl R 4s	4.0	4	Cylindrical mast.  2.4	Year round.  Chart:4825
145.8	La Poile Approach light and bell buoy QE2	47 37 37.3 058 23 11.4	Fl R 4s	.....	.....	Red, marked "QE2".	Year round.  Chart:4824 Edn 05/20 (N20-030)
145.81	Offer Seal Island West Rock light buoy QE2.2	47 37 13.7 058 35 55.1	Q R 1s	.....	.....	Red spar, marked "QE2.2".	Year round.  Chart:4824 Edn 11/12 (N12-027)
145.82	Cox Rock light buoy QE3	47 37 53.4 058 25 50.4	Fl G 4s	.....	.....	Green, marked "QE3".	Year round.  Chart:4824
145.83	Lapoile North Shore light buoy QE4	47 41 01.4 058 23 23	Fl R 4s	.....	.....	Red spar, marked "QE4".	Year round.  Chart:4824 Edn 07/12 (N12-018)
145.84	Seal Rocks light buoy QE5	47 40 57 058 23 20.6	Fl G 4s	.....	.....	Green spar, marked "QE5".	Year round.  Chart:4824
145.85	Tooth Rock light buoy QE4.2	La Poile Harbour. 47 40 56.7 058 22 45.6	Fl R 4s	.....	.....	Red spar, marked "QE4.2".	Operates 24 h. Year round.  Chart:4824 Edn 11/12 (N12-028) Edn 11/17 (N17-059)
145.86	Naked Man North Cardinal light buoy QEN	47 38 42.6 058 22 37	Q W 1s	.....	.....	Black and yellow, marked "QEN".	Year round.  Chart:4824
145.88	South East Shoal East Cardinal light buoy QES	47 37 58.5 058 20 44.8	Q(3) W 10s	.....	.....	Black, yellow and black, marked "QES".	Year round.  Chart:4824
145.9	Reubans Rock light buoy QF2	47 36 33.6 057 36 17	Fl R 4s	.....	.....	Red, marked "QF2".	Year round.  Chart:4825
146	Ireland Island	On E. side of entrance to La Poile Bay. 47 38 00.3 058 22 10.7	Fl W 6s	18.6	7	Square skeleton tower, red and white rectangular day mark.  7.1	Flash 1 s; eclipse 5 s. Year round.  Chart:4824
147	Grand Bruit	On Offer Island. 47 38 31.9 058 13 29.3	Fl W 3s	11.0	6	Square skeleton tower, red and white rectangular day mark.  4.6	Flash every 3 s. Year round.  Chart:4824



NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
148	Little Harbour (La Poile)	On Christmas Head. 47 40 40 058 23 14	Q G	1s	12.1	4	Square skeleton tower, green and white rectangular day mark. 4.6  <b>Chart:4824</b>
148.4	Lapoile Wharf	47 41 02.2 058 23 43.6	FI R	4s	.....	.....	Cylindrical mast.  Year round.  <b>Chart:4824</b>
148.9	Rose Blanche light buoy QRB	47 35 28.1 058 41 42.8	Mo(A) W	6s	.....	.....	Red and white vertical stripes, marked "QRB".  Operates 24 h. Year round.  <b>Chart:4639 Edn 05/20 (N20-012)</b>
149.09	Rose Blanche Shoal light buoy QR1/1	47 35 44 058 42 07.2	FI G	4s	.....	.....	Green, marked "QR1/1".  Year round.  <b>Chart:4639</b>
149.2	Harbour Le Cou Breakwater	47 37 28 058 40 55	FI G	2.5s	3.5	.....	Cylindrical mast. 2.3  Flash every 2.5 s. Year round.  <b>Chart:4639</b>
149.3	Calapose Rock light buoy QT8	47 37 24.2 058 40 29.3	FI R	4s	.....	.....	Red spar, marked "QT8".  Seasonal.  <b>Chart:4639</b>
149.7	Petites light and whistle buoy QT2	E. of Rose Blanche Point light. 47 36 10 058 39 15.2	FI R	4s	.....	.....	Red, marked "QT2".  Year round.  <b>Chart:4639</b>
150	Rose Blanche East Wharf	47 36 35 058 41 37.2	FI R	3s	3.2	4	Cylindrical mast. 2.6  Flash every 3 s. Year round.  <b>Chart:4639</b>
150.1	Rose Blanche Ferry Wharf	47 36 53 058 41 58.5	FI R	4s	4.2	.....	Cylindrical mast. 2.4  Year round.  <b>Chart:4639</b>
150.19	Rose Blanche	47 36 06.7 058 41 40.9	FI R	10s	29.0	13	Tower.  Flash 0.5 s; eclipse 9.5 s. Year round.  <b>Chart:4823</b>
150.2	Burnt Islands Deep Water Wharf	47 35 45.3 058 53 16.2	FI R	4s	2.9	.....	Cylindrical mast. 2.3  Year round.  <b>Chart:4823</b>
150.3	Burnt Islands West Wharf	47 35 50.2 058 53 13.5	FI R	4s	2.4	2	Cylindrical mast. 2.3  Year round.  <b>Chart:4823</b>
151.07	Cain's Island	47 36 08.1 058 42 05.4	FI R	6s	1.9	3	Mast.  Flash 0.5 s; eclipse 5.5 s. Year round.  <b>Chart:4639 Edn 11/12 (N12-032) Edn 04/14 (N14-023)</b>
151.2	Rose Blanche light buoy QR6	47 36 33.3 058 41 38.5	FI R	4s	.....	.....	Red spar, marked "QR6".  Year round.  <b>Chart:4639</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
151.4	North Shoal Shag Rock light buoy QH2	47 35 46.7 058 43 57.1	Fl R 4s	.....	.....	Red spar, marked "QH2".	Seasonal.  Chart:4639
151.5	Green Island Sunker light buoy QH1	47 35 27.7 058 44 31.1	Fl G 4s	.....	.....	Green spar, marked "QH1".	Seasonal.  Chart:4823
151.6	Diamond Cove (Rose Blanche) light buoy QD2	47 36 31.9 058 42 07.2	Fl R 4s	.....	.....	Red spar, marked "QD2".	Year round.  Chart:4639
152 H0152	Goose Island light buoy QD3	Diamond Cove. 47 36 31.1 058 42 10.4	Fl G 4s	.....	.....	Green spar, marked "QD3".	Year round.  Chart:4639 Edn 03/15 (N15-010) Edn 11/17 (N17-065)
153	Cuff Island light buoy QD5	Off Island. 47 36 42.1 058 42 06.7	Fl G 4s	.....	.....	Green spar, marked "QD5".	Year round.  Chart:4639
153.6	Burnt Islands light and bell buoy QB1	47 35 01.9 058 54 33.3	Fl G 4s	.....	.....	Green, marked "QB1".	Year round.  Chart:4823
154	Burnt Islands range	On Stickland Point. 47 35 51.4 058 53 32.4	F R	.....	16.2	13 Skeleton tower, white day mark, red v ertical stripe. 4.5	Visible in line of range. Year round.
155		034°25' 37.5m from front.	F R	.....	20.4	13 Skeleton tower, white day mark, red v ertical stripe. 4.5	Visible in line of range. Year round.  Chart:4823
156 H0238	<b>Colombier Islands Light Station and Fog Signal</b>	47 35 30.9 058 53 50.3	Fl W 5s	18.3	15	Square skeleton tower. 11.3	Flash 0.5 s; eclipse 4.5 s. Operates 24 h. Year round.  Horn – Blast 3 s; sil. 27 s. Horn points 186°.  Chart:4823 Edn 01/11 (N10-066) Edn 10/19 (N19-080)
156.2	Burnt Islands light buoy QB3	47 35 40.9 058 53 27.9	Fl G 4s	.....	.....	Green spar, marked "QB3".	Seasonal.  Chart:4823
156.3	Bad Neighbour light and bell buoy Q34	S. of the rock. 47 34 29.4 058 54 15.6	Fl R 4s	.....	.....	Red, marked "Q34".	Year round.  Chart:4823
156.8	Isle aux Morts Wharf	S. corner of wharf. 47 34 56 058 58 42.4	Fl G 3s	3.8	4	Square mast. 2.6	Flash every 3 s. Year round.  Chart:4640
157	Isle aux Morts	NW. end of Pitman's Island. 47 34 48.4 058 58 49	Fl W 3s	9.1	6	Square skeleton tower, red and white rectangular day mark. 5.5	Flash every 3 s. Year round.  Chart:4640

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
157.5	Fish Point light buoy QX2	SW. of point. 47 34 23 058 58 37.5	Fl R 4s	.....	.....	Red, marked "QX2".	Year round.  Chart:4640
158	Isle aux Morts light and whistle buoy QX	Eastern Passage Entrance. 47 34 02.7 058 58 26.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "QX".	Year round.  Chart:4640
158.3	Harry's Rock light buoy QX8	W. of rock. 47 34 54 058 58 58.5	Fl R 4s	.....	.....	Red, marked "QX8".	Year round.  Chart:4640
158.4	White Sunkers Inner light buoy QX5	NE. of White Sunkers. 47 34 38.5 058 58 52.6	Fl G 4s	.....	.....	Green, marked "QX5".	Year round.  Chart:4640
158.41	Pittmans Island Inner light buoy QX6	47 34 43.5 058 58 51.2	Fl R 4s	.....	.....	Red spar, marked "QX6".	Year round.  Chart:4640
158.42	Isle aux Morts light buoy QX7	47 34 53.2 058 58 46.3	Fl G 4s	.....	.....	Green spar, marked "QX7".	Year round.  Chart:4640
158.71	Two Foot Shoal light buoy QW4	47 34 37 059 00 24.6	Fl R 4s	.....	.....	Red spar, marked "QW4".	Year round.  Chart:4640
158.72	Five Foot Shoal light buoy QW2	47 34 03 059 01 57	Fl R 4s	.....	.....	Red spar, marked "QW2".	Year round.  Chart:4640
158.721	Dead Head Shoal light buoy QW3	47 34 32.6 059 00 46.2	Fl G 4s	.....	.....	Green spar, marked "QW3".	Year round.  Chart:4640
158.74	Little Grave Island Rock light buoy QW5	47 34 43.4 059 00 12.9	Fl G 4s	.....	.....	Green spar, marked "QW5".	Year round.  Chart:4640
158.75	Isle aux Morts North Wharf	47 35 18 058 58 47	Fl R 4s	3.1	2	Mast. 2.2	Year round.  Chart:4640 Edn 01/11 (N10-066)
158.76	Big Sunkers Outer light buoy QX1	47 34 20.3 058 58 44.8	Fl G 4s	.....	.....	Green spar, marked "QX1".	Year round.  Chart:4640
158.77	Middle Sunker light buoy QX3	47 34 29.9 058 58 51.4	Fl G 4s	.....	.....	Green spar, marked "QX3".	Year round.  Chart:4640
159.1	Black Rock Shoal light buoy QM2.2	47 33 57 059 04 02	Fl R 4s	.....	.....	Red spar, marked "QM2.2".	Seasonal.  Chart:4640
159.11	Net Shoal light buoy QM1	47 33 44.7 059 04 06.1	Fl G 4s	.....	.....	Green, marked "QM1".	Year round.  Chart:4640

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>SOUTHWEST COAST</b>								
159.12	Shag Rock light buoy QM2.4	47 34 13.8 059 03 51.5	Fl R 4s	.....	.....	Red spar, marked "QM2.4".	Seasonal.  Chart:4640	
159.13	Margaree Harbour light buoy QM4	47 34 17.2 059 03 49.3	Fl R 4s	.....	.....	Red spar, marked "QM4".	Seasonal.  Chart:4640	
159.14	Margaree Wharf	47 34 24.9 059 03 48.8	Fl R 4s	2.9	2	Mast.  2.2	Year round.  Chart:4640 Edn 01/11 (N10-066)	
159.2	Flat Islands light buoy QM2	47 34 07 059 04 00.5	Fl R 4s	.....	.....	Red spar, marked "QM2".	Seasonal.  Chart:4640	
159.3	Western Island light buoy QM3	SSE. of island, Margaree Harbour. 47 34 15.7 059 03 50.2	Fl G 4s	.....	.....	Green spar, marked "QM3".	Seasonal.  Chart:4640 Edn 02/10 (N10-005) Edn 12/18 (N18-092)	
159.42	Margaree Ruin light buoy QM6	47 34 23.6 059 03 49.1	Fl R 4s	.....	.....	Red spar, marked "QM6".	Seasonal.  Chart:4640	
159.5	Margaree Point	47 34 13 059 04 01.4	Fl W 4s	6.4	6	Square skeleton tower, red and white rectangular day mark.  4.3	Year round.  Chart:4641	
160 H222	<b>Channel Head</b>  <b>Racon --. (C)</b> <b>X &amp; S Bands</b>	On island, W. side of entrance to Port aux Basques. 47 33 57 059 07 24.6	Fl W 10s	29.0	17	White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round.  Horn - Blast 4 s; sil. 56 s. Horn points 178°.	Chart:4641
160.1	Motherlake Bay West light buoy QK2	47 33 42.8 059 08 37.2	Fl R 4s	.....	.....	Red spar, marked "QK2".	Seasonal.  Chart:4641	
160.2	Channel Gut Five Foot Rock light buoy QG1	47 33 51.8 059 08 15	Fl G 4s	.....	.....	Green spar, marked "QG1".	Seasonal.  Chart:4641	
160.3	4 Foot Shoal light buoy QK4	47 33 50 059 08 36.7	Fl R 4s	.....	.....	Red spar, marked "QK4".	Seasonal.  Chart:4641	
160.7	Channel Gut Wharf	47 33 57.6 059 07 34.6	Fl R 4s	3.6	2	Mast.  2.4	Year round.  Chart:4641 Edn 01/11 (N10-066)	
161	East Baldwin Rock light and bell buoy QP2	Port aux Basques. 47 34 23.8 059 07 32.1	Fl R 4s	.....	.....	Red, marked "QP2".	Operates 24 h. Year round.  Chart:4641 Edn 01/18 (N17-078)	
162	Grav eyard Point Breakwater	On outer end of breakwater. 47 34 23.5 059 07 45.2	Fl W 4s	9.5	5	Cylindrical mast.  2.5	Outer end of breakwater is floodlit. Year round.  Chart:4641	

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SOUTHWEST COAST</b>							
162.5	Graveyard Point Breakwater light buoy QP3	Port Aux Basques. 47 34 25.2 059 07 46.8	Fl G 4s	.....	.....	Green, marked "QP3".	Year round.  Chart:4641 Edn 03/11 (N11-004)
163	Vardys Island (Rhode Island)	On SW. point of island. 47 34 37.6 059 08 12.3	Fl R 4s	5.8	7	Square skeleton tower, red and white rectangular day mark.  4.4	Year round.  Chart:4641
164	Vardys Island light buoy QP10	Off W. side of island. 47 34 39 059 08 14.8	Fl R 4s	.....	.....	Red, marked "QP10".	Year round.  Chart:4641
165	Pikes Island West light buoy QP12	W. of island. 47 34 47.5 059 08 02.8	Fl R 4s	.....	.....	Red spar, marked "QP12".	Year round.  Chart:4641
166 H0223	Port aux Basques range	47 34 45.9 059 08 33.0	F G	.....	38.8	14 Square skeleton tower, red day mark, white vertical stripe.  6.3	Visible in line of range. Operates 24 h. Year round.
167 H0223.1		300°43' 202.0m from front.	F G	.....	67.3	14 Square skeleton tower, red day mark, white vertical stripe.  6.3	Visible in line of range. Operates 24 h. Year round.  Chart:4641 Edn 07/17 (N17-015, 016)
168	Channel Head light and whistle buoy QP	E. of Channel Head light. 47 33 55.5 059 06 35.9	Fl R (2+1)	6s	.....	.....	Red, green and red, marked "QP".  Year round.  Chart:4641
169	Middle Baldwin light and bell buoy QP4	47 34 27.5 059 07 41.7	Fl R 4s	.....	.....	Red, marked "QP4".	Year round.  Chart:4641
170	Pikes Island Breakwater	On outer end of breakwater. 47 34 32.7 059 07 55.7	Fl R 4s	17.0	5	Triangular mast, red and white rectangular day mark.  10.0	Year round.  Chart:4641
170.5	Pikes Island Breakwater light buoy QP6	Port aux Basques. 47 34 31.8 059 07 56.0	Fl R 4s	.....	.....	Red, marked "QP6".	Year round.  Chart:4641 Edn 12/13 (N13-018) Edn 09/21 (N21-098)
171	Point Pleasant light buoy QP7	Off point. 47 34 30.9 059 08 10.4	Fl G 4s	.....	.....	Green spar, marked "QP7".	Year round.  Chart:4641
172	Pancake Rock light buoy QP9	Port aux Basques. 47 34 34.8 059 08 22.0	Fl G 4s	.....	.....	Green spar, marked "QP9".	Year round.  Chart:4641 Edn 10/19 (N19-047)