

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals  |
|--|---|---|--------------------------|--|-----------------------|--|--|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |   |   |                          |  |                       |  |  |
| 269.99                                 | Twelve Foot Rock<br>West Cardinal light<br>buoy (Henely Hr.)<br>NJT | W. of Chateau.<br>51 58 52.8<br>055 51 48                         | VQ (9)                   | W 10s                                      | .....                 | .....  | Yellow, black and yellow<br>spar, marked "NJT".<br><br>Seasonal.<br><br>Chart:5030<br>Edn 02/10 (N10-003)  |
| 270<br>H0108                           | Henley Harbour<br>Light (Chateau<br>Point)                          | Entrance of harbour.<br>51 58 19.9<br>055 51 11.3                 | Fl                       | W 6s                                       | 20.0                  | 6  | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.3<br><br>Flash 0.5 s; eclipse 5.5 s.<br>Seasonal.<br><br>Chart:5030<br>Edn 07/20 (N20-037)          |
| 270.01                                 | Flat Island Rock<br>light buoy NJ1                                  | Henley Hr Entrance.<br>51 59 14.9<br>055 51 58.6                  | Fl                       | G 4s                                       | .....                 | .....  | Green spar, marked "NJ1".<br>Seasonal.<br><br>Chart:5030<br>Edn 09/15<br>Edn 12/15 (N15-065)   |
| 270.02                                 | Freezer Rock light<br>buoy NJ2                                      | 51 59 37.7<br>055 51 57   | Fl                       | R 4s                                       | .....                 | .....  | Red spar, marked "NJ2".<br>Seasonal.<br><br>Chart:5030   |
| 270.03                                 | Allen Shoal East<br>Cardinal light buoy<br>NP                       | 52 03 58.2<br>055 38 52.8   | Q(3)                     | W 10s                                      | .....                 | .....  | Black, yellow and black,<br>marked "NP".<br>Seasonal.<br><br>Chart:5030  |
| 270.1<br>H0086.8                       | Cape St. Francis<br>Light   | E. of Granby Island.<br>52 33 51.0<br>055 42 13.8                 | Fl                       | W 4s                                       | 39.4                  | 4  | Rectangular skeleton<br>tower, red and white<br>rectangular daymark.<br>Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5179<br>Edn 01/11 (N10-066)<br>Edn 08/22 (N22-099) |
| 270.2                                  | Williams Harbour<br>light buoy NW5                                  | 52 33 14.8<br>055 46 17.2   | Fl                       | G 4s                                       | .....                 | .....  | Green, marked "NW5".<br>Seasonal.<br><br>Chart:5179<br>Edn 08/10 (N10-016)   |
| 270.23                                 | Leg Island light<br>buoy NW6  | Williams Harbour<br>Run.<br>52 34 11.4<br>055 51 00.2             | Fl                       | R 4s                                       | .....                 | .....  | Red spar, marked "NW6".<br>Seasonal.<br><br>Chart:5179<br>Edn 07/10 (N10-016)  |
| 270.25                                 | Main Tickle Shoal<br>light buoy NW7                                 | 52 33 48.8<br>055 52 54.6   | Fl                       | G 4s                                       | .....                 | .....  | Green spar, marked<br>"NW7".<br>Seasonal.<br><br>Chart:5179<br>Edn 09/15 (N15-066)   |
| 270.3                                  | Shinney Rock light<br>buoy NW3                                      | Williams Harbour<br>entrance.<br>52 32 19.9<br>055 44 39.2        | Fl                       | G 4s                                       | .....                 | .....  | Green, marked "NW3".<br>Seasonal.<br><br>Chart:5179<br>Edn 07/10 (N10-016)   |
| 270.4                                  | Red Point Bank<br>East Cardinal light<br>buoy NWW                   | NE. of Red Point,<br>Denbigh Island.<br>52 31 21.7<br>055 44 21.7 | Q(3)                     | W 10s                                      | .....                 | .....  | Black, yellow and black,<br>marked "NWW".<br>Seasonal.<br><br>Chart:5179<br>Edn 09/21 (N21-066P)   |
| 270.45                                 | Mad Moll Rocks<br>light buoy NA1/1                                  | Alexis Bay.<br>52 30 28.8<br>055 43 51.0                          | Fl                       | G 4s                                       | .....                 | .....  | Green, marked "NA1/1".<br>Seasonal.<br><br>Chart: 5179<br>Edn 09/21 (N21-097)  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name                                     | Position<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground              | Remarks<br>-----<br>Fog Signals   |
|--|--|---|--------------------------|--|-----------------------|---|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |  |   |                          |  |                       |   |   |
| 270.5<br>H0087                         | Bobbs Island Light                       | Alexis Bay.<br>52 30 47.0<br>055 45 54.0                    | Fl R 4s                  | 19.8                                       | 4                     | Square skeleton tower, red and white rectangular daymark.<br><br>4.3  | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5179<br/>Edn 08/22 (N22-100)</b>   |
| 270.7                                  | Gull Rock light buoy NA1                 | 52 31 42.6<br>055 51 26                                     | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA1".   | Seasonal.<br><br><b>Chart:5179</b>  |
| 270.9                                  | Northern Ship light buoy NA3             | 52 32 11.5<br>055 59 37.2                                   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA3".   | Seasonal.<br><br><b>Chart:5179<br/>Edn 09/15<br/>Edn 11/15 (N15-067)</b>  |
| 270.92                                 | Brandies Shoal light buoy NA5            | Northern Ships Run.<br>52 32 35.6<br>056 02 24.9            | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA5".   | Seasonal.<br><br><b>Chart:5179<br/>Edn 03/11 (N10-016)<br/>Edn 11/21 (N21-100)</b>  |
| 270.93                                 | Groves Island Tickle light buoy NA7      | 52 32 22.2<br>056 09 15                                     | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA7".   | Seasonal.<br><br><b>Chart:5179</b>  |
| 271                                    | Grove Island Tickle North light buoy NA8 | E. of island.<br>52 32 22.9<br>056 09 21.5                  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NA8".   | Seasonal.<br><br><b>Chart:5179<br/>Edn 10/21 (N21-136)</b>  |
| 271.5                                  | Groves Island Tickle light buoy NA10     | 52 32 11.8<br>056 10 46                                     | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NA10".  | Seasonal.<br><br><b>Chart:5179</b>  |
| 272                                    | Grove Island Tickle South light buoy NA9 | SE. of island.<br>52 32 06.7<br>056 09 35.8                 | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA9".   | Seasonal.<br><br><b>Chart:5179<br/>Edn 10/21 (N21-137)</b>  |
| 272.5                                  | Seal Rocks light buoy NA11               | Port Hope Simpson.<br>52 32 23.0<br>056 12 08.3             | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA11".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5179<br/>Edn 10/17 (N17-046)<br/>Edn 03/18 (N17-093)</b>                                |
| 272.7                                  | Port Hope Simpson light buoy NA13        | At the entrance.<br>52 32 26.7<br>056 13 41.3               | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NA13".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5179<br/>Edn 09/21 (N21-069)</b>  |
| 273<br>H0088                           | Grove Island, East-West range            | Entrance to Port Hope Simpson.<br>52 31 56.3<br>056 09 31.4 | Iso R 8s                 | 7.9  | 11                    | Square skeleton tower, white daymark, red vertical stripe.<br><br>6.3 | Visible in line of range.<br>Seasonal.  |
| 274<br>H0088.1                         |  | 106°26' 269.1 m from front.                                 | Iso R 8s                 | 15.8                                       | 11                    | Square skeleton tower, white daymark, red vertical stripe.<br><br>3.3 | Visible from channel approach only.<br>Seasonal.<br><br><b>Chart:5179<br/>Edn 10/17 (N17-044, 045)<br/>Edn 05/18 (N18-015, 016)</b> |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

NEWFOUNDLAND AND LABRADOR COAST

|                |  |  |          |       |       |   |   |
|----------------|--|--|----------|-------|-------|---|---|
| 275<br>H0089   | Grove Island,<br>North-South range                   | Entrance to Port<br>Hope Simpson.<br>52 31 49.4<br>056 09 57.4 | Iso R 8s | 9.2   | 11    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>7.8 | Visible from channel approach<br>only.<br>Seasonal.                                     |
| 276<br>H0089.1 |  | 216°13' 134.7 m<br>from front.                                 | Iso R 8s | 14.5  | 11    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>6.3 | Visible from channel approach<br>only.<br>Seasonal.                                     |
|                |  |  |          |       |       |   | <b>Chart:5179</b><br><b>Edn 10/17 (N17-037, 038)</b><br><b>Edn 12/17 (N17-074, 075)</b> |
| 276.1          | Port Hope<br>Simpson Wharf<br>Light                  | 52 32 14.6<br>056 16 47.1                                      | Fl G 4s  | ..... | 2     | Pipe tower.   | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.                                  |
|                |  |  |          |       |       |   | <b>Chart:5031</b><br><b>Edn 08/22 (N22-094)</b>   |
| 276.2          | Spear Point  | 52 26 41.5<br>055 37 48.3                                      | Fl W 3s  | 39.1  | 5     | Cylindrical mast, red and<br>white daymark.<br>2.4                      | Flash 0.5 s, eclipse 2.5 s.<br>Seasonal.  |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |
| 276.3          | Fox Harbour light<br>buoy NF1                        | At the harbour<br>entrance.<br>52 21 37.2<br>055 41 49.6       | Fl G 4s  | ..... | ..... | Green spar, marked "NF1".   | Operates 24 h.<br>Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b><br><b>Edn 12/21 (N21-067P)</b>  |
| 276.4          | Fox Harbour light<br>buoy NF2                        | 52 21 35.7<br>055 41 41.4                                      | Fl R 4s  | ..... | ..... | Red, marked "NF2".  | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |
| 276.5          | Fox Harbour light<br>buoy NF3                        | 52 21 55<br>055 41 04.5  | Fl G 4s  | ..... | ..... | Green, marked "NF3".  | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |
| 276.55         | Shag Rocks light<br>buoy NMS2                        | St. Lewis Sound.<br>52 20 27.7<br>055 44 34.1                  | Fl R 4s  | ..... | ..... | Red, marked "NMS2".   | Operates 24 h.<br>Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b><br><b>Edn 12/21 (N21-095)</b>   |
| 276.7          | Captain Jacks light<br>buoy NMS1                     | 52 19 47.4<br>055 46 48.6                                      | Fl G 4s  | ....  | ..... | Green, marked "NMS1".   | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |
| 276.75         | Duck Island Shoal<br>light buoy NS2                  | 52 18 10.2<br>055 46 42  | Fl R 4s  | ..... | ..... | Red spar, marked "NS2".   | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |
| 276.77         | Burnt Point Shoal<br>light buoy NMH2                 | 52 18 48.0<br>055 49 0.5                                       | Fl R 4s  | ..... | ..... | Red spar, marked "NMH2".  | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b><br><b>Edn 09/15 (N15-068)</b><br><b>Edn 01/16 (N15-068)</b>           |
| 276.771        | Mary's Harbour<br>(Inner Harbour)<br>light buoy NMH4 | 52 18 37<br>055 50 02.9  | Fl R 4s  | ..... | ..... | Red spar, marked "NMH4".  | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |
| 276.772        | Mary's Harbour<br>(Inner Harbour)<br>light buoy NMH5 | 52 18 35.5<br>055 50 11.4                                      | Fl G 4s  | ..... | ..... | Green spar, marked<br>"NMH5".   | Seasonal.   |
|                |  |  |          |       |       |   | <b>Chart:5031</b>   |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.             | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                          | Remarks<br>-----<br>Fog Signals  |
|--|--|--|--------------------------|--|-----------------------|---|--|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |  |  |                          |  |                       |   |  |
| 276.78                                 | Mary's Harbour<br>(Inner Harbour)<br>light buoy NMH3 | 52 18 35.1<br>055 50 01.8                                    | Fl G 4s                  | .....                                      | .....                 | Green spar, marked<br>"NMH3".   | Seasonal.<br><br>Chart:5031<br>Edn 09/15 (N15-069)   |
| 276.8                                  | Marley Rocks light<br>buoy NS1                       | 52 17 43.8<br>055 45 44.4                                    | Fl G 4s                  | .....                                      | .....                 | Green, marked "NS1".  | Seasonal.<br><br>Chart:5031  |
| 276.81<br>H0089.7                      | Cape St. Lewis<br>Light                              | Entrance to<br>St. Lewis Sound.<br>52 22 04.8<br>055 37 48.0 | Fl W 4s                  | 40.7                                       | 4                     | Square skeleton tower, red<br>and white rectangular<br>daymark.                   | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5031<br>Edn 08/22 (N22-101)              |
| 276.85<br>H0091                        | Killick Island Light                                 | Entrance to Battle<br>Harbour.<br>52 16 40.0<br>055 35 33.0  | Fl G 4s                  | 6.3  | 2                     | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>4.5          | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5031<br>Edn 09/11<br>Edn 08/22 (N22-121) |
| 276.87<br>H0089.8                      | Green Island Light                                   | St. Lewis Sound.<br>52 17 38.0<br>055 41 02.0                | Fl W 4s                  | 13.7                                       | 5                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.5            | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5031<br>Edn 07/22 (N22-102)              |
| 276.89                                 | Tilcey Island  | St. Charles<br>Channel.<br>52 16 42<br>055 35 58             | Fl R 4s                  | 11.3                                       | 2                     | Mast.<br>2.4  | Seasonal.<br><br>Chart:5031<br>Edn 01/11 (N10-066)   |
| 277<br>H90                             | Copper Island  | SE. end of island.<br>52 15 50.1<br>055 40 11.6              | Fl W 3s                  | 9.1  | 7                     | Red and white cylindrical<br>tower, red daymark, white<br>horizontal band.<br>4.3 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br>Chart:5031                                 |
| 277.2                                  | Caribou Run<br>South light buoy<br>NU2               | 52 14 51.4<br>055 38 57.9                                    | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NU2".   | Seasonal.<br><br>Chart:5031<br>Edn 09/15   |
| 277.3                                  | Caribou Run Inner<br>light buoy NU1                  | 52 14 50<br>055 39 01.5                                      | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NU1".   | Seasonal.<br><br>Chart:5031  |
| 277.4                                  | Caribou Run North<br>light buoy NU4                  | 52 15 32.3<br>055 39 51                                      | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NU4".   | Seasonal.<br><br>Chart:5031  |
| 277.5<br>H0093                         | Wall Island Point<br>Light                           | 52 13 10.2<br>055 36 48.4                                    | Fl G 4s                  | 30.6                                       | 4                     | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>4.5          | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5030<br>Edn 07/22 (N22-120)              |
| 277.56                                 | Caribou Run Mid<br>Rock light buoy<br>NU6            | 52 15 55.2<br>055 39 49.2                                    | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NU6".   | Seasonal.<br><br>Chart:5031  |
| 277.6                                  | St. Charles Inner<br>light buoy NUC2                 | 52 13 13.2<br>055 36 17.4                                    | Fl R 4s                  | .....                                      | .....                 | Red, marked "NUC2".   | Seasonal.<br><br>Chart:5031  |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No.                                    | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                     | Remarks<br>-----<br>Fog Signals   |
|--|--|--|--------------------------|--|-----------------------|--|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |  |  |                          |  |                       |  |   |
| 278<br>H92                             | <b>Double Island</b>                         | On island.<br>52 15 18<br>055 33 16.4                                | Fl W 6s                  | 38.4                                       | 7                     | White cylindrical tower,<br>black and white horizontal<br>bands.<br><br>9.1  | Flash 1 s; eclipse 5 s.<br>Seasonal.<br><br><br><b>Chart:5031</b>   |
| 278.1                                  | Hussey Shoal light<br>buoy NUB1              | Battle Harbour.<br>52 17 27.0<br>055 35 24.0                         | Fl G 4s                  | .....                                      | .....                 | Green, marked "NUB1".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5031<br/>Edn 12/21 (N21-094)</b>                                  |
| 279<br>H0094                           | <b>Camp Islands<br/>Light Station</b>        | Strait of Belle Isle,<br>Labrador side.<br>52 10 00.7<br>055 38 24.8 | Fl W 5s                  | 41.3                                       | 15                    | White octagonal tower with<br>red upper portion.<br><br>9.9                  | Flash 0.2 s; eclipse 4.8 s.<br>Seasonal.<br><br><b>Chart:5030<br/>Edn 08/22 (N22-122)</b>                     |
| 279.282                                | Long Island light<br>buoy NMP2               | 52 42 08.2<br>055 51 02.6  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked<br>"NMP2".  | Seasonal.<br><br><b>Chart:5032</b>  |
| 279.283                                | Pinsent's Arm light<br>buoy NMP1             | 52 42 06.3<br>055 50 06.8  | Fl G 4s                  | .....                                      | .....                 | Green spar, marked<br>"NMP1".  | Seasonal.<br><br><b>Chart:5032</b>  |
| 279.285                                | Pinsent's Arm<br>Entrance light<br>buoy NMP4 | 52 41 18<br>055 53 03.3  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NMP4".   | Seasonal.<br><br><b>Chart:5032</b>  |
| 279.286                                | Pinsents Arm light<br>buoy NMP3              | 52 41 14.4<br>055 53 04.2  | Fl G 4s                  | .....                                      | .....                 | Green spar, marked<br>"NMP3".  | Seasonal.<br><br><b>Chart:5032<br/>Edn 03/22 (N22-021)</b>  |
| 279.287                                | Pinsent's Arm<br>Inner light buoy<br>NMP6    | 52 41 17.0<br>055 53 13.7  | Q R 1s                   | .....                                      | .....                 | Red spar, marked "NMP6".   | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5032<br/>Edn 09/21 (N21-070)</b>                                  |
| 279.29                                 | Mad Moll Rock<br>light buoy NM2              | St. Michaels Bay.<br>52 42 45<br>055 48 00.5                         | Fl R 4s                  | .....                                      | .....                 | Red, marked "NM2".   | Seasonal.<br><br><b>Chart:5032<br/>Edn 08/10 (N10-041)</b>  |
| 279.3<br>H0086.7                       | Twin Islands Light                           | N. of Ship Harbour<br>Head.<br>52 40 18.0<br>055 44 50.0             | Fl W 4s                  | 30.8                                       | 4                     | Mast, red and white<br>cylindrical daymark.<br><br>3.0                       | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:4701<br/>Edn 03/21 (N21-006)<br/>Edn 08/22 (N22-117)</b> |
| 279.31<br>H0086.65                     | Pigeon Island<br>Light                       | St. Michaels Bay.<br>52 43 01.7<br>055 51 25.1                       | Fl G 4s                  | 11.5                                       | 4                     | Square skeleton tower,<br>green and white rectangular<br>daymark.<br><br>5.9 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5032<br/>Edn 03/21 (N21-003)</b>                         |
| 279.4<br>H0086.4                       | Deepwater Island<br>Light                    | St. Michaels Bay.<br>52 43 34.0<br>055 53 50.9                       | Fl W 4s                  | 7.6  | 6                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.6   | Flash 1 s; eclipse 3 s.<br>Visible 180°.<br>Seasonal.<br><br><b>Chart:5032<br/>Edn 03/21 (N21-004)</b>        |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                   |  |   |                    |       |       |  |  |
|-------------------|--|---|--------------------|-------|-------|--|--|
| 279.45            | St. Michaels Bay<br>light buoy NM5                 | 52 44 00.8<br>055 54 54.5                                       | Fl G 4s            | ..... | ..... | Green spar, marked<br>"NM5".   | Seasonal (in place year round).<br><br>Chart:5032<br>Edn 09/15 (N06-034)<br>Edn 05/17 (N17-002)<br>Edn 12/21 (N21-196) |
| 279.5             | St. Michaels Bay<br>light buoy NM6                 | 52 44 12.0<br>055 55 20.6                                       | Fl R 4s            | ..... | ..... | Red spar, marked "NM6".  | Seasonal (in place year round).<br><br>Chart:5032<br>Edn 12/21 (N21-197)   |
| 279.58            | Curlew Island<br>North light buoy<br>NM9           | St. Michaels Bay.<br>52 44 28.2<br>055 56 02.8                  | Fl G 4s            | ..... | ..... | Green spar, marked<br>"NM9".   | Seasonal (in place year round).<br><br>Chart:5032<br>Edn 12/21 (N21-198)   |
| 279.59            | Narrows Island<br>South light buoy<br>NM8          | St. Michaels Bay.<br>52 44 31.0<br>055 55 56.2                  | Fl R 4s            | ..... | ..... | Red spar, marked "NM8".  | Seasonal (in place year round).<br><br>Chart:5032<br>Edn 12/21 (N21-199)   |
| 279.6             | St. Michaels Bay<br>North light buoy<br>NM7        | 52 44 20.4<br>055 55 35.5                                       | Fl G 4s            | ..... | ..... | Green spar, marked<br>"NM7".   | Operates 24 h.<br>Seasonal (in place year round).<br><br>Chart:5032<br>Edn 12/21 (N21-200)                             |
| 279.62            | Narrows Island<br>light buoy NM10                  | St. Michaels Bay.<br>52 44 37.2<br>055 56 08.8                  | Fl R 4s            | ..... | ..... | Red spar, marked "NM10".   | Seasonal (in place year round).<br><br>Chart:5032<br>Edn 12/21 (N21-201)   |
| 279.65            | Charlottetown<br>Inner light buoy<br>NM12          | 52 46 34.7<br>056 06 56   | Fl R 4s            | ..... | ..... | Red spar, marked "NM12".   | Seasonal.<br><br>Chart:5032<br>Edn 09/15<br>Edn 11/15 (N15-070)  |
| 279.66            | Charlottetown<br>Breakwater Light                  | 52 46 25.6<br>056 07 16.5                                       | Fl R 4s            | ..... | 2     | Pipe tower.  | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br>Chart:5032<br>Edn 08/22 (N22-096)                        |
| 279.7<br>H0086.6  | Goose Island Light                                 | Charlottetown<br>Harbour entrance.<br>52 47 36.0<br>056 06 09.0 | Fl W 4s            | 7.6   | 6     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.3 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5032<br>Edn 03/21 (N21-007)  |
| 279.72            | Bar Tickle Shoal<br>West Cardinal light<br>buoy NM | 52 46 33.5<br>055 54 18.3                                       | VQ(9) W 10s        | ..... | ..... | Yellow, black and yellow<br>spar, marked "NM".                             | Seasonal.<br><br>Chart:5032<br>Edn 09/10 (N10-040)<br>Edn 02/21 (N20-103)  |
| 279.73            | Square Island<br>South Cardinal<br>light buoy NMS  | 52 46 14.4<br>055 54 22.2                                       | Q(6)<br>+LFI W 15s | ..... | ..... | Yellow and black spar,<br>marked "NMS".                                    | Seasonal.<br><br>Chart:5032<br>Edn 01/10<br>Edn 01/21 (N20-104)  |
| 279.74<br>H0086.5 | Bar Tickle Light                                   | 52 46 45.0<br>055 54 20.0                                       | Fl R 4s            | 15.3  | 4     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.5 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5032<br>Edn 03/21 (N21-005)  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                  |  |   |                    |       |       |  |   |
|------------------|--|---|--------------------|-------|-------|--|---|
| 279.8<br>H0086.2 | Cape Bluff Light   | N. of St. Michaels<br>Bay.<br>52 50 13.2<br>055 48 24.0 | Fl W 4s            | 54.7  | 4     | Mast, red and white<br>daymark.  | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5032<br>Edn 02/11 (N10-066)<br>Edn 03/21 (N21-002)<br>Edn 10/21 (N21-129) |
| 279.809          | Gull and Matthews<br>Rock West<br>Cardinal light buoy<br>NGM | NNE. of Cape Bluff.<br>52 51 34.8<br>055 47 14.9        | Q(9) W 15s         | ..... | ..... | Yellow, black and yellow,<br>marked "NGM".                                 | Seasonal.<br><br>Chart:5033   |
| 279.81           | Lady Arm Shoal<br>light buoy NG2                             | 52 56 18.4<br>055 53 35.8                               | Fl R 4s            | ..... | ..... | Red spar, marked "NG2".  | Seasonal.<br><br>Chart:5033   |
| 279.83           | The Sisters light<br>buoy NM4                                | 53 43 03.7<br>055 49 16.7                               | Fl R 4s            | ..... | ..... | Red spar, marked "NM4".  | Seasonal.<br><br>Chart:5032   |
| 279.84           | Whales Back<br>Shoal light buoy<br>NE1                       | 52 56 42.6<br>055 49 38.2                               | Fl G 4s            | ..... | ..... | Green, marked "NE1".   | Seasonal.<br><br>Chart:5033   |
| 279.9            | Barr Tickle North<br>light buoy NMN1                         | St. Michaels Bay.<br>52 46 56.9<br>055 54 07.0          | Q G 1s             | ..... | ..... | Green spar, marked<br>"NMN1".  | Operates 24 h.<br>Seasonal.<br><br>Chart:5032<br>Edn 09/21 (N21-092P)<br>Edn 02/22 (N21-263)                                |
| 280              | Red Island Light   | SW. side of island.<br>53 00 37.6<br>055 45 36.7        | Fl W 4s            | 28.0  | 4     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.3 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br>Chart:5033<br>Edn 09/15<br>Edn 08/22 (N22-119)                                  |
| 280.01           | Squasho North<br>light buoy NE3                              | 53 04 46.5<br>055 52 14.8                               | Fl G 4s            | ..... | ..... | Green spar, marked "NE3".  | Seasonal.<br><br>Chart:5033   |
| 280.011          | Deer Pass light<br>buoy NE2                                  | 53 04 43.9<br>055 52 11.7                               | Fl R 4s            | ..... | ..... | Red spar, marked "NE2".  | Seasonal.<br><br>Chart:5033   |
| 280.012          | Squasho South<br>North Cardinal<br>light buoy NE             | 53 05 42<br>055 51 28.9                                 | Q W 1s             | ..... | ..... | Black and yellow spar,<br>marked "NE".                                     | Seasonal.<br><br>Chart:5033<br>Edn 09/15  |
| 280.02           | The Feather Bed<br>North Cardinal<br>light buoy NKF          | N. of Big Island.<br>53 07 35.7<br>055 45 40.7          | Q W 1s             | ..... | ..... | Black and yellow, marked<br>"NKF".   | Seasonal.<br><br>Chart:4702   |
| 280.03           | Old King East<br>Cardinal light buoy<br>NK                   | 53 07 46.1<br>055 43 12.9                               | Q(3) W 10s         | ..... | ..... | Black, yellow and black,<br>marked "NK".                                   | Seasonal.<br><br>Chart:4702   |
| 280.04           | Pippies South<br>Cardinal light buoy<br>NLP                  | 53 11 35<br>055 41 34                                   | Q(6) W 15s<br>+LFI | ..... | ..... | Yellow and black, marked<br>"NLP".   | Seasonal.<br><br>Chart:4702   |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name  | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                      | Remarks<br>-----<br>Fog Signals   |
|--|---|--|--------------------------|--|-----------------------|---|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |   |  |                          |  |                       |   |   |
| 280.05                                 | Fish Island   | 53 12 42<br>055 43 12                            | Fl W 6s                  | 17.7                                       | 6                     | Skeleton tower, red daymark, white horizontal band.<br><br>4.8                | Flash 0.5 s; eclipse 5.5 s.<br>Seasonal.<br><br><b>Chart:4702</b>                     |
| 280.1                                  | Bradbury Island<br>South Cardinal<br>light buoy NL                | 53 15 27.8<br>055 41 22.1                        | Q(6) W<br>+LFI           | 15s  | .....                 | Yellow and black, marked "NL".  | Seasonal.<br><br><b>Chart:4702<br/>Edn 07/10 (N10-016)</b>                            |
| 280.13                                 | Walker Island<br>West Cardinal light<br>buoy NLW                  | 53 18 50.2<br>055 45 06.7                        | VQ(9) W                  | 10s  | .....                 | Yellow, black, yellow, marked "NLW".  | Seasonal.<br><br><b>Chart:4703<br/>Edn 07/10 (N10-016)</b>                            |
| 280.15                                 | Gushue Rock East<br>Cardinal light buoy<br>NLG                    | 53 20 56.6<br>055 43 42.4                        | Q(3) W                   | 10s  | .....                 | Black, yellow and black, marked "NLG".  | Seasonal.<br><br><b>Chart:4745<br/>Edn 07/10 (N10-016)</b>                            |
| 280.16                                 | Toole Rock light<br>buoy NB2                                      | 53 23 45.8<br>055 45 20.5                        | Fl R                     | 4s   | .....                 | Red, marked "NB2".  | Seasonal.<br><br><b>Chart:4703</b>  |
| 280.4                                  | Punchbowl<br>Channel light buoy<br>NL5                            | 53 15 09.5<br>055 45 06                          | Fl G                     | 4s   | .....                 | Green spar, marked "NL5".   | Seasonal.<br><br><b>Chart:5080</b>  |
| 280.79                                 | Spotted Islands<br>Harbour light buoy<br>NSP2                     | 53 29 21.1<br>055 45 37.5                        | Fl R                     | 4s   | .....                 | Red spar, marked "NSP2".  | Seasonal.<br><br><b>Chart:4744<br/>Edn 02/10 (N10-004)</b>                            |
| 280.8                                  | Roundhill Island  | N. point of island.<br>53 26 07.4<br>055 36 41   | Fl W                     | 3s   | 66.5                  | 5<br><br>Skeleton tower, red daymark, white horizontal band.<br><br>7.1       | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:4744</b>                     |
| 280.85                                 | Saddle Bank<br>South Cardinal<br>light buoy NBT                   | 53 25 06.1<br>055 42 43.5                        | Q(6) W<br>+LFI           | 15s  | .....                 | Yellow and black, marked "NBT".   | Seasonal.<br><br><b>Chart:4744</b>  |
| 280.9                                  | Cod Bag Islets  | 53 25 58.9<br>055 44 39.5                        | Fl W                     | 4s   | 32.6                  | 6<br><br>Skeleton tower, red daymark, white horizontal band.<br><br>4.3       | Seasonal.<br><br><b>Chart:4744</b>  |
| 280.91                                 | Black Tickle light<br>buoy NBT1                                   | 53 27 07.2<br>055 45 49.5                        | Fl G                     | 4s   | .....                 | Green spar, marked "NBT1".  | Seasonal.<br><br><b>Chart:4745</b>  |
| 280.95                                 | Black Tickle Wharf  | 53 27 21.7<br>055 45 50.5                        | Fl G                     | 4s   | .....                 | 2<br><br>Cylindrical mast.<br>2.1   | Seasonal.<br><br><b>Chart:4744</b>  |
| 281<br>H0084                           | Domino Point Light<br><br><b>Racon -- (Y)<br/>X &amp; S Bands</b> | 53 27 42.4<br>055 44 31.0                        | Fl W                     | 4s   | 38.7                  | 7<br><br>Square skeleton tower, red and white rectangular daymark.<br><br>4.3 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:4745<br/>Edn 08/22 (N22-116)</b> |
| 281.7                                  | Indian Tickle<br>South light buoy<br>N12                          | 53 33 02.2<br>055 58 35.6                        | Fl R                     | 4s   | .....                 | Red spar, marked "N12".   | Seasonal.<br><br><b>Chart:4745</b>  |



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                   |  |   |                 |       |       |  |   |
|-------------------|--|---|-----------------|-------|-------|--|---|
| 281.8             | <i>Indian Tickle North light buoy N14</i>        | 53 33 35.3<br>055 59 23.5                             | Fl R 4s         | ..... | ..... | Red spar, marked "N14".  | Seasonal.<br><br><b>Chart:4745<br/>Edn 07/10 (N10-016)</b>                            |
| 281.9             | <i>White Rowsel Shoal light buoy N15</i>         | 53 33 32.3<br>055 59 42.6                             | Fl G 4s         | ..... | ..... | Green spar, marked "N15".  | Seasonal.<br><br><b>Chart:4745</b>  |
| 282               | White Point                                      | Entrance to Indian Tickle.<br>53 34 38.4<br>056 01 31 | Fl W 6s         | 20.9  | 7     | Square skeleton tower, red and white rectangular daymark.<br>4.6   | Flash 0.5 s; eclipse 5.5 s.<br>Seasonal.<br><br><b>Chart:4745</b>                     |
| 283               | South Wolf Island                                | NE. end of island.<br>53 41 06.4<br>055 54 12.3       | Fl W 6s         | 88.1  | 6     | Skeleton tower.<br>14.0  | Flash 1 s; eclipse 5 s.<br>Seasonal.<br><br><b>Chart:5133</b>                         |
| 284<br>H0080      | Cape North Light                                 | 53 47 10.4<br>056 28 35.3                             | Fl W 4s         | 72.5  | 7     | Square skeleton tower, red and white rectangular daymark.<br>4.3   | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5133<br/>Edn 08/22 (N22-115)</b> |
| 284.1             | <i>Tinker Rock South Cardinal light buoy NCT</i> | 53 48 33<br>056 34 54                                 | VQ(6) W<br>+LFI | 10s   | ..... | .....  | Yellow and black, marked "NCT".<br>Seasonal.<br><br><b>Chart:5134</b>                 |
| 284.3             | <i>Hare Rock light buoy NC1</i>                  | N. of Hare Rock.<br>53 46 10<br>056 48 42.9           | Fl G 4s         | ..... | ..... | Green, marked "NC1".   | Seasonal.<br><br><b>Chart:5138<br/>Edn 07/10 (N10-016)</b>                            |
| 284.35<br>H0079.7 | Leading Mark Island Light                        | 53 45 31.2<br>057 03 56.4                             | Fl G 4s         | 8.9   | 2     | Square skeleton tower, green and white rectangular daymark.<br>4.5 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5134<br/>Edn 08/22 (N22-113)</b> |
| 284.351           | <i>Packs Harbour Approaches light buoy NX2</i>   | 53 51 12.9<br>056 59 11.5                             | Fl R 4s         | ..... | ..... | Red spar, marked "NX2".  | Seasonal.<br><br><b>Chart:5134<br/>Edn 03/11 (N10-016)</b>                            |
| 284.352           | <i>Packs Harbour Approaches light buoy NX1</i>   | 53 51 18.9<br>056 59 18.5                             | Fl G 4s         | ..... | ..... | Green spar, marked "NX1".  | Seasonal.<br><br><b>Chart:5134<br/>Edn 12/15 (N15-075)</b>                            |
| 284.4             | <i>Crab Head light buoy NC2</i>                  | 53 44 51.6<br>056 55 01.8                             | Fl R 4s         | ..... | ..... | Red spar, marked "NC2".  | Seasonal.<br><br><b>Chart:5138<br/>Edn 03/11 (N10-016)</b>                            |
| 284.41            | <i>Crab Head Shoal light buoy NC3</i>            | 53 44 37.0<br>056 55 07.1                             | Fl G 4s         | ..... | ..... | Green spar, marked "NC3".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 10/20 (N20-093)</b>          |
| 284.42            | <i>Crab Island Shoals light buoy NC2/2</i>       | 53 44 26.8<br>056 56 21.6                             | Fl R 4s         | ..... | ..... | Red spar, marked "NC2/2".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 10/20 (N20-094)</b>          |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                   |   |  |            |       |       |  |   |
|-------------------|---|--|------------|-------|-------|--|---|
| 284.45            | Divers Island light<br>buoy NCD2                | 53 42 35.4<br>057 06 17.4                                      | Fl R 4s    | ..... | ..... | Red spar, marked "NCD2".   | Seasonal.<br><br><b>Chart:5138</b>  |
| 284.5             | Cartwright light<br>buoy NC5                    | Cartwright Harbour.<br>53 42 10.0<br>057 02 07.0               | Q G 1s     | ..... | ..... | Green, marked "NC5".   | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 12/20 (N20-049)</b>                                  |
| 284.51            | Cartwright<br>Fishermans Wharf<br>Light         | 53 42 07.3<br>057 01 41.1                                      | Fl G 4s    | ..... | 3     | Pipe tower.  | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 08/22 (N22-095)</b>       |
| 284.6             | Cartwright light<br>buoy NC4                    | 53 43 00.4<br>057 01 35.8                                      | Fl R 4s    | ..... | ..... | Red, marked "NC4".   | Seasonal.<br><br><b>Chart:5138</b>  |
| 284.71            | Cartwright light<br>buoy NC6                    | 53 42 00.1<br>057 01 11.6                                      | Fl R 4s    | ..... | ..... | Red spar, marked "NC6".  | Seasonal.<br><br><b>Chart:5138<br/>Edn 07/10 (N10-016)</b>  |
| 284.72<br>H0079.5 | Cartwright Wharf<br>Light                       | 53 42 11.0<br>057 01 16.5                                      | Fl Y 4s    | 3.4   | 3     | Pipe tower.  | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 08/22 (N22-098)</b>                         |
| 284.73            | Woody Island<br>Rock light buoy<br>NCH1         | Woody Island, near<br>Cartwright.<br>53 40 44.7<br>057 04 38.0 | Fl G 4s    | ..... | ..... | Green spar, marked<br>"NCH1".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 03/22 (N22-023)</b>                                  |
| 284.74            | Woody Island light<br>buoy NCH3                 | Near Cartwright.<br>53 40 42.3<br>057 04 38.3                  | Q G 1s     | ..... | ..... | Green spar, marked<br>"NCH3".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5138<br/>Edn 03/22 (N22-024)</b>                                  |
| 284.8             | Hatten Shoal light<br>buoy NCH2                 | 53 39 28<br>057 04 24  | Fl R 4s    | ..... | ..... | Red, marked "NCH2".  | Seasonal.<br><br><b>Chart:5138</b>  |
| 284.96<br>H0079   | Snack Cove Light                                | 53 47 39.2<br>056 48 11.4                                      | Fl W 4s    | 23.6  | 5     | Square skeleton tower, red<br>and white square daymark.<br>4.7         | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5134<br/>Edn 07/22 (N22-106)</b>       |
| 285<br>H0078      | Packs Harbour<br>Light                          | 53 51 31.2<br>056 59 25.4                                      | Fl W 4s    | 32.3  | 6     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.3 | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5134<br/>Edn 01/17 (N16-092)<br/>Edn 08/22 (N22-114)</b> |
| 285.2             | Old Man Shoal<br>East Cardinal light<br>buoy HM | 54 09 24.1<br>057 18 50.6                                      | Q(3) W 10s | ..... | ..... | Black, yellow and black,<br>marked "HM".                               | Seasonal.<br><br><b>Chart:5135</b>  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.  | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                   | Remarks<br>-----<br>Fog Signals   |
|--|---|---|--------------------------|--|-----------------------|--|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |   |   |                          |  |                       |  |   |
| 286<br>H0074.5                         | Grappling Island<br>Light<br><br><b>Racon --. (G)<br/>X &amp; S Bands</b> | 54 27 22.5<br>056 52 51.5                         | Fl W 4s                  | 31.5                                       | 7                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.1 | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5042<br/>Edn 08/22 (N22-107)</b>                               |
| 287<br>H74.7                           | Herring Islands   | On NE. island.<br>54 20 11.5<br>057 05 32.7       | Fl W 3s                  | 35.2                                       | 7                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.3 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5135</b>   |
| 287.2                                  | George Island<br>South Cardinal<br>light buoy HGE                         | 54 13 21.1<br>057 15 46.9                         | VQ(6) W<br>+ LFI         | 10s  | .....                 | Yellow and black, marked<br>"HGE".   | Seasonal.<br><br><b>Chart:5135<br/>Edn 01/16 (N15-096)</b>  |
| 287.3                                  | South Duck Island<br>Shoal light buoy<br>HD1                              | 54 13 28.3<br>057 21 22                           | Fl G 4s                  | .....                                      | .....                 | Green, marked "HD1".   | Seasonal.<br><br><b>Chart:5135<br/>Edn 07/10 (N10-016)</b>  |
| 287.4                                  | George Island<br>Shoal light buoy<br>HG                                   | W. of island.<br>54 14 56.8<br>057 22 09.7        | Q W 1s                   | .....                                      | .....                 | Black and yellow, marked<br>"HG".  | Operates 24 h.<br>Seasonal.<br><br><b>Chart:5135<br/>Edn 11/20 (N20-092)</b>  |
| 288<br>H75                             | Little Black Island   | At N. end of island.<br>54 18 24.6<br>057 50 03.9 | Fl W 6s                  | 36.0                                       | 7                     | Square skeleton tower, red<br>and white square daymark.<br><br>4.3         | Flash 0.5 s; eclipse 5.5 s.<br>Seasonal.<br><br><b>Chart:5140</b>   |
| 289<br>H0075                           | Big Island Light  | 54 17 12.6<br>058 02 01.9                         | Fl W 4s                  | 12.2                                       | 2                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.3 | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5162<br/>Edn 07/22 (N22-108)</b>                               |
| 290                                    | Man of War Rock<br>light buoy H1  | 54 13 19.7<br>058 20 03.2                         | Fl G 4s                  | .....                                      | .....                 | Green, marked "H1".  | Seasonal.<br><br><b>Chart:4724<br/>Edn 07/10 (N10-016)</b>  |
| 290.3<br>H0075.55                      | Hart Head Light   | Hamilton Inlet.<br>54 11 40.1<br>058 24 36.4      | Fl R 4s                  | 7.1  | 4                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.7 | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5163<br/>Edn 07/22 (N22-109)</b>                               |
| 290.31                                 | Dart Rock light<br>buoy HR1   | 54 10 52.3<br>058 25 27.9                         | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "HR1".  | Seasonal.<br><br><b>Chart:4724</b>  |
| 290.5<br>H0075.65                      | Rigolet Cove<br>Wharf Light   | 54 10 53.0<br>058 25 34.5                         | Fl Y 4s                  | 4.8  | 3                     | Pipe tower.<br><br>2.4   | Flash 1 s; eclipse 3 s.<br>Seasonal.<br><br><b>Chart:5163<br/>Edn 02/18 (N17-090)<br/>Edn 03/18 (N18-010)<br/>Edn 08/22 (N22-110)</b> |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                         |   |   |                |              |              |   |  |
|-------------------------|---|---|----------------|--------------|--------------|---|--|
| 291<br><i>H0075.6</i>   | Rigolet Light   | S. of Rigolet Point.<br>54 10 39.6<br>058 25 35.9                   | Fl W 4s        | 12.3         | 5            | Square skeleton tower.<br>8.8   | Flash 1 s; eclipse 3 s.<br>Visible 180°.<br>Seasonal.<br><br><b>Chart:5163</b><br><b>Edn 02/10 (N09-063)</b><br><b>Edn 08/22 (N22-111)</b>   |
| 292<br><i>H0075.7</i>   | Snooks Cove Light                                     | 54 04 38.3<br>058 34 08.1   | Fl W 6s        | 5.3          | 6            | Square skeleton tower, red<br>rectangular daymark, white<br>horizontal band.<br>4.0 | Flash 0.5 s; eclipse 5.5 s.<br>Visible 180°.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:4724</b><br><b>Edn 01/18 (N17-089)</b><br><b>Edn 07/18 (N18-030)</b>                           |
| 293<br><i>H0075.8</i>   | Henrietta Island<br>Light                             | 54 04 12.2<br>058 33 36.6   | Fl W 4s        | 5.5          | 2            | Square skeleton tower, red<br>and white rectangular<br>daymark.                     | Flash 1 s; eclipse 3 s.<br>Visible 180°.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5163</b><br><b>Edn 02/18 (N17-088)</b><br><b>Edn 07/18 (N18-031)</b><br><b>Edn 08/22 (N22-105)</b> |
| 294<br><i>H0075.9</i>   | Eskimo Island<br>Light                                | 54 03 11.7<br>058 33 39.5   | Fl W 3s        | 5.5          | 7            | Square skeleton tower,<br>red, white and red<br>rectangular daymarks.<br>4.0        | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:4724</b><br><b>Edn 02/18 (N17-087)</b>  |
| 295                     | <i>Lareto Shoal light<br/>buoy H2</i>                 | <i>Off E. side of shoal.</i><br>53 58 38.4<br>058 45 48.6           | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "H2".</i>  | <i>Seasonal.</i><br><br><b>Chart:4725</b>  |
| 296<br><i>H0076</i>     | Green Island Light                                    | Lake Melville.<br>53 55 37.3<br>058 59 36.6                         | Fl W 4s        | 18.9         | 2            | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7              | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5163</b><br><b>Edn 08/22 (N22-104)</b>  |
| 296.1<br><i>H0076.2</i> | Long Point Light                                      | Lake Melville.<br>53 41 45.7<br>059 19 06.1                         | Fl W 4s        | 53.4         | 5            | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7              | Flash 1 s; eclipse 3 s.<br>Operates 24 h.<br>Seasonal.<br><br><b>Chart:5143</b><br><b>Edn 07/22 (N22-112)</b>  |
| 297                     | <i>Cartier Shoal light<br/>buoy H4</i>                | <i>S. of Shoal.</i><br>53 35 48.6<br>059 50 53.4                    | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "H4".</i>  | <i>Seasonal.</i><br><br><b>Chart:4728</b><br><b>Edn 10/10</b>  |
| 297.5                   | <i>Epinette Point light<br/>buoy H7</i>               | <i>Lake Melville, W. of<br/>point.</i><br>53 31 20.6<br>059 56 56.4 | <i>Fl G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green spar, marked "H7".</i>   | <i>Seasonal (in place year round).</i><br><br><b>Chart:5165</b><br><b>Edn 03/21 (N21-039)</b>  |
| 297.51                  | <i>Southern Epinette<br/>Shoal light buoy<br/>HC1</i> | <i>53 29 45</i><br><i>059 56 42</i>                                 | <i>Fl G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green spar, marked "HC1".</i>  | <i>Seasonal.</i><br><br><b>Chart:4728</b>  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|        |  |  |         |       |       |                         |  |
|--------|--|--|---------|-------|-------|-------------------------|--|
| 297.52 | Carter Basin<br>Outside light buoy<br>HC2      | 53 30 00.5<br>059 53 12.9                          | Fl R 4s | ..... | ..... | Red spar, marked "HC2". | Seasonal.<br><br>Chart:4728  |
| 297.53 | Carter Basin<br>Inside light buoy<br>HC4       | 53 29 57.8<br>059 52 49.7                          | Fl R 4s | ..... | ..... | Red spar, marked "HC4". | Seasonal.<br><br>Chart:4728<br>Edn 07/10 (N10-016)                       |
| 297.6  | North West Point<br>light buoy H8              | Lake Melville.<br>53 30 02.4<br>060 00 25.2        | Fl R 4s | ..... | ..... | Red spar, marked "H8".  | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 12/21 (N21-202) |
| 298    | North West River<br>Entrance light<br>buoy HN1 | At entrance to river.<br>53 31 23.4<br>060 07 07.2 | Fl G 4s | ..... | ..... | Green, marked "HN1".    | Seasonal.<br><br>Chart:4728  |

**Goose Bay**

|                  |                                    |  |            |       |       |   |  |
|------------------|------------------------------------|--|------------|-------|-------|---|--|
| 298.1<br>H0077.6 | Montagnais<br>Islands Light        | 53 33 30.0<br>060 04 01.9  | Fl G 4s    | 3.8   | 2     | Mast.<br><br>2.6  | Operates 24 h.<br>Seasonal.<br><br>Chart:4728<br>Edn 12/19 (N19-057, 120)                                  |
| 298.2            | Montagnais Shoal<br>light buoy HN  | Outside the<br>entrance to North<br>West River.<br>53 33 50.3<br>060 00 52.6 | Q(9) W 15s | ..... | ..... | Yellow, black and yellow,<br>marked "HN".   | Operates 24 h.<br>Seasonal.<br><br>Chart:5165<br>Edn 03/22 (N22-025, 037)                                  |
| 298.3            | North West River<br>light buoy HN3 | 53 31 19.7<br>060 08 02.7  | Fl G 4s    | ..... | ..... | Green spar, marked "HN3".   | Seasonal.<br><br>Chart:5165<br>Edn 06/12<br>Edn 08/20 (N20-063)  |
| 298.5            | Baikie Point                       | 53 31 25.7<br>060 07 59.9  | Fl R 4s    | 3.2   | 2     | Cylindrical mast.   | Year round.<br><br>Chart:4728  |
| 299<br>H76.4     | Brule Point range                  | Lake Melville.<br>53 26 34.3<br>059 56 42.7                                  | Oc G 6s    | 7.9   | 13    | Square skeleton tower,<br>trapezoid white daymark,<br>red vertical stripe.<br>6.3 | Flash 4 s; eclipse 2 s.<br>Seasonal.   |
| 300<br>H76.5     |                                    | 163°30' 88.4m<br>from front.   | Oc G 6s    | 19.2  | 13    | Square skeleton tower,<br>trapezoid white daymark,<br>red vertical stripe.<br>6.3 | Flash 4 s; eclipse 2 s.<br>Seasonal.<br><br>Chart:4728<br>Edn 02/11 (N10-066)                              |
| 301<br>H77       | Kenamu River<br>range              | Lake Melville.<br>53 28 14.6<br>059 54 52.4                                  | Oc G 6s    | 7.9   | 13    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>6.4           | Flash 4 s; eclipse 2 s.<br>Visible in line of range.<br>Seasonal.  |
| 302<br>H77.1     |                                    | 047°30' 1517.9m<br>from front.   | Oc G 6s    | 18.9  | 13    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>18.6          | Flash 4 s; eclipse 2 s.<br>Visible in line of range.<br>Seasonal.<br><br>Chart:4728<br>Edn 02/11 (N10-066) |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|       |  |                           |         |       |       |                           |   |
|-------|--|---------------------------|---------|-------|-------|---------------------------|---|
| 303   | Sandy Point<br>Turning light buoy<br>H10         | 53 27 19.5<br>059 57 26.5 | Q R 1s  | ..... | ..... | Red spar, marked "H10".   | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 12/21 (N21-179, 203)   |
| 304   | Sandy Point<br>Channel light buoy<br>H12         | 53 26 13.1<br>059 58 43.4 | Fl R 4s | ..... | ..... | Red spar, marked "H12".   | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-204)   |
| 305   | Sandy Point<br>Channel light buoy<br>H11         | 53 26 09.0<br>059 58 33.0 | Fl G 4s | ..... | ..... | Green spar, marked "H11". | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 12/21 (N21-205)  |
| 306   | Sandy Point<br>Channel light buoy<br>H14         | 53 25 41.4<br>059 59 44.4 | Fl R 4s | ..... | ..... | Red spar, marked "H14".   | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 12/21 (N21-206)  |
| 307   | Sandy Point<br>Channel light buoy<br>H13         | 53 25 39.0<br>059 59 33.0 | Fl G 4s | ..... | ..... | Green spar, marked "H13". | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 08/10 (N10-042)<br>Edn 12/21 (N21-207)   |
| 307.3 | Sandy Point<br>Channel light buoy<br>H15         | 53 25 24.0<br>060 00 01.0 | Fl G 4s | ..... | ..... | Green spar, marked "H15". | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-208)   |
| 307.6 | Sandy Point<br>Channel light buoy<br>H16         | 53 25 25.2<br>060 00 09.0 | Fl R 4s | ..... | ..... | Red spar, marked "H16".   | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-209)   |
| 308   | Sandy Point<br>Channel light buoy<br>H18         | 53 25 03.6<br>060 00 47.4 | Fl R 4s | ..... | ..... | Red spar, marked "H18".   | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-210)   |
| 308.1 | Goose Bay<br>Narrows turning<br>light buoy H18/2 | 53 24 29.6<br>060 02 00.2 | Q R 1s  | ..... | ..... | Red spar, marked "H18/2". | Operates 24 h.<br>Seasonal (in place year round).<br><br>Chart:5165<br>Edn 09/18 (N18-056)<br>Edn 12/21 (N21-211)                             |
| 309   | Sandy Point<br>Channel light buoy<br>H17         | 53 25 03.3<br>060 00 38.9 | Fl G 4s | ..... | ..... | Green spar, marked "H17". | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-212)   |
| 310   | Rabbit Island East<br>light buoy H19             | 53 24 36.4<br>060 07 16.5 | Fl G 4s | ..... | ..... | Green spar, marked "H19". | Seasonal (in place year round).<br><br>Chart:5165<br>Edn 09/18 (N18-052, 066)<br>Edn 12/21 (N21-213)  |
| 310.5 | Rabbit Island West<br>light buoy H21             | 53 23 53.2<br>060 11 29.3 | Fl G 4s | ..... | ..... | Green spar, marked "H21". | Operates 24 h.<br>Seasonal (in place year round).<br><br>Chart:5165<br>Edn 08/16 (N16-038)<br>Edn 09/18 (N18-054, 068)<br>Edn 12/21 (N21-214) |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

NEWFOUNDLAND AND LABRADOR COAST

|       |   |   |                           |             |       |  |   |
|-------|---|---|---------------------------|-------------|-------|--|---|
| 313.6 | Groves Point<br>Entrance light<br>buoy H27      | 53 21 01.5<br>060 20 57.1                                   | Fl G 4s                   | .....       | ..... | Green spar, marked "H27".  | Seasonal (in place year round).<br><br>Chart:4722<br>Edn 01/10<br>Edn 12/21 (N21-216)   |
| 312   | Birch Island light<br>buoy H22                  | Goose Bay.<br>53 23 21.8<br>060 14 16.9                     | Fl R 4s                   | .....       | ..... | Red, marked "H22".   | Seasonal.<br><br>Chart:4728<br>Edn 09/18 (N18-053)  |
| 313   | Chaulk Point light<br>buoy H23                  | Goose Bay.<br>53 21 51.6<br>060 17 38.5                     | Fl G 4s                   | .....       | ..... | Green, marked "H23".   | Seasonal.<br><br>Chart:4728<br>Edn 09/18 (N18-055)  |
| 313.5 | Grebe Point light<br>buoy H25                   | E. of Groves Point<br>Channel.<br>53 21 22.2<br>060 18 53.4 | Fl G 4s                   | .....       | ..... | Green, marked "H25".   | Seasonal.<br><br>Chart:4728   |
| 313.6 | Groves Point<br>Entrance light<br>buoy H27      | 53 21 01.5<br>060 20 57.1                                   | Fl G 4s                   | .....       | ..... | Green spar, marked "H27".  | Seasonal (in place year round).<br><br>Chart:4722<br>Edn 01/10<br>Edn 12/21 (N21-216)   |
| 314   | Terrington<br>Narrows Channel<br>light buoy H30 | 53 21 02.5<br>060 21 11.5                                   | Fl R 4s                   | .....       | ..... | Red spar, marked "H30".  | Seasonal (in place year round).<br><br>Chart:4722<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-217)   |
| 315   | Terrington<br>Narrows Channel<br>light buoy H29 | 53 20 59.5<br>060 21 11.8                                   | Fl G 4s                   | .....       | ..... | Green spar, marked "H29".  | Seasonal (in place year round).<br><br>Chart:4722<br>Edn 12/21 (N21-218)  |
| 316   | Terrington<br>Narrows Channel<br>light buoy H32 | 53 21 00.3<br>060 21 34.1                                   | Fl R 4s                   | .....       | ..... | Red spar, marked "H32".  | Seasonal (in place year round).<br><br>Chart:4722<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-219)   |
| 317   | Terrington<br>Narrows Channel<br>light buoy H33 | 53 20 57.3<br>060 21 33.8                                   | Fl G 4s                   | .....       | ..... | Green spar, marked "H33".  | Seasonal (in place year round).<br><br>Chart:4722<br>Edn 07/10 (N10-016)<br>Edn 12/21 (N21-220)   |
| 317.5 | <b>Terrington<br/>Narrows Sector</b>            | 53 20 37.3<br>060 24 07.1                                   | F<br>AI<br>RW<br>AI<br>GW | R<br>W<br>G | ..... | 10.5<br><br>10.0   | 19<br><br>Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>Red from 255°35' to 256°55';<br>AI RW from 256°55' to 257°10';<br>white from 257°10' to 257°30';<br>AI GW from 257°30' to 257°45';<br>green from 257°45' to 259°05'.<br>The light is visible over an arc of<br>003°30'.<br>White sector indicates preferred<br>channel.<br>Seasonal. |
| 317.8 | East Big Island                                 | 54 27 13.7<br>057 05 37.7                                   | Fl W 3s                   | 48.1        | 5     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>4.5 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br>Chart:4722<br><br>Chart:5135  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                             | Remarks<br>-----<br>Fog Signals   |  |
|--|---|---|--------------------------|--|-----------------------|--|---|--|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |   |   |                          |  |                       |  |   |  |
| 317.9                                  | Run By Guess  | S. of Run By Guess<br>Island.<br>54 28 00.5<br>057 19 22.1        | Fl W 3s                  | 17.5                                       | 4                     | Square skeleton tower,<br>red and white rectangular<br>daymark.<br>4.7               | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5042</b>               |  |
| 318<br>H74                             | Cut Throat Point  | On Cut Throat<br>Island.<br>54 29 25.5<br>057 06 26.5             | Fl W 4s                  | 28.0                                       | 7                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.2               | Seasonal.<br><br><b>Chart:5135</b>  |  |
| 318.2                                  | <i>Cockies South<br/>Cardinal light and<br/>bell buoy HCl</i> | 54 38 30<br>056 58 53.2   | Q(6)<br>+LFI             | W 15s                                      | .....                 | .....  | <i>Yellow and black, marked<br/>"HCI".</i> Year round.<br><br><b>Chart:5135</b> |  |
| 319                                    | Sloop Harbour<br>Point  | NE. point of Brig<br>Harbour Island.<br>54 34 05.2<br>057 09 15.1 | Fl W 3s                  | 20.4                                       | 7                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.1               | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5135</b>               |  |
| 319.06                                 | Holton Island   | 54 37 37.5<br>057 16 24.2   | Fl W 4s                  | 46.2                                       | 5                     | Red and white square<br>skeleton tower, red and<br>white rectangular daymark.<br>4.7 | Seasonal.<br><br><b>Chart:5135</b>  |  |
| 319.07                                 | Pigeon Island   | 54 40 24<br>057 29 55.2   | Fl W 4s                  | 34.0                                       | 5                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7               | Seasonal.<br><br><b>Chart:5135</b>  |  |
| 319.08                                 | Duck Island   | 54 43 41<br>057 41 23   | Fl W 4s                  | 20.1                                       | 5                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7               | Seasonal.<br><br><b>Chart:5043</b>  |  |
| 319.09                                 | False Cape Island   | 54 50 08.5<br>057 49 50   | Fl W 4s                  | 25.8                                       | 5                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7               | Seasonal.<br><br><b>Chart:5043</b>  |  |
| 319.1                                  | Northern Island   | 54 58 52.8<br>058 17 43.2   | Mo(A)                    | W 6s                                       | 57.8                  | 5  | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>7.2          | Flash 0.3 s; eclipse 0.6 s; flash 1<br>s; eclipse 4.1 s.<br>Seasonal.<br><br><b>Chart:5044</b> |
| 319.12                                 | <i>Quaker Hat light<br/>buoy NQ1</i>                          | 54 59 55.9<br>058 30 48.7   | Fl                       | G 4s                                       | .....                 | .....  | <i>Green, marked "NQ1".</i> Seasonal.<br><br><b>Chart:5045</b>                  |  |
| 319.2                                  | Quaker Hat<br><b>Racon Q (- - -)<br/>X &amp; S Bands</b>      | 54 44 12.5<br>057 20 37.7   | LFI                      | W 10s                                      | 36.0                  | 6  | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7          | Flash 2 s; eclipse 8 s.<br>Seasonal.<br><br><b>Chart:5135</b>                                  |
| 319.21                                 | Conical Island  | 54 55 39.3<br>058 50 33.7   | Fl                       | R 4s                                       | 30.4                  | 4  | Square skeleton tower, red<br>and white square daymark.<br>7.2                  | Seasonal.<br><br><b>Chart:5045</b>   |



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                |  |   |                    |              |              |  |   |
|----------------|--|---|--------------------|--------------|--------------|--|---|
| 319.22         | Blandford Island                                       | 55 03 33.3<br>058 44 26.4                               | Q R 1s             | 32.9         | 4            | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Flash 0.3 s; eclipse 0.7 s.<br>Seasonal.<br><br><b>Chart:5045</b>                           |
| 319.225        | Double Island  | 55 04 20.3<br>058 54 44                                 | Fl W 4s            | 70.6         | 5            | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Seasonal.<br><br><b>Chart:5045</b>  |
| 319.229        | <i>Tobins Shoal light buoy NQ3</i>                     | <i>E. of Pomiadluk Pt.<br/>55 07 45<br/>058 56 52.8</i> | <i>Fl G 4s</i>     | <i>.....</i> | <i>.....</i> | <i>Green, marked "NQ3".</i>  | <i>Seasonal.</i><br><br><b>Chart:5045</b>   |
| 319.23         | Green Island   | 55 07 48.3<br>058 53 35.4                               | Fl R 4s            | 20.9         | 4            | Square skeleton tower, red and white rectangular daymark.<br>5.9   | Seasonal.<br><br><b>Chart:5045</b>  |
| 319.239        | <i>North East Breaker West Cardinal light buoy NQB</i> | <i>55 10 42<br/>059 07 00</i>                           | <i>VQ(9) W 10s</i> | <i>.....</i> | <i>.....</i> | <i>Yellow, black and yellow, marked "NQB".</i>                     | <i>Seasonal.</i><br><br><b>Chart:5045</b>   |
| 319.24         | Jackos Island  | 55 09 46.5<br>059 05 08.4                               | Mo(A) W 6s         | 18.6         | 5            | Square skeleton tower, red and white rectangular daymark.<br>5.9   | Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s.<br>Seasonal.<br><br><b>Chart:5045</b> |
| 319.25         | Sisters Island   | 55 13 43.3<br>059 07 39.3                               | LFl W 10s          | 17.6         | 6            | Square skeleton tower, red and white rectangular daymark.<br>5.9   | Flash 2 s; eclipse 8 s.<br>Seasonal.<br><br><b>Chart:5045</b>                               |
| 319.254        | Double Point   | 54 50 24<br>058 22 25                                   | Fl W 4s            | 32.2         | 5            | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Seasonal.<br><br><b>Chart:5044</b>  |
| 319.3<br>H71.8 | Cape Harrison  | 54 55 30<br>057 56 27                                   | Fl W 4s            | 185.9        | 7            | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Seasonal.<br><br><b>Chart:5043</b>  |
| 319.31         | Aillik Islands   | 55 13 31<br>059 14 15.9                                 | Q R 1s             | 11.4         | 3            | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Flash 0.3 s; eclipse 0.7 s.<br>Seasonal.<br><br><b>Chart:5046</b>                           |
| 319.316        | Long Island Point                                      | 55 08 38.1<br>059 22 19.2                               | Fl G 3s            | 22.4         | 4            | Square skeleton tower, green and white rectangular daymark.<br>4.7 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5046</b>                           |
| 319.32         | Alkami Island  | 55 00 05.1<br>059 34 15.7                               | Fl G 4s            | 35.2         | 4            | Square skeleton tower, green and white rectangular daymark.<br>5.9 | Seasonal.<br><br><b>Chart:5046</b>  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name                                    | Position<br>-----<br>Latitude N.<br>Longitude W.                 | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground           | Remarks<br>-----<br>Fog Signals   |
|--|---|--|--------------------------|--|-----------------------|--|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |   |  |                          |  |                       |  |   |
| 319.321                                | Cape Roy                                | 55 09 30.4<br>059 24 56.9  | Fl R 4s                  | 23.5                                       | 4                     | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Seasonal.<br><br><b>Chart:5046</b>  |
| 319.322                                | West Turnavik Island                    | 55 15 40.2<br>059 20 05.9  | Fl G 3s                  | 24.5                                       | 4                     | Square skeleton tower, green and white rectangular daymark.<br>4.7 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5046</b>                         |
| 319.323<br>H0071.2                     | Drunken Harbour Island Light            | 55 13 20.3<br>059 30 16.9  | Fl W 3s                  | 7.3  | .....                 | Square skeleton tower, red rectangular daymark, white band.<br>4.7 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5046<br/>Edn 12/16 (N16-058)</b> |
| 319.35                                 | Ikey's Point                            | 55 08 58.5<br>059 08 33.6  | Fl R 4s                  | 12.3                                       | 4                     | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Seasonal.<br><br><b>Chart:5045</b>  |
| 319.4                                  | Harrys Reef light buoy NY1              | Postville.<br>54 55 07.4<br>059 43 56.3                          | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NY1".  | Seasonal.<br><br><b>Chart:5046<br/>Edn 01/16 (N15-095)</b>                                |
| 319.5                                  | Postville Wharf                         | 54 54 25.3<br>059 46 02  | Fl R 4s                  | 4.8  | 4                     | Cylindrical mast.<br>2.4   | Seasonal.<br><br><b>Chart:5046</b>  |
| 319.6<br>H0071.3                       | Pigeon Island Light                     | 55 11 07.7<br>059 23 01.2  | Fl W 4s                  | 27.1                                       | .....                 | Square skeleton tower, red and white rectangular daymark.<br>7.2   | Seasonal.<br><br><b>Chart:5046<br/>Edn 02/22 (N21-177)</b>                                |
| 320<br>H0069                           | White Bear Island Light (Nanuaktok)     | 55 26 00.7<br>059 30 40.9  | Fl W 6s                  | 23.5                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>7.6   | Flash 0.5 s; eclipse 5.5 s.<br>Seasonal.<br><br><b>Chart:5046<br/>Edn 07/20 (N20-039)</b> |
|  | <b>Racon -. (N)<br/>X &amp; S Bands</b> |  |                          |  |                       |  |   |
| 321                                    | Winsor Point                            | NE. point of Winsor Harbour Island.<br>55 20 54.2<br>059 43 55.9 | Fl W 3s                  | 27.8                                       | 5                     | Cylindrical tower, red and white rectangular daymark.<br>4.9       | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5046</b>                         |
| 321.05                                 | Clusters Island                         | W. of Turnavik Island.<br>55 16 49.2<br>059 30 13.1              | Fl R 4s                  | 5.0  | 7                     | Square skeleton tower.<br>4.7                                      | Seasonal.<br><br><b>Chart:5046</b>  |
| 321.058                                | Striped Island                          | 55 19 04.6<br>059 38 31.9  | Fl W 4s                  | 37.3                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7   | Seasonal.<br><br><b>Chart:5046</b>  |
| 321.1                                  | Kidialuit Island (Ironbound Islands)    | 55 11 58.3<br>058 45 36.4  | Fl W 6s                  | 143.0                                      | 7                     | Square skeleton tower, red and white rectangular daymark.<br>5.2   | Flash 1 s; eclipse 5 s.<br>Seasonal.<br><br><b>Chart:5045</b>                             |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                  |  |                           |            |       |       |   |  |
|------------------|--|---------------------------|------------|-------|-------|---|--|
| 321.3            | Makkovik Wharf   | 55 05 07.1<br>059 10 11   | Fl R 4s    | 2.8   | 4     | Mast.<br>2.4  | Seasonal.<br><br><b>Chart:5045</b><br><b>Edn 02/11 (N10-066)</b><br><b>Edn 07/11 (N11-040)</b> |
| 321.4            | Hopedale Harbour<br>light buoy NH1                             | 55 27 13.3<br>060 12 55.9 | Fl G 4s    | ..... | ..... | Green spar, marked "NH1".   | Seasonal.<br><br><b>Chart:5047</b>   |
| 321.45           | Hopedale Harbour<br>light buoy NH2                             | 55 27 22.6<br>060 12 59.9 | Fl R 4s    | ..... | ..... | Red spar, marked "NH2".   | Seasonal.<br><br><b>Chart:5047</b>   |
| 321.5            | Hopedale Harbour<br>range                                      | 55 27 18.6<br>060 13 30.1 | F R .....  | 20.1  | 11    | Skeleton tower, white<br>daymark, red vertical<br>stripe.<br>5.7                | Visible in line of range.<br>Seasonal.   |
| 321.6            |  | 278° 60m<br>from front.   | F R .....  | 25.9  | 11    | Skeleton tower, white<br>daymark, red vertical<br>stripe.<br>3.2                | Visible in line of range.<br>Seasonal.<br><br><b>Chart:5047</b>                                |
| 321.62           | Hopedale Shoal<br>West Cardinal light<br>buoy NHH              | 55 27 23.2<br>060 11 54.7 | Q(9) W 15s | ..... | ..... | Yellow, black, yellow,<br>marked NHH.   | Seasonal.<br><br><b>Chart:5047</b>   |
| 321.7            | Annaltalik Island  | 55 27 12.6<br>059 46 00.1 | Fl W 6s    | 33.4  | 6     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7          | Flash 1 s; eclipse 5 s.<br>Seasonal.<br><br><b>Chart:5046</b>                                  |
| 321.73           | Napojotalik Shoal<br>light buoy NHH2                           | 55 24 15.6<br>059 57 30   | Fl R 4s    | ..... | ..... | Red spar, marked "NHH2".  | Seasonal.<br><br><b>Chart:5047</b>   |
| 321.74           | Landmark Point   | 55 24 55.1<br>060 01 51.8 | Fl G 4s    | 34.4  | 4     | Square skeleton tower,<br>green and white<br>rectangular daymark.<br>4.7        | Seasonal.<br><br><b>Chart:5047</b>   |
| 321.75           | Satoarsook Island  | 55 26 09.6<br>060 11 22.1 | LFl W 10s  | 10.0  | 6     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7          | Flash 2 s; eclipse 8 s.<br>Seasonal.<br><br><b>Chart:5047</b>                                  |
| 321.77           | Seneraluk Rock<br>(Hopedale) East<br>Cardinal light buoy<br>NH | 55 27 30.4<br>060 12 01.7 | Q(3) W 10s | ..... | ..... | Black, yellow and black,<br>marked "NH".  | Seasonal.<br><br><b>Chart:5047</b>   |
| 321.8            | Umiaginak Island   | 55 28 48.2<br>060 12 37.5 | Q R 1s     | 15.8  | 3     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>4.7          | Flash 0.3 s; eclipse 0.7 s.<br>Seasonal.<br><br><b>Chart:5047</b>                              |
| 321.9<br>H0068.4 | Achvitaaksook<br>Island Light                                  | 55 29 34.8<br>060 13 42.6 | Fl W 4s    | 48.6  | 4     | Square skeleton tower,<br>three red rectangular<br>daymarks, white band.<br>4.7 | Seasonal.<br><br><b>Chart:5047</b><br><b>Edn 03/17 (N16-094)</b>                               |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name   | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                   | Remarks<br>-----<br>Fog Signals  |
|--|--|--|--------------------------|--|-----------------------|--|--|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |  |  |                          |  |                       |  |  |
| 322                                    | Manuel Island<br>(Napakataktalik)                            | NW. side of island.<br>55 33 06.6<br>060 14 54   | Fl W 4s                  | 35.2                                       | 5                     | Red and white cylindrical tower, red and white rectangular daymark.<br>4.6 | Seasonal.<br><br><b>Chart:5047</b>   |
| 322.01                                 | Cross Island   | 55 36 06.3<br>060 18 24.1                        | Fl W 3s                  | 23.1                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.8           | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5047</b>                              |
| 322.02                                 | Cant Island  | 55 38 22.1<br>060 23 42.3                        | Fl W 4s                  | 22.9                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7           | Seasonal.<br><br><b>Chart:5047</b>   |
| 322.03                                 | Gourley Island   | 55 43 26.6<br>060 20 31.8                        | Fl W 4s                  | 11.5                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7           | Seasonal.<br><br><b>Chart:5047</b>   |
| 322.1                                  | Windy Tickle   | 55 46 35.6<br>060 19 38.3                        | Fl W 3s                  | 7.1  | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7           | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5048</b>                              |
| 322.2                                  | Farmyard Island  | 55 49 27.9<br>059 54 07.7                        | Fl W 3s                  | 53.9                                       | 5                     | Square skeleton tower, red and white square daymark.<br>4.7                | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5048</b>                              |
| 322.3                                  | Ukaliksalik Island   | 55 56 26.5<br>060 44 57.9                        | Fl W 6s                  | 21.1                                       | 6                     | Square skeleton tower, red and white rectangular daymark.<br>4.7           | Flash 1 s; eclipse 5 s.<br>Year round.<br><br><b>Chart:5048</b>                                |
| 322.8                                  | <i>Windy Tickle light buoy NVW2</i>                          | 55 45 33<br>060 19 39.6                          | <i>Fl R 4s</i>           | .....                                      | .....                 | <i>Red spar, marked "NVW2".</i>  | <i>Seasonal.</i><br><br><b>Chart:5048</b>  |
| 323<br>H64                             | Cape Harrigan<br><br><b>Racon -- (K)<br/>X &amp; S Bands</b> | On cape.<br>55 50 34<br>060 18 56.8              | Fl W 6s                  | 44.0                                       | 6                     | Cylindrical tower, red and white horizontal bands.<br>4.3                  | Flash 0.5 s; eclipse 5.5 s.<br>Seasonal.<br><br><b>Chart:5048</b>                              |
| 323.29                                 | South Tikigakjuk Island                                      | 55 48 20<br>060 29 16.1                          | Fl G 4s                  | 37.3                                       | 4                     | Square skeleton tower, green and white rectangular daymark.<br>4.7         | Seasonal.<br><br><b>Chart:5048</b>   |
| 323.3<br>H0062.5                       | 4 Meter Islet Light  | 55 57 28.7<br>060 24 43.5                        | Fl W 3s                  | 7.6  | 7                     | Square skeleton tower, red and white rectangular daymark.<br>4.1           | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br><b>Chart:5048<br/>Edn 07/20 (N20-042, 086)</b> |
| 323.31                                 | Katauyak Island  | 55 54 00.1<br>060 33 27.1                        | Fl W 4s                  | 43.5                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7           | Seasonal.<br><br><b>Chart:5048</b>   |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name                                 | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                             | Remarks<br>-----<br>Fog Signals   |
|--|--------------------------------------|--|--------------------------|--|-----------------------|--|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |                                      |  |                          |  |                       |  |   |
| 323.32                                 | Entry Island                         | 55 51 25.7<br>060 43 18.7                        | Fl W 4s                  | 22.9                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                     | Seasonal.<br><br>Chart:5048   |
| 323.49                                 | Pigeon Island (Inlet) light buoy NT2 | Tom Gears Run.<br>56 02 27.4<br>061 14 02.5      | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NT2".  | Seasonal.<br><br>Chart:5049<br>Edn 01/16 (N15-092)<br>Edn 01/17 (N16-086)         |
| 323.491                                | Uyagaksuak Rock light buoy NV2       | 55 56 55.8<br>061 03 39                          | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NV2".  | Seasonal.<br><br>Chart:5049   |
| 323.51                                 | Pigeon Island light buoy NT1         | Tom Gears Run.<br>56 02 23.9<br>061 14 20.4      | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NT1".  | Seasonal.<br><br>Chart:5049<br>Edn 08/10 (N10-016)                                |
| 323.52                                 | Tom Gears Run South light buoy NT3   | 56 06 20.4<br>061 14 54                          | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NT3".  | Seasonal.<br><br>Chart:5049   |
| 323.521                                | Tom Gears Run light buoy NT4         | 56 06 59.0<br>061 13 37.2                        | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NT4".  | Seasonal.<br><br>Chart:5049<br>Edn 01/16 (N15-097)<br>Edn 09/17 (N17-034)         |
| 323.53                                 | Tom Gears Run North light buoy NT5   | 56 07 20.2<br>061 12 38.4                        | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NT5".  | Seasonal.<br><br>Chart:5049<br>Edn 01/16 (N15-090)                                |
| 323.54                                 | Perrett's Tickle light buoy NT7      | 56 08 51.0<br>061 14 37.5                        | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NT7".  | Seasonal.<br><br>Chart:5049<br>Edn 01/16 (N15-091)                                |
| 323.55                                 | Big Island                           | 56 13 20.5<br>061 19 25                          | Fl W 4s                  | 22.1                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                     | Seasonal.<br><br>Chart:5049   |
| 323.6                                  | The Horses Light                     | 56 03 41.7<br>060 44 18.2                        | Fl W 3s                  | 16.9                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                     | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br>Chart:5048<br>Edn 07/14 (N14-027) |
| 324<br>H0062                           | Drawbucket Tickle Light              | 56 08 59.1<br>060 52 19.7                        | Fl W 3s                  | 14.0                                       | 6                     | Rectangular skeleton tower, red rectangular daymark, white horizontal stripe.<br>5.8 | Flash 0.5 s; eclipse 2.5 s.<br>Seasonal.<br><br>Chart:5049<br>Edn 02/17 (N17-004) |
| 324.1                                  | Drawbucket Tickle East               | 56 08 43.2<br>060 50 51                          | Q R 1s                   | 12.7                                       | 4                     | Square skeleton tower, red and white square daymark.<br>4.7                          | Flash 0.3 s; eclipse 0.7 s.<br>Seasonal.<br><br>Chart:5049                        |
| 324.12                                 | Nameless Island                      | 56 08 14.5<br>060 57 59.5                        | Fl W 4s                  | 23.0                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                     | Seasonal.<br><br>Chart:5049   |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No.                                    | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.    | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                        | Remarks<br>-----<br>Fog Signals   |
|--|--|---|--------------------------|--|-----------------------|---|---|
| <b>NEWFOUNDLAND AND LABRADOR COAST</b> |  |   |                          |  |                       |   |   |
| 324.14                                 | Nochalik Island  | 56 19 38.2<br>061 22 20.6                           | Fl W 4s                  | 18.5                                       | 5                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                | Seasonal.<br><br><b>Chart:5049</b>  |
| 324.19                                 | Negro Island<br><br><b>Racon - - - (Z)<br/>X &amp; S Bands</b>         | 56 21 05.8<br>060 32 40.8                           | Fl W 6s                  | 12.9                                       | 6                     | Red and white rectangular skeleton tower, red and white rectangular daymark.    | Flash 0.5 s; eclipse 5.5 s.<br>Year round.<br><br><b>Chart:5051</b>   |
| 324.2                                  | Amatut Island  | 56 21 45<br>060 51 13.7                             | Fl G 4s                  | 7.1  | 5                     | Skeleton tower, green and white rectangular daymark.                            | Year round.<br><br><b>Chart:5052<br/>Edn 02/14 (N14-010)</b>  |
| 324.21                                 | Potuk Island   | 56 22 47.2<br>060 59 52.7                           | Fl R 4s                  | 20.9                                       | 5                     | Rectangular skeleton tower, red and white rectangular daymark.                  | Year round.<br><br><b>Chart:5052</b>  |
| 324.3                                  | Crown Island   | 56 16 55.5<br>060 56 47.5                           | Fl R 4s                  | 31.1                                       | 4                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                | Seasonal.<br><br><b>Chart:5049</b>  |
| 324.33                                 | Black Island   | 56 47 40.7<br>061 20 02.1                           | Fl G 4s                  | 52.2                                       | 4                     | Square skeleton tower, green and white rectangular daymark.<br>4.7              | Seasonal.<br><br><b>Chart:4775</b>  |
| 324.34                                 | Little Fish Island   | 56 54 55.5<br>061 18 30.9                           | Fl R 4s                  | 49.2                                       | 4                     | Square skeleton tower, red and white rectangular daymark.<br>4.7                | Seasonal.<br><br><b>Chart:5054</b>  |
| 324.35                                 | Beachy Island  | 57 08 06.3<br>061 20 09.5                           | Fl W 4s                  | 65.9                                       | 5                     | Square skeleton tower, red rectangular daymark, white horizontal stripe.<br>4.7 | Seasonal.<br><br><b>Chart:5055<br/>Edn 05/11 (N11-020)</b>  |
| 324.4                                  | Rifle Sight Hill   | 56 29 35.1<br>061 38 37.5                           | Mo(A) W 6s               | 22.9                                       | 5                     | Square skeleton tower, red and white square daymark.<br>4.7                     | Year round.<br><br><b>Chart:5052</b>  |
| 324.5<br>H0059.6                       | Hen and Chickens Light<br><br><b>Racon - - (W)<br/>X &amp; S Bands</b> | 56 30 39.5<br>060 38 37.5                           | Fl W 3s                  | 24.2                                       | 5                     | Cylindrical tower, red with white horizontal stripe.<br>4.7                     | Flash 0.5 s; eclipse 2.5 s.<br>Year round.<br><br><b>Chart:5051<br/>Edn 03/14 (N14-012)<br/>Edn 04/14 (N14-012)<br/>Edn 02/17 (N17-003)</b> |
| 324.6                                  | <i>Fairway Rock<br/>South Cardinal<br/>light buoy NN</i>               | <i>Stratacona Run.<br/>56 31 53<br/>060 47 08.5</i> | <i>VQ(6) W<br/>+LFI</i>  | <i>10s</i>                                 | <i>.....</i>          | <i>.....</i>  | <i>Yellow and black, marked "NN".</i><br><br><b>Chart:5052<br/>Edn 03/11 (N10-016)<br/>Edn 03/14 (N14-014)</b>                              |
| 324.61                                 | Wood Island  | 56 32 23.3<br>060 56 23.4                           | Fl R 4s                  | 10.8                                       | 5                     | Skeleton tower, red and white rectangular daymark.                              | Year round.<br><br><b>Chart:5052</b>  |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|         |  |  |               |       |       |  |  |
|---------|--|--|---------------|-------|-------|--|--|
| 324.62  | Dugong Island                            | 56 30 15<br>061 08 47                            | Fl R 4s       | ..... | 4     | Skeleton tower.  | Privately maintained.<br>Year round.<br><br><b>Chart:5052</b>  |
| 324.63  | Turtle Island                            | 56 30 10<br>061 07 23                            | Fl G 4s       | ..... | 4     | Skeleton tower.  | Privately maintained.<br>Year round.<br><br><b>Chart:5052</b>  |
| 324.64  | False Start Island                       | 56 27 06.5<br>061 05 56                          | Fl G 4s       | ..... | 4     | Skeleton tower.  | Privately maintained.<br>Year round.<br><br><b>Chart:5052</b>  |
| 324.65  | Amushavik light<br>buoy NNA3             | W. of Sandy Island.<br>56 25 22.9<br>061 07 10.3 | Fl G 4s       | ..... | ..... | Green spar, marked<br>"NNA3".                                    | Seasonal.<br><br><b>Chart:5052</b>   |
| 324.66  | Sandy Island<br>Shoal light buoy<br>NNA2 | W. of Sandy Island.<br>56 23 48.2<br>061 07 52.4 | Q R 1s        | ..... | ..... | Red, marked "NNA2".  | Seasonal.<br><br><b>Chart:5052</b><br><b>Edn 01/16 (N15-094)</b>   |
| 324.67  | Unknown Island<br>range                  | 56 22 16.4<br>061 09 21.7                        | Fl G 4s       | 18.3  | ..... | Square skeleton tower,<br>white daymark, red vertical<br>stripe. | Privately maintained.<br>Operates 24 h.<br>Year round.   |
| 324.671 |  | 204°45' 6645m<br>from front.                     | Fl G 4s       | 22.9  | ..... | Square skeleton tower,<br>white daymark, red vertical<br>stripe. | Privately maintained .<br>Operates 24 h.<br>The operation of the lights will be<br>made remotely on channel 65A<br>(156.275 MHz). Mariners requiring<br>the operation of the light will have<br>to key the microphone of the VHF<br>radio five consecutive times at 5<br>second intervals on channel 65A<br>to turn the light on. The light can<br>be deactivated by keying the<br>microphone of the VHF radio three<br>times at 5 second intervals. The<br>light can be activated within 5<br>nautical mile range.<br><br><b>Chart:5052</b><br><b>Edn 05/15 (N15-020, 022)</b>  |
| 324.672 | Mount Pickle<br>Sector                   | 56 23 12.4<br>061 11 34.8                        | F R<br>W<br>G | ..... | 35.2  | .....  | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>The light is visible over an arc of<br>003°30'.<br>White sector indicates preferred<br>channel.<br>Privately maintained.<br>The operation of the lights will be<br>made remotely on channel 65A<br>(156.275 MHz). Mariners requiring<br>the operation of the light will have<br>to key the microphone of the VHF<br>radio five consecutive times at 5<br>second intervals on channel 65A<br>to turn the light on. The light can<br>be deactivated by keying the<br>microphone of the VHF radio three<br>times at 5 second intervals. The<br>light can be activated within 5<br>nautical mile range.<br>Year round.<br><br><b>Chart:5052</b> |

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                  |  |  |           |       |       |  |   |
|------------------|--|--|-----------|-------|-------|--|---|
| 324.673          | Uigortlek Island range                       | 56 24 52.4<br>061 16 14.7                        | Fl G 4s   | 18.3  | ..... | Square skeleton tower, white daymark, red vertical stripe.           | Private aid.<br>Year round.   |
| 324.674          |  | 109°30' 4572m<br>from front.                     | Fl G 4s   | 25.6  | ..... | Square skeleton tower, white daymark, red vertical stripe.           | Private aid.<br>The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical miles range.<br>Year round. |
|                  |  |  |           |       |       |  | <b>Chart:5052<br/>Edn 05/15 (N15-023, 024)</b>  |
| 324.69           | Taktok Point                                 | 56 24 13.5<br>061 27 40.3                        | Fl W 4s   | 21.4  | 5     | Square skeleton tower, red and white rectangular daymark.<br><br>4.7 | Seasonal.   |
|                  |  |  |           |       |       |  | <b>Chart:5052</b>   |
| 324.691          | Sentinel Hill                                | 56 25 21<br>061 32 24                            | Fl R 4s   | ..... | 4     | Skeleton tower.  | Privately maintained.<br>Year round.  |
|                  |  |  |           |       |       |  | <b>Chart:5052</b>   |
| 324.692          | Kikkertavak Island                           | 56 24 57.5<br>061 45 44                          | Fl G 4s   | ..... | 4     | Skeleton tower.  | Privately maintained.<br>Year round.  |
|                  |  |  |           |       |       |  | <b>Chart:5052</b>   |
| 324.693          | Laura's Point                                | 56 26 17.4<br>061 57 30.2                        | Fl G 4s   | ..... | 4     | Skeleton tower.  | Privately maintained.<br>Year round.  |
|                  |  |  |           |       |       |  | <b>Chart:5070</b>   |
| 324.71           | Bridges Passage light buoy NNB3              | 56 27 09.6<br>061 33 58.2                        | Fl G 4s   | ..... | ..... | Green spar, marked "NNB3".   | Seasonal.   |
|                  |  |  |           |       |       |  | <b>Chart:5052</b>   |
| 324.72           | Palungitak (Bridges Passage) light buoy NNB2 | 56 26 58.1<br>061 33 24.3                        | Fl R 4s   | ..... | ..... | Red spar, marked "NNB2".   | Seasonal.   |
|                  |  |  |           |       |       |  | <b>Chart:5052</b>   |
| 324.79           | Small Unnamed Island                         | 56 22 35.6<br>061 06 30.1                        | Q G 1s    | 5.0   | 5     | Skeleton tower, green and white rectangular daymark.                 | Year round.   |
|                  |  |  |           |       |       |  | <b>Chart:5052</b>   |
| 324.83           | Jenks Rock light buoy NNB5                   | W. of Glasis Point.<br>56 28 25.5<br>061 39 03.3 | Fl G 4s   | ..... | ..... | Green spar, marked "NNB5".   | Seasonal.   |
|                  |  |  |           |       |       |  | <b>Chart:5052<br/>Edn 08/10 (N10-016)</b>   |
| 324.9<br>H0059.2 | Stirrup Island light                         | E. of Okak Islands.<br>57 34 12.4<br>061 18 49.0 | LFl W 10s | 74.8  | 6     | Square skeleton tower, red and white rectangular daymark.<br><br>4.7 | Seasonal.   |
|                  |  |  |           |       |       |  | <b>Chart:5055<br/>Edn 05/11 (N11-020)<br/>Edn 11/20 (N20-095)</b>   |



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**NEWFOUNDLAND AND LABRADOR COAST**

|                    |   |   |         |       |       |  |  |
|--------------------|---|---|---------|-------|-------|--|--|
| 325                | Ford Harbour                                    | On point, N. side of<br>Harbour.<br>56 28 19.9<br>061 10 08.4 | Fl W 4s | 13.7  | 6     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.7 | Seasonal.<br><br><b>Chart:5052</b>                         |
| 325.09             | Strathcona Run<br>light buoy NS5                | 56 32 30<br>061 27 18   | Fl G 4s | ..... | ..... | Green, marked "NS5".   | Seasonal.<br><br><b>Chart:5052</b>                         |
| 325.1              | Strathcona Run<br>(Nain) light buoy<br>NNS2     | 56 32 10.5<br>061 22 07.8                                     | Fl R 4s | ..... | ..... | Red, marked "NNS2".  | Seasonal.<br><br><b>Chart:5052<br/>Edn 01/16 (N15-093)</b> |
| 325.2              | Strathcona Run<br>(Labrador) light<br>buoy NNS3 | 56 33 42.7<br>061 35 45                                       | Fl G 4s | ..... | ..... | Green spar, marked<br>"NNS3".  | Seasonal.<br><br><b>Chart:5052</b>                         |
| 325.21<br>H0059.55 | Nain Wharf Light                                | 56 32 36.4<br>061 41 11.3                                     | Fl R 4s | ..... | 2     | Mast.<br>2.4   | Seasonal.<br><br><b>Chart:5052<br/>Edn 06/17 (N17-009)</b> |
| 325.23             | Turnpike Island                                 | 56 36 04.3<br>061 38 09.9                                     | Fl R 4s | 17.2  | 4     | Square skeleton mast, red<br>and white rectangular<br>daymark.<br>4.7  | Seasonal.<br><br><b>Chart:5052</b>                         |