

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>TRINITY BAY</b>								
450.1	Shag Rock light buoy TM1	Melrose Harbour. 48 28 26.3 053 03 32.8	Fl G 4s	.....	.....	Green spar, marked "TM1".	Seasonal.  Chart:4853 Edn 10/11 (N11-061)	
450.2	Bill's Shoal light buoy TM2	Melrose Harbour. 48 28 43.2 053 03 58.1	Fl R 4s	.....	.....	Red spar, marked "TM2".	Seasonal.  Chart:4853 Edn 10/11 (N11-059)	
450.3	Harbour Rock light buoy TM3	Melrose Harbour. 48 28 44 053 04 04.4	Fl G 4s	.....	.....	Green spar, marked "TM3".	Seasonal.  Chart:4853 Edn 10/11 (N11-062)	
452	Brandies light buoy TC2	E. of Green Island. 48 30 12.9 053 01 26.5	Fl R 4s	.....	.....	Red, marked "TC2".	Seasonal.  Chart:4853 Edn 06/10 (N10-016)	
453	<b>Green Island (Catalina)</b>	On island, approach to Catalina Harbour. 48 30 14.8 053 02 36.4	Fl W 4s	28.0	15	Red and white octagonal tower. 10.4	Year round.  Horn - Blast 4 s; sil. 56 s. Horn points 115°.  Chart:4849	
453.2	Burnt Point (Catalina)	48 30 33.5 053 03 00	Fl W 6s	5.2	6	Square skeleton tower, red and white rectangular daymark. 4.6	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4849	
453.5	Charlton Rock light buoy TC4	Catalina Harbour. 48 30 44.0 053 03 13.5	Fl R 4s	.....	.....	Red, marked "TC4".	Seasonal (in place year round).  Chart:4849 Edn 01/22 (N21-237)	
454	Catalina Harbour Outer range	At entrance to harbour. 48 30 56 053 03 43.5	F R	.....	14.6	13	Skeleton tower, red daymark, black vertical stripe. 4.3	Visible in line of range. Seasonal.
455		297°10' 65.5m from front.	F R	.....	22.9	13	Skeleton tower, red daymark, black vertical stripe. 5.0	Visible in line of range. Seasonal.  Chart:4849
456	Catalina Harbour Inner range	On Courages Point. 48 30 21.7 053 04 32.8	F G	.....	10.0	14	Skeleton tower, black daymark, red vertical stripe. 7.3	Visible in line of range. Seasonal.
457		252° 269.7m from front.	F G	.....	17.1	14	Skeleton tower, black daymark, red vertical stripe. 5.2	Visible in line of range. Seasonal.  Chart:4849
457.5	Lowe Rock light buoy TC5	Catalina Harbour. 48 30 28.6 053 03 52.2	Fl G 4s	.....	.....	Green spar, marked "TC5".	Seasonal (in place year round).  Chart:4849 Edn 01/22 (N21-238)	
458.81	Catalina Harbour Channel light buoy TC6	48 30 41.0 053 04 16.5	Fl R 4s	.....	.....	Red spar, marked "TC6".	Seasonal (in place year round).  Chart:4849 Edn 01/22 (N21-239)	

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
459	Catalina Harbour Channel light buoy TC7	48 30 42.0 053 04 19.8	Fl G 4s	.....	.....	Green spar, marked "TC7".	Seasonal (in place year round).  Chart:4849 Edn 01/22 (N21-240)
459.1	Catalina Harbour Channel light buoy TC10	48 30 51.0 053 04 14.8	Fl R 4s	.....	.....	Red spar, marked "TC10".	Seasonal (in place year round).  Chart:4849 Edn 01/22 (N21-241)
460	Catalina Harbour Channel light buoy TC11	48 30 51.4 053 04 18.1	Q G 1s	.....	.....	Green spar, marked "TC11".	Seasonal (in place year round).  Chart:4849 Edn 03/15 (N15-011) Edn 01/22 (N21-242)
460.2	Catalina Harbour Basin North light buoy TC14	48 30 58.6 053 04 22.2	Fl R 4s	.....	.....	Red spar, marked "TC14".	Seasonal.  Chart:4849
461	Catalina Wharf	48 30 55.3 053 04 30.1	Fl R 3s	3.6	4	Cylindrical mast. 2.4	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4849
462	<b>Fort Point</b>	Entrance to Trinity Harbour. 48 21 55.9 053 20 45.2	Fl W 5s	23.9	15	Square skeleton tower. 12.4	Flash every 5 s. Year round.  Horn - Blast 2 s; sil.18 s. Horn points 133°.  Chart:4853
462.31	Port Rexton Shoal light buoy TR1	48 23 18.7 053 19 33.9	Fl G 4s	.....	.....	Green spar, marked "TR1".	Seasonal.  Chart:4853
462.5	Bennett's Point Rock light buoy TCW1	Entrance to Champney's West. 48 22 32.4 053 17 27.6	Fl G 4s	.....	.....	Green spar, marked "TCW1".	Seasonal.  Chart:4853 Edn 06/11(N11-021)
463 H0522	Horse Chops Fog Signal Station	48 20 58.0 053 12 27.0	.....	.....	.....	On building.	Year round.  Horn – Blast 4 s; sil. 56 s. Horn points 129°.  Chart:4853 Edn 01/19 (N17-060, 084)
463.1	Old Bonaventure Entrance light buoy TRB3	48 17 03.8 053 25 37.5	Q G 1s	.....	.....	Green spar, marked "TRB3".	Seasonal.  Chart:4853 Edn 06/11 (N11-023) Edn 03/22 (N22-003)
463.2	Trinity East Wharf	48 22 40.9 053 20 43	Fl R 4s	.....	.....	Mast. 2.1	Year round.  Chart:4849
463.29	Old Bonaventure Inner light buoy TRB4	48 17 01.7 053 25 35.3	Q R 1s	.....	.....	Red spar, marked "TRB4".	Seasonal.  Chart:4853 Edn 06/11 (N11-022) Edn 03/22 (N22-002)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
463.3 H0519	Old Bonaventure Wharf Light	Outer corner of wharf. 48 17 06.2 053 25 39.5	Fl G 4s	.....	2	Mast. 2.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4853 Edn 10/10 (N10-049) Edn 10/21 (N21-145)
463.35	Old Bonaventure Inner light buoy TRB6	Inner part of harbour. 48 17 05.3 053 25 36.3	Fl R 4s	.....	.....	Red spar, marked "TRB6".	Operates 24 h. Seasonal.  Chart:4853 Edn 03/22 (N22-001)
464	Ragged Islands	Centre of largest island. 48 14 29.5 053 26 32.7	Fl W 4s	33.8	5	Red and white cylindrical tower. 4.4	Seasonal.  Chart:4853
464.5	Lower Lance Cove Wharf	48 08 49.2 053 41 45.6	Fl R 4s	3.3	4	Cylindrical mast. 2.4	Seasonal.  Chart:4852
464.6	Indian Rock West Cardinal light buoy TRP	48 12 32.1 053 31 51.9	VQ(9) W 10s	.....	.....	Yellow, black and yellow spar, marked "TRP".	Seasonal.  Chart:4852
465 H0514	Random Head Harbour Light	Motion Islands. 48 05 41.1 053 32 43.1	Fl W 4s	38.4	5	Red and white cylindrical tower. 10.2	Flash 1 s; eclipse 3 s. Year round.  Chart:4852 Edn 02/10 (N09-053) Edn 02/11 (N10-066) Edn 07/22 (N22-064)
465.3	Gooseberry Cove Breakwater	48 01 49 053 38 22.9	Fl R 4s	5.6	4	Cylindrical mast. 2.5	Year round.  Chart:4851 Edn 07/14 (N14-037)
465.37	Southport Shore	48 02 43.5 053 38 47	Q G 1s	.....	4	Cylindrical mast. 2.6	Year round.  Chart:4852 Edn 07/14 (N14-038)
465.38	Southport Rock #1 light buoy TSP2	48 02 37.9 053 38 47.6	Fl R 4s	.....	.....	Red spar, marked "TSP2".	Seasonal.  Chart:4852
465.39	Southport Rock #2 light buoy TSP4	48 02 37.6 053 38 42.3	Fl R 4s	.....	.....	Red spar, marked "TSP4".	Seasonal.  Chart:4852
465.4	Southport Wharf	On seaward end of wharf. 48 02 41.2 053 38 37.2	Fl R 4s	4.0	4	Cylindrical mast. 2.5	Seasonal.  Chart:4852
465.6	Little Heart's Ease Wharf	On outer end of public wharf. 48 00 53.8 053 41 22.1	Fl R 4s	3.0	4	Cylindrical mast. 2.6	Seasonal.  Chart:4852

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
465.7 H0513.5	Sunnyside Wharf Light	47 51 13.1 053 53 01.4	Fl R 4s	.....	2	Mast. 2.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4851 Edn 10/10 Edn 11/21 (N21-148)
465.8	Quarry Rock light buoy TV4	48 05 21.7 053 42 26.9	Fl R 4s	.....	.....	Red spar, marked "TV4".	Seasonal.  Chart:4852 Edn 03/11 (N10-016)
465.9	Lower Harbour Point	48 05 38 053 43 42	Fl R 4s	7.3	4	Square skeleton tower, red and white rectangular daymark. 4.5	Seasonal.  Chart:4851
466.01	Fosters Point Rock light buoy TV10	48 06 35.8 053 53 57	Fl R 4s	.....	.....	Red spar, marked "TV10".	Seasonal.  Chart:4852
466.08	Weybridge Shoal light buoy TV6	48 05 44.0 053 53 01.4	Fl R 4s	.....	.....	Red spar, marked "TV6".	Seasonal.  Chart:4852 Edn 07/22 (N22-074)
466.1	Gooseberry Cove Shoal light buoy TVG	48 01 45 053 38 21	Fl(2) W 10s	.....	.....	Black, red and black spar, marked "TVG".	Seasonal.  Chart:4852
466.2	Clarenville Marina breakwater	48 09 35.2 053 57 34.2	Fl R 4s	.....	2	Cylindrical mast. 2.1	Seasonal. Operates 24 h.  Chart:4852 Edn 08/15 (N15-037) Edn 10/15 (N15-041)
466.3	Clarenville Dolphin 1	At approach to marine haulout. 48 10 11.5 053 57 30	Fl R 4s	3.4	4	Cylindrical mast. 2.5	Year round.  Chart:4852
466.4	Clarenville Dolphin 2	At approach to marine haul out. 48 10 10.5 053 57 30.9	Fl R 4s	3.4	4	Cylindrical mast. 2.5	Year round.  Chart:4852
466.6 H0513.9	Hickman's Harbour Wharf Light	48 05 58.8 053 44 24.8	Fl G 4s	3.4	3	Mast. 2.6	Year round.  Chart:4852 Edn 04/10 Edn 11/21 (N21-150)
466.75	Petley Rock light buoy TRP2	48 09 21.4 053 44 30.1	Fl R 4s	.....	.....	Red spar, marked "TRP2".	Seasonal.  Chart:4852
466.8	Petley Wharf	48 09 15.8 053 44 41.3	Fl R 6s	3.8	.....	Mast. 2.4	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:4852 Edn 06/11 (N11-028)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
466.84	Long Cove Outer light buoy TL1	47 34 05.4 053 40 01.8	Fl G 4s	.....	.....	Green spar, marked "TL1".	Seasonal.  Chart:N/A Edn 07/16 (N16-006)
466.86	Long Cove Inner light buoy TL3	47 34 02.4 053 39 54.0	Fl G 4s	.....	.....	Green spar, marked "TL3".	Seasonal.  Chart:4851 Edn 07/16 (N16-004)
466.87	Long Cove Inner light buoy TL4	47 34 02.2 053 39 56.1	Fl R 4s	.....	.....	Red spar, marked "TL4".	Seasonal.  Chart:4850
466.88	Long Cove North Light	On N. side of the entrance to Long Cove Harbour. 47 34 04.1 053 39 57.7	Q G 1s	.....	.....	Mast.	Operates 24 h. Seasonal.  Chart:4851 Edn 11/21 (N21-154)
466.89 H0511.1	Long Cove Wharf Light	Inner corner of the wharf. 47 34 02.4 053 39 56.5	Fl R 4s	.....	.....	Mast.  2.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4851 Edn 11/21 (N21-146)
466.9 H0511.15	Long Cove Light	47 34 03.5 053 39 59.2	Fl R 4s	10.8	4	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4851 Edn 11/21 (N21-147)
466.91	New Harbour Outer light buoy TN2	47 35 39.0 053 33 17.4	Fl R 4s	.....	.....	Red spar, marked "TN2".	Seasonal.  Chart:4851 Edn 07/16 (N16-014)
466.92	New Harbour (Middle) light buoy TN4	47 35 29.9 053 33 12.9	Fl R 4s	.....	.....	Red spar, marked "TN4".	Seasonal.  Chart:4851 Edn 03/11 (N10-016)
466.93	New Harbour Inner light buoy TN5	47 35 21.5 053 33 05.1	Fl G 4s	.....	.....	Green spar, marked "TN5".	Seasonal.  Chart:4851 Edn 06/10 (N10-016)
467	Hopeall Head	NW. extreme of head. 47 37 57.4 053 33 47.8	Fl W 3s	62.4	5	Square skeleton tower, red square daymark, white horizontal band. 4.3	Flash every 3 s. Seasonal.  Chart:4851
467.06	Dildo Head	47 34 06 053 34 24	Fl G 4s	24.4	4	Square skeleton tower, green and white rectangular daymark. 4.3	Year round.  Chart:4851
467.08 H0511.55	South Dildo Wharf Light	47 31 56.2 053 33 09.1	Fl G 4s	3.0	4	Mast.  2.4	Seasonal.  Chart:4851 Edn 02/19 (N18-105)
467.09	Dildo Breakwater	47 34 07.5 053 33 41	Fl G 4s	3.4	4	Cylindrical mast. 2.6	Seasonal.  Chart:4851

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
467.14	Tobin' Rock light buoy TG1	47 38 25.3 053 44 46.8	Fl G 4s	.....	.....	Green spar, marked "TG1".	Seasonal.  Chart:4851 Edn 07/16 (N16-010)
467.15	Bellevue Outer light buoy TG3	47 38 15.0 053 44 42.6	Fl G 4s	.....	.....	Green spar, marked "TG3".	Seasonal.  Chart:4851 Edn 07/16 (N16-007)
467.16	Bellevue Inner light buoy TG5	47 38 15.4 053 44 27.9	Fl G 4s	.....	.....	Green spar, marked "TG5".	Seasonal.  Chart:4851
467.17	Bellevue Inner light buoy TG6	47 38 20.4 053 44 48.0	Fl R 4s	.....	.....	Red spar, marked "TG6".	Seasonal.  Chart:4851 Edn 07/16 (N16-009)
467.18	Bellevue Inner light buoy TG7	47 38 17.6 053 44 12.6	Q G 1s	.....	.....	Green spar, marked "TG7".	Operates 24 h. Seasonal.  Chart:4851 Edn 01/22 (N21-173)
467.19	Bellevue Inner light buoy TG8	47 38 15.0 053 44 12.3	Fl R 4s	.....	.....	Red spar, marked "TG8".	Operates 24 h. Seasonal.  Chart:4851 Edn 01/22 (N21-174)
467.209	Chance Cove Rock light buoy TB5	47 40 47.3 053 49 40.2	Fl G 4s	.....	.....	Green spar, marked "TB5".	Seasonal.  Chart:4851 Edn 08/17 (N17-020)
467.22	Chance Cove Breakwater	47 40 50 053 49 35.5	Fl R 4s	2.6	4	Mast.  2.6	Year round.  Chart:4851 Edn 02/11 (N10-066)
467.24	Black Rock light buoy TB1	47 40 52.8 053 48 26.6	Fl G 4s	.....	.....	Green, marked "TB1".	Seasonal.  Chart:4851
467.25	Black Cove Rock light buoy TB3	47 40 48.7 053 49 10.8	Q G 1s	.....	.....	Green spar, marked "TB3".	Seasonal.  Chart:4851
467.26	Carney's Point light buoy TB2	Chance Cove. 47 40 54.5 053 49 17.2	Fl R 4s	.....	.....	Red spar, marked "TB2".	Seasonal.  Chart:4851 Edn 10/11 (N11-058)
467.5 H0511	Whiteway Breakwater Light	47 41 45.3 053 28 53.5	Fl G 4s	4.4	4	Mast.  2.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4851 Edn 10/21 (N21-149, 164)
467.51	Heart's Delight Breakwater	47 46 19.9 053 28 00.5	Fl R 4s	.....	2	Cylindrical mast.	Seasonal.  Chart:4851 Edn 11/09 (N09-032, 037)
468	Heart's Content	On Northern Point. 47 52 56.1 053 23 06.3	Oc W 6s	25.2	8	Red and white cylindrical tower.  8.7	Flash 4 s; eclipse 2 s. Year round.  Chart:4850

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
468.7	Bloody Point	47 54 53.8 053 21 34	Fl R 5s	11.4	9	Triangular skeleton tower, red and white rectangular daymark.  4.2	Flash every 5 s. Year round.  <b>Whistle – Blast 3 s; sil. 27 s.</b>  <b>Chart:4850</b>
468.8	Heart's Content Wharf	47 52 46.2 053 22 16.3	Q G 1s	.....	.....	Cylindrical mast. 2.6	Flash 0.3 s; eclipse 0.7 s. Year round.  <b>Chart:4850</b>
469	Jeans Head	On the head. 47 55 37.3 053 21 48.5	Fl W 4s	48.5	5	Square skeleton tower, red and white rectangular daymark.  4.3	Year round.  <b>Chart:4850</b>
469.21	Northern Point Rock light buoy TW1	47 57 45 053 20 06	Fl G 4s	.....	.....	Green spar, marked "TW1".	Seasonal.  <b>Chart:4850</b>
469.22	Winterton Shoal light buoy TW2	47 57 23 053 19 59	Fl R 4s	.....	.....	Red spar, marked "TW2".	Seasonal.  <b>Chart:4850</b>
469.8	West light buoy TW	S. of White Rocks. 48 01 37.8 053 17 28.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "TW".	Seasonal.  <b>Chart:4850</b>
469.89	Rift Raft Rocks light buoy TH1	48 03 06 053 14 25	Q G 1s	.....	.....	Green spar, marked "TH1".	Seasonal.  <b>Chart:4850</b>
470	Hant's Harbour	48 01 18.4 053 15 16	Iso W 6s	19.8	13	Red and white structure. 8.0	Year round.  <b>Chart:4850</b>
470.1	Hant's Harbour Breakwater	48 01 09.3 053 15 34.3	Fl R 4s	4.9	4	Mast. 2.5	Year round.  <b>Chart:4850</b> <b>Edn 06/10 (N10-011)</b> <b>Edn 02/11 (N10-066)</b>
470.2	Sibley's Cove light buoy TSC2	48 02 40.8 053 06 13.4	Fl R 4s	.....	.....	Red spar, marked "TSC2".	Seasonal.  <b>Chart:4850</b> <b>Edn 01/10 (N09-028)</b>
470.3	Sibley's Cove light buoy TSC1	48 02 42.2 053 06 11.4	Fl G 4s	.....	.....	Green spar, marked "TSC1".	Seasonal.  <b>Chart:4850</b> <b>Edn 10/09 (N09-025)</b>
470.4	Sibley's Cove	48 02 38.6 053 06 13.8	Fl R 6s	4.6	4	Cylindrical mast, red and white spiral bands. 2.6	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4850</b>
470.5 H0503.2	Old Perican Inner Breakwater Light	48 05 14.0 053 00 29.6	Fl R 3s	4.6	4	Mast. 2.6	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:4850</b> <b>Edn 09/21 (N21-155)</b> <b>Edn 09/22 (N22-180)</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
470.51	Old Perlican Inner light buoy TP9	48 05 15.3 053 00 31.4	Fl G 4s	.....	.....	Green spar, marked "TP9".	Seasonal.  Chart:4850 Edn 09/21 (N21-088)
470.52	Old Perlican Inner light buoy TP	48 05 17.8 053 00 25.9	Fl Y 4s	.....	.....	Yellow spar, marked "TP".	Operates 24 h. Seasonal.  Chart:4850 Edn 09/21 (N21-127) Edn 08/22 (N22-133)
470.53	Old Perlican Inner Harbour light buoy TP11	48 05 17.8 053 00 27.5	Fl G 4s	.....	.....	Green spar, marked "TP11".	Seasonal.  Chart:4850 Edn 09/21 (N21-089)
470.55	Old Perlican Inner Harbour light buoy TP8	48 05 10.3 053 00 36.2	Fl R 4s	.....	.....	Red spar, marked "TP8".	Seasonal.  Chart:4850
470.7 H0503	Old Perlican Inner Breakwater Light	48 05 12.6 053 00 36.3	Fl G 3s	4.0	4	Mast. 2.6	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4850 Edn 10/21 (N21-156) Edn 09/22 (N22-181)
470.71	Old Perlican Inner light buoy TP6	48 05 18.9 053 00 48.2	Fl R 4s	.....	.....	Red spar, marked "TP6".	Seasonal.  Chart:4850 Edn 09/21 (N21-087)
470.72	Old Perlican Inner light buoy TP7	48 05 19.8 053 00 47.9	Fl G 4s	.....	.....	Green spar, marked "TP7".	Seasonal.  Chart:4850 Edn 08/16 (N16-027) Edn 09/21 (N21-086P)
470.73	Old Perlican Outer light buoy TP4	48 05 25.5 053 00 53.4	Fl R 4s	.....	.....	Red spar, marked "TP4".	Seasonal.  Chart:4850 Edn 09/21 (N21-085)
470.74	Old Perlican Outer light buoy TP5	48 05 25.7 053 00 51.8	Fl G 4s	.....	.....	Green spar, marked "TP5".	Seasonal.  Chart:4850 Edn 09/21 (N21-090)
470.75	Old Perlican Outer light buoy TP3	At entrance to channel. 48 05 30.3 053 00 57.2	Fl G 4s	.....	.....	Green spar, marked "TP3".	Operates 24 h. Seasonal.  Chart:4850 Edn 09/21 (N21-077)
470.76	Old Perlican Outer light buoy TP2	At the entrance to channel. 48 05 33.6 053 00 05.4	Fl R 4s	.....	.....	Red spar, marked "TP2".	Operates 24 h. Seasonal.  Chart:4850 Edn 09/21 (N21-076)
470.9	Thornlea Harbour light buoy TS1	47 36 20.4 053 42 49.2	Fl G 4s	.....	.....	Green spar, marked "TS1".	Seasonal.  Chart:4851 Edn 07/16 (N16-012)
470.91	Thornlea Harbour Outer light buoy TS2	47 36 27.8 053 42 35.2	Fl R 4s	.....	.....	Red spar, marked "TS2".	Seasonal.  Chart:4851

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>TRINITY BAY</b>							
470.92	Thornlea Outer light buoy TS3	47 36 26 053 42 47.9	Fl G 4s	.....	.....	Green spar, marked "TS3".	Seasonal.  Chart:4851
470.93	Thornlea Outer light buoy TS4	47 36 27.0 053 42 47.4	Fl R 4s	.....	.....	Red spar, marked "TS4".	Seasonal.  Chart:4851 Edn 07/16 (N16-013)
470.94	Thornlea Inner light buoy TS5	47 36 26.4 053 42 50.4	Fl G 4s	.....	.....	Green spar, marked "TS5".	Seasonal.  Chart:4851 Edn 07/16 (N16-011)
470.95	Thornlea Inner light buoy TS6	47 36 26.7 053 42 50.8	Fl R 4s	.....	.....	Red spar, marked "TS6".	Seasonal.  Chart:4851
471 H0502	Old Perlican Light	48 05 22.4 053 01 34.2	Fl W 4s	38.4	7	Square skeleton tower, red and white daymark. 6.9	Flash 1 s; eclipse 3 s. Year round.  Chart:4850 Edn 07/22 (N22-065)
471.51	Old Perlican Outer light buoy TP1	Entrance to Old Perlican harbour. 48 05 56.5 053 01 19.7	Fl G 4s	.....	.....	Green spar, marked "TP1".	Seasonal.  Chart:4850 Edn 04/21 (N21-016)