

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>JUAN DE FUCA STRAIT</b>							
180 G5288	<b>Carmanah Point</b>	On point. 48 36 42.4 124 45 04.8	Fl W 5s	55.6	19	White octagonal tower with red top.	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s.
183	<i>Port San Juan light and whistle buoy YK</i>	<i>At entrance to port.</i> 48 32 04.2 124 29 05.6	<i>Mo(A) W 6s</i>	.....	.....	<i>Red-white, pillar, marked "YK".</i>	<i>Year round.</i>  <b>Audible signal:</b> <i>Whistle</i>
183.7	<i>UVic Sombrio ODAS buoy</i>	<i>Near Sombrio Point.</i> 48 29 08.4 124 20 22.8	<i>Fl(5) Y 20s</i>	.....	.....	<i>Yellow, ODAS.</i>	<i>Private aid.</i> <i>Year round.</i>
186 G5292	Sheringham Point	On point. 48 22 36.1 123 55 15.9	Fl G 15s	21.9	9	White hexagonal tower with red top.	Year round. Operates 24 h. Flash 1 s; eclipse 14 s.
188 G5296	Whiffin Spit	E. end of spit, Sooke Inlet. 48 21 30.1 123 42 41.3	Q W 1s	6.6	7	White cylindrical tower with green band at top.	Year round.  <b>Fog Horn</b> Blast 3 s; sil. 27 s. Operated only on request to Victoria Coast Guard radio.
188.1 G5296.2	Sooke Harbour Outer front range light	48 21 36.2 123 42 24.1	F Y .....	2.9	9	1-pile dolphin, white daymark with red vertical stripe.	Year round.
188.12 G5296.2	Sooke Harbour Outer rear range light	48 21 38.3 123 42 20.4  049°38' 100.9 m from front.	F Y .....	5.9	9	On 1-pile dolphin, white daymark with red vertical stripe.	Year round.
188.2	Sooke Harbour Inner front range light	48 21 45.1 123 42 34.7	F Y .....	2.8	9	On 1-pile dolphin, white daymark with red vertical stripe.	Year round.
188.22 G5296.31	Sooke Harbour Inner rear range light	48 21 46.5 123 42 34.4  007°28' 44.8 m from front.	F Y .....	4.8	9	1-pile dolphin, white daymark with red vertical stripe.	Year round.
189 G5300	<b>Race Rocks</b>	Great Race Rock. 48 17 52.9 123 31 53.1	Fl W 10s	36.0	19	Cylindrical tower, black and white bands. 24.4	Year round. Flash 0.3 s; eclipse 9.7 s.  <b>Fog Horn</b> Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.
189.1	<i>Rosedale Rock light buoy V15</i>	<i>SE. of Race Rocks.</i> 48 17 26.3 123 31 33.7	<i>Q G 1s</i>	.....	.....	<i>Green, pillar, marked "V15".</i>	<i>Year round.</i>
189.5	<i>Race Rocks South Cautionary light buoy VF</i>  <b>Racon B (- . . . ) X &amp; S Bands</b>	<i>Traffic Lane Separator.</i> 48 14 04.4 123 31 58.7	<i>Fl Y 4s</i>	.....	.....	<i>Yellow, pillar, marked "VF".</i>	<i>Year round.</i>

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## JUAN DE FUCA STRAIT

192	Race Rocks East Cautionary light buoy VG	Traffic Lane Separator. 48 16 04.4 123 27 49.7	Fl Y 4s	.....	.....	Yellow, pillar, marked "VG".	Year round.
196 G5307	Scroggs Rocks	S. side of rocks. 48 25 34.2 123 26 19.8	Fl R 4s	7.3	5	White cylindrical tower with red band at top.	Year round. Radar reflector.

## Esquimalt Harbour

197 G5306	Fisgard Sector Light	On Fisgard Island, W. side of entrance of harbour. 48 25 49.4 123 26 51.2	Iso W R	2s	21.6	.....	White cylindrical tower.	Year round. Operates 24 h. R 195°-332°; W 332°-195°. Floodlit below balcony.
198	Fisgard Island light buoy V17	E. of island. 48 25 50.1 123 26 42.5	Fl G	4s	.....	.....	Green, pillar, marked "V17".	Year round.
199 G5308	Inskip Islands front range light	On island. 48 26 30.9 123 26 20.2	F G	.....	6.4	10	Square skeleton tower, white daymark with red vertical stripe. 6.1	Year round.
200 G5308.1	Inskip Islands rear range light	48 26 33.8 123 26 19.1  013°51' 90.5 m from front.	F G	.....	11.3	10	Square skeleton tower, white daymark with red vertical stripe. 9.8	Year round.
202	Whale Rock bifurcation light buoy VC	S. of rock. 48 26 35.2 123 26 44.4	Fl(2+1) R	6s	.....	.....	Red-green-red, pillar, marked "VC".	Year round.

## Victoria Harbour

203	Victoria Harbour Cautionary light buoy VH  <b>Racon K (-.-) X &amp; S Bands</b>	SW. of Brotchie Ledge, traffic separation zone. 48 22 31.3 123 23 33.7	Fl Y	4s	.....	.....	Yellow, pillar, marked "VH".	Year round.
204 G5312	Ogden Point Breakwater	On outer end of breakwater. 48 24 48.6 123 23 37.7	Q R	1s	13.2	9	White tower with red band at bottom.	Year round. Operates 24 h.
204.5	Victoria Harbour Entrance light buoy V21	At entrance. 48 24 52.1 123 24 11.7	Fl G	4s	.....	.....	Green, pillar, marked "V21".	Year round.
205 G5310	Brotchie Ledge	Off entrance to harbour. 48 24 23.2 123 23 16.8	Fl G	4s	11.8	7	White cylindrical tower with green band at top.	Year round.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>JUAN DE FUCA STRAIT</b>							
206 G5312.4	Berens Island	On SE. extremity of island, W. of harbour entrance. 48 25 26.6 123 23 34.7	Q G 1s	7.3	3	White square tower with green band at top.	Year round. Radar reflector.  <b>Aeronautical beacon:</b> Q W 1s. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.
207 G5320	Shoal Point	W. of point. 48 25 24.4 123 23 20.6	Q R 1s	6.8	3	White square tower with red band at top on braced steel pilings.	Year round. Radar reflector.  <b>Aeronautical beacon:</b> Q W 1s. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.
208 G5322	Pelly Island	On S. extremity of island. 48 25 32.1 123 23 03.1	Fl G 4s	5.8	3	White cylindrical tower with green band at top.	Year round. Secondary light: Q W 1s.  <b>Aeronautical beacon:</b> Q W 1s. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.
208.2	Victoria Harbour Traffic Scheme Cautionary light buoy #1	48 25 26.9 123 22 59.1	Fl Y 4s	.....	.....	Yellow, pillar.	Year round.
208.4	Victoria Harbour Traffic Scheme Cautionary light buoy #2	48 25 26.3 123 22 51.7	Fl Y 4s	.....	.....	Yellow, pillar.	Year round.
208.6	Victoria Harbour Traffic Scheme Cautionary light buoy #3	48 25 27.2 123 22 44.7	Fl Y 4s	.....	.....	Yellow, pillar.	Year round.
208.8	Victoria Harbour Traffic Scheme Cautionary light buoy #4	48 25 27.1 123 23 05.6	Fl Y 4s	.....	.....	Yellow, pillar.	Year round.
208.9	Victoria Harbour Traffic Scheme Cautionary light buoy #5	48 25 27.1 123 23 13.1	Fl Y 4s	.....	.....	Yellow, pillar.	Year round.
209 G5324	Laurel Point	NW. extremity of point. 48 25 28.2 123 22 38.1	Q R 1s	6.9	3	White square tower with red band at top.	Year round. Radar reflector.  <b>Aeronautical beacon:</b> Q W 1s. Operates for 60 seconds when activated by the Flight Services Station for seaplane landings and take-offs.
210 G5325	Tuzo Rock	On rock. 48 25 32.0 123 22 29.8	Q G 1s	7.2	3	White square tower with green band at top.	Year round. Radar reflector.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## JUAN DE FUCA STRAIT

212 G5328	Trial Islands	On S. side of southernmost island. 48 23 42.3 123 18 18.6	FI G 5s	28.3	13	White cylindrical tower with red top.	Year round. Flash 0.1 s; eclipse 4.9 s.
213 G5330	Lewis Reef	On reef. 48 25 31.7 123 16 47.1	Q R 1s	6.7	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
214 G5333	Mary Tod Island	SW. extremity of breakwater. 48 25 32.8 123 17 54.9	FI R 4s	6.1	4	Mast.	Year round.
215 G5332	Fiddle Reef Sector Light	On reef. 48 25 45.6 123 17 02.1	Q W R	8.0	7	White square tower with red bands at top and bottom.	Year round. R 016°30'-055°30'; W 055°30'-111°; R 111°-138°; W 138°-171°; R 171°-216°; W 216°-016°30'. Radar reflector.
215.5	<i>Fulford Reef North Cardinal light buoy VK</i>	<i>N. of Chatham Island, Haro Strait. 48 26 52.5 123 14 22.7</i>	Q W 1s	.....	.....	<i>Black-yellow, pillar, marked "VK".</i>	Year round.
216 G5334	<b>Discovery Island</b>	On extremity of island, Haro Strait. 48 25 28.5 123 13 32.4	FI W 5s	28.3	<b>15</b>	White cylindrical tower with red top.	Year round. Flash 0.1 s; eclipse 4.9 s.
216.3 G5334.5	Baynes Channel North	SE. of Cadboro Point. 48 27 01.0 123 15 50.0	Q G 1s	7.2	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
216.4	<i>Haro Strait South Cardinal light buoy VD</i>	<i>Beaumont Shoal, traffic separation zone. 48 27 05.3 123 10 50.7</i>	Q(6) + W LFI	.....	.....	<i>Yellow-black, pillar, marked "VD".</i>	Year round.