

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics		Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HARO STRAIT								
222.8	Little Zero Rock light buoy V30	W. of rock, Cordova Bay. 48 31 54.3 123 19 47.6	Q	R	1s	Red, pillar, marked "V30". Year round.
223 G5336	Zero Rock	48 31 25.3 123 17 30.7	FI	W	4s	8.5	7	White cylindrical tower with green band at top. Year round. Radar reflector.
224 G5337	Kelp Reefs	On the NE. reef. 48 32 51.3 123 14 12.7	Q	W	1s	10.7	10	White cylindrical tower. Year round.
225 G5339	Tom Point Sector Light	E. of Gooch Island. 48 39 44.4 123 16 25.6	FI	G W	4s	6.8	7	White square tower. Year round. W 181°-171°, G 171°-181°. Radar reflector.
225.1	Mandarte Island East Cardinal light buoy UT	N. of Halibut Island. 48 37 33.3 123 15 59.7	Q(3)	W	10s	Black-yellow-black, pillar, marked "UT". Year round.
225.2 G5339.4	Mandarte Island North	48 38 18.0 123 17 51.6	FI	G	4s	5.5	4	White cylindrical tower with green band at top. Year round. Radar reflector.
225.3	South Cod Reef South Cardinal light buoy US	Off Miners Channel. 48 38 59.4 123 18 04.7	Q(6) + LFI	W	15s	Yellow-black, pillar, marked "US". Year round.
225.4 G5341	Forrest Island	48 39 17.8 123 19 23.9	FI(2+1)	R	6s	8.8	4	Square skeleton tower, red and white daymark with red diamond and triangle in centre. Year round.
226 G5337.5	D'Arcy Island	On SW. side of island. 48 33 55.3 123 17 06.1	FI	R	4s	7.9	7	White cylindrical tower with red band at top. Year round. Radar reflector.
226.3	D'Arcy Shoals light buoy U1	E. of D'arcy shoals, Sidney Channel. 48 34 14.5 123 18 05.6	FI	G	4s	Green, pillar, marked "U1". Year round.
227 G5345	James Island	Off NW. point of island. 48 37 02.9 123 22 47.2	FI	W	4s	5.5	4	Mast on a 3-pile dolphin. Year round.
228	Sidney Channel light buoy U2	SW. of Western Shoal, N. entrance to channel. 48 37 27.3 123 20 46.7	FI	R	4s	Red, pillar, marked "U2". Year round.
230 G5342	Dock Island	On E. end of NE. islet of Little Group. 48 40 17.2 123 21 24.6	Q	G	1s	11.6	5	White square tower with green band at top. Year round.
230.3 G5341.4	Sidney Spit	On extreme NW. end of spit. 48 39 13.4 123 20 45.8	FI(3)	R	12s	6.9	4	White cylindrical tower with red band at top. Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

HARO STRAIT

230.5 G5342.4	Little Group Rock	Centre of passage between Coal Island and Ker Island. 48 40 33.9 123 22 04.4	Fl W 4s	6.2	6	White square tower.	Year round. Radar reflector.
230.6 G5344.56	Roberts Bay	Graham Rock off of entrance of bay, Tsehum Harbour. 48 39 57.4 123 23 31.8	Fl G 4s	8.8	4	Square skeleton tower, green, white and black square daymark.	Year round.
230.7 G5341.6	Sidney Breakwater	On S. extremity of breakwater extension. 48 39 09.2 123 23 31.0	Fl R 4s	6.3	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
233 G5344.6	Tsehum Harbour	48 40 17.5 123 24 10.8	Fl R 4s	4.8	3	3-pile dolphin, red, white and red triangular daymark.	Year round.
234.1 G5344.62	Tsehum Harbour Entrance	48 40 20.0 123 24 19.8	Q R 1s	3.8	3	1-pile dolphin, red and white triangular daymark.	Year round.
234.3 G5344.7	Blue Heron Basin Entrance	At channel entrance. 48 40 23.6 123 24 44.8	Fl W 4s	4.7	3	3-piles dolphin, green, white and black square daymark.	Year round.
234.5 G5344.74	Blue Heron Basin	Boat basin entrance. 48 40 24.6 123 25 07.3	Q G 1s	3.7	2	3-piles dolphin, green, white and black square daymark.	Year round.
235 G5343	Victoria Aero Beacon	48 38 43.0 123 25 16.8	Fl W 10s	Private aid. Year round.
236 G5343.5	Fernie Island	On island, SE. of island. 48 40 42.9 123 23 29.5	Fl G 4s	8.3	2	White square tower with green top.	Year round.
237 G5345.3	Goudge Island	NW. of island. 48 41 19.5 123 23 46.0	Fl W 4s	7.0	5	White square tower.	Year round. Radar reflector.
238 G5345.2	Coal Island	On Fir Cone Point. 48 41 28.3 123 23 17.6	Fl G 4s	6.8	4	White square tower with green top.	Year round.
240	Coal Island light buoy U8	NE. of Fir Cone Point. E. entrance to Colburne Passage. 48 41 37.3 123 23 06.7	Fl R 4s	Red, pillar, marked "U8".	Year round.
240.5	Celia Reef light buoy U14	S. of Portland Island, Shute Passage. 48 42 38.3 123 22 57.8	Fl R 4s	Red, pillar, marked "U14".	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HARO STRAIT							
241 G5343	Kanaka Bluff	On W. point of Portland Island. 48 43 33.6 123 23 13.0	Fl W 4s	8.3	6	White square tower.	Year round.
242 G5351	Isabella Island	On SE. extremity of island. 48 43 43.4 123 25 49.3	Q W 1s	8.8	7	White square tower.	Year round.
243 G5351.6	Jackson Rock	W. of rock. 48 45 19.3 123 26 03.0	Q R 1s	7.1	4	White square tower with red band at top.	Year round. Radar reflector.
244 G5352	Fulford Harbour	On ferry landing slip. 48 46 10.8 123 27 06.7	Fl W 4s	Private aid. Year round.
244.1 G5352.5	Fulford Harbour Dolphin	Off end of ferries wharf. 48 46 11.1 123 27 08.0	Fl Y	On dolphin.	Private aid. Year round.
245	<i>Piers Island light buoy U12</i>	<i>N. of Knapp Island. N. entrance to Gosse Passage. 48 42 14.5 123 23 58.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U12".</i>	<i>Year round.</i>
246 G5345.7	Clive Island	On rock SE. of Piers Island. 48 42 04.3 123 24 18.4	Q G 1s	6.6	4	White square tower with green top.	Year round. Radar reflector.
247	<i>Knapp Island light buoy U10</i>	<i>W. of island, Gosse Passage. 48 41 56.4 123 24 16.8</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U10".</i>	<i>Year round.</i>
247.3	<i>Gosse Passage light buoy U9</i>	<i>SE. of Clive Island. 48 42 00.3 123 24 19.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "U9".</i>	<i>Year round.</i>
248	<i>Colburne Passage light buoy U18</i>	<i>S. of Piers Island. 48 41 53.3 123 25 18.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U18".</i>	<i>Year round.</i>
248.1 G5345.8	Colburne Passage South	48 41 50.7 123 25 33.0	Fl G 4s	8.0	3	White square tower with green top on 4-pile dolphin.	Year round. Radar reflector.
248.2	<i>Patrol Islet light buoy U16</i>	<i>S. of Indian Point, Colburne Passage. 48 41 57.2 123 25 29.8</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U16".</i>	<i>Year round.</i>
248.3 G5345.9	Shute Reef	On rock. 48 42 36.9 123 25 54.8	Q R 1s	6.4	4	White square tower with red band at top.	Year round. Radar reflector.
248.6 G5349	Wain Rock	48 41 13.8 123 29 22.6	Fl G 4s	6.7	4	White square tower with green band at top.	Year round. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HARO STRAIT							
249 G5346	Patey Rock	On rock, entrance to Saanich Inlet. 48 42 02.6 123 31 15.3	Fl(3) W 12s	6.7	6	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
249.1 G5346.2	Hatch Point NE	48 42 01.2 123 32 32.0	Fl Y	Private aid. Year round.
249.2 G5346.22	Hatch Point SW	48 42 00.4 123 32 33.7	Fl Y	Private aid. Year round.
249.7	Cowichan Bay East Breakwater	NE. end of floating breakwater. 48 44 30.8 123 37 00.3	Fl Y 4s	0.7	2	Mast.	Year round.
249.8 G5347.5	Cowichan Bay West Breakwater	W. end of floating breakwater. 48 44 31.4 123 37 06.0	Fl G 4s	0.7	3	Mast.	Year round.
250 G5346.4	Separation Point	Outer extremity of point. 48 44 34.3 123 34 11.8	Fl W 4s	6.6	7	White square tower.	Year round. Radar reflector.
251 G5348	Burial Islet	On NE. corner of islet. 48 46 09.9 123 33 49.0	Q R 1s	8.5	3	White cylindrical tower with red band at top.	Year round. Radar reflector.
251.5 G5349.5	Patricia Bay Breakwater	48 39 08.6 123 27 03.6	Fl R 4s	5.1	4	Mast, red and white triangular daymark.	Year round.
252 G5350	Senanus Island	On NW. extremity of island. 48 35 34.0 123 29 12.8	Fl W 4s	8.5	6	White cylindrical tower.	Year round. Radar reflector.
253 G5357.4	Gowlland Point	S. of Pender Island. 48 44 08.4 123 11 02.4	Fl W 4s	10.6	7	White square tower.	Year round. Radar reflector.
254 G5357	Hay Point	On point, Bedwell Harbour. 48 44 41.2 123 13 46.8	Q R 1s	7.3	4	White square tower with red band at top.	Year round. Radar reflector.
254.3 G5340.4	Arachne Reef	On N. side of reef. 48 41 05.2 123 17 37.6	Fl(2+1) G 6s	7.0	11	White square tower with green band at top.	Year round. Radar reflector.
254.5 G5340.6	Point Fairfax	S. extremity of point. 48 41 57.1 123 17 55.2	Fl(3) W 12s	9.8	7	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
256 G5354	Canoe Rock	On the rock. 48 44 00.7 123 20 24.2	Fl(3) W 12s	7.9	8	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HARO STRAIT							
256.5	<i>Pellow Islets light buoy U15</i>	<i>E. of Portlands Islands, Moresby Passage. 48 43 20.4 123 21 02.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "U15".</i>	<i>Year round.</i>
257 G5355	Beaver Point	On N. tip of point. 48 46 15.5 123 22 01.6	Fl G 4s	9.4	5	White square tower with green band at top.	Year round.
257.5 G5355.4	Mouat Point	W. side of North Pender Island. 48 46 11.2 123 18 49.5	Fl R 4s	7.8	4	White square tower with red band at top.	Year round.
257.9	<i>Deep Ridge light buoy UN</i>	<i>SE. of Channel Islands, E. entrance to Captain Passage. 48 47 48.5 123 22 10.9</i>	<i>Fl(2+1) G 6s</i>	<i>.....</i>	<i>.....</i>	<i>Green-red-green, pillar, marked "UN".</i>	<i>Year round.</i>
258 G5356	Channel Islands	On N. end of islands. 48 48 06.7 123 22 55.3	Fl W 4s	7.6	4	White square tower.	Year round.
258.2	<i>Acland Islands light buoy U60</i>	<i>W. of the islands, Captain Passage. 48 48 35.8 123 22 55.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U60".</i>	<i>Year round.</i>
258.4	<i>Captain Passage light buoy U62</i>	<i>NW. of Owl Island. 48 49 42.3 123 24 22.8</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U62".</i>	<i>Year round.</i>
258.5	<i>Horda Shoals light buoy UD</i>	<i>S. of Nose Point. 48 49 51.2 123 25 01.9</i>	<i>Fl(2+1) G 6s</i>	<i>.....</i>	<i>.....</i>	<i>Green-red-green, pillar, marked "UD".</i>	<i>Year round.</i>
259 G5370	Nose Point	On extremity of point. 48 50 33.1 123 25 10.1	Q W 1s	8.7	4	White square tower.	Year round.
260 G5370.4	Long Harbour	On rock. 48 51 05.6 123 26 30.7	Q R 1s	6.7	2	White square tower with red band at top.	Year round. Radar reflector.
261 G5371	Ganges Harbour	On Second Sister Island. 48 50 12.4 123 27 12.5	Fl R 4s	8.9	4	White square tower with red band at top.	Year round.
262 G5372	Grace Islet	SE. extremity of islet. 48 51 05.3 123 29 34.3	Fl G 4s	10.4	4	White square tower with green top.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

HARO STRAIT

Boundary Pass

263	<i>Rosenfeld Rock light buoy U59</i> Racon C (- . - .) X & S Bands	<i>NE. of East Point, entrance to pass.</i> 48 48 11.4 123 01 38.7	<i>Fl G 4s</i>	<i>Green, pillar, marked "U59".</i>	<i>Year round.</i>
264 G5358	Saturna Island Sector Light	On East Point. 48 46 58.8 123 02 45.0	Fl W 15s	36.9	17	Red square skeleton tower.	Year round. Operates 24 h. Flash 0.15 s; eclipse 14.85 s. Secondary light: F R. R 156°-211°30'