

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SOUTHERN STRAIT OF GEORGIA

265.2 G5359	Croker Point	On the point. 48 46 28.4 123 12 08.8	FI R 4s	7.0	4	White square skeleton tower with red band at top.	Year round.	
265.5	<i>Crispin Rock light buoy UJ</i>	<i>Entrance to Lyall Harbour, Saturna Island.</i> 48 48 03.4 123 11 51.7	<i>FI(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "UJ".</i>	<i>Year round.</i>	
265.8 G5359.5	Fane Island	48 48 25.1 123 16 04.6	FI G 4s	8.8	3	White square tower with green top.	Year round. Radar reflector.	
266 G5373	Conconi Reef	On reef. 48 49 26.4 123 17 31.9	FI R 4s	7.0	White square tower with red band at top.	Year round. Radar reflector.	
266.5 G5368.5	Port Washington	On Boat Islet. 48 48 41.6 123 19 23.4	FI(2) R 6s	9.0	3	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Radar reflector.	
267 G5368	Portlock Point	On the point. 48 49 40.4 123 21 06.8	Q W 1s	15.5	7	White pyramid tower with red top.	Year round.	
268 G5369	Peile Point	On the point. 48 50 59.7 123 24 18.4	FI W 4s	8.5	7	White square tower.	Year round.	
269 G5366	Phillimore Point	On extremity of point. 48 52 18.6 123 23 31.4	FI R 4s	7.8	3	White square tower with red band at top.	Year round. Radar reflector.	
270	<i>Ben Mohr Rock light buoy UK</i>	<i>NE. of Peile Point, Trincomali Channel.</i> 48 51 37.3 123 23 27.8	<i>FI(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "UK".</i>	<i>Year round.</i>	
271 G5367	Enterprise Reef Sector Light	On western rock of reef. 48 50 41.6 123 20 53.4	F W R W	7.6	4	White cylindrical tower with red band at top on concrete block.	Year round. W 107°30'-110°; R 110°-121°; W 121°-123°30'. Secondary light: Q R 1s. Radar reflector.
271.2	<i>Enterprise Reef East Cardinal light buoy UL</i>	<i>Trincomali Channel, Village Bay.</i> 48 50 34.5 123 20 20.7	<i>VQ(3) W 5s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow-black, pillar, marked "UL".</i>	<i>Year round.</i>	
Active Pass								
272 G5364	Helen Point	On point. 48 51 27.5 123 20 42.0	Q W 1s	8.4	6	White square tower.	Year round.	
273 G5365	Galiano	On drying rock. 48 51 42.9 123 20 55.7	Q G 1s	6.4	4	White square tower with green band at top.	Year round.	

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SOUTHERN STRAIT OF GEORGIA

274 G5362	Mary Anne Point	On the point. 48 51 43.3 123 18 49.1	Q W 1s	8.9	7	White square tower.	Year round. Radar reflector.
275 G5360	Active Pass	On Georgina Point, Mayne Island. 48 52 23.9 123 17 29.2	Fl W 10s	17.4	17	White cylindrical tower with red top.	Year round. Flash 0.2 s; eclipse 9.8 s.
276	<i>Gossip Shoals light and bell buoy U47</i>	<i>SE. end of Gossip Island, N. entrance to the pass. 48 53 05.6 123 18 17.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "U47".</i>	<i>Year round. Audible signal: Bell</i>

Stuart Channel

276.1 G5376.6	Octopus Point	48 47 56.7 123 33 45.8	Fl G 4s	6.0	4	White mast.	Year round.
276.12	<i>Maple Bay Speed Control light buoy</i>	<i>48 48 23.4 123 35 49.7</i>	<i>Fl Y 4s</i>	<i>.....</i>	<i>.....</i>	<i>White-orange.</i>	<i>Private aid. Year round.</i>
276.3 G5376.5	Grave Point	On the point. 48 50 53.6 123 35 33.3	Fl G 4s	5.3	4	Mast.	Year round.
277 G5374	Crofton	On SE. Shoal Island. 48 52 46.3 123 37 47.8	Fl W 4s	5.8	6	White cylindrical tower.	Year round. Radar reflector.
280 G5384	Bare Point	On extremity of point. 48 55 46.3 123 42 21.9	Fl G 4s	9.3	5	White cylindrical tower with green band at top.	Year round. Radar reflector.
281	<i>Hospital Rock light buoy U30</i>	<i>E. of the rock, Chemainus Bay. 48 55 45.8 123 42 46.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "U30".</i>	<i>Year round.</i>
282 G5385	Chemainus Bay front range light	On N. end of Weyerhaeuser wharf. 48 55 28.0 123 42 49.1	F G	10.2	13	Square skeleton tower, red daymark with white vertical stripe.	Year round. Operates 24 h.
283 G5385.1	Chemainus Bay rear range light	48 55 21.0 123 42 52.6 018°52' 225.9 m from front.	F G	15.4	13	Tripod skeleton tower, red daymark with white vertical stripe.	Year round. Operates 24 h.
284 G5378	North Reef	On reef. 48 54 50.4 123 37 36.8	Fl(3) W 12s	6.7	7	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SOUTHERN STRAIT OF GEORGIA

Houstoun Passage

285 G5378.6	Grappler Rock	On rock. 48 56 20.5 123 36 09.9	FI R 4s	6.1	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
286 G5379	Southey Point	On N. extremity of Saltspring Island. 48 56 44.8 123 35 47.1	Q W 1s	6.1	6	White cylindrical tower.	Year round. Radar reflector.
286.5 G5379.4	Norway Island	NW. end of island. 48 58 53.9 123 37 37.7	FI Y 4s	3.0	Mast.	Private aid. Year round. Maintained from April 30 to October 1.

Porlier Pass

287	Porlier Pass light and bell buoy U41	SE. of Canoe Islets. E. Entrance to the pass. 49 01 32.4 123 34 57.4	FI G 4s	Green, pillar, marked "U41".	Year round. Audible signal: Bell
288 G5394	Porlier Pass front range light	On Race Point, Galiano Island. 49 00 46.5 123 35 09.2	F Y	6.8	10	White cylindrical tower.	Year round. Operates 24 h.
289 G5394.1	Porlier Pass rear range light	49 00 32.7 123 35 15.3 196°07' 445.2 m from front.	F Y	10.3	10	White square tower with red top.	Year round. Operates 24 h.
289.3 G5394.4	Virago Rock Sector Light	On rock. 49 00 45.5 123 35 34.0	Q W 1s R	6.8	5	White square tower with red bands at top and bottom.	Year round. R 024°-229°; W 229°-024°. Radar reflector.

Trincomali Channel

290	Governor Rock light buoy U45	E. of rock. 48 54 46.4 123 29 50.8	FI G 4s	Green, pillar, marked "U45".	Year round.
290.9 G5380	Walker Rock	48 55 24.5 123 29 39.1	FI(3) W 12s	7.2	7	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
291 G5380	Walker Rock Sector Light	48 55 24.5 123 29 39.1	F R	7.3	7	White square tower.	Year round. G 082°-088°; W 088°-092°; R 092°-099°. Radar reflector.
291.1 G5381	Saltspring Island East Sector Light	48 55 23.1 123 33 12.1	F R	5.8	9	White cylindrical tower.	Year round. R 264°30'-268°; W 268°-272°; G 272°-276°30'. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

SOUTHERN STRAIT OF GEORGIA

291.3 G5379.2	Victoria Shoal light buoy U43	SE. of Panther Point. 48 55 11.4 123 31 00.8	Fl G 4s	Green, pillar, marked "U43".	Year round.
292 G5388	Danger Reefs	On N. end of easternmost rock. 49 03 15.0 123 42 54.7	Q W 1s	6.7	5	White cylindrical tower.	Year round. Radar reflector. When passing southward, ships should be given a berth of at least one half mile.
293	Panther Point light buoy U44	W. of point, E. entrance to Houston Passage. 48 55 47.4 123 32 30.8	Fl R 4s	Red, pillar, marked "U44".	Year round.
293.5 G5379.2	Jackscrew Island	48 57 02.3 123 35 10.8	Fl W 4s	5.8	6	White cylindrical tower with red band at top.	Year round. Radar reflector.
294 G5383	Alarm Rock	On SE. end of rock. 48 57 31.9 123 40 31.4	Fl(2) W 6s	5.2	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Radar reflector.
294.5 G5382.2	Hudson Island North	48 57 58.5 123 40 27.8	Fl R 4s	4.9	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
295 G5382	Preedy Harbour	Off W. end of Hudson Island. 48 58 05.3 123 41 02.8	Q R 1s	5.1	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
296.7 G5387	Ladysmith Harbour Floating Breakwater	At end of floating breakwater. 48 59 57.5 123 48 45.6	Fl G 4s	3	Mast, green, white and black square daymark.	Year round.
297 G5386	Coffin Island	On islet, on N. side of entrance to Ladysmith Harbour. 48 59 08.3 123 45 13.3	Fl W 4s	5.8	6	White cylindrical tower with green band at top.	Year round. Radar reflector.
298 G5390	Joan Point	On point, Dodd Narrows. 49 08 08.3 123 49 06.9	Q W 1s	8.8	5	White cylindrical tower with green band at top.	Year round. Radar reflector.
299.5 G5150	Crescent Beach	Entrance to Nicomekl River. 49 00 43.9 122 56 25.2	Fl R 4s	6.7	5	Mast on 1-pile dolphin, red and white triangular daymark.	Year round.
299.6 G5150.5	Crescent Channel	At entrance of channel, Boundary Bay. 49 03 14.2 122 53 49.5	Q R 1s	4.3	4	On 3-pile dolphin, red and white triangular daymark.	Year round.
299.7 G5149.5	Whiterock Breakwater	49 01 03.1 122 48 28.1	Fl W 4s	4.6	5	On 3-pile dolphin.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHERN STRAIT OF GEORGIA							
302	International Boundary light A	Between Tsawwassen Ferry Terminal and Boundary Bluff. 49 00 07.5 123 06 44.2	Fl Y 4s	7.6	3	Concrete structure, yellow diamond daymark.	Year round.
302.5 G5161	International Boundary light B	W. of Boundary Bluff. 49 00 07.6 123 05 34.6	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round.
303	International Boundary light C	On shore, W. side of Boundary Bay. 49 00 07.0 123 02 06.7	Fl Y 4s	7.6	4	Concrete structure, yellow diamond daymark.	Year round.
304	International Boundary light D	W. side of Boundary Bay. 49 00 07.5 123 01 13.0	Fl Y 4s	11.0	3	Concrete structure, yellow diamond daymark.	Year round.
304.3	International Boundary light E	Boundary Bay. 49 00 07.7 122 58 21.4	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round.
304.5	International Boundary light F	Boundary Bay. 49 00 07.7 122 55 29.4	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round.
305 G5160.9	International Boundary light G	Semiahmoo Bay. 49 00 07.8 122 52 38.1	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round.
305.5	International Boundary light H	Semiahmoo Bay. 49 00 07.7 122 49 46.5	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round.
306	International Boundary light I	On shore, E. side of Semiahmoo Bay. 49 00 07.6 122 46 54.8	Fl Y 4s	12.8	3	Concrete structure, yellow diamond daymark.	Year round.
307.1 G5396	Tsawwassen Ferry Breakwater	W. end of S. breakwater. 49 00 07.8 123 07 43.0	Q R 1s	7.8	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
307.13 G5398.6	Tsawwassen	49 00 27.1 123 08 36.3	Fl Y 4s	9.0	Private aid. Year round. Radar reflector.
307.15	Tsawwassen Ferry South	Off S. breakwater. 49 00 14.1 123 08 01.3	VQ Y 0.5s	On dolphin.	Private aid. Year round. Radar reflector. Fog Horn Blast 1 s; sil. 19 s. Operated by Ferry personnel when required for ferry movements only.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
SOUTHERN STRAIT OF GEORGIA							
307.2	Roberts Bank light buoy T2	E. side of Deltaport / Westshore Terminals entrance. 49 00 29.6 123 09 12.9	Q R 1s	Red, pillar, marked "T2".	Year round.
307.3	Roberts Bank light buoy T4	E. side of Deltaport / Westshore Terminals entrance. 49 00 41.4 123 08 55.1	Fl R 4s	Red, pillar, marked "T4".	Year round.
307.4	Roberts Bank light buoy T6	E. side of Deltaport / Westshore Terminals entrance. 49 00 52.8 123 08 38.2	Fl R 4s	Red, pillar, marked "T6".	Year round.
307.5	Roberts Bank light buoy T8	E. side of Deltaport / Westshore Terminals entrance. 49 01 12.7 123 08 35.0	Fl R 4s	Red, pillar, marked "T8".	Year round.
307.7	Roberts Bank Cautionary light buoy TB	49 01 27.5 123 08 37.5	Fl Y 4s	Yellow, pillar, marked "TB".	Year round.
307.9	Roberts Bank light buoy T1	W. side of Deltaport / Westshore Terminals entrance. 49 00 33.7 123 09 40.0	Q G 1s	Green, pillar, marked "T1".	Year round.
307.91 G5399	Roberts Bank Entrance front range light	49 01 35.6 123 08 29.9	Q Y 1s	12.3	14	Skeleton tower, red daymark with white vertical stripe.	Year round.
307.92 G5399.1	Roberts Bank Entrance rear range light	49 01 42.4 123 08 23.4 031°45' 249.6 m from front.	Q Y 1s	17.2	14	Skeleton tower, red daymark with white vertical stripe.	Year round.
308	Canoe Pass light buoy T14 Racon K (- -) X & S Bands	Entrance to Pass, Roberts Bank. 49 02 17.4 123 15 22.7	Fl R 4s	Red, pillar, marked "T14".	Year round.
308.5	Southern Georgia Strait ODAS light buoy 46303	49 01 30.0 123 25 48.0	Fl(5) Y 20s	Yellow, ODAS, marked "46303".	Year round.
309 G5400	Roberts Bank Racon N (- -) X & S Bands	Edge of bank. 49 05 15.7 123 18 37.0	Fl W 4s	8.9	9	White cylindrical tower with red band at top.	Year round.
309.5	Roberts Bank Cautionary light buoy TA Racon O (- - -) X & S Bands	SW. of Sand Heads, Traffic Separation Zone. 49 04 25.4 123 22 50.7	Fl Y 4s	Yellow, pillar, marked "TA".	Year round.