

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FRASER RIVER - SOUTH ARM							
310	<i>Sand Heads light and bell buoy S1</i>	<i>SW. of Sand Heads, N. side of river entrance. 49 06 10.9 123 18 38.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "S1".</i>	<i>Year round. Audible signal: Bell</i>
311 G5401	Sand Heads	Near outer end of Steveston Jetty. 49 06 21.2 123 18 12.1	Fl G 5s	13.3	16	White cylindrical tower.	Year round. Flash 0.1 s; eclipse 4.9 s.
312	<i>Fraser River light buoy S0</i>	<i>SW. of Sand Heads, S. side of river entrance. 49 05 42.9 123 18 55.1</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S0".</i>	<i>Year round.</i>
313.5 G5402.5	Northside Jetty 1A	49 06 31.1 123 17 44.4	Fl(3) G 12s	5.6	4	White square tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
314	<i>Fraser River light buoy S2</i>	<i>SE. of Sand Heads. 49 06 16.5 123 17 46.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S2".</i>	<i>Year round.</i>
315 G5403	Northside Jetty 3	On jetty. 49 06 43.1 123 17 15.9	Fl G 4s	5.8	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
316 G5403.5	Northside Jetty 3A	On jetty. 49 06 54.4 123 16 48.8	Fl(3) G 12s	6.3	4	White cylindrical tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
317 G5404	Northside Jetty 5	N. side jetty. 49 07 10.4 123 16 11.1	Fl(3) G 12s	7.4	5	White square skeleton tower with green band at top on 3-pile dolphin.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
318	Northside Jetty 5A	On jetty. 49 07 26.1 123 15 32.4	Fl(3) G 12s	5.8	4	White cylindrical tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
319	<i>Fraser River light buoy S4</i>	<i>SE. of Steveston Jetty No. 3. 49 06 40.2 123 16 50.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S4".</i>	<i>Year round.</i>
320 G5405	Northside Jetty 7	On jetty, E. of No. 5. 49 07 41.6 123 14 54.9	Fl G 4s	5.1	5	White square tower with green band at top.	Year round.
321	<i>Fraser River light buoy S6</i>	<i>E. of Steveston Jetty No. 5. 49 07 10.9 123 15 39.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S6".</i>	<i>Year round.</i>

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FRASER RIVER - SOUTH ARM							
321.5	Fraser River light buoy S8	SE. of Steveston jetty No. 7. 49 07 38.0 123 14 35.0	Fl R 4s	Red, pillar, marked "S8".	Year round.
322 G5406	Northside Jetty 7A	Close behind Steveston Jetty. 49 07 51.6 123 14 30.2	Q G 1s	5.6	5	White cylindrical tower with green band at top.	Year round. Radar reflector.
323 G5410	Wing Dam front range light	Close behind Steveston Jetty. 49 07 57.6 123 14 04.7	F Y	8.7	15	Cylindrical mast, red daymark with white vertical stripe.	Year round. Operates 24 h. Secondary light: F G.
324 G5410.1	Wing Dam rear range light	49 08 10.1 123 13 35.1 057°15' 715.0 m from front.	F Y	21.8	15	Cylindrical mast, red daymark with white vertical stripe.	Year round. Operates 24 h.
325	Fraser River light buoy S10	SW. of Steveston Jetty No. 11. 49 07 45.5 123 13 51.2	Q R 1s	Red, pillar, marked "S10".	Year round.
326 G5408	Northside Jetty 11	On jetty. 49 07 56.7 123 13 34.6	Fl G 4s	4.9	4	White square tower with green band at top.	Year round.
327 G5412	New Cut Outbound front range light	49 07 54.7 123 13 21.3	F Y	9.5	10	Square skeleton tower on 9-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h. Secondary light: F G.
328 G5412.1	New Cut Outbound rear range light	49 07 58.1 123 13 29.8 301°30' 201.0 m from front.	F Y	15.1	10	Square skeleton tower on 9-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h.
329 G5413	Northside Jetty 13	On N. side of jetty. 49 07 47.3 123 12 50.0	Fl(3) G 12s	5.2	4	White square skeleton tower with green band at top on 9-pile dolphin.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
332	Fraser River light buoy S14	SW. of Steveston Jetty No. 13. 49 07 38.6 123 12 57.4	Fl R 4s	Red, pillar, marked "S14".	Year round.
333	Garry Point West	W. of point. 49 07 29.6 123 11 59.9	Fl G 4s	6.5	6	White square skeleton tower with green band at top on 3-pile dolphin.	Year round.
335	Steveston Breakwater	On NW. end of bar. 49 07 24.7 123 11 33.1	Q R 1s	6.7	4	White cylindrical tower.	Year round. Radar reflector.
336	Fraser River light buoy S16	S. of Garry Point. 49 07 12.5 123 11 48.3	Fl R 4s	Red, pillar, marked "S16".	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
FRASER RIVER - SOUTH ARM								
337	Fraser River light buoy S19	N. of Albion Island. 49 06 58.4 123 10 43.7	Fl G 4s	Green, pillar, marked "S19".	Year round.	
337.5	Fraser River light buoy S21	N. of Woodward Training Wall. 49 06 36.4 123 09 16.7	Q G 1s	Green, pillar, marked "S21".	Year round.	
338 G5413.13	New Cut Inbound front range light	49 06 36.7 123 10 06.1	F Y	9.1	10	Square skeleton tower on 6-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h. Secondary light: Fl(3) R 12s.
338.5 G5413.14	New Cut Inbound rear range light	49 06 33.0 123 09 57.1 121°25' 220.0 m from front.	F Y	14.2	10	Square skeleton tower on 6-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h.
339 G5413.15	Woodward Island North	On N. side of island. 49 06 26.4 123 09 18.0	Fl R 4s	5.2	5	White cylindrical tower with red band at top.	Year round. Radar reflector.	
340 G5413.16	Woodward Island Inbound front range light	49 06 23.3 123 08 41.4	F Y	7.6	10	Square skeleton tower on 9-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h. Secondary light: Fl(2) R 6s.
341 G5413.17	Woodward Island Inbound rear range light	49 06 22.1 123 08 36.1 109°11' 113.4 m from front.	F Y	11.7	10	Square skeleton tower on 6-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h.
342 G5413.18	Woodward Island Outbound front range light	49 06 22.3 123 08 18.9	F Y	7.3	10	Square skeleton tower on 9-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h. Secondary light: Fl(3) R 12s.
343 G5413.19	Woodward Island Outbound rear range light	49 06 19.8 123 08 31.3 253°18' 262.0 m from front.	F Y	14.0	10	Square skeleton tower on 9-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h.
344	Fraser River light buoy S25	NW. of Deas Island Range. 49 07 17.4 123 04 42.7	Fl G 4s	Green, pillar, marked "S25".	Year round.	
345 G5413.2	Woodward Island	At NE. end of island. 49 06 22.9 123 07 34.3	Fl R 4s	5.7	5	White cylindrical tower with red band at top.	Year round. Radar reflector.	
346.5 G5413.21	Kirkland Island West	N. side of island. 49 06 41.8 123 06 09.5	Fl(3) R 12s	5.2	5	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.	
346.7	Fraser River light buoy S23	S. of Woodwards Landing. 49 06 59.5 123 05 29.9	Q G 1s	Green, pillar, marked "S23".	Year round.	

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FRASER RIVER - SOUTH ARM							
348 G5413.22	Kirkland Island front range light	49 06 47.3 123 05 13.4	F Y	8.5	10	Square skeleton tower on 9-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h.
348.1	Kirkland Island rear range light	49 06 40.8 123 05 22.0 221°03' 264.2 m from front.	F Y	14.7	10	Square skeleton tower on 6-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h.
348.2 G5413.24	Kirkland Island Breakwater	49 06 53.1 123 05 09.7	Q R 1s	8.9	4	Mast, red and white triangular daymark.	Year round.
348.3 G5413.25	Deas Slough	Entrance to dredged cut. 49 06 54.5 123 04 55.8	Fl R 4s	7.2	4	White square skeleton tower on single pile dolphin with red band at top.	Year round. Radar reflector.
348.5 G5413.26	Deas Island front range light	W. end of island. 49 07 06.6 123 04 33.1	Oc Y 5s	7	12	Square skeleton tower on 9-pile dolphin, red daymark with white vertical stripe.	Year round. Operates 24 h. Flash 4.7 s; eclipse 0.3 s. Secondary light: Fl(2) R 6s.
348.6 G5413.27	Deas Island rear range light	49 07 08.4 123 04 24.1 073°24' 190.9 m from front.	Oc(2) Y 5s	12.3	13	Square skeleton tower on 4-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h. Flash 3.7 s; eclipse 0.3 s; flash 0.7 s; eclipse 0.3 s.
349	Fraser River light buoy S28	Gravesend Reach. 49 08 22.0 123 02 59.6	Q R 1s	Red, pillar, marked "S28".	Year round.
349.5	Fraser River light buoy S30	NW. of Tilbury Island. 49 08 43.2 123 02 18.3	Fl R 4s	Red, pillar, marked "S30".	Year round.
350	Fraser River light buoy S32	S. of Don Island. 49 09 17.9 122 59 43.9	Q R 1s	Red, pillar, marked "S32".	Year round.
350.9	Tilbury Outbound	Near N. bank of river, opposite Tilbury Island. 49 08 37.3 123 03 04.2	Fl G 4s	8.4	7	Pipe tower, on 5-pile dolphin, red daymark with black vertical stripe.	Year round.
351 G5413.28	Tilbury Outbound front range light	Near N. bank of river, opposite Tilbury Island. 49 08 37.3 123 03 04.2	Oc Y 5s	8.4	15	Pipe tower on 5-pile dolphin, red daymark with black vertical stripe.	Year round. Operates 24 h. Flash 4.7 s; eclipse 0.3 s.
352 G5413.29	Tilbury Outbound rear range light	49 08 34.4 123 03 17.0 251°14' 274.3 m from front.	Oc(2) Y 5s	17.7	15	Pipe tower, red daymark with black vertical stripe.	Year round. Operates 24 h. Flash 3.7 s; eclipse 0.3 s; flash 0.7 s; eclipse 0.3 s.
352.9	Tilbury Inbound	Near N. bank of river. 49 08 54.7 123 02 24.0	Q G 1s	11.6	4	On 1-pile dolphin.	Year round. The light is mounted on the structure of the front inbound range.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FRASER RIVER - SOUTH ARM							
353 G5413.3	Tilbury Inbound front range light	Near N. bank of river. 49 08 54.7 123 02 24.0	Iso Y 2s	11.3	15	On 1-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h.
354 G5413.31	Tilbury inbound rear range light	49 09 01.3 123 02 15.1 041°10' 273.1 m from front.	Oc Y 3s	19.0	15	Cylindrical tower, white daymark with red vertical stripe.	Year round. Operates 24 h. Flash 2 s; eclipse 1 s.
354.9	<i>Fraser River ODAS buoy</i>	<i>Tilbury Terminal.</i> 49 08 54.8 123 02 19.0	<i>Fl Y 12s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, ODAS, marked "ODAS".</i>	<i>Year round.</i> <i>Flash 0.4 s; eclipse 11.6 s.</i>
355.9	Purfleet Point	On W. extremity of Annacis Island. 49 09 33.2 122 58 52.6	Oc G 5s	8.1	7	Black cylindrical mast on 1-pile dolphin.	Year round. Flash 4.7 s; eclipse 0.3 s. The light is mounted on the structure of the front range.
356 G5413.32	Purfleet Point front range light	On W. extremity of Annacis Island. 49 09 33.2 122 58 52.6	Oc Y 5s	8.1	14	Black cylindrical mast on 1-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h. Flash 4.7 s; eclipse 0.3 s.
357 G5413.33	Purfleet Point rear range light	49 09 36.0 122 58 39.8 071°19' 274.3 m from front.	Oc(2) Y 5s	15.2	14	Square skeleton tower on 9-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h. Flash 3.7 s; eclipse 0.3 s; flash 0.7 s; eclipse 0.3 s.
358	<i>Fraser River light buoy S34</i>	<i>SE. of Purfleet Point.</i> 49 09 22.5 122 58 55.8	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S34".</i>	<i>Year round.</i>
359 G5413.34	City Reach Outbound front range light	49 09 10.9 122 57 13.0	Iso Y 2s	6.1	15	Centre pile on a 5 pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h.
360 G5413.35	City Reach Outbound rear range light	49 09 08.5 122 57 16.9 226°35' 108.9 m from front.	Oc Y 3s	12.8	15	Square skeleton tower on a 9 pile dolphin, white daymark, red vertical stripe.	Year round. Operates 24 h. Flash 2 s; eclipse 1 s.
361 G5413.36	City Reach Inbound front range light	On S. bank of river. 49 09 17.9 122 56 41.0	Oc Y 5s	13.8	15	Pipe tower, red daymark with white vertical stripe.	Year round. Operates 24 h. Flash 4.7 s; eclipse 0.3 s.
362 G5413.37	City Reach Inbound rear range light	49 09 17.4 122 56 30.2 095°17' 219.9 m from front.	Oc(2) Y 5s	25.1	15	Pipe tower, red daymark with white vertical stripe.	Year round. Operates 24 h. Flash 3.7 s; eclipse 0.3 s; flash 0.7 s; eclipse 0.3 s.
363 G5413.39	Annieville Channel front range light	On S. bank of river. 49 09 50.3 122 55 50.9	F Y	27.4	15	Square skeleton tower.	Year round. Operates 24 h.
364 G5413.391	Annieville Channel rear range light	49 09 43.9 122 55 54.2 198°37' 209.3 m from front.	F Y	67.8	15	Square skeleton tower.	Year round. Operates 24 h.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
FRASER RIVER - SOUTH ARM							
365 G5413.392	Annacis Island Pile Wall South	S. end of pile wall. 49 10 21.3 122 55 39.9	Q G 1s	3	3-pile dolphin, green, white and black square daymark.	Year round.
366.3 G5413.42	Annieville Channel Pile Wall North	On N. end of pile wall. 49 10 57.2 122 55 05.7	Fl(2) R 6s	2.6	3	On 1-pile dolphin.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s.
366.5 G5413.44	Annieville Rock Wall 1	S. side. 49 11 12.5 122 54 57.6	Fl R 4s	3.0	3	Mast, red and white triangular daymark.	Year round.
366.6 G5413.45	Annieville Rock Wall 3	Opposite Shoal Point. 49 11 36.5 122 54 41.4	Q R 1s	2.4	3	Mast, red and white triangular daymark.	Year round.
366.7 G5413.46	Annieville Rock Wall 4	NE. of Shoal Point. 49 11 47.2 122 54 29.0	Fl(3) R 12s	5.6	4	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
366.8	Annacis Island Pile Wall North	Shoal Point, Annieville Channel. 49 11 34.1 122 55 04.2	Fl G 4s	4	7-pile dolphin, green, white and black square daymark.	Year round.
367 G5413.47	Shoal Point	E. end of trifurcation wall, Annacis Island. 49 11 44.2 122 54 55.9	Q G 1s	3.1	3	Mast on a 3-pile dolphin.	Year round.
368 G5413.48	New Westminster Railway Swing Bridge	49 12 31.0 122 53 36.0	F R G	9.1	Centre span. Private aid. Year round. Whistle.
368.5	<i>Brownsville light buoy S40</i>	<i>NE. of Pattullo Bridge. 49 12 42.1 122 53 14.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "S40".</i>	<i>Year round.</i>
369 G5413.5	Port Mann Training Dyke Lower	On channel end of dyke. 49 12 53.8 122 53 06.1	Fl G 4s	6.9	4	White square skeleton tower with green band at top on single-pile dolphin.	Year round.
370 G5413.51	Port Mann Training Dyke Upper	On channel end of dyke. 49 13 01.2 122 52 45.5	Q G 1s	6.9	4	White square skeleton tower with green band at top on single-pile dolphin.	Year round.
371 G5413.52	Sapperton Bar Dyke	At W. end of S. wing of dyke. 49 13 10.2 122 50 53.9	Fl G 4s	2.7	4	Mast on a 3 pile dolphin.	Year round.