

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>HOWE SOUND</b>							
417 G5419.4	Cape Roger Curtis	On cape, near entrance to Collingwood Channel. 49 20 24.0 123 25 58.3	Fl(3) W 12s	9.6	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
418 G5419	Point Cowan	On the point, Vancouver Harbour. 49 20 08.2 123 21 39.0	Q W 1s	20.4	7	White cylindrical tower.	Year round. Radar reflector.
419 G5422.5	Snug Cove	On point at entrance. 49 22 48.1 123 19 19.3	Fl G 4s	6.1	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
419.5 G5422.6	Snug Cove North	Vancouver Harbour. 49 22 52.6 123 19 34.2	Fl R 4s	6.1	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
420 G5423	Finisterre Island	On N. extremity of island. 49 25 05.2 123 18 31.0	Q W 1s	10.1	4	White cylindrical tower.	Year round. Radar reflector.
420.4 G5423.1	Hope Point	S. end Gambler Island. 49 25 50.6 123 22 05.3	Fl(3) W 12s	7.0	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
421 G5421.3	Fishermans Cove	Vancouver Harbour. 49 21 16.0 123 16 35.6	Fl R 4s	5.8	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
421.2 G5421.35	Grebe Islets	Vancouver Harbour. 49 20 27.9 123 16 33.8	Fl(3) R 12s	7.2	4	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
421.4 G5421.4	Bird Islet	Vancouver Harbour. 49 21 45.9 123 17 30.9	Fl R 4s	4.5	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
422 G5421.5	Lookout Point	On point, Vancouver Harbour. 49 22 36.2 123 17 25.9	Q R 1s	7.0	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
423 G5422	Tyee Point	On W. side of entrance to Horseshoe Bay, Vancouver Harbour. 49 22 49.8 123 16 23.8	Q W 1s	5.2	6	White cylindrical tower.	Year round. Radar reflector.

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>HOWE SOUND</b>							
424 G5423.4	Pam Rock	On rock. 49 29 16.3 123 17 58.1	Fl W 4s	12.7	5	White cylindrical tower.	Year round. Radar reflector.
425 G5423.5	Brunswick Point	On point, E. side of Montagu Channel. 49 31 33.7 123 15 40.4	Fl R 4s	10.1	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
425.5 G5423.7	Squamish Approach	Entrance to channel. 49 40 47.4 123 09 55.6	Fl R 4s	6.0	3	On 3-pile dolphin, red and white triangular daymark.	Year round.
426 G5423.8	<b>Squamish front range light</b>	On E. bank of Squamish River. 49 41 29.9 123 09 11.6	F Y .....	8.8	15	Mast, red daymark with white vertical stripe.	Year round. Operates 24 h.
427 G5423.81	<b>Squamish rear range light</b>	49 41 30.6 123 09 10.7  034°00' 29.4 m from front.	F Y .....	11.7	15	Mast, red daymark with white vertical stripe.	Year round. Operates 24 h.
427.1 G5423.75	Squamish Terminal front range light	49 41 12.1 123 10 22.6	F Y .....	4.9	10	Square skeleton tower, white daymark with red vertical stripe.	Year round. Operates 24 h.
427.2 G5423.76	Squamish Terminal rear range light	49 41 15.8 123 10 20.6  019°30' 122.2 m from front.	F Y .....	9.8	10	3-pile dolphin, white daymark with red vertical stripe.	Year round. Operates 24 h.
427.4 G5423.83	Squamish Terminal No. 1	49 40 59.9 123 10 34.0	Fl G 4s	4.2	4	Mast on a single pile dolphin.	Year round.
427.5	Squamish Terminal No. 2	49 40 55.9 123 10 22.3	Fl W 4s	4.3	5	Mast on a single pile dolphin.	Year round.
428 G5423.6	Ekins Point	On point. 49 32 06.5 123 22 49.4	Fl(3) W 12s	6.4	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
429 G5423.3	Grace Islands	On SW. extremity. 49 25 49.9 123 26 52.9	Fl W 4s	6.1	5	White cylindrical tower.	Year round.
430 G5420.4	Gibsons Landing Rock	On rock. 49 23 56.0 123 29 54.8	Fl G 4s	7.0	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
431 G5420.5	Gibsons Landing	Atop of the gazebo on the outer end of the breakwater. 49 23 59.1 123 30 14.9	Fl R 4s	4.9	6	On building.	Year round.
431.5 G5420.6	Gibsons Landing Breakwater South	49 23 57.7 123 30 17.8	Fl G 4s	6.0	3	White mast, green, white and black square daymark.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

**HOWE SOUND**

432 G5420	Popham Island	On NW. extremity of island. 49 21 46.1 123 29 30.6	Fl R 4s	11.2	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
--------------	---------------	---	---------	------	---	--	---------------------------------