

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>VANCOUVER ISLAND</b>							
433 G5485	Thrasher Rock  <b>Racon X (- . . -) X &amp; S Bands</b>	NE. extremity of Gabriola Reefs. 49 09 00.0 123 38 30.0	Fl(3) W 12s	11.0	7	White cylindrical tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
433.1	<i>Gabriola Reefs light buoy UM</i>	<i>SW. of Thrasher Rock. 49 07 39.8 123 39 20.8</i>	<i>Fl(2+1) G 6s</i>	<i>.....</i>	<i>.....</i>	<i>Green-red-green, pillar, marked "UM".</i>	<i>Year round.</i>
433.2 G5486.4	Breakwater Island	On W. side of island. 49 07 50.1 123 41 00.9	Fl R 4s	6.1	4	Mast.	Year round.
433.3 G5486.5	Rogers Reef	E. entrance, Gabriola Passage. 49 07 52.1 123 41 26.6	Q W 1s	6.9	5	White square tower.	Year round. Radar reflector.
433.5 G5486.44	Gabriola Passage East	Off NE. Side of Valdes Island. 49 07 29.4 123 41 17.3	Fl G 4s	5.2	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
433.8 G5486.8	Dibuxante Point	W. entrance to Gabriola Pass. 49 07 36.9 123 43 00.8	Q R 1s	6.4	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
434 G5486	Tugboat Island	On drying rock SE. of island. 49 08 52.8 123 41 06.9	Fl W 4s	6.1	5	White cylindrical tower.	Year round. Radar reflector.
434.3 G5486.2	Silva Bay	NW. of Tugboat Island. 49 09 12.6 123 41 30.2	Fl G 4s	4.6	4	Mast, green, white and black square daymark.	Year round.
<b>Nanaimo Harbour</b>							
435 G5488.0	<b>Entrance Island</b>	On island, northern approach to Nanaimo. 49 12 33.1 123 48 29.4	Fl W 5s	18.6	<b>15</b>	White cylindrical tower with red top. 14.4	Year round. Flash 0.15 s; eclipse 4.85 s.
435.2	<i>Forwood Channel light buoy P0</i>	<i>SW. of Entrance Island. 49 12 21.9 123 48 52.1</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "P0".</i>	<i>Year round.</i>
436 G5489	Snake Island	N. end of island. 49 13 02.6 123 53 25.9	Fl W 4s	9.7	7	White cylindrical tower with green band at top.	Year round. Radar reflector.
437	<i>Snake Island Reef light and bell buoy P2</i>	<i>W. entrance to Fairway Channel, Northumberland Channel. 49 12 29.4 123 53 07.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "P2".</i>	<i>Year round.  Audible signal: Bell</i>

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
<b>VANCOUVER ISLAND</b>							
438 G5490	Descanso Bay	On point W. side of bay. 49 10 34.6 123 52 11.3	Fl W 4s	5.4	6	White cylindrical tower.	Year round. Radar reflector.
438.5 G5491	Jack Point	49 10 02.4 123 53 36.7	Fl G 4s	4.6	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
439 G5492	Gallows Point	On the point. 49 10 12.2 123 55 04.6	Iso W 2s	7.3	12	White square tower.	Year round. Operates 24 h. Radar reflector.
440 G5493	Nanaimo Harbour Entrance	S. side of entrance. 49 09 56.8 123 54 59.3	Q G 1s	7.8	4	White cylindrical tower with green band at top on 3-pile dolphin.	Year round. Radar reflector.
441.6 G5494.5	Nanaimo Harbour Sector Light	49 10 00.3 123 55 51.5	Q R W G	1s	.....	On corner of ferry terminal.	Private aid. Year round. R 250°-257°; W 257°-270°30'; G 270°30'-278°.
442 G5493.5	<b>Colliery front range light</b>	49 09 56.2 123 55 47.8	Iso G 1.5s	14.5	<b>16</b>	Mast, red daymark with white vertical stripe.	Year round. Operates 24 h.
443 G5493.51	<b>Colliery rear range light</b>	49 09 55.3 123 55 52.9  254°45' 106.8 m from front.	Iso G 2s	23.4	<b>17</b>	Mast, red daymark with white vertical stripe.	Year round. Operates 24 h.
444	<i>Millstone light buoy P9</i>	<i>N. of Carpenter Rock, Nanaimo Harbour.</i> 49 10 23.9 123 56 06.9	Q G 1s	.....	.....	<i>Green, pillar, marked "P9".</i>	<i>Year round.</i>
444.5	<i>Millstone Creek light buoy P11</i>	<i>S. entrance to Newcastle Island Passage, Nanaimo Harbour.</i> 49 10 32.1 123 56 14.4	Fl G 4s	.....	.....	<i>Green, pillar, marked "P11".</i>	<i>Year round.</i>
445	<i>Bate Point light buoy P12</i>	<i>S. entrance to New Castle Island Passage.</i> 49 10 32.3 123 56 07.0	Fl R 4s	.....	.....	<i>Red, pillar, marked "P12".</i>	<i>Year round.</i>
445.5	<i>Departure Bay West Cardinal light buoy PW</i>	<i>NW. of Shaft Point.</i> 49 11 48.4 123 56 55.8	Q(9) W 15s	.....	.....	<i>Yellow-black-yellow, pillar, marked "PW".</i>	<i>Year round.</i>
446 G5496	Jesse Island	On eastern extremity of island. 49 12 28.4 123 56 35.2	Q R 1s	7.3	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
446.5	<i>Horswell Rock East Cardinal light buoy PL</i>	<i>W. of Horswell Bluff, Rainbow Channel.</i> 49 12 43.3 123 55 57.3	Q(3) W 10s	.....	.....	<i>Black-yellow-black, pillar, marked "PL".</i>	<i>Year round.</i>

## List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

## VANCOUVER ISLAND

447 G5498	Hudson Rocks	On summit of SW. islet. 49 13 25.5 123 55 40.6	Fl W 4s	9.2	8	White cylindrical tower with red band at top.	Year round. Radar reflector.
447.2 G5499	Clarke Rock	On E. side of rock. 49 13 31.4 123 56 29.1	Fl G 4s	4.9	4	White cylindrical tower with green band at top.	Year round. Radar reflector.