

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHERN STRAIT OF GEORGIA							
447.5	Halibut Bank ODAS light buoy 46146	Halibut Bank. 49 20 23.4 123 43 40.7	Fl(5) Y 20s	Yellow, ODAS, marked "46146".	Year round.
448 G5502	White Islets	E. of Sechelt. 49 25 06.0 123 42 38.0	Fl W 4s	10.7	6	White cylindrical tower.	Year round. Radar reflector.
448.5 G5502.4	Selma Park Breakwater	On outer end of breakwater. 49 27 57.7 123 44 39.5	Fl R 4s	8.2	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
448.8 G5511	Reception Point	Welcome Passage. 49 28 15.2 123 53 16.5	Fl(3) W 12s	7.0	7	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
449 G5510	Merry Island	SE. entrance to Welcome Passage, SE. end of island. 49 28 02.9 123 54 43.9	Fl W 15s	17.6	17	White square tower with red top.	Year round. Operates 24 h. Flash 0.4 s; eclipse 14.6 s.
450 G5512	Wilbraham Point	SW. side of Grant Island. 49 30 40.9 123 58 13.2	Fl R 4s	11.1	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
450.5 G5513.5	Secret Cove Entrance	49 31 41.3 123 58 01.3	Q R 1s	5.5	4	Pipe tower, red and white triangular daymark.	Year round.
451	Tattenham Ledge light buoy Q51	N. entrance to Welcome Passage, N. of South Thormanby Island. 49 31 07.4 123 59 06.4	Fl G 4s	Green, pillar, marked "Q51".	Year round.
Malaspina Strait							
452 G5513	Epsom Point	On extremity of point. 49 30 13.5 124 01 08.6	Fl W 4s	6.5	7	Mast on a 3-pile dolphin.	Year round.
453 G5514	Francis Point	49 36 12.4 124 03 32.9	Fl(3) W 12s	10.4	6	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
454 G5516	Pender Harbour	On reef, NW. of Williams Island. 49 37 47.0 124 03 39.3	Q R 1s	7.4	4	White square tower with red band at top.	Year round. Radar reflector.
455 G5519	Cape Cockburn	On cape, W. side of Nelson Island. 49 40 15.4 124 12 05.3	Fl(3) W 12s	15.2	7	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHERN STRAIT OF GEORGIA							
456 G5517	Nelson Rock	On rock. 49 38 37.5 124 07 09.5	FI W 4s	6.6	6	White cylindrical tower.	Year round. Radar reflector.
456.6 G5522	Saltery Bay	49 46 50.8 124 10 34.6	F G	On outer dolphin, ferry terminal.	Private aid. Year round. Fog Horn Blast 3 s; sil. 17 s. Operated by Ferry personnel when required for ferry movements only.
457 G5522.5	Ahlstrom Point	On N. shore of Jervis Inlet. 49 46 47.4 124 08 37.7	FI G 4s	6.4	5	White cylindrical tower with green band at top.	Year round. Radar reflector.
458 G5523	Captain Island	On the NW. shore of island. 49 47 21.0 123 59 43.8	FI W 4s	8.2	5	White cylindrical tower.	Year round. Radar reflector.
459 G5523.8	Malibu Rapids	Entrance to rapids. 50 09 43.4 123 51 14.8	Q G 1s	5.5	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
460 G5523.5	Agnew Passage	On NE. shore of small islet. 49 46 27.5 123 59 21.6	Q G 1s	7.6	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
460.3 G5523.6	Earls Cove	49 45 11.0 124 00 31.8	F G	On gantry, ferry terminal.	Private aid. Year round. Fog Horn Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only.
461 G5524	Skookumchuck Narrows	On drying rock. 49 45 35.3 123 56 02.6	FI G 4s	6.1	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
462 G5524.3	Sechelt Islets	On S. end of centre island. 49 44 23.2 123 53 54.9	Q G 1s	7.0	3	White cylindrical tower with green band at top.	Year round. Radar reflector.
463 G5524.6	Skookum Island	NW. end of island. 49 43 31.0 123 52 46.8	FI W 4s	7.0	6	White cylindrical tower.	Year round. Radar reflector.
464 G5525	Kunechin Islets	S. tip of largest island. 49 37 12.3 123 48 15.6	FI(2) W 6s	6.1	5	Mast.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s.
465 G5526	Upwood Point	Texada Island, SW. of point, entrance to Sabine Channel. 49 29 19.4 124 08 28.9	FI(3) W 12s	11.0	7	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

NORTHERN STRAIT OF GEORGIA

465.5 G5526.4	Texada Island	Partington Point. 49 31 42.1 124 13 35.9	Fl R 4s	9.5	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
466 G5527	Fegen Islets	W. entrance to Sabine Channel. 49 31 56.2 124 23 00.6	Fl W 4s	7.9	5	White cylindrical tower.	Year round. Radar reflector.
467 G5521	Northeast Point	On E. end of point, Texada Island. 49 42 31.4 124 21 27.0	Fl W 4s	9.4	8	White cylindrical tower with green band at top.	Year round.
468.5 G5551	Grief Point East	End of S. breakwater, Garden Beach. 49 48 00.5 124 31 09.5	Fl R 4s	4.3	4	White mast.	Year round.
469 G5550	Grief Point	On W. extremity of point. 49 48 15.6 124 31 34.2	Fl(2) R 6s	9.5	8	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s.
470 G5552	Cyril Rock	On the rock, off Grisle Point. 49 48 20.9 124 36 25.4	Q G 1s	7.3	4	White cylindrical tower with green band at top.	Year round.
471 G5554	Rebecca Rock	Algerine Passage. 49 48 49.3 124 39 35.7	Iso W 2s	7.8	10	White square tower. 6.6	Year round. Radar reflector.
472 G5551.3	Westview Harbour South	On breakwater. 49 49 54.9 124 31 47.1	Fl G 4s	3.3	4	Mast.	Private aid. Year round.
476 G5551.4	Westview Harbour North	On breakwater. 49 50 21.3 124 31 55.9	Fl W 4s	6.1	5	Mast.	Private aid. Year round.

Powell River

476.2 G5564.2	Powell River Floating Breakwater Entrance North	N. side of entrance. 49 51 42.0 124 33 12.6	Fl G 4s	Private aid. Year round.
476.35 G5564.4	Powell River Floating Breakwater	On floating breakwater. 49 51 59.3 124 33 34.2	Fl W 4s	Private aid. Year round.
476.4	Cassia Island	Powell Lake. 49 58 41.4 124 31 47.1	Fl W 4s	4.9	5	Mast.	Year round.
476.5	Chippewa Peninsula	Powell Lake. 50 00 23.4 124 31 17.1	Q G 1s	4.6	3	White mast, green, white and black square daymark.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHERN STRAIT OF GEORGIA							
476.6	Goat Island West	Powell Lake. 50 02 01.4 124 31 18.0	Fl W 4s	6.4	5	Mast, red and white triangular daymark.	Year round.
476.7	Olsen Creek	Powell Lake. 50 05 59.4 124 28 20.1	Fl W 4s	4.3	5	White mast.	Year round.
476.8	Bear Tooth Creek	Powell Lake. 50 05 17.4 124 22 37.1	Fl W 4s	4.3	5	Mast.	Year round.
476.9	Powell Lake North	Powell Lake. 50 11 38.4 124 23 05.1	Fl W 4s	4.3	5	White mast.	Year round.
477	Grant Reefs light buoy QM	S. extremity of reefs, Shearwater Passage. 49 52 04.4 124 46 03.2	Fl(2+1) G 6s	Green-red-green, pillar, marked "QM".	Year round.
477.5	Atrevida Reef light buoy Q26	NW. of Scuttle Bay, Shearwater Passage. 49 55 00.1 124 40 06.5	Fl R 4s	Red, pillar, marked "Q26".	Year round.
478	Mystery Reef light and bell buoy Q25	SE. of Savary Island, Shearwater Passage. 49 54 45.4 124 42 48.2	Fl G 4s	Green, pillar, marked "Q25".	Year round. Audible signal: Bell
478.2 G5567.4	Lund Breakwater South	49 58 47.8 124 45 50.9	Fl Y 4s	2.1	2	Mast.	Year round.
478.3 G5567.5	Lund Breakwater Centre	49 58 49.4 124 45 51.9	Fl Y 4s	2.1	2	Mast.	Year round.
478.4	Lund Breakwater North	49 58 52.3 124 45 52.0	Q R 1s	2.0	3	Mast, red and white triangular daymark.	Year round.
478.5 G5567	Savary Island Wharf	On wharf, N. side of island. 49 56 45.5 124 46 46.9	Fl W 4s	6.0	5	On shed roof.	Year round.
479 G5568	Lund	On E. end of S. Copeland Island. 49 59 44.8 124 47 41.2	Fl W 4s	6.4	6	White cylindrical tower.	Year round. Radar reflector.
479.2 G5568.4	Major Islet	S. end of islet. 49 59 19.3 124 48 59.0	Fl(3) W 12s	31.1	6	White cylindrical tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
479.5 G5568.6	Thulin Passage	N. end of passage. 50 01 49.1 124 49 38.4	Fl G 4s	8.5	4	White cylindrical tower with green band at top.	Year round. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
NORTHERN STRAIT OF GEORGIA								
479.7 G5568.5	Okeover Inlet	On W. breakwater. 49 59 31.2 124 42 39.9	Fl R 4s	3	Mast, red and white triangular daymark.	Year round.	
479.8 G5573	Refuge Cove	SW. tip of West Redonda Island. 50 06 56.9 124 50 58.8	Fl R 4s	6.4	4	White cylindrical tower with red band at top.	Year round. Radar reflector.	
480 G5573.8	Junction Point	E. side of Cortes Island. 50 08 22.9 124 53 41.0	Fl G 4s	8.8	5	White cylindrical tower with green band at top.	Year round. Radar reflector.	
481 G5571	Cortes Bay	50 03 46.5 124 55 30.1	Q R 1s	6.6	3	White cylindrical tower with red band at top.	Year round. Radar reflector.	
481.5 G5569	Spilsbury Point	On N. tip of Hernando Island. 50 00 13.6 124 56 40.5	Q W 1s	6.4	5	White square tower on 3- pile dolphin.	Year round. Radar reflector.	
482	<i>Sutil Point light and bell buoy Q20</i>	<i>SW. of point, N. end of strait. 50 00 08.4 125 00 34.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "Q20".</i>	<i>Year round. Audible signal: Bell</i>	
483 G5570	Uganda Passage	On channel rock between Shark Spit and Cortes Island. 50 05 37.3 125 02 16.2	Q R 1s	7.0	2	White square tower with red band at top.	Year round.	
483.2	Whaletown Bay	Harbour entrance, N. side of rock. 50 06 30.2 125 03 10.2	Q G 1s	6.9	2	White square skeleton tower with green band at top. 8.5	Year round.	
483.3 G5572	Whaletown Bay Entrance	Cortes Island. 50 06 24.3 125 03 31.2	Fl G 4s	7.0	4	White square tower with green band at top.	Year round.	
484 G5574.6	Whiterock Passage	SW. end of passage. 50 14 34.0 125 06 42.8	Q W 1s	5.1	4	White cylindrical tower.	Year round. Radar reflector.	
484.1 G5574.64	Whiterock Passage front range 1 light	W. side of Read Island. 50 14 45.7 125 06 13.8	F Y	2.8	10	Mast, white daymark with red vertical stripe.	Year round.
484.2 G5574.65	Whiterock Passage rear range 1 light	50 14 46.1 125 06 12.5 064°41' 26.8 m from front.	F Y	5.1	10	Mast, white daymark with red vertical stripe.	Year round.
484.3 G5574.7	Whiterock Passage front range 2 light	W. side of Read Island. 50 14 37.9 125 06 27.5	F Y	3.9	10	Mast, white daymark with red vertical stripe.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHERN STRAIT OF GEORGIA							
484.4 G5574.71	Whiterock Passage rear range 2 light	50 14 37.3 125 06 28.2 211°29' 23.8 m from front.	F Y	6.2	10	Mast, white daymark with red vertical stripe.	Year round.
485 G5579	Drew Harbour	Near extremity of Rebecca Spit, at entrance to harbour. 50 06 27.9 125 11 43.9	FI G 4s	5.5	5	White cylindrical tower with green band at top.	Year round. Radar reflector.
486 G5504	Maude Island (Nanoose Harbour)	Near E. end of island, N. side of entrance to harbour. 49 16 12.6 124 04 40.8	FI W 4s	9.8	6	White cylindrical tower with red band at top.	Year round. Radar reflector.
487 G5506	Nanoose Harbour	On point SW. of Richard Point. 49 15 55.4 124 07 29.5	FI R 4s	7.9	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
488	<i>Imperieuse Rock light buoy P21</i>	<i>NE. of Fleet Point, Nanoose Harbour. 49 15 43.1 124 07 28.1</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "P21".</i>	<i>Year round.</i>
488.3 G5507.4	Schooner Cove Breakwater	Extremity of breakwater. 49 17 16.2 124 07 58.9	FI G 4s	3.2	4	Mast, green, white and black square daymark.	Year round.
488.5 G5507	Schooner Reefs	W. side of Georgia Strait. 49 17 36.5 124 07 47.0	FI R 4s	6.8	4	White cylindrical tower with red band at top.	Year round.
490 G5508	Ballenas Islands	On N. point of North Ballenas Island. 49 21 02.0 124 09 36.8	FI W 10s	21.3	17	White octagonal tower with red top.	Year round. Flash 0.2 s; eclipse 9.8 s. Visible 040°-307°.
490.3 G5508.5	Sangster Island	SE. tip of island. 49 25 25.3 124 11 34.9	Q R 1s	17.1	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
491 G5509	French Creek	SE. side of entrance on steel pilings. 49 21 05.9 124 21 16.9	FI G 4s	1.4	3	Mast, green, white and black square daymark.	Year round. Flash 0.1 s; eclipse 3.9 s.
491.1	French Creek Harbour Entrance	N. side of entrance. 49 21 07.0 124 21 17.8	FI R 4s	2.2	3	Pile, red and white triangular daymark.	Year round. Operates 24 h. Flash 0.1 s; eclipse 3.9 s.
492 G5528	False Bay	On Prowse Point, S. side of entrance to bay. 49 29 14.2 124 21 43.8	FI W 4s	5.5	5	White cylindrical tower.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHERN STRAIT OF GEORGIA							
493 G5529	Sisters Islets	On easterly and largest rock. 49 29 12.3 124 26 05.2	Fl(2) W 15s	24.3	16	White cylindrical tower with red top.	Year round. Flash 0.2 s; eclipse 4.8 s; flash 0.2 s; eclipse 9.8 s.
494 G5530	Flora Islet	N. side of islet, off St. John Point, Hornby Island. 49 31 03.4 124 34 36.4	Fl W 4s	15.1	5	Square skeleton tower.	Year round.
494.5 G5530.5	Ford Cove Floating Breakwater North	On N. end of breakwater. 49 29 53.9 124 40 42.5	Fl R 4s	3	Mast, red, white and red triangular daymark.	Year round.
Baynes Sound							
495 G5532	Chrome (Yellow) Island front range light	49 28 19.9 124 41 06.7	F Y	14.0	12	Cylindrical tower, red daymark with white vertical stripe.	Year round. Operates 24 h.
496 G5532.1	Chrome (Yellow) Island rear range light	49 28 19.6 124 41 02.3 097°45' 93.3 m from front.	Fl W 5s Y	21.9	14	White cylindrical tower.	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Yellow light visible in line of range.
496.1 G5537	Denman Island Ferry Landing	49 32 05.9 124 49 26.7	F Y	On dolphin.	Private aid. Year round.
496.2 G5535	Buckley Bay Ferry Landing	49 31 35.4 124 50 50.9	F Y	On dolphin.	Private aid. Year round.
496.3 G5540	Denman Island East Ferry Landing	49 29 40.3 124 42 30.1	F Y	On dolphin.	Private aid. Year round.
496.4 G5531	Hornby Island Ferry Landing	49 30 40.0 124 42 17.9	F Y	On dolphin.	Private aid. Year round.
497 G5534	Deep Bay	On SW. end of Mapleguard Point. 49 27 57.6 124 44 07.2	Fl W 4s	9.1	7	White cylindrical tower with green band at top.	Year round. Radar reflector.
497.5	Maple Spit light buoy P39	NE. of Mapleguard Point. 49 28 29.0 124 43 29.2	Fl G 4s	Green, pillar, marked "P39".	Year round.
498	Repulse Point light buoy P42	SW. of point. 49 28 46.3 124 44 55.4	Fl R 4s	Red, pillar, marked "P42".	Year round.
498.5 G5541	Fanny Bay Breakwater	End of floating breakwater. 49 30 30.7 124 49 36.5	Fl R 4s	3.2	4	Mast.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
NORTHERN STRAIT OF GEORGIA							
499 G5538	Denman Island	On reef on W. side of island, southward of Denman Point. 49 32 17.2 124 49 48.9	Fl W 4s	6.1	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
500	Comox Bar light and bell buoy P54	Close to easterly edge of bar. 49 39 29.6 124 51 41.0	Fl R 4s	Red, pillar, marked "P54".	Year round. Audible signal: Bell
501 G5542	Comox Bar front range light	On the W. shore of Baynes Sound. 49 37 23.1 124 54 31.9	Iso Y 1.5s	7.9	17	Square skeleton tower, white daymark with red vertical stripe.	Year round. Operates 24 h.
502 G5542.1	Comox Bar rear range light	49 37 16.3 124 54 04.4 222°05' 284.8 m from front.	Iso Y 2s	19.7	17	Square skeleton tower, white daymark with red vertical stripe.	Year round. Operates 24 h.
503 G5544	Goose Spit	On W. extremity of Goose Spit. 49 39 37.1 124 55 30.3	Q R 1s	5.5	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
504 G5545	Comox Harbour Breakwater	49 40 09.7 124 55 49.7	Fl R 4s	3.6	4	Pipe tower.	Year round.
504.1 G5545.3	Comox Harbour East Breakwater	On outer end of new breakwater. 49 40 04.1 124 55 29.9	Fl G 4s	3.3	4	Mast.	Year round.
504.3 G5546.5	Courtenay River Beacon # 1	On port side of channel. 49 39 42.9 124 56 26.2	Fl W 4s	4.6	5	Centre pile of 7-pile dolphin, green, white and black square daymark.	Year round.
507.5	<i>Cape Lazo - East Cardinal light buoy PB</i>	<i>NE. of cape. 49 42 41.8 124 50 29.1</i>	<i>Q(3) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Black-yellow-black, pillar, marked "PB".</i>	<i>Year round.</i>
508 G5549	Comox Aeronautical Beacon	49 42 45.0 124 53 38.0	Fl W 10s	Year round.
509 G5566	Kuhushan Point	On the point. 49 53 19.3 125 07 23.2	Fl(2) W 6s	17.7	12	White square tower.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s.
509.5	<i>Sentry Shoals ODAS light buoy 46131</i>	<i>W. of Savary Island. 49 54 24.0 124 59 06.0</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, ODAS, marked "46131".</i>	<i>Year round.</i>
510	<i>Wilby Shoals light buoy P60</i>	<i>SE. of Cape Mudge. 49 58 57.3 125 09 10.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "P60".</i>	<i>Year round.</i>