

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
66 G5172	Cape Scott	On NW. tip of Vancouver Island. 50 46 56.3 128 25 39.0	Fl W 10s	69.9	19	Square skeleton tower with red top. 9.0	Year round. Operates 24 h. Flash 0.2 s; eclipse 9.8 s. Visible 344°-246°.
67 G5174	Sea Otter Cove	E. side of cove. 50 40 15.2 128 21 07.8	Fl R 4s	6.5	5	White square tower with red band at top.	Year round.
67.4	<i>East Dellwood ODAS light buoy 46207</i>	<i>Off Cape Scott. 50 52 29.3 129 55 00.0</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, ODAS, marked "46207".</i>	<i>Year round.</i>
67.8 G5190.4	Greenwood Point	Winter Harbour. 50 30 35.1 128 01 34.4	Q G 1s	6.5	5	White cylindrical tower with green band at top.	Year round.
68 G5178	Quatsino	On SE. end of Kains Island. 50 26 28.3 128 01 56.8	Fl W 5s	28.4	18	White cylindrical tower.	Year round. Operates 24 h. Flash 0.1 s; eclipse 4.9 s. Visible 224°-104°.
68.2	<i>Billard Rock light and whistle buoy M3</i> Racon G (- - .) X & S Bands	<i>S. of Gillam Islands. 50 25 47.2 127 57 47.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "M3".</i>	<i>Year round.</i> Audible signal: Whistle
68.3 G5179	Cliffe Point	Extremity of point, Quatsino Sound. 50 27 51.7 127 56 12.6	Fl R 4s	10.9	7	White square tower with red band at top.	Year round.
68.5 G5180	Bedwell Islands	S. end of islet, Quatsino Sound. 50 28 33.1 127 53 44.8	Fl G 4s	8.5	5	White square tower with green band at top.	Year round.
68.6 G5180.4	Koskimo Islands	Quatsino Sound. 50 28 37.9 127 51 17.5	Q R 1s	7.0	5	White square tower with red band at top.	Year round.
68.8 G5181	Brockton Island	NW. end of island. 50 29 21.0 127 46 17.4	Fl R 4s	6.8	5	White square tower with red band at top.	Year round.
69 G5182	Ildstad Islands	On SE. extremity of E. island. 50 30 55.8 127 41 51.5	Fl G 4s	7.4	6	White square tower with green band at top.	Year round.
70 G5184	Leeson Point	Near S. extremity of reef off point. 50 32 07.2 127 37 35.2	Q G 1s	7.4	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
70.5 G5185	Quatsino Narrows	Quatsino Sound. 50 32 07.3 127 35 07.7	Fl G 4s	4.3	4	Mast, green, white and black square daymark.	Year round.
71 G5186	Ohlsen Point	On the point. 50 32 03.5 127 34 11.1	Q G 1s	4.6	3	White cylindrical tower with green band at top.	Year round. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
72 G5188	Makwazniht Island	On the island, Quatsino Narrows. 50 33 22.1 127 33 19.0	Q R 1s	5.1	5	White square tower with red band at top.	Year round.
73 G5189	Stragglings Islands	W. end of largest island. 50 35 40.3 127 42 08.3	Fl R 4s	7.4	5	White square tower with red band at top.	Year round.
73.4 G5189.4	McNiffe Rock	Neroutsos Inlet. 50 31 17.2 127 36 44.8	Fl W 4s	6.8	6	White square tower.	Year round. Radar reflector.
73.5	<i>Buchholz Rock light buoy M14</i>	50 29 17.9 127 34 25.1	<i>Fl R 4s</i>	<i>Red, pillar, marked "M14".</i>	<i>Year round.</i>
74 G5190	Frigon Islets	On SW. point of the most westerly islet. 50 25 03.9 127 29 38.7	Fl G 4s	4.5	5	Square base, green, white and black square daymark.	Year round.
74.5 G5190.2	Mist Rock	N. of Frigon Islets, Neroutsos Inlet. 50 25 46.9 127 30 03.7	Fl(2+1) G 6s	6.9	5	White square tower with red bands at top and bottom and red diamond with green square in the center.	Year round. Radar reflector.
75 G5191	Rugged Islands	N. point of N. island. 50 19 09.7 127 55 03.5	Fl W 4s	8.7	5	Square skeleton tower.	Year round.
76 G5192	Donald Islets	N. side of large islet. 50 13 50.8 127 48 29.7	Fl(2) W 6s	27.4	5	Mast.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s.
77 G5194	Solander Island	50 06 39.8 127 56 22.7	Fl W 10s	94.2	11	White cylindrical tower.	Year round. Flash 1 s; eclipse 9 s.
78 G5198	Lookout Island	E. side of island. 49 59 52.0 127 26 57.4	Fl G 4s	15.5	8	White cylindrical tower with green band at top.	Year round.
81 G5200	Gayward Rock	W. entrance to Nicolaye Channel. 50 01 15.3 127 23 27.5	Q W 1s	8.5	7	White square tower.	Year round. Radar reflector.
81.5 G5201	Rolston Island	Nicolaye Channel, Kyuquot Sound. 50 01 16.5 127 21 57.9	Fl R 4s	6.3	4	White square tower with red band at top.	Year round.
82 G5202	Amos Island	Nicolaye Channel, Kyuquot Sound. 50 00 45.8 127 21 10.4	Fl W 4s	7.5	4	White square tower.	Year round.
83 G5202.6	Rugged Point	49 58 13.7 127 15 07.6	Fl W 4s	15.4	7	White mast.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
84	Kyuquot Channel light and whistle buoy M38	Entrance to channel, Kyuquot Sound. 49 56 07.3 127 17 39.5	Fl R 4s	Red, pillar, marked "M38".	Year round. Audible signal: Whistle
85 G5203	Karouk Island	At entrance to Fair Harbour, Tahsish Inlet. 50 04 36.9 127 09 40.2	Fl W 4s	7.5	6	White cylindrical tower.	Year round.
86 G5203.2	Fair Harbour Approach	50 04 28.4 127 09 23.1	Fl G 4s	7.9	4	White square tower with green band at top.	Year round. Radar reflector.
87 G5203.4	Fair Harbour	50 04 07.3 127 08 38.0	Fl W 4s	10.5	6	White cylindrical tower.	Year round.
87.5	South Brooks ODAS light buoy 46132	W. of Kyuquot Sound. 49 46 15.6 127 52 56.0	Fl(5) Y 20s	Yellow, ODAS, marked "46132".	Year round.
88.1	Esperanza Inlet light and whistle buoy M40 Racon K (-.-) X & S Bands	Entrance to Gillam Channel. 49 47 07.4 127 02 28.5	Fl R 4s	Red, pillar, marked "M40".	Year round. Audible signal: Whistle
89	Middle Reef light buoy M41	E. of reef, entrance to Gillam Channel. 49 47 45.0 127 02 55.8	Fl G 4s	Green, pillar, marked "M41".	Year round.
90 G5204	Nuchatlitz	On NW. extremity of unnamed island. 49 49 11.2 126 58 54.1	Fl W 4s	12.0	6	White cylindrical tower. 4.5	Year round. Radar reflector.
91	Double Island	On the island. 49 50 38.3 126 59 51.8	Fl W 10s	10.2	7	White cylindrical tower with green band at top. 3.8	Year round. Flash 1 s; eclipse 9 s.
92 G5206.4	Centre Island	NW. shore of island. 49 50 56.7 126 56 08.0	Fl R 4s	7.8	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
93 G5206.6	Ehatisaht	On point, E. of Ehatisaht. 49 52 51.1 126 49 31.5	Fl W 4s	10.6	6	White square tower.	Year round.
94 G5207	Steamer Point	On point. 49 53 11.4 126 47 52.7	Q W 1s	7.4	7	White square tower.	Year round.
95 G5207.6	Zeballos Inlet South	W. shore. 49 54 25.2 126 48 03.1	Fl G 4s	8.7	5	White square tower with green band at top.	Year round.
96 G5208	Zeballos Inlet	On small island. 49 56 46.8 126 48 59.8	Q G 1s	13.0	7	White square tower with green band at top.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
97 G5209	Zeballos Inlet North	On E. shore. 49 57 34.0 126 50 45.4	Q R 1s	7.4	5	White square tower with red band at top.	Year round.
97.8 G5209.5	McBride Bay	49 51 39.4 126 43 47.3	Q R 1s	6.8	6	White square tower with red band at top. 4.6	Year round. Radar reflector.
98 G5210	Tahsis Narrows North	N. side of narrows. 49 51 52.9 126 42 28.8	Q W 1s	6.8	5	White square tower.	Year round. Radar reflector.
98.3 G5210.4	Tahsis Narrows South	S. side of narrows. 49 51 36.0 126 41 30.4	Fl(2) W 6s	7.2	6	White square tower.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Radar reflector.
99 G5211	Tahsis Narrows	E. entrance to narrows, on Mozino Point. 49 51 33.6 126 40 26.2	Fl W 4s	7.4	6	White square tower.	Year round.
99.5 G5213	Santiago	49 47 15.7 126 39 15.6	Fl G 4s	4.6	5	White square skeleton tower with green band at top.	Year round.
100 G5214	Tsowwin Narrows	On edge of spit extending out from E. side of inlet. 49 46 35.0 126 38 36.5	Q R 1s	3.8	3	9-pile dolphin, red and white triangular daymark. 5.0	Year round.
100.2 G5214.2	Tsowwin Narrows West	Tahsis Inlet. 49 46 24.1 126 38 43.4	Q G 1s	7.0	3	White square tower with green band at top.	Year round.
100.8 G5214.6	Bodega	E. of Bodega Island. 49 44 13.1 126 37 25.9	Fl R 4s	4.0	4	White square tower with red band at top.	Year round.
101 G5215	Princesa Channel	On edge of reef at E. entrance to channel. 49 43 23.6 126 37 35.2	Fl G 4s	7.4	4	White square tower with green band at top.	Year round. Radar reflector.
102 G5215.4	Kendrick Inlet	On rock. 49 43 06.6 126 38 29.4	Fl W 4s	7.3	6	White square tower.	Year round. Radar reflector.
102.5 G5215.6	Jewitt Cove	49 41 56.4 126 36 05.1	Fl G 4s	4.4	5	White concrete base, green, white and black square daymark.	Year round.
103 G5216	Canal Island	On W. side of island. 49 41 17.1 126 35 09.0	Fl R 4s	6.9	4	White square tower with red band at top.	Year round.
103.5 G5216.4	Salter Point	49 40 57.3 126 35 13.9	Q G 1s	7.4	4	White square tower with green band at top.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
104 G5217	Boston Point	On point. 49 39 41.1 126 36 45.9	FI G 4s	9.4	5	White square tower with green band at top.	Year round.
104.8 G5217.4	Vernaci Island	49 38 12.3 126 35 34.2	FI(3) R 12s	6.9	5	White square tower with red band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
105 G5219	Nootka	On summit of San Rafael Island. 49 35 33.5 126 36 55.4	FI W 12s	30.9	19	Red square skeleton tower.	Year round. Operates 24 h. Flash 0.2 s; eclipse 11.8 s. Visible 192°-069°.
106	<i>Bajo Reef light and whistle buoy M56</i>	<i>S. of reef.</i> 49 33 48.0 126 50 00.0	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "M56".</i>	<i>Year round.</i> Audible signal: Whistle
107 G5219.4	Clerke Peninsula	On S. extremity of peninsula. 49 36 08.8 126 32 17.8	FI W 4s	17.3	6	White square tower.	Year round.
108 G5218.3	San Carlos Point	On point. 49 41 09.4 126 31 16.8	Q W 1s	7.0	7	White square tower.	Year round. Radar reflector.
108.5 G5219.6	Zuciarde Channel South	S. entrance to channel. 49 35 43.0 126 31 18.4	FI R 4s	9.0	5	White cylindrical tower with red band at top.	Year round. Radar reflector.
109 G5218.5	Hanna Channel	On point, NE. shore of Bligh Island. 49 40 34.5 126 29 45.1	FI G 4s	6.8	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
109.5 G5220	Zuciarde Channel	E. side of Bligh Island. 49 39 06.5 126 29 02.8	FI(3) G 12s	7.4	6	White square tower with green band at top.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
109.8 G5220.1	Anderson Point	49 38 46.0 126 28 17.5	FI(3) R 12s	7.4	5	White cylindrical tower with red band at top.	Year round. Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s. Radar reflector.
110 G5220.2	Atrevida Point	On the point. 49 39 10.7 126 26 27.4	Q G 1s	8.1	4	White square tower with green band at top.	Year round. Radar reflector.
110.3 G5220.4	Gore Island West	W. extremity of island. 49 38 56.5 126 26 00.5	Q R 1s	7.7	5	White cylindrical tower with red band at top.	Year round. Visible 007°-235°. Radar reflector.
110.5 G5220.6	Gore Island	N. side of island. 49 39 16.3 126 23 33.5	FI R 4s	7.0	4	White square tower with red band at top.	Year round. Radar reflector.
110.7 G5220.8	Williamson Passage	49 39 08.0 126 22 22.2	FI G 4s	4.5	4	White square tower with green band at top.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
111 G5221	Muchalat Inlet	On point, on N. shore of inlet. 49 38 40.8 126 20 53.3	Q G 1s	6.9	4	White square tower with green band at top.	Year round. Radar reflector.
111.8 G5221.1	Houston River	NE. of river entrance. 49 38 29.0 126 17 31.7	Fl R 4s	4.3	6	White square tower with red band at top.	Year round.
112 G5221.2	Muchalat Inlet East	On N. shore of inlet. 49 39 05.0 126 15 46.2	Fl G 4s	6.3	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
112.2 G5221.4	Muchalat Inlet South Shore	S. side of inlet. 49 39 13.8 126 12 51.9	Fl R 4s	7.5	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
112.4 G5221.6	Victor Island	N. side of island. 49 39 47.3 126 09 32.1	Fl R 4s	7.9	6	White square tower with red band at top.	Year round.
113 G5222	Gold River	W. side of river entrance. 49 40 30.0 126 07 39.2	Q G 1s	8.3	4	White cylindrical tower with green band at top.	Year round. Radar reflector.
114 G5224	Estevan Point	SW. extremity of point at Hole-in-the- Wall. 49 22 58.7 126 32 38.5	Fl(2) W 15s	37.5	17	White octagonal tower with red top.	Year round. Operates 24 h. Flash 0.2 s; eclipse 4.8 s; flash 0.2 s; eclipse 9.8 s.
115.1	Hesquiat Harbour	49 23 39.7 126 27 55.7	Fl W 4s	Mast.	Private aid. Year round.
117 G5226	Mate Island	E. end of island. 49 20 59.9 126 16 04.3	Q W 1s	9.6	6	White cylindrical tower with green band at top. 4.7	Year round. Radar reflector.
117.5 G5226.2	Sharp Point	E. side of entrance, Hot Springs Cove. 49 20 51.1 126 15 35.9	Fl W 10s	28.4	10	White cylindrical tower.	Year round. Flash 1 s; eclipse 9 s. Fog Horn Blast 3 s; sil. 27 s.
118 G5226.4	Starling Point	On point. 49 23 38.8 126 13 51.0	Q W 1s	6.0	4	White cylindrical tower.	Year round. Radar reflector.
118.3 G5226.6	Driver Point	Stewardson Inlet entrance. 49 26 43.1 126 16 04.2	Q W 1s	6.8	6	White cylindrical tower.	Year round. Radar reflector.
118.5 G5229.4	Clio Island	On W. end of island. 49 23 37.8 126 11 02.5	Fl W 4s	17.7	5	Mast, red and white triangular daymark.	Year round.
119 G5230	Hayden Passage	On rock in middle of passage. 49 23 43.8 126 06 23.3	Fl R 4s	5.5	5	White cylindrical tower with red band at top. 4.5	Year round. Radar reflector.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
119.4 G5231.4	McKay Island	W. side of island. 49 18 39.3 126 03 31.0	FI R 4s	9.5	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
120 G5232	Matilda Inlet	On outside edge of reef, W. side of creek entrance. 49 18 12.0 126 04 26.0	FI W 4s	5.3	5	White cylindrical tower with red band at top. 4.4	Year round. Radar reflector.
121 G5233	Marktosis	In shallow bay. 49 16 42.1 126 03 42.2	FI W 4s	4.6	5	White cylindrical tower. 4.4	Year round. Radar reflector.
122 G5231	Tibbs Islet	On islet, S. side of Russell Channel. 49 13 46.1 126 06 33.8	FI W 4s	11.1	7	Mast. 2.2	Year round.
123 G5234	Monks Islet	On islet, W. entrance to Calmus Passage. 49 13 55.6 126 00 59.1	FI(3) W 12s	14.4	7	Mast.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
123.3	<i>Coomes Bank light buoy Y11</i>	<i>Off S. end of bank, W. entrance to Calmus Passage. 49 13 17.4 126 00 08.4</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "Y11".</i>	<i>Year round.</i>
124 G5238	Morfee Island	On SE. end of island. 49 13 03.4 125 57 19.0	Q W 1s	8.1	6	White cylindrical tower with green band at top. 4.5	Year round. Radar reflector.
125 G5240	Maurus Channel	On rock, E. side of channel. 49 12 13.7 125 55 50.7	FI R 4s	5.9	4	White cylindrical tower with red band at top. 4.6	Year round. Radar reflector.
126	<i>Meares Spit light buoy Y8</i>	<i>W. entrance to Heynen Channel, Father Charles Chanel. 49 10 21.3 125 55 57.2</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "Y8".</i>	<i>Year round.</i>
127 G5240.4	Stockham Island	Off W. end of island. 49 10 17.1 125 54 27.1	FI R 4s	5.2	4	White cylindrical tower with red band at top.	Year round. Radar reflector.
128	<i>Stubbs Spit light buoy Y25</i>	<i>E. entrance to Heynen Channel, Van Nevel Channel. 49 10 06.3 125 54 31.2</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "Y25".</i>	<i>Year round.</i>
129 G5241	Deadman Islets	On the southerly islet. 49 09 43.8 125 54 30.5	FI R 4s	4.5	4	Mast.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

WEST COAST, VANCOUVER ISLAND

129.9 G5241.7	Tofino Breakwater	On outer end of breakwater. 49 09 16.6 125 54 04.4	Fl W 4s	5.7	5	Mast, red and white triangular daymark.	Year round.
132	<i>Felice Island light buoy Y3</i>	<i>S. of island, Templar Channel. 49 08 45.3 125 55 28.2</i>	Q G 1s	<i>Green, pillar, marked "Y3".</i>	<i>Year round.</i>
132.5	Wickaninnish Island	Clayoquot Sound South. 49 08 28.3 125 56 00.2	Fl W 4s	4	White mast, green, white and black square daymark.	Year round.
133	<i>Templar Channel light buoy Y2</i>	<i>NE. of Echachis Island. 49 08 00.0 125 55 36.2</i>	Fl R 4s	<i>Red, pillar, marked "Y2".</i>	<i>Year round.</i>
133.5	<i>Tonquin Island light buoy Y1</i>	<i>E. of Thorn Reef, Templar Channel. 49 07 36.3 125 55 24.2</i>	Fl G 4s	<i>Green, pillar, marked "Y1".</i>	<i>Year round.</i>
134 G5242	Lennard Island	On SW. point of island. 49 06 37.5 125 55 24.7	Fl W 10s	35.1	17	White cylindrical tower with red top.	Year round. Operates 24 h. Flash 0.2 s; eclipse 9.8 s.
134.5	<i>UVic Campbell ODAS light buoy</i>	<i>Wickaninnish Bay, NW. of Quistis Point. 49 00 10.8 125 42 11.9</i>	Fl(5) Y 20s	<i>Yellow, ODAS.</i>	<i>Private aid. Year round.</i>

Barkley Sound

135 G5246	Amphitrite Point	On extremity of point, entrance to Ucluelet Harbour. 48 55 16.1 125 32 28.2	Fl W 12s	15.2	15	White rectangular tower with red top.	Year round. Operates 24 h. Flash 0.2 s; eclipse 11.8 s. Fog Horn Blast 2 s; sil. 18 s.
136	<i>Carolina Channel light and whistle buoy Y42</i>	<i>Off Amphitrite Point. 48 54 39.1 125 32 46.9</i>	Fl R 4s	<i>Red, pillar, marked "Y42".</i>	<i>Year round.</i> Audible signal: Whistle
136.5	<i>Carolina Passage Inner light and bell buoy Y43</i>	<i>Carolina Channel, W. entrance to Ucluelet Inlet. 48 55 09.8 125 31 45.1</i>	Fl G 4s	<i>Green, pillar, marked "Y43".</i>	<i>Year round.</i> Audible signal: Bell
136.7	<i>UVic Beverley ODAS light buoy</i>	<i>Off Ucluth Peninsula, Barkley Sound. 48 53 17.0 125 38 05.4</i>	Fl(5) Y 20s	<i>Yellow, ODAS.</i>	<i>Private aid. Year round.</i>

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
137 G5247	Francis Island	Ucluelet Harbour entrance. 48 55 19.3 125 31 21.8	Fl(3) W 12s	8.0	7	White mast.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
137.3	Spring Cove light buoy Y45	SE. of Hyphocus Island, Ucluelet Inlet. 48 55 38.3 125 31 31.1	Fl G 4s	Green, pillar, marked "Y45".	Year round.
137.5 G5247.4	Indian Reserve	N. of Hyphocus Island. 48 56 04.8 125 31 44.2	Fl R 4s	4.8	4	White cylindrical tower with red band at top.	Year round.
138	Sutton Rock light buoy Y44	SE. of the rock, Ucluelet Inlet. 48 56 25.3 125 32 17.5	Q R 1s	Red, pillar, marked "Y44".	Year round.
139 G5249	Chrow Islands	On NW. extremity of N. island. 48 54 35.5 125 28 20.9	Fl W 4s	11.6	8	Square skeleton tower on a concrete base. 7.4	Year round.
140 G5250	Benson Island	On islet NE. of island. 48 53 09.0 125 22 43.7	Q G 1s	8.3	4	White square skeleton tower with green band at top. 6.6	Year round. Radar reflector.
141 G5251	Forbes Island	On S. side of island. 48 56 56.0 125 24 37.8	Q R 1s	12.9	5	White square tower with red band at top. 6.5	Year round. Radar reflector.
142 G5252.6	Toquaht Bay	49 00 38.9 125 20 23.6	Q G 1s	7.8	5	White square tower with green band at top.	Year round. Radar reflector.
143 G5252.4	Shears Islands	W. side of islands. 48 59 59.1 125 19 26.6	Fl R 4s	8.9	4	White square tower with red band at top.	Year round. Radar reflector.
144 G5252.2	Richard Rock	E. of Stopper Islands. 48 59 18.8 125 19 41.2	Fl G 4s	7.8	5	White square skeleton tower with green band at top. 8.3	Year round. Radar reflector.
144.5	Curwen Island	48 56 43.6 125 21 25.1	Fl G 4s	7.6	3	White square tower with green band at top. 8.0	Year round. Radar reflector.
145 G5252	Hand Island Passage	On rock, NW. point of Brabant Islands. 48 56 40.8 125 19 38.9	Q W 1s	10.3	5	White square tower.	Year round. Radar reflector.
146 G5254.3	Lyllal Point	48 58 09.6 125 19 25.7	Q R 1s	10.7	5	White square tower with red band at top.	Year round. Radar reflector.
147 G5254.2	Hand Island	On islet NE. of island. 48 57 07.6 125 18 27.8	Fl W 4s	8.8	6	White square tower.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
WEST COAST, VANCOUVER ISLAND							
148 G5253	Coaster Channel	On islet NW. of Raymond Island. 48 52 59.7 125 19 09.5	FI W 4s	7.5	6	White square skeleton tower.	Year round. Radar reflector.
149 G5254.1	Prideaux Island	48 56 34.9 125 16 14.7	FI G 4s	8.0	4	White square tower with green band at top.	Year round. Radar reflector.
150 G5254	Swale Rock	48 55 32.6 125 13 19.6	FI(3) W 12s	10.5	6	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector.
151 G5254.5	Baeria Rocks	48 56 58.7 125 09 18.2	FI W 4s	10.4	6	Mast.	Year round.
152 G5255	Pill Point	48 57 55.9 125 04 54.8	FI R 4s	13.3	4	White square tower with red band at top.	Year round.
153 G5261	Assits Island	48 56 16.1 125 01 56.1	Q R 1s	7.1	4	White square tower with red band at top.	Year round.
154 G5262	Chup Point	On E. side of point. 48 57 19.3 125 01 42.1	FI G 4s	7.5	4	White square tower with green band at top.	Year round.
154.8 G5262.6	Limestone Island	On island. 48 58 56.0 124 58 22.6	FI(2) G 5s	8.1	7	White square tower with green band at top.	Year round.
155 G5263	Star Point	On point, S. shore. 48 58 37.4 124 56 49.8	Q R 1s	6.9	5	White square tower with red band at top.	Year round.
156 G5264	Pocahontas Point	On point, Alberni Inlet. 48 59 00.2 124 55 03.8	Q G 1s	6.6	4	White square tower with green band at top.	Year round.
156.5 G5264.4	Spencer Creek	48 59 19.8 124 53 29.6	FI R 4s	5.0	4	Mast on concrete base, red, white and red triangular daymark attached to rail.	Year round.
157 G5265	Bilton Point	On point. 49 00 44.6 124 52 20.4	FI G 4s	8.6	5	White square tower with green band at top.	Year round.
158 G5266	Ten Mile Point	On point opposite Nahmint Bay. 49 03 33.1 124 50 27.0	FI R 4s	8.9	5	White square tower with red band at top.	Year round.
159 G5267	Hocking Point	On extremity of point, W. side of Alberni Inlet. 49 05 16.6 124 49 53.0	FI G 4s	9.8	4	White square tower with green band at top.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

WEST COAST, VANCOUVER ISLAND

160 G5268	Franklin River	At Sproat Narrows, on edge of shoal off mouth of river. 49 06 12.8 124 49 14.3	Q R 1s	8.0	5	White square tower with red band at top on 3-pile dolphin.	Year round. Radar reflector.
161 G5269	Macktush Creek	At mouth of creek, Alberni Inlet. 49 06 35.0 124 49 21.0	Q G 1s	7.5	4	White square tower with green band at top on 3-pile dolphin.	Year round. Radar reflector.
162 G5270	Dunsmuir Point	On W. side of Alberni Inlet, opposite mouth of China Creek. 49 09 14.6 124 48 29.9	Fl G 4s	7.2	5	White square tower with green band at top.	Year round.
163 G5271	Stamp Narrows	On W. side of narrows. 49 11 00.0 124 49 18.0	Q G 1s	9.2	4	White square tower with green band at top on 3-pile dolphin.	Year round. Radar reflector.
164 G5272	Lone Tree Point	On point, E. side of Stamp Narrows. 49 11 02.9 124 48 59.1	Q R 1s	8.2	4	White square tower with red band at top.	Year round.
165 G5273	Polly Point	On point. 49 12 57.6 124 49 01.3	Fl R 4s	6.5	4	White square tower with red band at top.	Year round.
166 G5274	Hohm Island	On island. 49 13 40.1 124 49 32.2	Fl W 4s	8.3	5	White square tower.	Year round.
168 G5276	Alberni	On W. side of channel, entrance to Somass River. 49 14 17.3 124 49 20.4	Fl G 4s	4.0	4	Mast on a 3-pile dolphin, green, white and black square daymark.	Year round.
168.1 G5277	Somass River	49 14 39.5 124 49 27.6	Q G 1s	7.5	3	White square tower with green band at top on 3-pile dolphin.	Year round. Radar reflector.
Great Central Lake							
168.2	Drinkwater Creek	49 22 17.3 125 22 57.2	Fl R 4s	3.6	4	Mast, red and white triangular daymark.	Year round.
168.3	Dorothy Creek	49 21 25.3 125 20 41.2	Fl G 4s	6.1	4	Mast, green, white and black square daymark.	Year round.
168.4	Clark Point	49 21 38.3 125 16 34.1	Fl R 4s	4.3	4	Mast, red and white triangular daymark.	Year round.
168.5	Fawn Point	49 21 48.3 125 13 27.1	Fl G 4s	6.0	4	Mast, green, white and black square daymark.	Year round.
168.6	Great Central East	49 21 50.3 125 08 47.1	Fl G 4s	3.6	4	Mast, green, white and black square daymark.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
WEST COAST, VANCOUVER ISLAND								
168.7	Beauty Island	49 21 16.3 125 06 51.1	Fl(2+1) G 10s	4.0	4	Mast, green square on white diamond with red border.	Year round.	
168.8	Boundary Point	49 19 49.3 125 01 59.1	Fl G 4s	4.6	4	Mast, green, white and black square daymark.	Year round.	
Barkley Sound								
169	Kooh Rock light buoy Y51	E. of Sproat Bay, Trevor Channel. 48 54 13.3 125 04 07.1	Fl G 4s	Green, pillar, marked "Y51".	Year round.	
170 G5260	San Jose Islets	On W. extremity of westerly islet. 48 54 05.2 125 03 28.2	Fl R 4s	7.1	7	White square tower with red band at top.	Year round. Radar reflector.	
171 G5259	Wizard Islet	On the islet. 48 51 28.8 125 09 36.7	Fl(2) W 6s	9.0	5	White square tower.	Year round. Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s.	
171.5 G5258.4	Grappler Inlet	N. shore, W. of Port Désiré. 48 49 54.7 125 07 38.1	Fl W 4s	1.4	4	Pipe tower.	Year round.	
172 G5258	Aguilar Point Sector Light	On the point. 48 50 21.7 125 08 26.9	F W	8.5	10	White square tower with red bands at top and bottom.	Year round. Visible 055°-058°.
172.1	Aguilar Point	On the point. 48 50 21.7 125 08 26.9	White square tower with red bands at top and bottom. Year round. Operates 24 h. Secondary light: Q R 1s.	
172.5 G5256.4	Trevor Channel Entrance Sector Light	NE. of Whittlestone Point. 48 48 43.5 125 10 54.3	F W G	10.9	11	White square tower with red bands at top and bottom. 6.6	Year round. R 064°30'-068°30'; W 068°30'-072°30'; G 072°30'-074°30'. Secondary light: Fl R 4s.
173	Seapool Rocks light and whistle buoy Y49 Racon K (-.-) X & S Bands	Entrance to Trevor Channel. 48 48 53.8 125 12 19.7	Fl G 4s	Green, pillar, marked "Y49".	Year round. Audible signal: Whistle	
174 G5257	Bordelais Islets	On largest islet. 48 49 04.3 125 13 53.5	Fl W 4s	25.9	8	Square skeleton tower. 6.9	Year round. Radar reflector.	
175 G5253.5	Folger Island	W. point of island. 48 49 46.4 125 15 02.7	Fl(3) R 12s	38.8	6	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.	
176 G5256	Cape Beale	SE. point of Barkley Sound entrance. 48 47 11.3 125 12 55.8	Fl W 5s	50.8	16	Red skeleton tower, white rectangular daymark.	Year round. Operates 24 h. Flash 0.2 s; eclipse 4.8 s.	

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

WEST COAST, VANCOUVER ISLAND

176.5 G5279	Laperouse Bank ODAS light buoy 46206	Offshore W. of Ucluelet. 48 50 06.0 125 59 54.0	Fl(5) Y 20s	Yellow, ODAS, marked "46206".	Year round.
177 G5279	Seabird Rocks	On largest rock. 48 45 00.6 125 09 15.6	Fl W 4s	20.1	6	White cylindrical tower with red band at top.	Year round. Radar reflector.
177.5	South Nomad ODAS light buoy 46036	Offshore W. of Cape Scott. 48 21 18.0 133 56 18.0	Fl(5) Y 20s	Yellow, ODAS, marked "46036".	Year round.
178 G5280	Pachena Point	On the point. 48 43 20.2 125 05 50.7	Fl(2) W 7.5s	46.9	14	White cylindrical tower with red top. 6.1	Year round. Operates 24 h. Flash 0.37 s; eclipse 1.25 s; flash 0.37 s; eclipse 5.5 s.
179.1 G5287	Clo-oose	Nitinat Narrows. 48 39 33.1 124 49 40.7	Fl(2) W 10s	2	Mast.	Private aid. Year round.