

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PACIFIC COAST							
719 G5807	Lucy Islands	On NE. side of E. island. 54 17 44.6 130 36 31.6	Fl R 6s	21.6	14	White octagonal tower with red top.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 094°30'-351°30'.
719.2 G5807.2	Lucy Islands North	54 18 07.4 130 37 21.6	Q W 1s	5.4	4	White cylindrical tower.	Year round.
719.5	<i>Enfield Rock light and bell buoy D76</i>	<i>SW. of rock, Chatham Sound. 54 18 23.0 130 32 36.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D76".</i>	<i>Year round. Audible signal: Bell</i>
720 G5906.4	Prince Rupert Aeronautical Beacon	54 17 23.8 130 26 34.8	Fl W 3s	Private aid. Year round. Flash 0.5 s; eclipse 2.5 s.
721	<i>Tugwell Reef light and bell buoy D61</i>	<i>SE. of Dawes Point, Metlakatla Bay. 54 18 41.0 130 30 17.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "D61".</i>	<i>Year round. Audible signal: Bell</i>
721.6 G5807.4	Devastation Island	N. side of island. 54 19 20.2 130 29 16.8	Fl R 4s	5.3	4	White cylindrical tower with red band at top.	Year round.
722 G5808	Shrub Island	W. end of Venn Passage. 54 19 48.7 130 27 40.3	Q R 1s	7.5	3	White cylindrical tower, red band at top on 4-pile dolphin.	Year round.
722.5	<i>Kelp Reef light buoy D63</i>	<i>SSW. Of Observation Point, W. entrance to Venn Passage. 54 19 53.5 130 27 46.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "D63".</i>	<i>Year round.</i>
723 G5808.2	Ryan Point Reef	54 21 32.0 130 30 13.9	Fl W 6s	7.2	3	White cylindrical tower on 4-pile dolphin.	Year round. Flash 0.5 s; eclipse 5.5 s.
724	<i>Hodgson Reefs light and whistle buoy D84</i>	<i>W. of reefs, Chatham Sound. 54 23 02.5 130 32 34.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D84".</i>	<i>Year round. Audible signal: Whistle</i>
725 G5808.4	Slippery Rock	On rock. 54 23 56.7 130 29 50.5	Fl(3) W 12s	6.7	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
726	<i>Tree Bluff light and bell buoy D86</i>	<i>W. of shoals off Tree Bluff, Chatham Sound. 54 25 44.5 130 30 51.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D86".</i>	<i>Year round. Audible signal: Bell</i>
726.1	<i>Rose Island Passage Bifurcation light buoy DF</i>	<i>54 33 50.7 130 26 38.0</i>	<i>Fl(2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red-green-red, pillar, marked "DF".</i>	<i>Year round.</i>
726.2 G5819.4	One Tree Islet	N. side of islet. 54 33 51.5 130 26 26.5	Fl R 4s	5.3	4	Square skeleton tower.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
PACIFIC COAST								
726.7 G5819	Port Simpson Breakwater	54 33 41.8 130 25 48.6	Q R 1s	4.1	3	White mast.	Year round.	
727	<i>Lax Kw'alaams light buoy D91</i>	<i>NW. of jetty. 54 33 49.3 130 25 45.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "D91".</i>	<i>Year round.</i>	
728 G5820	Birnie Island	On rock, S. of Knox Point. 54 35 24.2 130 27 48.5	Fl W 4s	8.5	5	White square tower.	Year round.	
729 G5822	Pointer Rocks	On the S. rock. 54 36 17.7 130 32 14.9	Fl W 6s	7.8	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
729.5	Connis Rocks	54 34 27.9 130 37 39.0	Fl(2) W 5s	9.2	5	White square tower. 7.5	Year round. Radar reflector.	
730 G5814	Green Island	On SW. side of island. 54 34 07.0 130 42 31.5	Fl W 5s	19.2	17	White octagonal tower with red top.	Year round. Flash 0.1 s; eclipse 4.9 s.	
730.5 G5813	Whitesand Island	54 30 48.4 130 44 57.6	Fl W 4s	6.7	5	White square tower.	Year round.	
730.6 G5812.6	Dundas Island	Entrance to Edith Harbour. 54 27 36.0 130 56 56.5	Fl W 6s	10.5	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
731 G5816	Holliday Island	On N. extremity of island. 54 37 22.7 130 45 30.0	Fl W 6s	6.5	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 109°-354°.	
732 G5818	Jacinto Point	S. point of Zayas Island. 54 34 51.0 131 04 38.7	Fl W 6s	8.2	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
733 G5809	Harris Rock	On rock. 54 12 58.1 130 45 53.0	Fl W 6s	5.7	6	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
734 G5748	Bonilla Island Sector Light	On W. side of island. 53 29 33.1 130 38 15.0	Fl W R	5s	36.6	21	White cylindrical tower with red top.	Year round. Operates 24 h. Flash 0.3 s; eclipse 4.7 s. W 360°-168°; R 168°-198°; Obscured 198°-334°; R 334°-360°.
734.5	<i>North Hecate Strait ODAS light buoy 46183</i>	<i>Off N. end of Banks Island. 53 36 25.9 131 06 21.7</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, ODAS, marked "46183".</i>	<i>Year round.</i>	
735 G5748.5	Northwest Rocks	On largest rock of group. 53 32 51.1 130 38 08.1	Fl(3) W 12s	7.4	9	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.	

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PACIFIC COAST							
736 G5749.5	Larsen Harbour	On W. end of Banks Island. 53 37 44.1 130 32 24.1	FI G 4s	4.8	3	Square skeleton tower, black, white, and green square daymark.	Year round.
736.5	Deadman Islet Sector Light	Browning Entrance. 53 38 19.0 130 28 13.5	Q W 1s R	9.5	4	White square tower.	Year round. R 080°-121°; W 121°-80°.
737.1	Table Hill	W. shore of McCauley Island, Principe Channel. 53 37 03.1 130 19 59.4	FI R 4s	7.7	5	White square tower with red band at top.	Year round.
737.5	Banks Island North	Principe Channel. 53 34 10.9 130 14 47.2	FI G 4s	7.1	5	White square tower with green band at top.	Year round.
738 G5747.6	Wheeler Island	SW. corner of island. 53 32 58.4 130 08 40.8	Q R 1s	5.8	5	White square tower with red band at top.	Year round.
738.3	Petrel Point	Mouth of Petrel Channel. 53 33 53.7 130 00 33.9	FI W 6s	6.9	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
738.5	Banks Island Middle	Principe Channel. 53 29 13.5 130 03 39.6	Q G 1s	7.7	5	White square tower with green band at top.	Year round.
738.7	Ralston Islands South	Principe Channel. 53 27 32.0 129 57 23.9	FI R 4s	9.3	5	White square tower with red band at top.	Year round.
739 G5747.4	Principe Channel	On shore. 53 23 30.7 129 54 19.9	FI W 6s	7.1	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
739.5	Windy Point	Principe Channel. 53 17 29.4 129 48 11.0	FI G 4s	9.5	5	White square tower with green band at top.	Year round.
739.7	Banks Island Southeast Sector Light	53 11 01.1 129 45 46.3	F W	8.5	11	White square tower.	Year round. Visible on a bearing of 264° with a narrow sector, 263°- 265°.
740 G5747	Otter Passage	S. end of Man Island. 53 07 41.9 129 46 27.2	FI(3) W 12s	19.0	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
740.5	McHarg Bank light buoy E88	53 16 13.4 130 31 37.9	FI R 4s	Red, pillar, marked "E88".	Year round.
741 G5747.2	Block Islands	On small island. 53 08 58.5 129 44 01.1	FI W 6s	9.8	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PACIFIC COAST							
741.3 G5747.3	McCreight Point	SE. of Pitt Island. 53 12 31.5 129 30 03.0	Fl G 4s	12.2	5	White square tower with green band at top.	Year round.
741.5	Nepean Rock South Cardinal light and bell buoy EM Racon N (-.) X & S Bands	SW. of Fleishman Point, W. entrance to Otter Channel. 53 12 14.2 129 36 26.1	Q(6) + W LFI 15s	Yellow-black, pillar, marked "EM".	Year round. Audible signal: Bell
741.7	Fanny Point	Otter Channel. 53 11 25.7 129 29 16.9	Fl R 4s	8.1	5	White square tower with red band at top.	Year round.
741.8	Paige Point Sector Light	Otter Channel. 53 11 05.2 129 32 07.5	Q R W G 1s	8.1	6	White square tower.	Year round. R 050°-072°; W 072°-113°; G 113°-129°; W 129°-50°.
742 G5749	Browning Entrance	On N. island, White Rocks. 53 38 04.8 130 33 52.4	Fl W 6s	10.3	7	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
742.5	Baird Point Racon K (-.-) X & S Bands	W. side of McCauley Island. 53 40 24.1 130 24 42.7	Iso W 1s	13.0	11	White cylindrical tower. 9.0	Year round.
743 G5751	Hankin Rock	On rock, SW. entrance to Beaver Passage. 53 42 27.3 130 24 42.9	Fl R 4s	10.8	5	White square tower with red band at top.	Year round.
744 G5752	Connis Islet	On islet, Beaver Passage. 53 45 26.6 130 19 04.5	Q G 1s	6.6	4	White square tower with green band at top.	Year round.
745 G5753	Bully Island	On W. side of island. 53 47 53.2 130 19 33.9	Fl W 6s	7.4	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
745.1	Kitkatla Islands East	On SE. rock. 53 47 20.8 130 20 50.3	Q W 1s	7.0	2	White square tower.	Year round. Radar reflector.
745.3	Kitkatla Islands West	West side of the islands, Kitkatla Channel. 53 47 37.4 130 23 16.1	Fl W 4s	6.8	2	White square tower.	Year round. Radar reflector.
745.4	Stick Islet	On rock NW. of Kitkatla Islands. 53 48 11.4 130 23 14.9	Q G 1s	8.1	2	White square tower with green band at top.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PACIFIC COAST							
745.5	Kitkatla Boat Harbour light buoy E95	Approach to Kitkatla wharf. 53 47 53.1 130 26 16.6	Fl G 4s	Green, can, marked "E95".	Year round.
746 G5753.6	Moore Island	NW. corner of island. 53 47 23.3 130 31 21.4	Fl W 6s	7.2	4	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
746.8	Freeman Passage light and bell buoy E98	NW. of Joachim Point, W. entrance to passage. 53 49 25.1 130 39 29.1	Fl R 4s	Red, pillar, marked "E98".	Year round. Audible signal: Bell
747 G5754	Freeman Passage	SW. island of group. 53 49 48.7 130 37 45.5	Fl(3) W 12s	5.9	5	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
747.5	Oval Bank West Cardinal light and bell buoy EOB	SW. of Seal Rocks, Hecate Strait. 53 55 35.6 130 54 24.5	Q(9) W 15s	Yellow-black-yellow, pillar, marked "EOB".	Year round. Audible signal: Bell
748 G5756	Seal Rocks Racon Y (- . - .) X & S Bands	On the highest rock of the rocks group. 53 59 59.0 130 47 31.2	Fl W 6s	13.4	7	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
748.5	Blackfish Clan light buoy EF1	54 00 12.0 131 05 52.2	Q G 1s	Green, pillar, marked "EF1".	Year round.
749 G5757	Chearnley Passage	SE. end of passage. 54 01 32.2 130 41 10.6	Q W 1s	5.8	4	Square skeleton tower.	Year round.
749.2	Grenville Rock light buoy EF2	5 NM NW. of Seal Rocks. 54 02 32.4 130 54 21.6	Fl R 4s	Red, pillar, marked "EF2".	Year round.
749.4	Wolf Clan light buoy EF5	54 08 12.0 131 05 00.0	Fl G 4s	Green, pillar, marked "EF5".	Year round.
750 G5810	Archibald Islands	On N. rocky islet of islands group. 54 12 53.5 130 50 02.8	Fl W 4s	6.7	5	Square skeleton tower. 2.6	Year round.
751 G5811	Butterworth Rocks Racon X (- . . -) X & S Bands	On rock. 54 14 07.0 130 58 36.1	Fl W 6s	18.1	7	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
751.1	Stenhouse Shoal light and whistle buoy D59 Racon C (- . - .) X & S Bands	S. of shoal, W. entrance to Brown Passage. 54 20 07.0 130 56 03.0	Fl G 4s	Green, pillar, marked "D59".	Year round. Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PACIFIC COAST							
751.2	<i>Brown Passage light and whistle buoy D60</i>	<i>NW. of Triple Island, W. entrance to passage. 54 18 23.8 130 54 51.7</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D60".</i>	<i>Year round. Audible signal: Whistle</i>
752 G5812	Triple Islands	On the NW. rock of the islands. 54 17 40.7 130 52 49.8	Fl(2) W 9s	28.0	16	White octagonal tower with red top.	Year round. Flash 0.25 s; eclipse 2.5 s; flash 0.25 s; eclipse 6 s.
752.2 G5811.5	Osborne Island	54 17 11.8 130 51 11.2	Fl R 6s	10.2	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
752.3 G5812.3	Hanmer Rocks Racon M (- -) X & S Bands	54 19 26.5 130 49 20.3	Fl(3) W 12s	10.9	7	White octagonal tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
753	<i>Hanmer Rocks light and whistle buoy D57</i>	<i>SE. of rocks, E. entrance to Brown Passage. 54 18 54.0 130 48 56.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "D57".</i>	<i>Year round. Audible signal: Whistle</i>
753.1	<i>Hanmer Rocks light and whistle buoy D62</i>	<i>SE. of rocks, E. entrance to Brown Passage. 54 18 21.2 130 48 32.2</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D62".</i>	<i>Year round. Audible signal: Whistle</i>
753.2	<i>Rushton Island light and bell buoy D72</i>	<i>54 16 01.9 130 48 27.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, pillar, marked "D72".</i>	<i>Year round. Audible signal: Bell</i>
753.3	<i>Rushton Island light and bell buoy D75</i>	<i>54 16 28.6 130 47 30.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, pillar, marked "D75".</i>	<i>Year round. Audible signal: Bell</i>
753.5 G5863.8	Pearse Canal Island	On S. end of island. 54 47 02.1 130 36 36.2	Fl W 4s	3.6	5	Orange square skeleton tower.	Year round.
754 G5864	Lizard Point	54 50 00.4 130 16 33.7	Fl W 6s	8.6	5	Red cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
755 G5866	Ramsden Point	On extremity of point, Portland Inlet. 54 58 59.7 130 06 16.2	Fl(3) W 12s	7.1	5	Orange square skeleton tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Visible 260°-117°30'.
755.2 G5866.6	Double Islets	54 57 43.9 129 56 54.6	Fl(3) W 12s	7.7	5	Square skeleton tower, orange rectangular daymark.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
755.4 G5866.8	Fort Point	54 59 04.9 129 55 03.2	Fl W 4s	6.1	5	Square skeleton tower, orange rectangular daymark.	Year round.
755.6 G5867	Mill Bay	54 59 38.9 129 53 24.2	Q W 1s	5.8	4	Square skeleton tower, orange rectangular daymark.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
PACIFIC COAST							
755.8 G5867.4	Leading Point	54 58 47.9 129 51 01.2	Fl W 6s	5.5	5	Square skeleton tower, orange rectangular daymark.	Year round. Flash 0.5 s; eclipse 5.5 s.
Portland Canal							
757 G5884	Hattie Island	On W. side of island. 55 17 14.7 129 58 17.0	Fl W 6s	6.4	5	Orange square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 336°-171°.
759 G5888	Stewart	E. side of canal, opposite Stewart Bulk Terminal. 55 54 37.3 129 59 28.5	Fl(3) W 12s	2.3	5	Orange square skeleton tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
760 G5889	Stewart Dolphin West	55 54 46.1 130 00 16.6	Fl G 4s	3.2	4	Mast, green, white and black square daymark attached to rails on 3-pile dolphin.	Year round.
764 G5869	Observatory Inlet	On small island. 55 09 53.6 129 54 09.8	Fl W 6s	4.3	5	Orange square skeleton tower, orange rectangular daymark.	Year round. Flash 0.5 s; eclipse 5.5 s.
765 G5870	Richards Point	On extremity of point, Observatory Inlet. 55 17 18.5 129 48 57.4	Fl W 6s	6.1	5	Square skeleton tower, orange rectangular daymark.	Year round. Flash 0.5 s; eclipse 5.5 s.
765.5 G5872	Brooke Shoal	On shoal. 55 22 55.2 129 43 01.6	Fl(3) W 12s	4.7	5	Square skeleton tower, orange rectangular daymark.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
765.7 G5875	Liddle Island	Entrance to Alice Arm. 55 23 44.1 129 41 35.1	Fl G 4s	4.3	4	Orange square skeleton tower, green, white and black square daymark.	Year round.
766 G5874	Hyde Rock	On rock, on E. side of Liddle Channel. 55 23 42.1 129 41 10.2	Fl W 6s	4.8	5	Orange square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
767 G5876	Alice Arm	S. of Hans Point. 55 25 33.6 129 40 04.0	Fl R 4s	5.7	4	Orange square skeleton tower.	Year round.
768 G5877	Pearson Point	On point. 55 27 21.0 129 30 10.7	Fl W 6s	5.2	5	Orange square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 206°-045°.
768.2 G5878	Alice Arm Wharf	On wharf. 55 28 15.9 129 29 43.4	Fl G 4s	4.6	4	Square skeleton tower, green, white and black square daymark.	Year round.