

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HAIDA GWAI							
768.6 G5829	Hornby Point	52 09 16.9 131 06 25.5	Fl W 6s	5.5	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
769 G5828	Flatrock Island	Near highest point on island. 52 06 27.2 131 10 07.8	Fl W 6s	24.8	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
769.5	South Moresby ODAS light buoy 46147	SW. of Kunghit Island. 51 49 42.0 131 13 30.0	Fl(5) Y 20s	Yellow, ODAS, marked "46147".	Year round.
770 G5826	Cape St. James	On the cape, St. James Island. 51 56 09.2 131 00 57.7	Fl W 5s	96.0	13	White mast.	Year round. Flash 0.1 s; eclipse 4.9 s. Visible 207°-122°.
771 G5830	Garcin Rocks	Middle of rocks. 52 12 30.4 130 58 00.4	Fl W 6s	19.5	5	Square skeleton tower. 4.2	Year round. Flash 0.5 s; eclipse 5.5 s.
771.7 G5832	Bush Rock	On N. end of rock. 52 18 14.3 131 16 39.9	Fl W 6s	9.1	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Obscured 310°-352°.
772 G5831	East Copper Island	52 21 24.7 131 10 25.4	Fl(3) W 12s	15.2	5	White cylindrical tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Visible 163°-039°.
773 G5833	Scudder Point	On point. 52 26 48.3 131 14 20.1	Fl W 6s	5.6	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
774 G5833.4	Darwin Point	NW. of the point. 52 34 31.2 131 37 48.0	Fl W 4s	12.9	5	White cylindrical tower.	Year round.
775 G5834	Low Island	On the NW. end of the northernmost island. 52 54 42.9 131 32 24.3	Fl W 4s	17.0	5	White square tower.	Year round. Obscured 311°-339°.
776 G5834.2	Haswell Island	S. side of island. 52 51 37.6 131 41 12.4	Fl(3) W 12s	14.5	3	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
777 G5834.6	Selwyn Point	E. extremity of point. 52 51 42.1 131 50 45.0	Fl W 6s	6.5	5	White square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
778 G5835	Kingui Island	On SW. extremity of island. 53 01 27.7 131 37 55.7	Fl W 6s	11.6	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 285°-157°.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HAIDA GWAI							
779 G5836.2	McCoy Cove Sector Light	E. side of cove. 53 02 05.3 131 39 18.6	F R W G	5.3	5	Square skeleton tower, red and white rectangular daymark.	Year round. G 084°-091°; W 091°-092°; R 092°-100°.
780 G5836	Haans Islet	53 02 18.1 131 41 19.1	Fl(3) W 12s	7.2	5	White square skeleton tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
781 G5838.4	Flowery Islet	On highest point of islet. 53 13 20.0 132 00 26.8	Q W 1s	10.5	4	White square tower.	Year round.
782 G5838.6	Kwuna Point	On rocks NW. of public dock. 53 12 55.8 131 59 34.1	Fl W 6s	6.4	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
782.1 G5838.8	Alliford Bay	On island, SW. of Kwuna Point. 53 12 47.2 131 59 36.9	Fl W 4s	7.1	5	White square tower.	Year round.
782.3 G5840	South Bay	W. end of small island. 53 09 52.0 132 03 59.9	Fl W 4s	7.9	5	White square tower.	Year round.
782.7	Queen Charlotte City Breakwater	Skidegate Inlet. 53 15 07.6 132 04 28.6	Fl R 4s	1.5	2	Mast, red, white and red triangular daymark.	Year round. Radar reflector.
783 G5838	Gillatt Island	On W. end of island. 53 14 40.6 131 53 58.5	Fl(3) W 12s	8.8	7	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
784 G5837	Sandspit Aeronautical Beacon	53 15 10.0 131 48 48.0	Fl W 2s	Private aid. Year round. Flash 0.5 s; eclipse 1.5 s. The beacon is only activated during poor visibility. To activate call Prince Rupert Coast Guard Radio or Sandspit Flight Services.
785	Dead Tree Point light and whistle buoy C19	E. of point. 53 20 34.2 131 53 42.2	Fl G 4s	Green, pillar, marked "C19".	Year round. Audible signal: Whistle
786	Lawn Point light and bell buoy C18	SE. of Lawn Point light. 53 23 52.6 131 53 52.2	Fl R 4s	Red, pillar, marked "C18".	Year round. Audible signal: Bell
787	Lawn Point light and whistle buoy C16	Off point. 53 25 08.0 131 53 32.2	Q R 1s	Red, pillar, marked "C16".	Year round. Audible signal: Whistle

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HAIDA GWAI							
787.5 G5837.4	Lawn Point Sector Light Racon K (-.-) X & S Bands	At point. 53 25 28.9 131 54 56.5	F R W G	12.7	7	Square skeleton tower, white rectangular daymark. Year round. Operates 24 h. R 230°-235.5°; W 235.5°-239.5°; G 239.5°-245°.
790	Rose Spit East Cardinal light and whistle buoy CUT	NE. of Overfall Shoal. 54 14 52.9 131 30 48.0	Q(3) W	10s	Black-yellow-black, pillar, marked "CUT". Year round. Audible signal: Whistle
791	Rose Point light and bell buoy C26	N. of point. 54 13 42.1 131 38 37.0	FI R	4s	Red, pillar, marked "C26". Year round. Audible signal: Bell
791.3	Masset Harbour light and bell buoy C29	W. of Outer Bar. 54 05 43.9 132 12 57.8	FI G	4s	Green, pillar, marked "C29". Year round. Audible signal: Bell
791.5	Masset Harbour Entrance light buoy C31	NW. of Entry Point. 54 03 42.9 132 12 29.8	FI G	4s	Green, pillar, marked "C31". Year round.
792 G5842	Masset Harbour Entrance front range light	NW. of Rooney Point. 54 01 57.8 132 11 54.8	F Y	6.7	12	Square skeleton tower, orange slatwork daymark with black vertical stripe. Year round.
792.1 G5842.1	Masset Harbour Entrance rear range light	54 01 09.7 132 11 34.0 165°43' 1535.9 m from front.	F Y	13.9	12	Square skeleton tower, orange slatwork daymark with black vertical stripe. Year round.
793.3 G5843.2	Rooney Point	Off point. 54 01 01.1 132 10 06.3	FI R	6s	7.2	4	3-pile dolphin, red and white triangular daymark. Year round. Flash 0.5 s; eclipse 5.5 s.
793.5 G5843.4	Delkatla Inlet	Entrance to inlet. 54 00 12.5 132 08 45.7	Q G	1s	5.3	5	3-pile dolphin, green, white and black square daymark. Year round.
794 G5844	Cook Point	Masset Inlet entrance. 53 48 21.4 132 12 15.8	FI W	4s	4.0	5	White square tower. Year round.
795 G5845	Sloop Islet	On Islet. 53 45 29.0 132 14 40.2	FI W	6s	5.1	5	White square tower. Year round. Flash 0.5 s; eclipse 5.5 s.
795.3	Port Clements Breakwater	53 41 25.1 132 10 56.2	Q R	1s	4	Square skeleton tower, red, white and red triangular daymark. Year round.
795.5	Stubbs Rock light buoy C40	SW of Ship Island. 53 44 33.1 132 16 22.7	FI R	4s	Red, pillar, marked "C40". Year round.
795.6	Masset Inlet light buoy C39	SE. of Sloop Islet. 53 44 48.2 132 14 35.4	FI G	4s	Green, pillar, marked "C39". Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS	
HAIDA GWAI								
796 G5846	Dawson Islands	On easternmost island. 53 42 58.0 132 20 16.3	Fl W 4s	9.5	3	Square skeleton tower.	Year round.	
796.3	Richards Island light buoy C41	Marking Koutz Rock, off Juskatla Inlet. 53 40 59.0 132 20 51.2	Fl G 4s	Green, can, marked "C41".	Year round.	
797 G5847	Learmonth Island	On rock, N. of island. 53 40 42.0 132 27 18.2	Fl W 6s	6.4	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
798 G5843	Striae Islands	E. islet of the islands group. 54 05 12.1 132 14 53.1	Fl(3) W 12s	8.3	6	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.	
798.8	Wiah Point light and bell buoy C50	N. of point. 54 07 21.3 132 18 44.9	Fl R 4s	Red, pillar, marked "C50".	Year round. Audible signal: Bell	
799 G5847.8	Refuge Island Boat Harbour Sector Light	At Mia-Kwun village. 54 06 45.6 132 18 45.1	F R W G	4.9	7	White square skeleton tower, orange rectangular daymark with black vertical stripe.	Year round. R 206°-213°; W 213°-216°; G 216°-223°.
800 G5848	Wiah Point	On outer end of reefs, NE. of point. 54 06 57.7 132 18 34.7	Fl W 6s	5.3	5	Cylindrical tower.	Year round. Flash 0.5 s; eclipse 5.5 s.	
801	Central Dixon Entrance ODAS light buoy 46145	NNW. of Wiah Point. 54 22 00.0 132 26 37.8	Fl(5) Y 20s	Yellow, ODAS, marked "46145".	Year round.	
802	Smyth Passage light buoy C56	Virago Sound, entrance to Naden Harbour. 54 04 02.9 132 32 03.0	Fl R 4s	Red, pillar, marked "C56".	Year round.	
803 G5850	George Point	On point, entrance to Naden Harbour. 54 02 28.1 132 34 06.3	Q G 1s	2.8	3	White square skeleton tower with green band.	Year round.	
804.6 G5851	Shag Rock	NW. of Cape Naden. 54 09 24.2 132 39 08.6	Fl(3) W 12s	7.2	5	Mast.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.	
805 G5852	Parry Passage	E. extremity of Lucy Island. 54 10 53.2 132 58 23.3	Fl W 4s	7.2	5	White square tower.	Year round.	

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
HAIDA GWAI							
Langara Island							
806 G5854	Iphigenia Point (Langara Island)	On point, SW. extremity of island. 54 11 24.3 133 00 45.0	FI W 6s	9.6	5	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 309°40'-126°.
807 G5856	Langara Point	On NW. point of Langara Island. 54 15 19.6 133 03 33.1	FI W 5s	48.8	8	White octagonal tower with red top.	Year round. Operates 24 h. Flash 1 s; eclipse 4 s. Visible 055°-265°. Emergency light: Fl(6) W 15s.
807.1	Dixon Entrance West ODAS light buoy 46205	Offshore W. of island. 54 11 06.0 134 19 24.0	Fl(5) Y 20s	Yellow, ODAS, marked "46205".	Year round.
807.15	North Nomad ODAS light buoy 46184	W. of island. 53 54 54.0 138 51 00.0	Fl(5) Y 20s	Yellow, ODAS, marked "46184".	Year round.
807.17	Middle Nomad ODAS light buoy 46004	W. of Cape St. James. 50 55 47.0 136 05 47.5	Fl(5) Y 20s	Yellow, ODAS, marked "46004".	Year round.
807.2 G5857	Frederick Island	On Hope Point. 53 56 17.0 133 11 54.2	FI W 6s	16.8	5	Square skeleton tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
807.3	Port Louis	53 43 12.8 133 00 04.2	Fl(3) W 12s	11.6	6	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
807.4 G5858	Hippa Island	On W. end of island. 53 32 38.9 133 00 45.6	FI W 4s	22.7	5	White square tower.	Year round. Visible 325°-170°.
807.5 G5858.4	Kunakun Point	53 28 06.6 132 53 54.1	FI W 4s	44.6	6	White square tower.	Year round.
807.6 G5859	Marble Island	W. end of island. 53 12 04.8 132 40 01.9	FI W 6s	25.9	6	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s. Visible 330°-148°.
807.7 G5858.6	Kindakun Point	53 18 56.8 132 46 20.8	Fl(3) W 12s	16.2	6	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
808 G5860	Tcenakun Point Racon G (- - .) X & S Bands	On Rocky Point, S. side of entrance to Skidegate Channel. 53 09 06.7 132 35 02.2	FI W 4s	23.6	6	White square tower.	Year round.

List of Lights, Buoys and Fog Signals – Pacific Coast

No. ----- Intl No.	Name ----- RACON	Location ----- Latitude N. Longitude W.	Light Characteristics	Focal Height Above Water (m)	Nominal Range (NM)	Description ----- Height of Structure Above Ground Level (m)	Remarks ----- Audible Signals ----- AIS
--------------------------	------------------------	--	--------------------------	--	--------------------------	--	---

HAIDA GWAI

809 G5861	Davidson Point	On N. side of entrance to Tasu Sound. 52 44 31.5 132 06 47.9	Fl(3) W 12s	44.0	6	White square tower.	Year round. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
810 G5862	Tasu Sound	On point inside entrance, on S. side. 52 44 57.8 132 05 45.5	Fl W 4s	10.3	5	White square tower.	Year round.
811.9 G5863.7	Gowgaia Point	52 24 00.8 131 35 22.5	Fl W 6s	28.6	6	White square tower.	Year round. Flash 0.5 s; eclipse 5.5 s.
812	Moresby Island West ODAS light buoy 46208	SW. of Tasu Sound. 52 30 53.1 132 41 35.9	Fl(5) Y 20s	Yellow, ODAS, marked "46208".	Year round.