

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.S.

163 H4032	Apple River	On Cape Capstan, N. entrance. 45 28 24 064 51 22.9	LFI W 12s	20.8	9	White square tower. 11.2	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  <b>Chart:4010</b>
164 H3928	Île Haute	On highest point. 45 15 03.3 065 00 19.8	FI W 4s	112.0	7	Square skeleton tower. 13.0	Visibility of light may be obscured when the navigator is less than 2.5 nautical miles from light. Operates at night only. Year round.  <b>Chart:4010 Edn 06/12 (F12-014)</b>
165	Advocate Harbour light and bell buoy MM	At entrance to harbour. 45 19 10.3 064 48 00.8	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "MM".	Seasonal (in place year round).  <b>Chart:4010 Edn 03/17 (F17-004)</b>
166 H3934	Advocate Harbour	On S. side of entrance. 45 19 07.1 064 46 59.9	FI R 4s	.....	4	Square skeleton tower, three red and white rectangular daymarks.	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4010 Edn 03/17 (F16-068)</b>
167 H3938	Cape d'Or	On extreme point. 45 17 27 064 46 27.5	FI W 9s	20.3	13	White square tower, red upper portion. 10.7	Flash 1 s; eclipse 8 s. Year round.  <b>Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 240°.</b>  <b>Chart:4010</b>
<b>Minas Basin</b>							
171 H3950	Cape Sharp	On S. extremity of cape. 45 21 52.2 064 23 31.5	Oc W 10s	17.4	12	White square tower, red upper portion. 11.7	Flash 7 s; eclipse 3 s. Year round.  <b>Horn - Blast 4 s; sil. 56 s. Horn points 250°.</b>  <b>Chart:4399</b>
172 H3952	Parrsboro	At entrance to harbour. 45 23 12.8 064 18 59.5	LFI G 6s	8.4	7	White square tower. 8.5	Flash 2 s; eclipse 4 s Year round.  <b>Horn - Blast 3 s; sil. 27 s. Horn points 170°.</b>  <b>Chart:4399 Edn 04/10 (F10-010)</b>
173 H3954	Parrsboro Wharf	SE. corner of wharf. 45 23 24.1 064 19 06.6	FI R 4s	5.1	3	Pipe swing pole. 3.7	Operates at night only. Year round.  <b>Chart:4399 Edn 06/09 (F09-014) Edn 04/10 (F10-009) Edn 04/11 (F11-046)</b>
189.5 H3957	Delhaven Shore Light	45 12 04.5 064 22 42.2	FI R 4s	4.8	4	Pipe swing pole. 4.8	Radar reflector. Seasonal.  <b>Chart:N/A Edn 10/18 (F18-029) Edn 11/18 (F18-039) Edn 12/18 (F18-047)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
190	Delhaven Entrance	45 12 02.8 064 22 40.4	Fl R 4s	4.9	4	Pipe swing pole. 4.9	Radar reflector. Year round.  Chart:N/A Edn 12/18 (F18-030, 037, 048)
191 H3956	Minas Basin	On outer SW. corner of wharf at Delhaven. 45 12 07.6 064 22 48.5	F R .....	7.3	7	Pipe swing pole, red, white and red triangular daymark. 5.2	Radar reflector. Year round.  Chart:4140 Edn 10/18 (F18-028)
192 H3942	Halls Harbour	On end of wharf. 45 12 06.6 064 37 11.8	Fl R 4s	5.8	7	Cylindrical mast, red and white triangular daymark, red triangle in centre. 5.6	Operates at night only. Year round.  Chart:4010 Edn 06/09 (F09-015) Edn 04/11 (F11-044)
193 H3932	Black Rock	S. shore Minas channel. 45 10 13.2 064 45 42.6	Fl(2) W 12s	15.9	12	White cylindrical tower, red horizontal bands. 10.4	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 8 s. Operates at night only. Year round.  Chart:4010
194 H3930	Harbourville	Near outer end of W. pier. 45 09 09.3 064 48 42.2	Fl R 4s	9.8	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 6.5	Operates at night only. Year round.  Chart:4010 Edn 09/11 (F11-083)
195 H3926	Margaretsville	On extremity of point, S. of breakwater. 45 03 00.3 065 03 57.8	Oc(2) W 20s	11.2	10	Square tower, white and black horizontal bands. 9.7	Flash 10 s; eclipse 3 s; flash 4 s; eclipse 3 s. Visible from 095° through S. to 236°. Operates at night only. Year round.  Chart:4010
197.3	Port Lorne breakwater	S. shore. 44 56 57.7 065 15 55.7	Fl R 4s	3	2	Aluminum pipe swing pole, red triangular daymark. 3	Year round.  Chart:4010 Edn 03/16 (F16-004)
198 H3918	Hampton	E. of W. breakwater at Chute Cove. 44 54 20 065 21 10	F W .....	21.0	11	White tower. 10.1	Privately operated. Operates at night only. Year round.  Chart:4010
199 H3916	Parkers Cove	On end of E. breakwater. 44 48 51.1 065 32 18.1	LFl G 12s	8.0	2	Cylindrical mast. 8.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  Chart:4010
199.5 H3914	Delap Cove Wharf	E. of Digby Gut. 44 46 11.8 065 38 11.7	Fl W 4s	6.0	3	Mast. 6.8	Operates at night only. Seasonal.  Chart:4010
201 H3890	Prim Point	Digby Gut, W. point of entrance to Annapolis Basin. 44 41 28 065 47 10.8	Iso W 6s	24.8	12	White rectangular tower, red vertical stripes. 13.9	Year round.  Chart:4396 Edn 04/15 (F15-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
202 H3892	Digby Gut	E. side of entrance to Digby Gut. 44 41 17.4 065 45 35.1	LFl G 6s	20	.....	Square skeleton tower, three green and white daymarks facing 181°T, 212°T and 002°T.	Flash 2 s; eclipse. 4s.  Chart:4396 Edn 12/14 (F14-032) Edn 05/15 (F15-011)
203.5	<b>Battery Point warf</b>	44 40 29.3 065 45 12.4	Fl G 4s	.....	17	Square skeleton tower, three green and white daymarks facing 160°, 250°, and 340°, true. 7.6	Year round.  Chart:4396 Edn 05/15 (F15-007)
204	<i>Bear Island light buoy V1</i>	<i>E. of Fannan Ledge.</i> 44 38 57.9 065 44 48.8	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "V1".</i>	<i>Year round.</i>  Chart:4396
205	<i>The Raquette light buoy V2</i>	44 37 55.4 065 45 05.8	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "V2".</i>	<i>Year round.</i>  Chart:4396
206.2	Digby Breakwater Light	44 37 33.0 065 45 2.1	Fl R 4s	15.5	4	Pipe swing pole. 3	Year round.  Chart:4396 Edn 03/15 (F15-001)
209.1	<i>Port Wade Light Buoy VE1</i>	44 39 36.0 065 42 05.4	<i>Fl G 4s</i>	.....	.....	<i>Green lighted marked "VE1".</i>	<i>Year round.</i>  Chart:4396 Edn. 02/15 (F14-042) Edn. 11/15 (F15-027)
209.3	<i>Black Point light buoy VE3</i>	44 40 57.4 065 39 07.8	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "VE3".</i>	<i>Year round.</i>  Chart:4396
209.8	<i>Goat Island light buoy VE4</i>	<i>NW. of island.</i> 44 42 18.9 065 37 16.8	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "VE4".</i>	<i>Year round.</i>  Chart:4396
<b>Annapolis River</b>							
210 H3906	Schafner Point	On N. side of Annapolis River. 44 42 35.5 065 37 08.6	F W	.....	13.2	10 White square tower, red upper portion. 11.1	Indicates Goat Island Shoals. Operates at night only. Year round.  Chart:4396 Edn 09/15
210.3	<i>Marsh Point light buoy VE5</i>	<i>Off point.</i> 44 42 47.6 065 34 42.5	<i>Fl G 4s</i>	.....	.....	<i>Green, marked "VE5".</i>	<i>Year round.</i>  Chart:4396
211 H3908	Annapolis	NE. of pier. 44 44 39.6 065 31 11.8	F R	.....	9.1	8 White square tower, red upper portion. 8.5	Privately maintained. Operates at night only. Year round.  Chart:4396 Edn 08/11 (F11-149)
213	<i>Centreville light buoy MA</i>	<i>Trout Cove entrance.</i> 44 33 20 066 02 40	<i>Mo(A) W 6s</i>	.....	.....	<i>Red and white vertical stripes, marked "MA".</i>	<i>Year round.</i>  Chart:4011

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>									
214 H3888	Centreville Breakwater	On W. side of cove. 44 33 05.5 066 02 02.6	Fl	G	4s	13.6	8	Square skeleton tower, red and white rectangular daymark, green square in center.  7.7	Flash 1 s; eclipse 3 s. Operates at night only. Year round.  <b>Chart:4011</b> <b>Edn 09/11 (F11-165)</b> <b>Edn 11/11 (F11-185)</b>
215 H3887	Whale Cove Wharf	On outer end of wharf. 44 26 08.1 066 10 30.6	Fl	G	4s	5.5	4	Cylindrical mast, green, white and black square daymark.  5.2	Operates at night only. Year round.  <b>Chart:4118</b> <b>Edn 06/09 (F09-008)</b> <b>Edn 05/11 (F11-103)</b>
216 H3884	<b>Boars Head</b>	On W. side of N. entrance to Petit Passage. 44 24 14.5 066 12 55	Fl	W	5s	28.0	16	White square tower, red upper portion.  11.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 315°.
<b>Chart:4118</b>									
217 H3885	Tiverton	Near outer end of breakwater. 44 23 47 066 12 45	Fl	Y	4s	5.0	5	Triangular skeleton tower.  3.5	Operates at night only. Year round.  <b>Chart:4118</b>
<b>Chart:4118</b>									
220	<i>Northwest Ledge light buoy M4</i>	<i>Off Beatson Rocks.</i> 44 18 17 066 25 55	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M4".</i>	<i>Year round.</i>  <b>Chart:4118</b>
<b>Chart:4118</b>									
221 H3874	<b>Grand Passage</b>	N. point of Brier Island. 44 17 13 066 20 31.2	Fl	W	10s	14.3	21	White rectangular tower, red upper portion.  8.6	Flash 0.3 s; eclipse 9.7 s. Year round.  <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 333°.
<b>Chart:4118</b>									
222	<i>Cow Ledge Shoal light buoy HA4</i>	<i>E. of North Point.</i> 44 17 11 066 20 03	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HA4".</i>	<i>Year round.</i>  <b>Chart:4118</b>
<b>Chart:4118</b>									
223 H3872	Brier Island	On W. point of island. 44 14 55 066 23 32	Fl(3)	W	18s	22.2	14	White octagonal tower, 3 red horizontal bands.  16.7	Flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 11.8 s. Year round.  <b>Horns(2)</b> - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 270° and 315°. Horns sound in unison.
<b>Chart:4118</b>									
224	<i>Gull Rock light buoy HA1</i>	<i>S. of rock.</i> 44 12 08 066 23 11	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HA1".</i>	<i>Year round.</i>  <b>Chart:4118</b>
<b>Chart:4118</b>									
225	<i>Southwest Ledge (Brier Island) light buoy M2</i>	<i>Off W. end of ledge.</i> 44 10 09 066 27 12	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "M2".</i>	<i>Year round.</i>  <b>Chart:4118</b> <b>Edn 05/12 (F12-008)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>BAY OF FUNDY, N.S.</b>								
226	Dartmouth Point light buoy HA2	Grand Passage. 44 14 45 066 19 57	Fl R 4s	.....	.....	Red, marked "HA2".	Year round.  Chart:4118	
227 H3878	Peter Island	S. entrance to Grand Passage. 44 15 25.7 066 20 13.1	LFl G 6s	.....	6	Square skeleton tower, three red rectangular daymarks, white band, green square in center.	Flash 2 s; eclipse 4 s. Year round.  Horn - Blast 2 s; sil. 18 s.  Chart:4118 Edn 05/16 (F08-025) Edn 03/17 (F16-055)	
227.5	Peter Island North	Grand Passage N.S. 44 15 37.4 066 20 15.3	Q G 1s	.....	.....	Green cylindrical mast. 6.4	Operates at night only. Year round.  Carte:4118 Edn. 04/15 (F15-008)	
228 H3880	Westport	On outer end of public wharf. 44 15 53.2 066 20 51.9	Fl G 4s	8.3	2	Cylindrical skeleton mast. 6.6	Operates at night only. Year round.  Chart:4118	
228.5 H3875	Freeport South Breakwater	On breakwater. 44 16 00.4 066 19 44.5	Fl W 4s	4.4	6	Triangular skeleton tower. 3.5	Operates at night only. Year round.  Chart:4118	
229 H3876	Freeport	On outer end of public wharf. 44 16 27.8 066 20 08.5	F R	.....	8.7	7	Pipe swing pole.6.7	Operates at night only. Year round.  Chart:4118 Edn 09/09 (F09-058) Edn 05/11 (F11-105)
<b>St. Marys Bay</b>								
230 H3864	Little River	On outer end of wharf. 44 26 37.4 066 07 44.6	LFl G 6s	7.5	4	Cylindrical mast, green, white and green square daymark. 6.7	Flash 2s; eclipse 4 s. Operates at night only. Year round.  Chart:4118 Edn 06/09 (F09-018) Edn 04/11 (F11-055)	
230.2 H3864.5	East Sandy Cove	On outer end of wharf. 44 29 10.8 066 05 04.3	Fl R 4s	4.3	4	Pipe swing pole, red and white triangular daymark, red triangle in centre. 3.7	Operates at night only. Year round.  Chart:4118 Edn 04/11 (F11-057) Edn 09/11 (F11-095)	
232.1	Sissiboo Outer light buoy HJ1	44 26 54.6 066 01 15.9	Fl G 4s	.....	.....	Green spar, marked "HJ1".	Year round.  Chart:4118	
234 H3859	Belliveau Cove	44 23 20.3 066 03 49.1	Iso W 5s	6.1	.....	Red square tower. 6.4	Privately operated. Operates at night only. Year round.  Chart:4118	
234.3	East Sandy Cove light buoy HK3	44 28 48.5 066 04 39	Fl G 4s	.....	.....	Green spar, marked "HK3".	Year round.  Chart:4118	

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
236.5 H3858	Comeauville Wharf	On wharf. 44 17 31.2 066 07 56.3	Fl R 4s	5.4	4	Triangular skeleton tower. 3.5	Operates at night only. Year round.  Chart:4118
237	Saulnierville light buoy HE	Approach to Saulnierville wharf. 44 16 00 066 09 24	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "HE".	Year round.  Chart:4118
237.5 H3855	Saulnierville Breakwater.	Near end of breakwater. 44 15 51.2 066 08 18.3	Fl R 4s	8.5	7	Square skeleton tower, 2 red and white triangular daymarks. 8.6	Operates at night only.  Chart:4118 Edn 06/14 (F14-010) Edn 05/15 (F15-013)
238 H3852	Meteghan River	At inner end of breakwater. 44 13 11.8 066 08 37.2	Fl W 4s	7.5	6	Triangular skeleton tower. 5.6	Operates at night only. Year round.  Chart:4118
239	Meteghan light buoy HC2	NW. of Meteghan breakwater. 44 11 43 066 12 00	Fl R 4s	.....	.....	Red, marked "HC2".	Year round.  Chart:4118
239.3	Meteghan Outer light buoy HC3	44 11 51 066 10 54	Fl G 4s	.....	.....	Green spar, marked "HC3".	Year round.  Chart:4118
239.4	Meteghan Inner light buoy HC4	44 11 50 066 10 12	Fl R 4s	.....	.....	Red spar, marked "HC4".	Year round.  Chart:4118
239.5 H3851	Meteghan Breakwater	On outer end of breakwater. 44 11 44.1 066 10 00.1	LFl R 6s	.....	6	Square skeleton tower, 2 red and white rectangular daymarks facing 312° and 132°. 4.8	Flash 2 s; eclipse 4 s. Year round.  Chart:4118 Edn 11/13 (F13-034) Edn 05/18 (F18-014)
241 H3848	Cape St. Marys	E. side of bay. 44 05 09.2 066 12 39.6	Fl W 5s	31.8	13	White rectangular tower, red upper portion. 8.7	Flash 0.5 s; eclipse 4.5 s. Year round.  Horn - Blast 4 s; sil. 56 s. Horn points 251°30'.  Chart:4118
242	Cape St. Marys light buoy NV	S. of cape. 44 04 10.3 066 12 35	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "NV".	Year round.  Chart:4243
243 H3846	Cape St. Marys Breakwater	On rubble breakwater. 44 05 03.5 066 12 15	Fl G 4s	8	4	Aluminum pipe swing pole. Two port hand daymarks facing 180° and 220° true.	Operates at night only. Year round.  Chart:4118 Edn 03/16 (F16-002)
245	Trinity Ledge bifurcation light buoy NP	S. of ledge. 43 58 47.3 066 18 26	Fl (2+1) R 6s	.....	.....	Red, green and red, marked "NP".	Year round.  Chart:4243

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.S.

246	Port Maitland light buoy NU	N. of Port Maitland breakwater. 43 59 36.3 066 10 18	Mo(A) W 6s	.....	.....	Spar, red and white vertical stripes, marked "NU".	Year round.
							<b>Chart:4243</b>
247 H3840	Port Maitland Wharf	43 59 09.5 066 09 32.9	LFI G 6s	6.1	5	Square skeleton tower, green and white rectangular daymark. 6.8	Daymark facing 337°(T). Flash 2 s; eclipse 4 s. Radar reflector. Operates at night only. Year round.
							<b>Chart:4243 Edn 11/11 (F11-178)</b>
250.1	Port Maitland West Breakwater light	43 59 09.6 066 09 39.6	Fl R 4s	.....	4	Cylindrical mast. 3.0	Year round.
							<b>Chart:4243 Edn 03/15 (F15-005)</b>
251	Lurcher Shoal bifurcation light buoy NM  <b>Racon -- (K) X Band</b>	W. of Southwest Shoal. 43 48 57.2 066 29 58	Fl (2+1) R 6s	.....	.....	Red, green and red, marked "NM".	Operates at night only. Year round.
							<b>Chart:4243 Edn 04/11 (F11-020)</b>
251.5	Lurcher Northeast Shoal light buoy N9	43 53 00.3 066 26 10	Fl G 4s	.....	.....	Green, marked "N9".	Year round.
							<b>Chart:4243</b>
252	Sandford light buoy NT2	Off Sandford. 43 55 50.8 066 10 53	Fl R 4s	.....	.....	Red, marked "NT2".	Year round.
							<b>Chart:4243</b>
253 H3838	Sandford Sector	43 55 07.6 066 09 14.6	Iso R W G 2s	8.3	12	Square skeleton tower, white rectangular daymark, red horizontal bands. 6.9	Red from 090°57' to 134°57'; white from 134°57' to 136°57'; green from 136°57' to 180°57'. White sector indicates preferred channel. Year round.
							<b>Chart:4243 Edn 05/11 (F11-108)</b>
255.7 H3837	Cheggoggin Point Breakwater	On end of breakwater. 43 51 09.5 066 09 40.2	Fl G 4s	.....	7	Square skeleton tower, green and white rectangular daymark. 6.1	Daymark facing 180°(T). Flash 1 s; eclipse 3 s. Operates at night only. Year round.
							<b>Chart:4243 Edn 01/12 (F11-186)</b>
256	Cheggoggin Point light buoy NQ1	Off SW. extreme of Cheggoggin Point. 43 50 35.2 066 10 38.5	Fl G 4s	.....	.....	Green, marked "NQ1".	Year round.
							<b>Chart:4245</b>

Yarmouth Harbour  
and Approaches

257 H3834	Yarmouth Bar Breakwater	On northerly side of bridge. 43 48 56.3 066 09 09	F G ..... 6.5	7	Cylindrical mast. 3.1	Operates at night only. Year round.
						<b>Chart:4245</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.S.</b>							
259	Cat Rock light buoy Y3	S. of Cape Forchu. 43 46 57.3 066 09 29.5	Fl G 4s	.....	.....	Green, marked "Y3".	Year round.  Chart:4245
260 H3820	Cape Forchu  Racon -... (B) X Band	E. Cape, S. point, Yarmouth Sound. 43 47 38.8 066 09 19.3	LFl W 12s	34.5	12	Hexagonal tower, red and white vertical stripes. 23.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  Chart:4245 Edn 08/11 (F11-102)
260.5	Johns Cove light buoy Y5	43 47 50.3 066 08 44.9	Fl G 4s	.....	.....	Green spar, marked "Y5".	Year round.  Chart:4245
261 H3822	Ships Stern	On N. end of Ships Stern. 43 48 31.7 066 08 45.9	Fl W 4s	.....	4	Pipe swing pole. 3.5	Year round.  Chart:4245 Edn 09/16 (F16-044)
262	Privateer Rock light buoy Y12	E. of Ships Stern. 43 48 34 066 08 38.8	Fl R 4s	.....	.....	Red spar, marked "Y12".	Year round.  Chart:4245
263 H3826	Bunker Island	SW. point of island. 43 48 44.6 066 08 36.2	Iso R 4s	9.8	8	White square tower, red vertical stripe. 9.1	Operates at night only. Emergency light. Year round.  Chart:4245 Edn 04/10 (F10-007)
264	Sollows Rock light buoy Y17	SE. of rock. 43 48 50.2 066 08 40.1	Q G 1s	.....	.....	Green spar, marked "Y17".	Year round.  Chart:4245 Edn 07/09 (F09-036)
265	Yarmouth Main Channel light buoy Y24	S. of Elders Head. 43 49 33.7 066 07 54.2	Fl R 4s	.....	.....	Red spar, marked "Y24".	Year round.  Chart:4245
266	Yarmouth South Channel light buoy Y26	43 49 51.6 066 07 38.8	Fl R 4s	.....	.....	Red spar, marked "Y26".	Year round.  Chart:4245
267	Hen and Chickens light buoy Y4	On W. side of shoal. 43 47 41.5 066 08 36.4	Fl R 4s	.....	.....	Red, marked "Y4".	Year round.  Chart:4245
268	Roaring Bull light buoy Y2	43 45 10.3 066 09 41	Fl R 4s	.....	.....	Red, marked "Y2".	Year round.  Chart:4245