

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

SAGUENAY RIVER

1773 H2106	<b>Haut-fond Prince</b>	On shoal. 48 06 29.6 069 36 51.7	Fl W 2.5s	24.6	18	Cylindrical tower. 25.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Year round.  <b>Horns(3)</b> - Blast 2 s; sil. 18 s.  Horns point 045°, 180° and 288°. <p>The operation of the fog signal will be made remotely on channel 69 (156,475 MHz). Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second interval on channel 69. The signal will be in operation for 60 minutes. After this delay, the same operation must be repeated. The fog signal can be deactivated by pressing the button of the VHF radio 7 times.</p> Horns sound alternately.
							<b>Chart:1203</b>
1774	<i>Haut-fond Prince light and bell buoy SAGUE</i>	<i>NE. of shoal. 48 07 08.8 069 36 05.5</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "SAGUE".</i>	<i>Seasonal.</i>
							<b>Chart:1203</b>
1774.3	<i>Rochers du Saguenay light buoy K54</i>	<i>S. of rocks. 48 07 48.6 069 35 56.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K54".</i>	<i>Seasonal.</i>
							<b>Chart:1203</b>
1774.5	<i>Saguenay River Entrance light buoy S3</i>	<i>At river entrance. 48 06 47.1 069 37 50.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S3".</i>	<i>Seasonal.</i>
							<b>Chart:1203</b>
1775	<i>Batture aux Vaches light and bell buoy S4</i>	<i>On S. side of shoal. 48 07 24.1 069 37 58.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "S4".</i>	<i>(Winter spar.) Year round.</i>
							<b>Chart:1203</b>
1776	<i>Récif Bar light and bell buoy S5</i>	<i>On N. side of reef. 48 06 59.9 069 39 15.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S5".</i>	<i>Seasonal.</i>
							<b>Chart:1203</b>
1777	<i>Batture de la Pointe aux Vaches light buoy S8</i>	<i>48 07 30.1 069 40 17.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "S8".</i>	<i>Seasonal.</i>
							<b>Chart:1203</b>
1778	<i>Îlet aux Alouettes light buoy S7</i>	<i>48 07 11.1 069 40 30.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S7".</i>	<i>Seasonal.</i>
							<b>Chart:1203</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1779 H2112		On E. extremity of point. 48 07 23.9 069 43 00.4	F W .....	29.1	20	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  11.4	Visible in line of range. Emergency light. Year round.
1779.1	<b>Pointe Noire, Saguenay range</b>		F G .....	28.8	6	11.0	Visible from 077° through E. and S. to 257°.
1780 H2112.1		On the flank of the mountain. 273°05' 427.4m from front.	F W .....	43.5	20	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  9.1	Visible in line of range. Emergency light. Year round.  <b>Chart:1203</b> <b>Edn 03/11 (Q11-003, 004, 005)</b> <b>Edn 04/11</b> <b>Edn 11/11 (Q11-106, 107)</b>
1781 H2108	Baie Sainte-Catherine	West side of the landing of Baie Sainte-Catherine ferry. 48 06 56.8 069 43 14	Fl G 6s	9.3	6	Red rectangular tower. 1.3	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b>
1782.5	<i>Marina de Tadoussac Hazard light buoy PRIV</i>	48 08 19.3 069 42 53.0	Fl Y 4s	.....	.....	White and orange, marked "PRIV".	Privately maintained. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  <b>Chart:1203</b> <b>Edn 09/17 (Q17-032)</b>
1783 H2115	Pte de l'Islet	At point. 48 08 07.3 069 42 59.4	Fl W 6s	12.0	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b>
1784 H2118	Anse à l'Eau	On outer end of wharf. 48 08 19.1 069 43 38.9	F G .....	10.8	6	Skeleton tower. 6.5	Operates at night only. Radar reflector. Year round.  <b>Chart:1203</b>
1784.5 H2113	Anse du Portage	On outer end of wharf. 48 07 36.6 069 43 49.6	F Y .....	9.9	8	Skeleton tower. 6.9	Operates at night only. Year round.  <b>Chart:1203</b>
1785 H2122	Cap de la Boule	On S. side of point. 48 08 52.7 069 48 13.1	Fl W 6s	18.0	5	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-174)</b>
1786 H2124	Anse de Sable	W. of cove. 48 09 05.6 069 51 18.8	Fl W 6s	6.8	5	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-175)</b>

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1787 H2130	Anse à Pierrot	NW. of cove. 48 14 01.7 069 53 41.8	Fl W 6s	13.1	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-176)</b>
1788 H2126	Pointe aux Crêpes	On point. 48 13 01.2 069 53 41.4	Fl G 6s	12.9	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-177)</b>
1789 H2128	Anse-de-Roche	On wharf on N. shore. 48 13 05.7 069 52 30.6	Iso R 2s	6.6	7	Skeleton tower. 6.4	Operates at night only. Privately maintained by Municipalité de Sacré-Coeur. Seasonal.  <b>Chart:1203</b>
1790 H2131	Île Saint-Louis	On N. side of island. 48 15 03.3 070 01 08.6	Fl W 6s	39.6	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-178)</b>
1791 H2133	Pointe Claveau	On point. 48 15 37.7 070 06 52.4	Fl W 6s	15.3	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-179)</b>
1793 H2136	Anse de Tabatière	NW. of Pointe au Boeuf. 48 16 19.5 070 12 08.1	Fl W 6s	15.0	5	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-180)</b>
1794 H2138	Baie Trinité	On point opposite La Niche. 48 21 13.5 070 20 40.5	Fl W 6s	16.3	8	Skeleton tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1202</b>
1795 H2140	Cap Rouge	48 22 28.2 070 32 06.7	Fl W 6s	14.8	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1202</b> <b>Edn 03/12 (Q11-181)</b>
1798 H2142	Cap à l'Est	On S. extremity of cape. 48 22 33.2 070 42 20.4	Fl W 6s	17.0	5	White octagonal tower, red upper portion. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1202</b> <b>Edn 03/12 (Q11-182)</b>
<b>Baie des Ha! Ha! Harbour</b>							
1799	Baie des Ha!Ha! light buoy SH9	NE. of Pte. du Fort. 48 21 24.1 070 45 42.3	Fl G 4s	.....	.....	Green, marked "SH9".	Seasonal.  <b>Chart:1202</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1799.2 H2142.3		48 20 04.2 070 52 27	F R .....	15.0	.....	On building, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Privately maintained by Rio Tinto Alcan. Year round.
1799.3 H2142.31	Port-Alfred range	261°46' 122.4m from front.	F R .....	26.1	.....	On building, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Privately maintained by Rio Tinto Alcan. Year round.
							<b>Chart:1202 Edn 07/11 (Q11-067, 068)</b>
1799.4 H2142.2	Bagotville Wharf	48 20 35 070 52 33	Iso R 2s	10.7	6	Pipe Swing Pole. 8.1	Operates at night only. Year round.
							<b>Chart:1202 Edn 01/11 (Q09-051)</b>
<b>Chicoutimi Harbour</b>							
1799.5 H2142.8	Pointe aux Pins	W. side of the point. 48 25 08.2 070 49 52.8	Fl Y 6s	10.9	5	Square skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							<b>Chart:1202 Edn 03/12 (Q11-183)</b>
1800.5	Light buoy S30	48 25 20.7 070 52 49.1	Fl R 4s	.....	.....	Red, marked "S30".	Seasonal.
							<b>Chart:1201 Edn10/14 (Q14-061)</b>
1801 H2143		48 26 36.7 070 59 00.6	F W .....	24.0	15	Square tower, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Seasonal.
1802 H2143.1	Poste-Saint-Martin range	287°18' 3322.3m from front.	F W .....	54.1	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 18.9	Visible in line of range. Seasonal.
							<b>Chart:1201 Edn 10/11 (Q11-114) Edn 10/14 (Q14-061)</b>
1802.4	Light buoy S32	48 25 29.7 070 53 32.3	Fl R 4s	.....	.....	Red, marked "S32".	Seasonal.
							<b>Chart:1201 Edn 10/14 (Q14-061)</b>
1802.6	Light buoy S34	48 25 38.8 070 54 15.7	Fl R 4s	.....	.....	Red, marked "S34".	Seasonal.
							<b>Chart:1201 Edn 10/14 (Q14-061)</b>
1803	Light buoy S36	Off Poste-Saint-Martin. 48 25 47.9 070 54 59.2	Fl R 4s	.....	.....	Red, marked "S36".	Seasonal.
							<b>Chart:1201 Edn 10/14 (Q14-061)</b>
1803.5	Light buoy S37	48 25 55 070 55 45.6	Fl G 4s	.....	.....	Green, marked "S37".	Seasonal.
							<b>Chart:1201 Edn 10/14 (Q14-061)</b>
1804	Light buoy S38	On N. side of dredged channel. 48 26 04.2 070 56 17.8	Q R 1s	.....	.....	Red, marked "S38".	Seasonal.
							<b>Chart:1201 Edn 10/14 (Q14-061)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1804.3	Light buoy S39	48 26 05 070 56 34	Fl G 4s	.....	.....	Green, marked "S39".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1804.5	Light buoy S40	48 26 14.1 070 56 42.8	Q R 1s	.....	.....	Red, marked "S40".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1804.7	Light buoy S42	48 26 30.7 070 57 08.6	Fl R 4s	.....	.....	Red, marked "S42".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1805 H2143.3	Rivière Valin range	E. of river mouth. 48 27 36.7 070 58 53.7	F W .....	27.4	15	Trapezoidal skeleton tower, fluorescent red slatwork daymark, black vertical stripe. Fluorescent red rectangular daymark on West side of structure. 26.2	Visible in line of range. Divergence angle of 8°. Operates 24 h. Seasonal.
1806 H2143.31		314°02' 1020.8 m from front.	F W .....	47.9	15	Square skeleton tower, fluorescent red slatwork daymark, black vertical stripe. 9.5	Visible in line of range. Operates 24 h. Seasonal.  Chart:1201 Edn 10/14 (Q14-061) Edn 01/18 (Q17-028, 044)
1806.5	Light buoy S44	48 26 45.2 070 57 31	Fl R 4s	.....	.....	Red, marked "S44".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1808 H2143.4	Rivière du Caribou range	On N. side of Rivière Saguenay. 48 27 23.2 071 00 35.5	F W .....	13.2	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 12.6	Visible in line of range. Seasonal.
1809 H2143.5		283°34' 229m from front.	F W .....	19.2	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 9.6	Visible in line of range. Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1810	Light buoy S46	48 26 57.9 070 57 50.8	Fl R 4s	.....	.....	Red, marked "S46".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1811 H2143.6	Simard range	On N. side of Rivière Saguenay. 48 26 59 071 01 16.7	F G .....	8.8	6	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 8.0	Visible in line of range. Seasonal.
1812 H2143.7		256°15' 212.9m from front.	F G .....	13.9	16	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 12.4	Visible in line of range. Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1813	Courbe de Caribou light buoy S47	48 26 57.9 070 58 06	Q G 1s	.....	.....	Green, marked "S47".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1813.8	Light buoy S50	48 27 06.7 070 58 47.3	Fl R 4s	.....	.....	Red, marked "S50".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1814 H2143.9	Rivière-du-Moulin Lower range	N. of river. 48 26 07.4 071 01 31.1	F G	.....	10.6	16 Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  9.4	Visible in line of range. Seasonal.
1815 H2143.91		214°46' 197.1m from front.	F G	.....	17.6	16 Square skeleton tower, two orange trapezoidal daymarks, black vertical stripe.  7.9	Visible in line of range. Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1817 H2144	Rivière-du-Moulin Upper range	E. of river mouth. 48 26 01.6 071 01 42.9	F G	.....	9.6	16 Skeleton tower, orange daymark, black vertical stripe.  6.4	Visible in line of range. Seasonal.
1818 H2144.1		081°38' 132.1m from front.	F G	.....	17.6	16 Skeleton tower, two orange daymarks, black vertical stripe.  7.9	Visible in line of range. Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1820	Quai Maltais light buoy S53	48 27 08.5 070 59 11.8	Q G 1s	.....	.....	Green, marked "S53".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1820.2	Light buoy S56	48 27 16.1 070 59 43.2	Fl R 4s	.....	.....	Red, marked "S56".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1820.5	Alignement Simard light buoy S59	48 27 07.7 071 00 12.9	Q G 1s	.....	.....	Green, marked "S59".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1820.6	Light buoy S60	48 27 08.5 071 00 28.3	Fl R 4s	.....	.....	Red, marked "S60".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1820.7	Light buoy S61	48 26 54.9 071 00 39.2	Q G 1s	.....	.....	Green, marked "S61".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1820.9	Light buoy S63	48 26 29.2 071 01 06.2	Fl G 4s	.....	.....	Green, marked "S63".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1821.1	Light buoy S65	48 26 13.2 071 01 37.2	Fl G 4s	.....	.....	Green, marked "S65".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1821.3	Light buoy S67	48 25 57.1 071 02 08.3	Fl G 4s	.....	.....	Green, marked "S67".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

SAGUENAY RIVER

1822	Monument Price Sector	48 25 45.8 071 02 34.9	F R ..... AI W RW G AI GW	13.0	13	Rectangular skeleton tower.	Visible over an arc of 005°. Red from 229°30' to 231°30'; AI RW from 231°30' to 231°50'; white from 231°50' to 232°10'; AI GW from 232°10' to 232° 30'; green from 232°30' to 234°30'. Year round.  <b>Chart:1201 Edn 10/14 (Q14-061)</b>
1823.3	Light buoy S71	48 25 52.9 071 02 56.7	Fl G 4s	.....	.....	Green, marked "S71".	Seasonal.  <b>Chart:1201 Edn 10/14 (Q14-061)</b>
1823.4	Chicoutimi Yacht Club	Outer end of wharf. 48 25 51.4 071 03 00.1	Fl Y 4s	1.5	2	.....	Privately maintained. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  <b>Chart:1201 Edn 01/18 (Q17-031, 053)</b>