

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|--|---|--------------------------|--|-----------------------|--|---|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2545 <i>H34</i> | Bear Island | On E. side of entrance to Coral Harbour. 64 00 30 083 13 01 | Fl W 5s | 20.1 | 7 | Square tower, orange rectangular daymark. 11.8 | Flash 1 s; eclipse 4 s. Radar reflector. Seasonal. Chart:5410 Edn 08/11 |
| Inland LL 2546 <i>H35</i> | Munn Bay (Coral Harbour) | W. of Harbour, Southampton Island. 64 07 33 083 15 13 | Fl W 5s | 21.0 | 7 | Square tower, orange rectangular daymark. 11.5 | Flash 1 s; eclipse 4 s. Radar reflector. Seasonal. Chart:5410 Edn 08/11 |
| Inland LL 2547 <i>H33.4</i> | Walrus Island (Fisher Strait) | Centre of island. 63 16 45.0 083 40 15.0 | Fl W 6s | 54.9 | 8 | Square skeleton tower, orange rectangular daymark. 9.8 | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal (in place year round). Chart:5449 Edn 09/11 (A11-018) Edn 10/17 (A17-060) |
| Inland LL 2548 <i>H33</i> | Cape Pembroke | NE. end of Coats Island. 62 54 30 081 53 30 | Fl W 5s | 16.5 | 8 | Square tower, orange rectangular daymark. 10.9 | Flash 1 s; eclipse 4 s. Seasonal. Chart:5449 Edn 08/11 |
| Inland LL 2549 <i>H32</i> | Coats Island Racon - . - (C) X & S Band | On Carys Swan Nest, SE. point of island. 62 10 20 083 08 00 | Fl W 6s | 12.5 | 8 | Red and white skeleton tower, orange rectangular daymark. 11.2 | Flash 1 s; eclipse 5 s. Shoal water surrounds this point and should not be approached nearer than 5 miles. Radar reflector. Seasonal. Chart:5449 Edn 09/11 (A11-018) |
| Inland LL 2550 <i>H36</i> | Mansel Island Racon - . - (K) X & S Band | N. extremity of island. 62 25 00 079 36 30 | Fl W 5s | 18.6 | 8 | Square tower, orange rectangular daymark. 15.5 | Flash 1 s; eclipse 4 s. Radar reflector. Seasonal. Chart:5449 Edn 08/11 |
| Inland LL 2551 <i>H36.1</i> | Cape Acadia (Mansel Island) | S. extremity of island. 61 35 00 079 48 30 | Fl W 5s | 23.5 | 8 | Square tower, orange rectangular daymark. 19.2 | Flash 1 s; eclipse 4 s. Radar reflector. Seasonal. Chart:5449 Edn 08/11 |
| Inland LL 2552 <i>H36.4</i> | Broomfield Island Racon - . (N) X & S Band | 55 40 24 079 14 18 | Fl R 6s | 43.9 | | Square skeleton tower, orange rectangular daymark. | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5707 |
| Inland LL 2553 <i>H38</i> | Digges Islet | On NW. islet of the Digges Islands. 62 35 14 078 06 36.8 | Fl W 6s | 27.7 | | Square tower, orange square daymark. 7.9 | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5412 |
| Inland LL 2554 <i>H40</i> | Nottingham Island Racon - . (N) X & S Band | On S. extremity of island. 63 05 10 077 57 00 | Fl W 6s | 27.7 | 10 | Square tower, orange rectangular daymark, black vertical stripe. 12.4 | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5449 |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------------------|---|---|--------------------------|--|-----------------------|---|--|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2554.4 | Salluit Breakwater (Starboard entrance) | 62 12 34.8 075 39 04.6 | Fl R 4s | 3.2 | 2 | Black cylindrical mast. 1.4. | Maintained by the Community of Inuit Salluit. Seasonal. Chart:5458 Edn 06/09 (Q09-046) |
| Inland LL 2554.6 | Salluit Breakwater (Porthand entrance) | 62 12 34.4 075 38 58.7 | Fl G 4s | 3.5 | 2 | Black cylindrical mast. 1.3 | Maintained by the Community of Inuit Salluit. Seasonal. Chart:5458 Edn 06/09 (Q09-047) |
| Inland LL 2555 H41 | Arctic Island | On centre of island. 62 14 28 074 45 44 | Fl W 6s | 29.6 | | Square tower, orange rectangular daymark. 6.7 | Flash 1 s; eclipse 5 s. Seasonal. Chart:5457 |
| Inland LL 2556 H42 | Charles Island West End | 62 42 30 074 40 00 | Fl W 6s | 20.7 | 10 | Square tower, orange rectangular daymark. 16.1 | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5450 |
| Inland LL 2558 H48 | Wales Island | E. extremity of island. 61 51 38 071 58 00 | Fl W 6s | 83.2 | 10 | Square mast, orange rectangular daymark. 6.7 | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5390 |
| Inland LL 2560 H52 | Cape Hopes Advance | 61 04 41.8 069 33 28.3 | Fl W 6s | 82.3 | 8 | Square skeleton tower, orange rectangular daymark. | Flash 1 s; eclipse 5 s. Radar reflector. Seasonal. Chart:5452 |
| Iqaluit (Frobisher Bay) | | | | | | | |
| Inland LL 2566 H53.4 | Cape Poillon range | 63 07 55.9 067 52 14.8 | Iso W 2s | 84.0 | | Square skeleton tower, orange daymark, black vertical stripe. | Visible in line of range. Seasonal. |
| Inland LL 2567 H53.41 | | 149°28' 3427.9m from front. | Iso W 2s | 203.5 | | Square tower, orange daymark. | Visible in line of range. Seasonal. Chart:7125 |
| Inland LL 2568 H53.5 | Cape Poillon West | Pike Resor Channel, Frobisher Bay. 63 08 49.8 067 55 00.8 | Fl Y 6s | 38.9 | | Square tower, orange rectangular daymark. | Flash 1 s; eclipse 5 s. Seasonal. Chart:7125 |
| Inland LL 2569 H54 | Basset Point | On Pike Island. 63 12 43.5 067 57 47.2 | Fl R 5s | 18.3 | | Square tower, orange rectangular daymark. | Flash 1 s; eclipse 4 s. Seasonal. Chart:7125 |
| Inland LL 2570 H54.2 | Pike Island range 1 | Pike Resor Channel. 63 13 47.4 067 59 54.3 | Iso W 2s | 28.0 | | Square tower, orange daymark, black vertical stripe. | Visible in line of range. Seasonal. |
| Inland LL 2571 H54.21 | | 329°28' 385.4m from front. | Iso W 2s | 44.4 | | Square tower, orange daymark, black vertical stripe. | Visible in line of range. Seasonal. Chart:7125 |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------------------|---|--|--------------------------|--|-----------------------|--|--|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2572 <i>H54.3</i> | Pike Island No. 2 range | 63 15 04.1 068 01 46.8 | Iso W 2s | 20.9 | | Square tower, orange daymark, black vertical stripe. | Visible in line of range. Seasonal. |
| Inland LL 2573 <i>H54.31</i> | | 146°04' 2463.2m from front. | Iso W 2s | 52.0 | | Square tower, orange daymark, black vertical stripe. | Visible in line of range. Seasonal. |
| Chart:7125 | | | | | | | |
| Inland LL 2574 <i>H54.4</i> | Quadrifid Island | 63 18 13.8 068 07 47.2 | Fl G 5s | 33.6 | | Square tower, orange rectangular daymark. | Flash 1 s; eclipse 4 s. Seasonal. |
| Chart:7125 | | | | | | | |
| Inland LL 2575 <i>H54.6</i> | Lapointe Rock | 63 21 35.9 068 14 23.5 | Fl W 6s | 14.0 | 10 | Square tower, orange rectangular daymark. | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:7125 | | | | | | | |
| Inland LL 2576 <i>H56.4</i> | Monument Island | On summit of island. 63 41 54.3 068 30 11.4 | Fl R 6s | 41.4 | | Square tower, orange rectangular daymark. 9.5 | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:7127 | | | | | | | |
| Inland LL 2577 | <i>White Top Ledge light buoy N22</i> | <i>SW. of ledge. 63 42 50.2 068 30 07.7</i> | <i>Fl R 4s</i> | | | <i>Red, marked "N22".</i> | <i>Seasonal.</i> |
| Chart:7127 | | | | | | | |
| Inland LL 2578 | <i>Inuit light buoy N23</i> | <i>E. of reef. 63 43 01.2 068 30 42.5</i> | <i>Fl G 4s</i> | | | <i>Green, marked "N23".</i> | <i>Seasonal.</i> |
| Chart:7127 | | | | | | | |
| Inland LL 2579 | <i>Polaris Reef light buoy N26</i> | <i>S. of reef. 63 43 19.3 068 30 46.4</i> | <i>Fl R 4s</i> | | | <i>Red, marked "N26".</i> | <i>Seasonal.</i> |
| Chart:7127 | | | | | | | |
| Inland LL 2580 <i>H55</i> | Long Island | Koojesse Inlet. 63 43 31.1 068 30 05.1 | Fl W 6s | 14.2 | | Square tower, orange rectangular daymark. 5.4 | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:7127 | | | | | | | |
| Inland LL 2581 | <i>Black Ledge light buoy N30</i> | <i>W. of ledge. 63 43 40.1 068 31 08.3</i> | <i>Fl R 4s</i> | | | <i>Red, marked "N30".</i> | <i>Seasonal.</i> |
| Chart:7127 | | | | | | | |
| Inland LL 2582 <i>H55.5</i> | Frobisher Bay (Iqaluit) range | W. of the bay. 63 43 39.1 068 31 50.5 | Iso R 2s | 18.6 | | Square tower, orange daymark, black vertical stripe. 16.6 | Visible in line of range. Seasonal. |
| Inland LL 2583 <i>H55.51</i> | | 229°58' 576.1m from front. | Iso R 2s | 55.8 | | Square tower, orange daymark, black vertical stripe. 8.3 | Visible in line of range. Seasonal. |
| Chart:7127 | | | | | | | |
| Inland LL 2584 <i>H56</i> | Frobisher Landing | Koojesse Inlet. 63 44 16.3 068 31 34.8 | Fl Y 6s | 5.0 | | Square tower, orange rectangular daymark. | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:7127 | | | | | | | |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--|--|--|--------------------------|--|-----------------------|---|---|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2585 H56.2 | Koojesse Inlet range | 63 44 43.9 068 31 24.4 | F G | 13.1 | | Square tower, orange daymark. 13.2 | Visible in line of range. Year round. |
| Inland LL 2586 H56.21 | | 344°01' 419.5m from front. | F G | 30.3 | | Square tower, orange daymark. 16.4 | Visible in line of range. Year round. |
| Chart:7127 | | | | | | | |
| Inland LL 2591 H58 | Koksoak River range | Kuujjuaq. 58 27 37.2 068 12 26.9 | F G | 18.0 | 10 | Square skeleton tower, orange daymark, black vertical stripe. 7.9 | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2592 H58.1 | | 197°38' 613.6m from front. | F G | 39.6 | 13 | Square tower, orange daymark, black vertical stripe. 24.4 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/12 (Q11-186, 187) | | | | | | | |
| Inland LL 2593 H58.4 | Koksoak River East range | Kuujjuaq. 58 29 42 068 10 20.2 | Iso W 2s | 19.7 | 16 | Square skeleton tower, orange daymark, black vertical stripe. | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2594 H58.41 | | 189°36' 651.4m from front. | Iso W 2s | 35.0 | 16 | Square tower, orange daymark, black vertical stripe. | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/12 (Q11-188, 189) | | | | | | | |
| Inland LL 2595 H59 | Beacon Point (Inukshuktuyuk) range | Koksoak river. 58 33 04.2 068 11 32.6 | F W | 17.4 | 15 | Square tower, orange daymark, black vertical stripe. | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2596 H59.1 | | 219°49' 1025.2m from front. | F W | 44.0 | 15 | Square tower, orange daymark, black vertical stripe. 7.9 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/12 (Q11-190, 191) | | | | | | | |
| Inland LL 2597 | Stic range | Koksoak river, Kuujjuaq. 58 16 32.1 068 16 45.3 | Iso R 2s | 18.3 | 14 | Square skeleton tower, orange daymark, black vertical stripe. 14.2 | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2597.1 | | 202°30' 285.8m from front. | Iso R 2s | 28.6 | 14 | Square skeleton tower, orange daymark, black vertical stripe. 9.4 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/14 (Q14-047,048) | | | | | | | |
| Inland LL 2597.2 | Tent range | West shore Koksoak river, Kuujjuaq. 58 18 41.7 068 15 54.9 | F G | 24.3 | 16 | Square skeleton tower, orange daymark, black vertical stripe. 15.5 | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2597.3 | | 353° 21' 1468.5m from front. | F G | 61.3 | 16 | Square skeleton tower, orange daymark, black vertical stripe. 9.4 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/14 (Q14-049, 050) | | | | | | | |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--|---|--|--------------------------|--|-----------------------|---|---|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2597.4 | Chapel range | East shore Koksoak river, Kuujjuaq. 58 12 27 068 17 13.1 | F G | 24.7 | 16 | Square skeleton tower, orange daymark, black vertical stripe. 15.5 | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2597.5 | | 195° 46' 1429.3m from front. | F G | 42.1 | 16 | Square skeleton tower, orange daymark, black vertical stripe. 9.4 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/14 (Q14-051, 052) | | | | | | | |
| Inland LL 2597.6 | Whale range | West shore Koksoak river, Kuujjuaq. 58 11 10.6 068 19 35.2 | F R | 38.7 | 14 | Square skeleton tower, orange daymark, black vertical stripe. 15.5 | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2597.7 | | 209° 06' 1441.2m from front. | F R | 70.0 | 14 | Square skeleton tower, orange daymark, black vertical stripe. 9.4 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/14 (Q14-053, 054) | | | | | | | |
| Inland LL 2597.8 | Paint range | West shore Koksoak river, Kuujjuaq. 58 14 19 068 18 28.4 | Iso G 2s | 24.5 | 16 | Square skeleton tower, orange daymark, black vertical stripe. 15.6 | Visible in line of range. Operates at night only. Seasonal. |
| Inland LL 2597.9 | | 359° 41' 1787.3m from front. | Iso G 2s | 48.9 | 16 | Square skeleton tower, orange daymark, black vertical stripe. 9.4 | Visible in line of range. Operates at night only. Seasonal. |
| Chart:5338 Edn 11/14 (Q14-055, 056) | | | | | | | |
| Inland LL 2600 H35.4 | Mission Lake | Chesterfield Inlet. 63 20 36.8 090 41 14 | Fl W 6s | 30 | | Square mast, orange rectangular daymark. 9.7 | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:5620 | | | | | | | |
| Inland LL 2601 H24 | Dunne Foxe Island | On Easternmost Island. 62 15 42 091 59 20 | Fl W 6s | 21.7 | | Square skeleton mast. 10.0 | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:5630 | | | | | | | |
| Inland LL 2602 H25 | Walrus Island Racon -- (Y) X & S Band | Mistake Bay. 61 57 59.4 092 28 41.1 | Fl W 6s | 28.5 | | Square skeleton mast, orange rectangular daymark. 11.0 | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:5642 | | | | | | | |
| Inland LL 2603 H25.5 | Sentry Island Racon -- (C) X & S Band | 61 09 35.6 093 52 14.6 | Fl W 6s | 35.4 | | Square skeleton mast. 18.4 | Flash 1 s; eclipse 5 s. Seasonal. |
| Chart:5641 | | | | | | | |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------------|---|---|--------------------------|--|-----------------------|--|--|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2603.021 | Schooner Cove range | Chesterfield Inlet (Narrows). 63 59 17.8 094 15 50.3 | Iso G 4s | 4.0 | 7 | Square skeleton tower, orange daymark, black vertical stripe. 4.1 | Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round). |
| Inland LL 2603.022 | | 110°37' 170.0 m from front. | Iso G 4s | 11.1 | 7 | Square skeleton tower, orange daymark, black vertical stripe. 4.1 | Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round). Chart:5625 Edn 05/18 (A18-001, 002) |
| Inland LL 2603.023 | Twist Point range | Chesterfield Inlet (Narrows). 63 59 39.5 094 17 24.0 | Iso W 4s | 3.8 | 6 | Square skeleton tower, orange daymark, black vertical stripe. 4.1 | Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round). |
| Inland LL 2603.024 | | 079°06' 259.5 m from front. | Iso W 4s | 8.8 | 6 | Square skeleton tower orange daymark, black vertical stripe. 4.1 | Visible at 20° and 25° at 50% and 10% maximum power, respectively. Seasonal (in place year round). Chart:5625 Edn 05/18 (A18-003, 004) |
| Churchill Harbour | | | | | | | |
| Inland LL 2605.01 | <i>Hudson Bay Southwest ODAS light buoy 45158</i> | 59 00 00 094 00 00 | <i>F(5) Y 20s</i> | | | <i>Yellow, marked "45158".</i> | <i>Maintained by Environment Canada. Seasonal.</i> Chart:5400 |
| Inland LL 2606 | <i>Merry Rock light buoy C1</i> | 58 47 31.5 094 12 23 | Q G 1s | | | <i>Green, marked "C1".</i> | <i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640 Edn 11/09 (D09-033) |
| Inland LL 2607 | <i>Merry Rock light buoy C2</i> | 58 47 40.8 094 12 23.5 | Q R 1s | | | <i>Red, marked "C2".</i> | <i>Maintained by the Port of Churchill. Seasonal.</i> Chart:5640 Edn 11/09 (D09-034) |
| Inland LL 2608 H28 | Fort Prince of Wales range | 58 47 39.3 094 12 55.8 | F W | 7.9 | .15 | Skeleton tower, orange trapezoidal daymark, black vertical stripe. | Seasonal. |
| Inland LL 2609 H28.1 | | 343°49' 385.2m from front. | F W | 10.9 | 15 | Tripod skeleton tower, orange trapezoidal daymark, black vertical stripe. | Seasonal. Chart:5640 Edn 06/11 (D11-015) |
| Inland LL 2610 H29 | Ship Point range | 58 47 28.1 094 13 22.8 | F W | 9.1 | 15 | Square skeleton mast, orange trapezoidal daymark, black vertical stripe. 6.1 | Seasonal. |
| Inland LL 2611 H29.1 | | 317°37' 196.4m from front. | F W | 13.3 | 15 | Tripod skeleton tower, orange trapezoidal daymark, black vertical stripe. | Seasonal. Chart:5640 Edn 06/11 (D11-015) |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------------|---|--|--------------------------|--|-----------------------|---|---|
| HUDSON STRAIT AND BAY | | | | | | | |
| Inland LL 2612 H27 | Churchill range | 58 47 00.9 094 13 59.2 | F W | 23 | | Tripod skeleton tower, orange daymark. | Seasonal. |
| Inland LL 2613 H27.1 | Racon --. (G) X & S Band | 236°25' 1632.8m from front. | F W | 47.1 | | Tripod skeleton tower, orange daymark, black vertical stripe. | Seasonal. Chart:5640 |
| Inland LL 2614 | <i>Merry Rock light buoy C4</i> | 58 47 22.8 094 12 57 | Fl R 4s | | | Red, marked "C4". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-035) |
| Inland LL 2615 | <i>Cape Merry light buoy C3</i> | 58 47 16.4 094 12 34.7 | Fl G 4s | | | Green, marked "C3". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-036) |
| Inland LL 2616 | <i>Cape Merry light buoy C5</i> | 58 47 09.8 094 12 33.0 | Fl G 4s | | | Green, marked "C5". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-037) |
| Inland LL 2617 | <i>Cape Merry light buoy C6</i> | 58 47 01.3 094 12 43.0 | Fl R 4s | | | Red, marked "C6". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-038) |
| Inland LL 2618 | <i>Churchill Wharf Approach light buoy C7</i> | 58 46 50.8 094 12 12.9 | Fl G 4s | | | Green, marked "C7". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-039) |
| Inland LL 2620 | <i>Churchill Wharf light buoy C8</i> | 58 46 44.6 094 12 15.2 | Fl R 4s | | | Red, marked "C8". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-040) |
| Inland LL 2621 | <i>Churchill Wharf light buoy C10</i> | S. end of wharf. 58 46 16.8 094 11 40 | Fl R 4s | | | Red, marked "C10". | Maintained by the Port of Churchill. Seasonal. Chart:5640 Edn 11/09 (D09-041) |

Buoys are placed by local knowledge to mark changing channel and may not be in the position shown.