

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks
		----- Latitude N. Longitude W.					----- Height in meters above ground	
NOVA SCOTIA, SOUTHEAST COASTS								
327 H3784	Cape Sable Racon --- (C) X Band	On cape. 43 23 24 65 37 16.9	FI	W	5s	29.7	18	White octagonal tower, red upper portion. 30.0 Horn - Blast 4 s; sil. 56 s. Horn points 150°.
								Chart:4210
328	<i>Hawk Channel light buoy JS53</i>	<i>E. entrance of channel.</i> 43 23 58 65 35 20	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JS53".</i> <i>Year round.</i>
								Chart:4241
329	<i>White Knoll Ledge light buoy JS55</i>	<i>SE. of ledge.</i> 43 25 13 65 34 17.5	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JS55".</i> <i>Year round.</i>
								Chart:4241
329.5 H3784.4	Daniels Head	End of rubble breakwater. 43 26 54.6 65 35 09.6	FI	G	4s	9.4	4	Square skeleton tower. 6.6 Operates at night only. Year round.
								Chart:4241 Edn 04/11(F11-045)
329.6	<i>Daniels Head light buoy JU50</i>	43 26 57 65 34 55	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "JU50".</i> <i>Year round.</i>
								Chart:4241
330	<i>Stoney Island light buoy JQ</i>	<i>N. of Stoney Island Shoal.</i> 43 27 24.5 65 32 44.5	<i>Mo(A)</i>	<i>W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JQ".</i> <i>Year round.</i>
								Chart:4241
331	<i>Congress Shoal light buoy JS59</i>	<i>E. of shoal.</i> 43 27 58 65 32 48	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "JS59".</i> <i>Year round.</i>
								Chart:4241
331.2 H3787.4	Stoney Island Outer Breakwater	On outer end of breakwater. 43 28 06.4 65 33 56.1	FI	G	3s	9.6	Square skeleton tower, red, white and red rectangular daymark, green square in center. 6.7 Flash 1 s; eclipse 2 s. Operates at night only. Year round.
								Chart:4241 Edn 04/11(F11-060) Edn 09/11(F11-093)
331.44	<i>Stoney Island light buoy JQ52</i>	43 27 57.5 65 33 40.3	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JQ52".</i> <i>Year round.</i>
								Chart:4241
331.5	Cripple Creek Breakwater	43 29 22.5 65 33 35.3	Iso	G	4s	2	Mast. Operates at night only. Year round.
								Chart:4241
331.6	<i>Cripple Creek light buoy JS61</i>	43 29 21 65 33 18	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "JS61".</i> <i>Year round.</i>
								Chart:4241
333.5	<i>Wesses Ledge light buoy JS70</i>	43 31 02.5 65 34 58	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "JS70".</i> <i>Year round.</i>
								Chart:4241

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		----- Latitude N. Longitude W.				----- Height in meters above ground	
NOVA SCOTIA, SOUTHEAST COASTS							
334	<i>Barrington Passage Channel light buoy JS76</i>	<i>Entrance to channel. 43 31 26 65 35 51</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "JS76". Year round.</i>
							Chart:4241
336 <i>H3782</i>	Baccaro Point	<i>E. side of entrance to Barrington Bay. 43 26 59 65 28 15</i>	<i>Mo(D) W</i>	<i>10s</i>	<i>15.0</i>	15	<i>White square tower, red upper portion. 14.0 Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible from 207° through W., N. and E. to 127°. Operates at night only.</i>
							Fog signal - Blast 2 s; sil. 18 s. Horn points 200°.
							Chart:4241 Edn 06/15 (F15-014) Edn 07/15 (F15-022)
337	<i>Bantam Rocks light buoy JS56</i>	<i>W. of the rocks. 43 25 42 65 29 16</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JS56". Year round.</i>
							Chart:4241
338	<i>Brazil Rock South Cardinal light buoy J</i>	<i>S. of rock. 43 21 00 65 26 44</i>	<i>Q(6) +LFI</i>	<i>W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>
							<i>Yellow and black, marked "J". Year round.</i>
							Chart:4241
339	<i>Cuckold Rock light buoy JJ51</i>	<i>SE. of rock, entrance to Port La Tour. 43 27 06 65 27 18</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JJ51". Year round.</i>
							Chart:4241
340	<i>Port La Tour light buoy JN</i>	<i>43 29 27 65 26 42</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JN". Year round.</i>
							Chart:4241
340.01	<i>Outer Rock South Cardinal light buoy JJ</i>	<i>43 26 00 65 26 35</i>	<i>Q(6) + LFI</i>	<i>W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>
							<i>Yellow and black spar, marked "JJ". Year round.</i>
							Chart:4241
340.03	<i>Port La Tour light buoy JJ56</i>	<i>43 27 51.7 65 26 59.2</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "JJ56". Year round.</i>
							Chart:4241
340.04	<i>Port La Tour light buoy JJ57</i>	<i>43 28 33 65 27 08.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "JJ57". Year round.</i>
							Chart:4241
342	<i>Port La Tour Inner light buoy JN53</i>	<i>Off Mohawk Ledge. 43 30 20.8 65 27 08.2</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "JN53". Year round.</i>
							Chart:4241
343 <i>H3781</i>	Upper Port La Tour	<i>Outer end of E. breakwater. 43 30 19.6 65 28 11</i>	<i>LFI R</i>	<i>6s</i>	<i>7.3</i>	5	<i>Pipe Swing Pole, red and white triangular daymark red triangle in center. 6.8 Operates at night only. Year round.</i>
							Chart:4241 Edn 03/11(F11-035)
344 <i>H3780</i>	Port La Tour	<i>On outer end of breakwater. 43 29 58 65 28 14.2</i>	<i>LFI G</i>	<i>6s</i>	<i>6.3</i>	5	<i>Cylindrical mast, green and white square daymark. 3.8 Flash 2 s; eclipse 4 s Operates at night only. Year round.</i>
							Chart:4241 Edn 03/10(F09-076)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals		
NOVA SCOTIA, SOUTHEAST COASTS											
345 H3779	Port Latour Harbour	On Whale Back Rock. 43 29 34.0 065 26 58.8	FI	G	4s	5.5	2	Cylindrical mast, green, white and black square daymark. 3.8	Year round.	Chart:4241 Edn 09/16 (F16-050)	
346	Barrel Rock light buoy JA56	SW. of rock. 43 29 44 65 27 06	Q	R	1s	Red spar, marked "JA56".	Year round.	Chart:4241	
346.01	Port La Tour light buoy JN51	43 29 55.5 65 26 39.4	Q	G	1s	Green spar, marked "JN51".	Year round.	Chart:4241	
347	Port La Tour light buoy JA	S. of Blanche Island. 43 26 33 65 24 09	Mo(A)	W	6s	Red and white vertical stripes, marked "JA".	Year round.	Chart:4241	
348 H3778	The Salvages	SE. end of island. 43 28 08.1 65 22 44	LFI	W	12s	15.6	10	White rectangular tower, red upper portion. 12.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.	Chart:4241 Edn 03/12(F12-007)	
349 H3774	Cape Negro Island	On SE. end of island. 43 30 26.2 65 20 44.2	FI(2)	W	15s	28.3	White octagonal tower, red upper portion. 11.9	Visible from 187° through W., N. and E. to 106°30'. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s.	Chart:4241 Edn 03/12(F12-003)	
350	Budget Rock light and bell buoy SN51	At entrance to Negro Harbour. 43 31 35 65 20 41.5	FI	G	4s	Green, marked "SN51".	Year round.	Chart:4241	
350.02	Negro Harbour light buoy SN52	43 31 48.9 65 20 53	FI	R	4s	Red spar, marked "SN52".	Year round.	Chart:4241	
350.5	The Nubble North Cardinal light buoy SNC	43 32 00 65 23 30	Q	W	1s	Black and yellow, marked "SNC".	Year round.	Chart:4241	
351	Grog Rock light buoy SP54	SW. of rock. 43 32 20.6 65 21 51.5	FI	R	4s	Red, marked "SP54".	Year round.	Chart:4241	
351.02	Negro Harbour light buoy SP56	43 32 36.4 65 21 51.5	FI	R	4s	Red spar, marked "SP56".	Year round.	Chart:4241	
351.04	Negro Harbour light buoy SP59	43 33 08 65 22 04	FI	G	4s	Green spar, marked "SP59".	Year round.	Chart:4241	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		----- Latitude N. Longitude W.				----- Height in meters above ground	
NOVA SCOTIA, SOUTHEAST COASTS							
352 H3776	Ingomar Wharf	On outer end of wharf. 43 33 45.7 65 21 46.8	LFI R	6s 5.4	5	Cylindrical mast, two red and white triangular daymarks, red triangle in centre. 3.8	Flash 2 s; eclipse 4 s Operates at night only. Year round.
							Chart:4241 Edn 08/11(F11-143)
352.5	Shingle Point light buoy SN60	Off point. 43 32 49 65 24 15	FI R	4s	Red, marked "SN60".	Year round.
							Chart:4241
353	Negro Harbour light and whistle buoy SN	At East Entrance to harbour. 43 31 01.5 65 18 50	Mo(A) W	6s	Red and white vertical stripes, marked "SN".	Year round.
							Chart:4241
354	Jig Rock light buoy S51	Off rock. 43 35 58.3 65 15 51.4	FI G	4s	Green, marked "S51".	Year round.
							Chart:4241
355 H3762	Cape Roseway	Near SE. point of McNutt Island. 43 37 21.4 65 15 50	FI W	10s 33.1	10	White octagonal tower, red upper portion. 17.3	Flash 1 s; eclipse 9 s. Visible from 187° through W. and N. to 055°. Operates at night only. Year round.
							Chart:4209 Edn 01/12(F11-187)
357	Shelburne light buoy S	Off entrance to Shelburne Harbour. 43 37 36 65 13 51	Mo(A) W	6s	Red and white vertical stripes, marked "S".	Year round.
							Chart:4241
357.5	Old Cow Reef bifurcation light buoy SAC	43 38 18 65 13 12	FI R (2+1)	6s	Red, green and red, marked "SAC".	Year round.
							Chart:4241
357.8	Strap Tub South Cardinal light buoy KSA	43 39 00 65 14 07.8	Q(6) +LFI W	15s	Yellow and black spar, marked "KSA".	Year round.
							Chart:4241
359 H3763	Lower Sandy Point	On outer end of wharf. 43 40 48.7 65 18 10.8	FI W	4s 4.3	5	Pipe swing pole. 3.7	Operates at night only. Year round.
							Chart:4209 Edn 09/11(F11-094)
360.01	Gunning Cove light buoy SA51	43 41 01.5 65 20 18	FI G	4s	Green, marked "SA51".	Year round.
							Chart:4209
360.02	Sandy Point Inner light buoy S56	43 42 22.8 65 19 38.4	FI R	4s	Red, marked "S56".	Year round.
							Chart:4209
360.1	Middle Rock light buoy S52	43 40 34.8 65 18 50.4	FI R	4s	Red, marked "S52".	Year round.
							Chart:4209

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
360.11	<i>Irving Oil Wharf Ruins light buoy SD52</i>	43 45 23.3 65 19 26.9	Fl R	4s	Red spar, marked "SD52".	Year round.
Chart:4209							
361 H3765	Gunning Cove (Shelburne Harbour)	On large rock, N. end of shoal. 43 40 53.3 65 20 06.9	Fl W	4s	4.3	6 Triangular skeleton tower. 3.8	Maintained by Harbour Authority of Gunning Cove. Operates at night only. Year round.
Chart:4209							
362.8	<i>Sandy Point light buoy S54</i>	SE. Coast, Shelburne Harbour. 43 41 25.3 65 19 39.9	Q R	1s	Red, marked "S54".	Year round.
Chart:4209							
363 H3766	Sandy Point	E. side of entrance to Shelburne Harbour. 43 41 29.3 65 19 31.5	F R	14.3	6 White square tower. 13.4	Visible from 310° through N., E. and S. to 188°. Privately maintained. Year round.
Chart:4209							
366.01	<i>Lower Jordan Bay Outer light buoy KS57</i>	43 40 45.2 65 13 59.6	Fl G	4s	Green, marked "KS57".	Year round.
Chart:4241							
366.02	<i>Lower Jordan Bay Outer light buoy KS56</i>	43 40 46.2 65 13 58.8	Fl R	4s	Red, marked "KS56".	Year round.
Chart:4241							
366.03	<i>Lower Jordan Bay Inner light buoy KS59</i>	43 40 49.7 65 14 08.9	Fl G	4s	Green, marked "KS59".	Year round.
Chart:4241							
366.04	<i>Lower Jordan Bay Inner light buoy KS58</i>	43 40 50.1 65 14 08.5	Fl R	4s	Red, marked "KS58".	Year round.
Chart:4241							
366.05	<i>Lower Jordan Bay light buoy KS54</i>	43 40 43.4 65 13 52.1	Fl R	4s	Red, marked "KS54".	Year round.
Chart:4241							
366.06	<i>Lower Jordan Bay light buoy KS55</i>	43 40 41.6 65 13 53.6	Fl G	4s	Green, marked "KS55".	Year round.
Chart:4241							
366.1	<i>Lower Jordan Bay Fairway light buoy KS</i>	43 39 44.7 65 13 05	Mo(A) W	6s	Red and white vertical stripes, marked "KS".	Year round.
Chart:4241							
366.35	<i>Lower Jordan Bay light buoy KS53</i>	43 40 37 65 13 45.5	Q G	1s	Green spar, marked "KS53".	Year round.
Chart:4241							
366.8	<i>Lower Jordan Bay light buoy KS61</i>	43 40 56.3 65 14 14.9	Fl G	4s	Green, marked "KS61".	Year round.
Chart:4241							

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
367 H3759.4	Lower Jordan Bay Wharf	On most northerly end of wharf. 43 40 52 65 14 23	LFI W	6s 3	3	10' cylindrical mast, enclosed lower portion. White and red daymark. 3.8	Year round. Chart:4241 Edn 02/15 (F14-040) Edn 03/15 (F14-040)
367.7	Green Harbour light buoy KPA	NE. of Jenkins Island. 43 43 14 65 09 37.5	Mo(A) W	6s	Spar, red and white vertical stripes, marked "KPA".	Year round. Chart:4241
368	Green Harbour light and bell buoy KP	43 40 14.6 65 09 33	Mo(A) W	6s	Red and white vertical stripes, marked "KP".	Year round. Chart:4241
368.02	West Green Harbour Outer light buoy KP56	43 43 14.8 65 09 48.2	FI R	4s	Red spar, marked "KP56".	Year round. Chart:4241
369	Bull Rock light buoy KK51	SW. of rock 43 37 32 65 08 11.5	FI G	4s	Green, marked "KK51".	Year round. Chart:4209
369.04	Southwest Rock light buoy KK57	43 40 00.3 65 06 13.9	Q G	1s	Green spar, marked "KK57".	Year round. Chart:4209
Lockeport							
370 H3750	Lockeport	On Gull Rock, entrance to harbour. 43 39 18.3 65 05 55.9	LFI W	15s 16.7	12	White rectangular tower, red upper portion. 12.1	Flash 4 s; eclipse 11 s. Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s. Chart:4209 Edn 03/12(F12-004)
371	Laurier Rock light buoy KK61	SW. of rock. 43 41 01.8 65 05 45.9	FI G	4s	Green spar, marked "KK61".	Year round. Chart:4209
371.02	Laurier Rock light buoy KK64	43 41 16.3 65 05 47.9	FI R	4s	Red spar, marked "KK64".	Year round. Chart:4209
372	Carter Island light buoy KK69	S. of island. 43 42 08.3 65 05 58.9	Q G	1s	Green spar, marked "KK69".	Year round. Chart:4209
372.03	Lockeport Inner Harbour light buoy KK72	43 42 06.8 65 06 33.9	FI R	4s	Red spar, marked "KK72".	Year round. Chart:4209
373.5 H3758	Osborne Harbour	On outer end of wharf. 43 42 52.6 65 06 33.6	LFI R	6s 4.6	5	Cylindrical mast, red and white triangular daymark red triangle in center. 3.8	Operates at night only. Year round. Chart:4209 Edn 03/11(F11-025) Edn 06/12(F12-012)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks	
		Latitude N.	Longitude W.							Height in meters above ground
NOVA SCOTIA, SOUTHEAST COASTS										
374 H3753	Carter Island	On S. end of island. 43 42 19.3 65 06 04	FI	W	6s	16.4	7	White cylindrical tower, two red horizontal bands. 11.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.	Chart:4209
375 H3754	Lockeport Breakwater	Near outer end of S. breakwater. 43 42 05.6 65 06 25.8	FI	G	5s	3.0	4	Cylindrical mast, green and white square daymark. 3.0	One daymark facing 064°(T) and one facing 244°(T). Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4209 Edn 11/11(F11-177)
380 H3755	Lockeport North	On outer end of N. breakwater. 43 42 09 65 06 25.9	Q	R	1s	3.0	3	Cylindrical mast, red and white triangular daymark. 3.0	One daymark facing 088°(T) and one facing 268°(T). Operates at night only. Year round.	Chart:4209 Edn 11/11(F11-176)
382.01	<i>Outer Farm Ledge light buoy KE52</i>	43 38 27 65 02 15	FI	R	4s	Red, marked "KE52".	Year round.	Chart:4209
383.1	<i>Black Point Fairway light buoy KE</i>	E. of Kelp Shoals. 43 39 31.3 65 04 18.9	Mo(A)	W	6s	Red and white vertical stripes, marked "KE".	Year round.	Chart:4209
383.5	<i>Lockeport West Cardinal light buoy KEA</i>	43 40 14.3 65 04 57.9	Q(9)	W	15s	Yellow, black and yellow, marked "KEA".	Year round.	Chart:4209
384 H3748	Little Harbour Wharf	On outer end of wharf. 43 42 57.5 65 01 48.1	FI	R	4s	3	7	Pipe swing pole.	Flash 1 s; eclipse 3 s. Operates at night only. Year round.	Chart:4209 Edn 01/14(F13-039)
384.5	<i>Little Harbour light buoy KC53</i>	43 42 54 65 00 51	Q	G	1s	Green, marked "KC53".	Year round.	Chart:4240
386	<i>Little Harbour East Cardinal light buoy KC</i>	43 42 29.4 65 59 42	Q(3)	W	10s	Black, Yellow, Black, marked "KC".	Year round.	Chart:4240 Edn 01/14(F13-037)
386.01	<i>Bantam Rock light buoy KA51</i>	43 43 12 64 58 00	FI	G	4s	Green, marked "KA51".	Year round.	Chart:4240
387	<i>Port Hebert light buoy UX</i>	SW. of Thrum Point. 43 46 19 64 54 47	Mo(A)	W	6s	Red and white vertical stripes, marked "UX".	Year round.	Chart:4240
387.01	<i>Shingle Point light buoy UX53</i>	43 48 30 64 55 24	FI	G	4s	Green spar, marked "UX53".	Year round.	Chart:4240
387.04	<i>Port Hebert light buoy UX56</i>	43 48 49 64 55 42	FI	R	4s	Red, marked "UX56".	Year round.	Chart:4240

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
387.5	Shingle Point light buoy UX55	43 48 42.5 64 55 33	Q G	1s	Green, marked "UX55".	Year round.
							Chart:4240
388 H3746	Port Hebert	On Shingle Point, E. side of harbour. 43 48 46.9 64 55 30.4	Fl R	5s	8.0 4	Skeleton mast, red and white rectangular daymark, red triangle in centre. 6.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round.
							Chart:4240 Edn 04/11(F11-068) Edn 08/11(F11-144)
391	Little Hope Shoal light buoy UV52	S. of shoal. 43 47 15 64 49 53	Fl R	4s	Red, marked "UV52".	Year round.
							Chart:4240
394.01	Little Hope Island East Cardinal light buoy UEF	43 48 12.6 64 46 27.2	Q(3) W	10s	Black, yellow and black, marked "UEF".	Year round.
							Chart:4240
394.5	Mouton Head light buoy US51	43 51 45 64 46 16.8	Fl G	4s	Green, marked "US51".	Year round.
							Chart:4240
395	Port Mouton light buoy UN	E. of Mouton Island. 43 53 31 64 42 30	Mo(A) W	6s	Red and white vertical stripes, marked "UN".	Year round.
							Chart:4240
396 H3742	Port Mouton	NE. point, Spectacle Island. 43 55 05.6 64 48 14.4	Fl W	12s	16.8 6	White square tower, red upper portion. 7.5	Flash 2 s; eclipse 10 s. Visible from 069°30' through E., S. and W. to 291°30'. Operates at night only. Year round.
							Chart:4240
396.1	Willow Cove Entrance light buoy UT52	43 54 59.8 64 50 11.7	Fl R	4s	Red spar, marked "UT52".	Year round.
							Chart:4240
396.2	Willow Cove Entrance light buoy UT53	43 54 58.2 64 50 10.9	Fl G	4s	Green spar, marked "UT53".	Year round.
							Chart:4240
396.3	Willow Cove Entrance light buoy UT54	43 54 56.8 64 50 11.8	Q R	1s	Red spar, marked "UT54".	Year round.
							Chart:4240
396.4 H3742.04	Spectacle Islands West	Off W. side of islands. 43 54 32 64 48 42.4	Fl R	4s 4	Red cylindrical mast. Red and white rectangular daymark. 3.0	Fl 1 s Ec 3 s Operates at night only. Year round.
							Chart:4240 Edn 11/13 (F13-033) Edn 12/13 (F13-033)
396.5	Wobamkek Beach light buoy US57	Port Mouton. 43 54 20 64 48 14	Fl G	4s	Green, marked "US57".	Year round.
							Chart:4240

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
397.5	Middle Rock East Cardinal light buoy US	43 53 37.5 64 47 03	Q(3) W	10s	Black, yellow and black, marked "US".	Year round. Chart:4240
398	Willow Cove light buoy UT	N. of cove. 43 55 07.2 64 50 09.8	Mo(A) W	6s	Spar, red and white vertical stripes, marked "UT".	Year round. Chart:4240
399.5 H3742.5	Port Mouton Inner	On fish plant wharf. 43 55 10 64 50 49.8	LFI R	6s	4.3	5 Cylindrical mast, triangular daymark. 3.5	Flash 2 s; eclipse 4 s Operates at night only. Year round. Chart:4240 Edn 02/10(F09-074)
400	Charley Island light buoy UN59	43 55 22.5 64 50 10.4	Fl G	4s	Green spar, marked "UN59".	Year round. Chart:4240
400.5	Port Mouton Channel light buoy UN66	43 55 29.2 64 50 25.3	Fl R	4s	Red, marked "UN66".	Year round. Chart:4240
400.7	Port Mouton light buoy UN74	43 55 17 64 50 34.8	Q R	1s	Red, marked "UN74".	Year round. Chart:4240
401	Port Mouton light buoy UN80	43 55 12.9 64 50 43.6	Fl R	4s	Red, marked "UN80".	Year round. Chart:4240
401.5 H3742.3	Port Mouton Breakwater	43 55 16 64 50 33	Fl G	4s	2 Cylindrical mast.	Year round. Chart:4240
402	Spectacle Ledge light buoy UN55	N. of ledge. 43 56 09 64 47 28.5	Fl G	4s	Green, marked "UN55".	Year round. Chart:4240
403 H3742.6	Hunts Landing	On outer end of breakwater. 43 57 05.3 64 46 07.4	Iso R	4s	7.6	4 Skeleton tower, enclosed lower portion red, and white rectangular daymark, red triangle in center. 3.5	Operates at night only. Year round. Chart:4240 Edn 04/11(F11-066) Edn 09/11(F11-084)
403.4	Brazil Rocks light buoy UN54	43 54 54.5 64 44 42	Q R	1s	Red, marked "UN54".	Year round. Chart:4240
404	White Point Rock light buoy UQ52	S. of rock. 43 55 36.5 64 43 02	Fl R	4s	Red, marked "UQ52".	Year round. Chart:4240

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
405 H3740	Western Head	W. side of entrance to Liverpool Bay. 43 59 20.8 64 39 44.5	Fl W	15s	16.8	15 White octagonal tower, red upper portion. 13.8	Flash 0.5 s; eclipse 14.5 s. Visible from 180° through W. and N. to 062°. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 104°.
							Chart:4240 Edn 03/12(F12-001)
407 H3735	Coffin Island	44 02 01.1 64 37 41.8	Fl W	4s	18.5	7 White octagonal tower, red upper portion. 15.8	Operates at night only. Year round.
							Chart:4379
408.1	<i>Moose Harbour light buoy UB1</i>	44 01 17.8 64 39 35.8	Fl G	4s <i>Green spar, marked "UB1".</i>	<i>Year round.</i>
							Chart:4379
408.2 H3736	Moose Point	Outer end of breakwater. 44 01 10.2 64 39 45.5	Q G	1s	7.1 Cylindrical mast. 3.7	Radar reflector. Operates at night only. Year round.
							Chart:4379
408.5	<i>Brooklyn Pier light buoy UM52</i>	44 02 38.4 64 41 32.3	Fl R	4s <i>Red, marked "UM52".</i>	<i>Year round.</i>
							Chart:4379
409 H3730	Brooklyn Pier	Near outer end of breakwater. 44 02 40.4 64 41 30.3	LFl W	12s	9.1	3 Cylindrical mast. 5.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round.
							Chart:4379
410	<i>Fort Point Shoal light buoy UM53</i>	44 02 46.3 64 42 03.9	Q G	1s <i>Green, marked "UM53".</i>	<i>Year round.</i>
							Chart:4379
410.5	<i>Liverpool Harbour light buoy UM58</i>	44 02 47.5 64 42 26.4	Fl R	4s <i>Red spar, marked "UM58".</i>	<i>Year round.</i>
							Chart:4379
411	<i>Liverpool Harbour light buoy UM59</i>	44 02 43.7 64 42 30.5	Fl G	4s <i>Green spar, marked "UM59".</i>	<i>Year round.</i>
							Chart:4379
411.5	<i>Liverpool Harbour light buoy UM60</i>	44 02 43.8 64 42 36	Fl R	4s <i>Red spar, marked "UM60".</i>	<i>Year round.</i>
							Chart:4379
412.2	<i>West Berlin light buoy UJ</i>	44 03 40.3 64 35 18.8	Mo(A) W	6s <i>Spar, red and white vertical stripes, marked "UJ".</i>	<i>Year round.</i>
							Chart:4211
412.3	<i>Liverpool Harbour light buoy UM64</i>	44 02 33.3 64 42 49.3	Fl R	4s <i>Red spar, marked "UM64".</i>	<i>Year round.</i>
							Chart:4379
412.5	<i>Blueberry Bay light buoy UJ52</i>	44 04 01.3 64 35 10.8	Fl R	4s <i>Red spar, marked "UJ52".</i>	<i>Year round.</i>
							Chart:4211
413	<i>Port Medway light buoy UA51</i>	44 03 23.3 64 31 28.8	Fl G	4s <i>Green, marked "UA51".</i>	<i>Year round.</i>
							Chart:4211

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals		
NOVA SCOTIA, SOUTHEAST COASTS									
414	Medway South Cardinal light and whistle buoy UA	SW. of Southwest Breaker. 44 04 58.3 64 31 24.8	Q(6) +LFI	W	15s Yellow and black, marked "UA".	Year round.	Chart:4211
414.5	Long Cove East Cardinal light and bell buoy UC	44 05 12 64 32 14	Q(3)	W	10s Black, yellow and black, marked "UC".	Year round.	Chart:4211
415 H3722	Medway Head	W. side of entrance. 44 06 10.6 64 32 23.3	Fl	W	12s	24.2	11 White square tower, red upper portion. 8.7	Flash 4 s; eclipse 8 s. Year round.	Chart:4211
415.3	Fosters Islets light buoy UA64	44 08 02.3 64 34 25.8	Fl	R	4s Red, marked "UA64".	Year round.	Chart:4211
415.5	Frying Pan Island	44 06 04.2 64 31 23.8	Fl	R	12s	10.5	4 Triangular skeleton tower, red and white rectangular daymark. 5.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4211
416.3	Great Island bifurcation light buoy UAA	Off island. 44 07 48.3 64 32 28.8	Fl (2+1)	R	6s Red, green and red, marked "UAA".	Year round.	Chart:4211
416.4	Medway Harbour light buoy UE51	44 08 33.3 64 32 28.8	Fl	G	4s Green spar, marked "UE51".	Year round.	Chart:4211
416.5 H3725	Voglers Cove West Direction light	On outer end of breakwater. 44 09 09.7 64 32 43.4	Fl	R	3s	4.5	4 Cylindrical mast. 3.6	Flash 1 s; eclipse 2 s. Increased intensity on a bearing of 350°. Operates at night only. Year round.	Chart:4211
416.51	Medway Harbour (West Berlin) light buoy UJ54	44 04 02.7 64 35 05.6	Fl	R	4s Red spar, marked "UJ54".	Year round.	Chart:4211
416.515	Medway Harbour (West Berlin) light buoy UJ55	44 04 02 64 35 06.2	Fl	G	4s Green, marked "UJ55".	Year round.	Chart:4211
416.53	Medway Harbour (West Berlin) light buoy UJ58	44 04 06.7 64 35 05.2	Fl	R	4s Red spar, marked "UJ58".	Year round.	Chart:4211
416.54	Medway Harbour (West Berlin) light buoy UJ59	44 04 07.6 64 35 02.7	Fl	G	4s Green spar, marked "UJ59".	Year round.	Chart:
416.55	Medway Harbour (West Berlin) light buoy UJ61	44 04 10.3 64 35 00.8	Fl	G	4s Green spar, marked "UJ61".	Year round.	Chart:4211

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks	
		Latitude N. Longitude W.				Height in meters above ground		Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS								
417.5 H3718	Cherry Cove	On point of land between Little Harbour and Back Cove. 44 09 29.8 64 28 53.2	Iso G	4s 6.7	8	Cylindrical mast. 3.7	Year round. Chart:4211 Edn 03/10(F10-004) Edn 04/11(F11-070) Edn 08/16 (F16-034)	
417.81	Little Harbour Cherry Cove light buoy TU53	44 09 36.8 64 28 40.3	Fl G	4s	Green spar, marked "TU53".	Year round. Chart:4211	
418	Little Harbour Cherry Cove light buoy TU	44 09 36.3 64 28 17.8	Mo(A) W	6s	Red and white vertical stripes, marked "TU".	Year round. Chart:4384	
419	Little Harbour Cherry Cove light buoy TU54	44 09 37.7 64 28 48.2	Fl R	4s	Red spar, marked "TU54".	Year round. Chart:4211	
419.5	Seal Point light and bell buoy TS52	S. of point. 44 10 23.3 64 23 51.8	Fl R	4s	Red, marked "TS52".	Year round. Chart:4211	
420	Indian Island light and whistle buoy TS51	SE. of island. 44 09 18.3 64 22 13.8	Fl G	4s	Green marked "TS51".	Year round. Chart:4211	
420.5	Black Rock East Cardinal light and whistle buoy T	44 09 38.7 64 18 43.7	Q(3) W	10s	Black, yellow and black, marked "T".	Year round. Chart:4384	
422	False La Have light and bell buoy T51	E. of Cape La Have Island. 44 12 36.3 64 19 03.7	Fl G	4s	Green, marked "T51".	Year round. Chart:4384	
423 H3710	Mosher Island	On island, W. side of entrance to La Have River. 44 14 14.6 64 18 59.1	F W	23.3	13	White cylindrical tower. 11.4 Visible from 106° through S. and W. to 351°. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 18 s.	Chart:4394
423.6	Crooked Channel light buoy TN51	44 14 03.9 64 22 08.3	Fl G	4s	Green, marked "TN51".	Year round. Chart:4394	
425	La Have light and bell buoy TA	Entrance to La Have River. 44 14 57.4 64 18 39.3	Mo(A) W	6s	Red and white vertical stripes, marked "TA".	Year round. Chart:4394	
426.25	Cockawee Shoal bifurcation light and bell buoy TD	N. of East Spectacle Island. 44 15 30.4 64 20 15.7	Fl (2+1) R	6s	Red, green and red, marked "TD".	Year round. Chart:4394	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
426.5	Cockawee Shoal light buoy T54/2	44 15 41.8 64 21 26.3	Fl R	4s	Red spar, marked "T54/2".	Year round.	
							Chart:4395	
427	Cockawee Shoal West light buoy T56	W. of shoal. 44 15 50.6 64 21 32.8	Fl R	4s	Red, marked "T56".	Year round.	
							Chart:4394	
428 H3711	Dublin Shore South Cardinal light.	On wharf. 44 16 01.2 064 21 50.2	Q(6) +LFI	W	15s 8.4	5 Cylindrical mast. Black with yellow band at top. 3.4	6(Fl 0.3s. Ec 0.7s) Fl 2s Ec 7s Radar reflector. Operates at night only. Year round.	
							Chart:4394 Edn 06/16 (F16-017)	
429	Dublin Shore light buoy T59	44 16 14.4 064 21 17.2	Fl G	4s	Green, marked "T59".	Year round.	
							Chart:4394 Edn 02/16 (F15-038)	
429.2	Dublin Shore East light T60	44 16 13.3 064 21 14.7	Fl R	4s	Red, marked "T60".	Year round.	
							Chart:4394 Edn 02/16 (F15-039)	
430	Bull Rock light buoy T63	Entrance to La Have River. 44 16 22.4 64 20 54.8	Q	G	1s	Green, marked "T63".	Year round.
							Chart:4394	
431.5 H3710.5	Krout Point	44 17 24.9 64 20 47.1	Fl R	5s	5.0	5	Square skeleton tower. Flash 1 s; eclipse 4 s. Operates at night only. Year round.	
							Chart:4395	
432 H3708	West Ironbound Island	On S. side of island, entrance to La Have River. 44 13 43.7 64 16 28	Fl W	12s	24.3	8	Cylindrical tower, red and white horizontal bands. 10.5	Flash 2 s; eclipse 10 s. Operates at night only. Year round.
							Chart:4394	
432.2	West Ironbound light and bell buoy T52	SW. of Ironbound breaker. 44 13 24.9 64 17 12.8	Fl R	4s	Red, marked "T52".	Year round.	
							Chart:4394	
433	Pollock Shoal light and bell buoy TC52	S. of shoal. 44 14 38.3 64 14 28.7	Fl R	4s	Red, marked "TC52".	Year round.	
							Chart:4384	
434	Cross Island light and whistle buoy E50	44 17 28.9 64 11 01.3	Fl R	4s	Red, marked "Cross Island E50".	Year round.	
							Chart:4328	
435 H3700	Feltzen South	At end of breakwater. 44 19 47.6 64 16 49.7	Fl G	6s	6.1	4	Cylindrical mast. 3.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
							Chart:4328 Edn 04/11(F11-074)	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
435.5	Lunenburg Bay Isolated Danger light buoy EF	44 19 56.5 64 13 22.6	Fl(2) W	5s	Black, red and black, spar marked "EF".	Year round. Chart:4328
436	Sculpin Shoal light and bell buoy E52	SW. of shoal. 44 20 08.3 64 15 13.3	Fl R	4s	Red, marked "E52".	Year round. Chart:4328
437	Long Shoal light buoy E57	E. of shoal. 44 21 13.7 64 17 18.1	Fl G	4s	Green, marked "Long Shoal E57".	Year round. Chart:4328
437.5	Lower South Cove Entrance light buoy EM55	44 20 43.1 64 18 50.3	Fl G	4s	Green spar, marked "EM55".	Year round. Chart:4328
438 H3702	Battery Point Breakwater	Near outer end of breakwater. 44 21 37.0 064 17 46.7	Iso R	4s	7.5	9 White square tower, red upper portion. 8.0	Operates 24h. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 130°. Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second intervals on channel 65A (156,275 MHz). The signal will be in operation for 30 minutes. After this delay, the same operation must be repeated. Chart:4328 Edn 02/16 (F15-033) Edn 07/16 Edn 09/16 (F16-046)
439	Lunenburg Harbour Outer light buoy E64	44 21 54.6 64 18 02.1	Fl R	4s	Red, marked "E64".	Year round. Chart:4328
439.8	Lunenburg Harbour Marine Railway light buoy E66	SW. of marine railway wharf. 44 22 19.3 64 18 16.5	Q R	1s	Red spar, marked "E66".	Year round. Chart:4328
441	Lunenburg Harbour light buoy E77	44 22 28 64 18 37.6	Fl G	4s	Green spar, marked "E77".	Year round. Chart:4328
442	Lunenburg bifurcation light and bell buoy EDA	N. entrance to Lunenburg Bay. 44 20 21.7 64 11 10.9	Fl (2+1) G	6s	Green, red and green, marked "Lunenburg EDA".	Year round. Chart:4328
443 H3698	Cross Island	E. point of island. 44 18 43.7 64 10 06.4	Fl W	10s	24.9	10 White cylindrical tower, red upper portion. 8.7	Flash 1 s; eclipse 9 s. Operates at night only. Year round. Chart:4328
444 H3699	East Point Island	44 20 59.2 64 12 15	LFl G	6s	9.6	6 Triangular skeleton mast. 6.9	Year round. Chart:4328 Edn 02/15 (F14-039)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
Mahone Bay							
445	Tanner Pass light and whistle buoy EA51	Tanner Pass entrance. 44 22 01.9 64 11 32.6	Fl G	4s	Green, marked "Tanner Pass EA51".	Year round.
							Chart:4328
446 H3694	Gunning Point Island (Tanner Island)	On E. end of island. 44 22 01.5 64 12 04.3	Fl W	4s	10.9	6 White cylindrical tower, red band. 7.7	Operates at night only. Year round.
							Chart:4328
447	Middle Ledge light and whistle buoy M52	W. of ledge. 44 22 31.2 64 07 52.8	Fl R	4s	Red, marked "M52".	Year round.
							Chart:4328
448	Bull Rock light and bell buoy M54	S. of rock. 44 24 30.4 64 09 23.7	Fl R	4s	Red, marked "M54".	Year round.
							Chart:4381
448.5	Chockle Cap light and bell buoy M55	44 24 36.4 64 12 39.7	Fl G	4s	Green, marked "M55".	Year round.
							Chart:4381
449.25	Hobson's Island North Cardinal light buoy ME	44 25 19 64 16 38.6	Q W	1s	Black and yellow, marked "ME".	Year round.
							Chart:4381 Edn 09/10(F10-024)
449.4	Middle Patch Isolated Danger Buoy M	44 25 27.4 64 15 05.4	Fl(2) W	5s	Black, red and black, marked "M".	Year round.
							Chart:4381 Edn 11/10(F10-051)
449.5	Southwest Ledge light buoy M60	S. of ledge. 44 25 47.4 64 16 18.7	Fl R	4s	Red spar, marked "M60".	Year round.
							Chart:4381
450	Covey Ledge light buoy M61	NE. of ledge. 44 25 48.4 64 17 30.7	Fl G	4s	Green spar, marked "M61".	Year round.
							Chart:4381
450.8	Westhaver Island light buoy M67	SE. of island. 44 26 18.4 64 20 33.7	Q G	1s	Green spar, marked "M67".	Year round.
							Chart:4381
451 H3688	Westhaver Island	Mahone Harbour entrance. 44 26 09.8 64 20 15.3	Fl W	4s	9.6	7 White cylindrical tower, red horizontal band at top. 7.6	Operates at night only. Year round.
							Chart:4381
452.5	Mahone Harbour light buoy M72	44 26 43.3 64 21 59.3	Fl R	4s	Red, marked "M72".	Year round.
							Chart:4381 Edn 11/10(F10-044)
452.7	East Shoal light and bell buoy MC55	44 27 12.4 64 12 36.7	Fl G	4s	Green, marked "MC55".	Year round.
							Chart:4381

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
453 H3682	Kaulback Island range	N. end of island. 44 28 11.3 64 16 53.3	F W	10.2	9	White square tower, red vertical stripe, red upper portion. 6.1	Visible in line of range. Year round.
454 H3682. 1		268°03' 113.1m from front.	F W	19.8	9	White square tower, red vertical stripe, red upper portion. 6.1	Visible in line of range. Operates at night only. Year round.
454.2	Martins Point light Buoy MS56	Mahone Bay. 44 28 53.2 64 17 37.4	Fl R	4s	Red, marked "MS56".	Seasonal.
454.4	Beacon Shoal light buoy MS57	44 28 50 64 17 49.7	Q G	1s	Green, marked "MS57".	Seasonal
454.5 H3683	Western Shore Breakwater	On seaward end of breakwater. 44 31 21.5 64 18 16.1	LFI G	6s	4.0	3	Square skeleton tower, green, white and black square daymark. 3.6	Flash 2 s; eclipse 4 s Operates at night only. Year round.
454.51 H3683. 2	Western Shore Inner	44 31 20.9 64 18 18	LFI R	6s	5.2	3	Cylindrical mast, enclosed lower portion. 3.6	Flash 2 s; eclipse 4 s Operates at night only. Year round.
454.55	Little Fish Island light buoy MC70	N. of island. 44 32 12.9 64 15 02.7	Fl R	4s	Red spar, marked "MC70".	Year round.
454.6	Dauphinee Point light buoy MC66	S. of point. 44 32 09.4 64 15 39.7	Fl R	4s	Red spar, marked "MC66".	Year round.
454.62	Gold Ledges light buoy MU57	44 32 26.4 64 18 28.7	Fl G	4s	Green, marked "MU57".	Year round.
454.63	Middle Rock light buoy MU53	44 32 09.4 64 17 25.7	Q G	1s	Green spar, marked "MU53".	Year round.
454.65	South Gooseberry Shoal bifurcation light buoy MCA	Off S. end of shoal. 44 31 16.9 64 15 58.7	Fl (2+1) R	6s	Red, green and red, marked "MCA".	Year round.
454.7	Sheep Ledge light and bell buoy MC59	44 30 06.4 64 15 51.7	Fl G	4s	Green, marked "MC59".	Year round.
455	Lynch Shoal light and bell buoy MA57	SE. of Quaker Island. 44 30 30.4 64 12 48.7	Fl G	4s	Green, marked "MA57".	Year round.

Chart:4381
Edn 08/11(F11-157,158)

Chart:4381
Edn 11/10(F10-052)
Edn 02/12

Chart:4381
Edn 11/10(F10-046)

Chart:4381
Edn 03/10(F09-077)

Chart:4381
Edn 02/10(F09-073)

Chart:4381

Chart:4381

Chart:4381

Chart:4381

Chart:4381

Chart:4381

Chart:4381

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
456 H3680	Quaker Island	Off Chester Harbour. 44 30 53.7 64 13 57.2	Fl R	4s	30.8	3 White cylindrical tower, red horizontal band at top. 6.2	Operates at night only. Year round. Chart:4381
457	Coachman Ledge light and whistle buoy MA55	N. of ledge. 44 30 01.4 64 10 36.7	Fl G	4s Green, marked "MA55".	Year round. Chart:4381
457.2	Shoal Cove light buoy MK53	44 29 51.9 64 07 21.2	Fl G	4s Green, marked "MK53".	Year round. Chart:4381
457.4	Blandford light buoy MK58	44 29 44.4 64 06 43.7	Fl R	4s Red spar, marked "MK58".	Year round. Chart:4381
459	Blandford light and bell buoy MK52	NW. of Blandford Shoal. 44 29 43.4 64 08 14.7	Fl R	4s Red, marked "MK52".	Year round. Chart:4381
460	Big Tancook Island light and bell buoy MN51	N. of island. 44 28 19.4 64 10 45.7	Fl G	4s Green, marked "MN51".	Year round. Chart:4381
461 H3677	Little Tancook Island Wharf Outer	On outer end of wharf. 44 28 18.2 64 08 30.8	LFl W	6s	9.4	5 Square skeleton tower, red and white rectangular daymark. 6.1	Flash 2 s; eclipse 4 s Operates at night only. Year round. Chart:4381 Edn 04/10(F10-005)
463 H3676	Big Tancook Island NW. Cove	On outer end of wharf. 44 27 52.3 64 10 17.9	Fl G	6s	3.8	3 Cylindrical mast. 2.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4381
464	Reef Point light and whistle buoy MD55	E. of point. 44 27 25.4 64 08 36.7	Fl G	4s Green, marked "MD55".	Year round. Chart:4381
466	New Harbour light and bell buoy MA	W. of New Harbour Point. 44 28 14.4 64 06 48.7	Mo(A) W	6s Red and white vertical stripes, marked "MA".	Year round. Chart:4381
467 H3674	New Harbour	On S. side of entrance. 44 28 21.3 64 05 31.9	Fl R	5s	5.7	4 Cylindrical mast. 3.6	Flash 1 s; eclipse 4 s Operates at night only. Year round. Chart:4381 Edn 06/11(F11-077)
468	West Head light and bell buoy MD53	N. of East Ironbound Island. 44 26 44.4 64 06 27.7	Fl G	4s Green, marked "MD53".	Year round. Chart:4381

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
469 H3672	East Ironbound Island	Near centre of island. 44 26 22.4 64 04 59.7	Iso W	6s 44.5	13	White rectangular tower, red upper portion. 13.9	Operates at night only. Year round. Chart:4381 Edn 11/15 (F15-030)
470	East Ironbound South light and bell buoy MC52	S. of island. 44 25 37.4 64 05 08.7	Fl R	4s	Red, marked "MC52".	Year round. Chart:4381
471 H3670	Pearl Island	Off St. Margaret's and Mahone Bays. 44 22 57.2 64 02 54	Fl W	10s 19.0	8	White square tower. 11.6	Flash 0.5 s; eclipse 9.5 s. Operates at night only. Year round. Chart:4381
473	Northeast Shoal light and bell buoy DA51	E. of shoal. 44 24 59.4 64 01 19.7	Fl G	4s	Green, marked "DA51".	Year round. Chart:4381
474	Horseshoe Ledge light and whistle buoy DA53	Off S. end of ledge. 44 28 15.3 63 58 21.7	Fl G	4s	Green, marked "DA53".	Year round. Chart:4386
475	Seal Ledge light and whistle buoy MA54	E. of East Ironbound Island. 44 27 19.4 64 02 36.7	Fl R	4s	Red, marked "MA54".	Year round. Chart:4381
476	Aspotogan light and bell buoy DF	SE. approach to Aspotogan Harbour. 44 29 27.3 64 00 13.8	Mo(A) W	6s	Red and white vertical stripes, marked "DF".	Year round. Chart:4381
St. Margaret's Bay							
477.2	Horse Island light buoy DP51	St. Margaret's Bay. 44 32 05.3 64 00 38.7	Fl G	4s	Green, marked "DP51".	Year round. Chart:4386
477.4	Northwest Cove light buoy DP54	E. of wharf. 44 32 01 64 01 20	Fl R	4s	Red spar, marked "DP54".	Year round. Chart:4386 Edn 11/12 (F12-049, 052)
478 H3665	Hubbards Cove	On Green Point, W. side of entrance. 44 37 16.1 64 03 14.6	Fl G	6s 11.5	6	Square skeleton tower, green and white rectangular daymark. 6.9	Flash 1 s; eclipse 5 s Operates at night only. Year round. Chart:4386 Edn 03/10(F09-079) Edn 06/12(F12-032) Edn 07/14 (F14-011)
478.2	Fox Cove Wharf Light	44 36 49.4 064 03 28.3	Fl W	4s	3	Pipe swing pole, two black, white and black triangular daymarks.	Flash 1 s; eclipse 3 s. Operates 24hrs. Year round. Chart:4386 Edn 03/17 (F16-059)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
479	Slaughenwhite Ledge light buoy DY52	SW. of ledge. 44 37 01.7 064 02 21.8	Fl R	4s	Red spar, marked "DY52". Year round.
							Chart:4386 Edn 10/16 (F16-047)
479.01	Slaughenwhite Ledge light buoy DY54	44 37 24.4 064 02 43.7	Fl R	4s	Red spar, marked "DY54". Year round.
							Chart:4386 Edn 03/17 (F16-057)
480 H3664	Croucher Island	In St. Margaret's Bay. 44 38 23.3 63 57 29.7	Fl W	12s	27.4	6	Triangular skeleton mast, red and white rectangular daymark. 10.7 Flash 2 s; eclipse 10 s. Operates at night only. Year round.
							Chart:4386
480.1	Redmond Cove light buoy DV52	44 36 02.3 63 56 11.7	Fl R	4s	Red spar, marked "DV52". Year round.
							Chart:4386
480.2	Ringdove Shoal light and bell buoy DA58	W. of shoal. 44 35 45.3 63 58 03.7	Fl R	4s	Red, marked "DA58". Year round.
							Chart:4386
481 H3667	Northwest Cove Wharf	On outer end of wharf. 44 32 01.2 64 01 24.9	LFl R	6s	4.6	4	Pipe swing pole. 3.7 Flash 2 s; eclipse 4 s Operates at night only. Year round.
							Chart:4386 Edn 10/09(F09-048) Edn 04/11(F11-065)
482 H3663	Indian Harbour	On SE. extremity of Paddy Head Island. 44 31 20.3 63 56 45.7	F W	11.0	9	White square tower, red upper portion. 9.4 Operates at night only. Year round.
							Chart:4386
484	Crawford Ledge light and bell buoy DA56	W. extremity of shoal. 44 30 46.3 63 57 25.7	Fl R	4s	Red, marked "DA56". Year round.
							Chart:4386
486 H3661	Peggy's Cove Wharf	On outer end of wharf. 44 29 36.4 63 54 59.6	Fl G	3s	4.5	4	Pipe swing pole, green, white and green square daymark. 3.7 Flash 1 s; eclipse 2 s Operates at night only. Year round.
							Chart:4386 Edn 09/09(F09-050) Edn 04/11(F11-051)
487 H3660	Peggy's Point	E. side of entrance to St. Margaret's Bay. 44 29 30.4 63 55 07.2	Fl R	5s	22.0	10	White octagonal tower, red upper portion. 13.2 Flash 1.5 s; eclipse 3.5 s. Visible from 290° through N. and E. to 136°. Year round.
							Chart:4386
487.5 H3659	Dover West	On wharf. 44 29 34.7 63 52 05.4	LFl G	6s	5.2	4	Pipe swing pole. 3.7 Flash 2 s; eclipse 4 s Operates at night only. Year round.
							Chart:4386 Edn 09/09(F09-049) Edn 04/11(F11-080)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
488 H3658	Dover	On S. end of Callaghan Island. 44 29 24.3 63 51 40.7	Fl G	4s 15.2	4	Triangular skeleton mast, red and white rectangular daymark. 7.6	Operates at night only. Chart:4386
488.5	Flemming Ledge light buoy AT60	44 29 09.2 63 51 15.9	Fl R	4s	Red spar, marked "AT60".	Year round. Chart:4386
489 H3657	East Dover Wharf	On outer end of wharf. 44 29 44.5 63 50 41.6	LFl R	6s 4.5	4	Pipe swing pole, red and white triangular daymark, red triangle in centre. 3.7	Flash 2 s; eclipse 4 s Operates at night only. Year round. Chart:4386 Edn 09/09(F09-051) Edn 04/11(F11-048)
489.5	White Island light buoy AY53	Off island. 44 29 16.8 63 49 58.8	Fl G	4s	Green, marked "AY53".	Year round. Chart:4386
490	Dover Castle light and whistle buoy AT	S. of Taylor Island. 44 26 42.5 63 53 33.5	Mo(A) W	6s	Red and white vertical stripes, marked "AT".	Year round. Chart:4386
491	Shag Bay Breakers light and bell buoy AT50	Off SW. extremity of shoal. 44 28 03.3 63 50 10.7	Fl R	4s	Red, marked "AT50".	Year round. Chart:4386
492 H3655	Prospect Wharf	On outer end of public wharf. 44 28 07.9 63 47 03.3	Fl G	4s 4.5	4	Pipe swing pole. 3.7	Flash 1 s; eclipse 3 s Operates at night only. Year round. Chart:4385 Edn 09/09(F09-052) Edn 04/11(F11-053)
494	Prospect light and bell buoy AM62	SE. of Saul Point. 44 27 53.3 63 46 33.7	Fl R	4s	Red, marked "AM62".	Year round. Chart:4385
494.01	Saul Island light buoy AM64	44 28 03.3 63 46 49.8	Fl R	4s	Red spar, marked "AM64".	Year round. Chart:4385
495 H3652	Betty Island	On Brig Point. 44 26 19.7 063 46 00.4	LFl W	15s 19.2	13	Square skeleton tower, white rectangular daymark with red bands.	Flash 4 s; eclipse 11 s. Visible from all points of marine approach from the S. Year round. Chart:4385 Edn 08/16 (F16-032) Edn 09/16 (F16-045)
496	Grampus Rock light and bell buoy AM52	Off the rock. 44 25 31.4 63 43 39.1	Fl R	4s	Red, marked "AM52".	Year round. Chart:4385

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
496.5 <i>H3651.4</i>	Lower Prospect	On wharf. 44 27 03.4 63 43 32.1	Fl W	4s 4.5	4	Pipe swing pole. 3.7	Flash 1 s; eclipse 3 s Operates at night only. Year round.
							Chart:4385 Edn 09/09(F09-054) Edn 04/11(F11-056)
497	<i>Terence Bay light and bell buoy AD</i>	44 26 53.5 63 40 36.8	Mo(A) W	6s	Red and white vertical stripes, marked "AD".	Year round.
							Chart:4385 Edn 04/11 (F11-053)
498 <i>H3650</i>	Terence Bay	On Tennant Point. 44 27 36.6 63 42 20.4	F R 14.6	8	White square tower. 7.3	Operates at night only. Year round.
							Chart:4385
498.2	<i>Tennant Point light buoy AD56</i>	E. of Terence Rock. 44 27 23.2 63 41 19.3	Fl R	4s	Red, marked "AD56".	Year round.
							Chart:4385
499 <i>H3651</i>	Terence Bay Wharf	On outer end of wharf. 44 28 04.4 63 42 52.2	LFl W	6s 4.7	4	Pipe swing pole. 3.7	Flash 2 s; eclipse 4 s Operates at night only. Year round.
							Chart:4385 Edn 09/09(F09-053) Edn 04/11(F11-052)
Halifax Harbour and Approaches							
499.9	<i>Stapleton Rock West Cardinal light buoy AAB</i>	44 27 32.9 63 39 33.7	Q(9) W	15s	Yellow, black and yellow, marked "AAB".	Year round.
							Chart:4385 Edn 02/12
501.1	<i>Fawson Rock light buoy AA57</i>	44 28 01.9 63 38 15.1	Fl G	4s	Green, marked "AA57".	Year round.
							Chart:4385
501.2	<i>Pennant Harbour light buoy AA55</i>	44 27 48.3 63 38 28.2	Fl G	4s	Green, marked "AA55".	Year round.
							Chart:4385
501.3	<i>Pennant Harbour light buoy AA54</i>	44 27 38 63 38 30.8	Fl R	4s	Red, marked "AA54".	Year round.
							Chart:4385
501.4	<i>Pennant Harbour bifurcation light buoy AAA</i>	44 27 09.9 63 38 55.9	Fl (2+1) G	6s	Green, red and green spar, marked "AAA".	Year round.
							Chart:4385
501.5	<i>Pennant Harbour light buoy AA53</i>	44 26 48.2 63 39 23.6	Fl G	4s	Green spar, marked "AA53".	Year round.
							Chart:4385
501.6	<i>Pennant Harbour light buoy AA51</i>	44 26 32.6 63 39 48	Fl G	4s	Green spar, marked "AA51".	Year round.
							Chart:4385
501.7	<i>Pennant Harbour light buoy AA52</i>	44 26 10.3 63 39 36.6	Fl R	4s	Red spar, marked "AA52".	Year round.
							Chart:4385

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
502	<i>Pennant Point light and bell buoy AA50</i>	<i>SW. of point. 44 25 33.3 63 39 07</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "AA50".</i>	<i>Year round.</i>
							Chart:4385
503	<i>Smithson Rock light and bell buoy HE2</i>	<i>SW. of the rock. 44 24 16.4 63 36 59.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HE2".</i>	<i>Year round.</i>
							Chart:4237 Edn 06/13(F13-003)
503.03	<i>Sambro light buoy HE7</i>	<i>44 26 14.5 063 35 52.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "HE7".</i>	<i>Operates at night only.</i>
							Chart: 4237 Edn 06/15(F15-016)
503.05	<i>Sambro light buoy HE10</i>	<i>44 26 51.0 063 34 50.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "HE10".</i>	<i>Operates at night only.</i>
							Chart: 4237 Edn 06/15 (F15-017)
503.1	<i>Nick Shoal light buoy HE16</i>	<i>44 27. 40.6 63 32. 49.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "HE16".</i>	<i>Year round.</i>
							Chart:4237 Ed 11/13(F13-025)
503.11	<i>Morris Point light buoy HE17</i>	<i>44 28 00.6 63 32 40.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "HE17".</i>	<i>Year round.</i>
							Chart:4237 Ed 11/13(F13-024)
503.5	<i>Thrumcap Rock light buoy HE3</i>	<i>44 25 25 63 36 41.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HE3".</i>	<i>Year round.</i>
							Chart:4237 Edn 06/13(F13-004)
503.52	<i>Sambro light buoy HE6</i>	<i>44 25 17.1 063 36 15.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar marked "HE6".</i>	<i>Operates at night only.</i>
							Carte:4237 Edn 05/15 (F15-012)
504	<i>Inner Sambro light and bell buoy HS6</i>	<i>SW. of W. end of Inner Sambro Island. 44 27 05 63 35 48</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HS6".</i>	<i>Year round.</i>
							Chart:4237
504.01	<i>Inner Sambro Island light buoy HA2</i>	<i>44 27 22 63 35 09</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HA2".</i>	<i>Year round.</i>
							Chart:4237 Edn 06/11(F11-134)
504.02	<i>Cowley Rock bifurcation light buoy HSA</i>	<i>44 27 32 63 35 46.5</i>	<i>Fl (2+1) R 6s</i>	<i>.....</i>	<i>.....</i>	<i>Green, red and green spar, marked "HSA".</i>	<i>Year round.</i>
							Chart:4237
504.5	<i>Cronie Reef light buoy HS12</i>	<i>44 28 21.4 63 35 35.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "HS12".</i>	<i>Year round.</i>
							Chart:4237
504.7	<i>Bull Point light buoy HS13</i>	<i>44 28 19 63 35 42.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HS13".</i>	<i>Year round.</i>
							Chart:4237

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
505 H3644	Sambro Harbour	On extremity of Bull Point. 44 28 30 63 35 45.5	F G	10.5	7	White square tower. 8.4 Operates at night only. Year round.
							Chart:4237
505.1	Big Island light buoy HR2	44 28 41.3 63 35 22.1	Q R	1s	Red, marked "HR2". Year round.
							Chart:4237
505.2	Big Island light buoy HR4	44 28 47.8 63 35 13.4	Fl R	4s	Red, marked "HR4". Year round.
							Chart:4237
505.3	Big Island light buoy HR5	44 28 51.2 63 35 10.7	Fl G	4s	Green, marked "HR5". Year round.
							Chart:4237
505.8	Sambro light buoy HS19	44 28 37 63 35 50.3	Fl G	4s	Green, marked "HS19". Year round.
							Chart:4237
505.81	Sambro Harbour light buoy HS20	44 28 38 63 35 45.5	Fl R	4s	Red spar, marked "HS20". Year round.
							Chart:4237 Edn 06/11(F11-136)
505.82	Sambro Harbour light buoy HS22	44 28 41 63 35 49	Fl R	4s	Red spar, marked "HS22". Year round.
							Chart:4237 Edn 06/11(F11-138)
505.83	Sambro Harbour light buoy HS24	44 28 43.1 63 35 53	Fl R	4s	Red spar, marked "HS24". Year round.
							Chart:4237 Edn 06/11(F11-133)
506.6	Lobster Claw light buoy HE13	S. of Lobster Claw. 44 27 18 63 34 06.5	Fl G	4s	Green, marked "HE13". Year round.
							Chart:4237
507 H3632	Sambro	Centre of island. 44 26 12 63 33 48	Fl W	6s	42.7	23	White octagonal tower, red horizontal bands. 20.7 Flash 1 s; eclipse 5 s. Year round.
							Chart:4237 Edn 01/12(F11-193)
508	Sambro Harbour light and whistle buoy HS	S. of Southwest Breaker. 44 24 30 63 33 36.5	Mo(A) W	6s	Red and white vertical stripes, marked "HS". Year round.
							Chart:4237
508.2	Pennel Shoal light buoy HS2	44 25 15.8 63 33 49.6	Fl R	4s	Red, marked "HS2". Year round.
							Chart:4385 Edn 11/11(F11-183)
508.22	Shag Rock light buoy HS2/2	44 25 38.5 63 34 16.3	Fl R	4s	Red, marked "HS2/2". Year round.
							Chart:4385 Edn 11/11(F11-182)
508.4	Sambro Island West light buoy HS4	44 26 00 63 34 42	Fl R	4s	Red, marked "HS4". Year round.
							Chart:4385 Edn 11/11 (F11-181)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
508.42	Four Fathom Shoal light buoy HS4/2	44 26 23.6 63 35 08	Q R	1s	Red, marked "HS4/2".	Year round. Chart:4385 Edn 11/11(F11-180)	
508.44	Fairweather Rock East Cardinal light buoy HSE	44 26 44 63 35 42.4	Q(3) W	10s	Black, yellow and black, marked "HSE".	Year round. Chart:4385 Edn 11/11(F11-179)	
509	Sisters light and bell buoy HD3	S. of The Sisters. 44 26 14 63 31 26	Fl G	4s	Green, marked "HD3".	Year round. Chart:4237	
509.5	Halifax Bravo light buoy HB	44 26 37 63 27 33	Mo(A) W	6s	Red and white vertical stripes, marked "HB".	Year round. Chart:4237	
510	Halifax Alpha light and whistle buoy HA	44 21 45 63 24 15	Mo(A) W	6s	Red and white vertical stripes, marked "HA".	Year round. Chart:4237	
511	Ketch Harbour light buoy HE19	Ketch Harbour entrance. 44 28 19.6 63 32 16	Fl G	4s	Green, marked "HE19".	Year round. Chart:4237	
512	Bell Rock light buoy HD5	E. of Ketch Head. 44 29 00 63 31 03	Fl G	4s	Green, marked "HD5".	Year round. Chart:4237	
512.5	Duncan Reef light buoy H1	44 29 36 63 30 34	Q G	1s	Green, marked "H1".	Year round. Chart:4237	
513 H3600	Chebucto Head Racon - -- (Z) X Band	On summit. 44 30 26.6 63 31 21.8	Fl W	20s	47.8	10 White tower, red upper portion. 12.9	Flash 0.5 s; eclipse 19.5 s. Visible from 155° through S. and W. to 000°. Connected by telephone with Halifax. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s;sil. 51 s. Horn points 113°.	Chart:4385 Edn 06/10
514	Halifax Charlie light and bell buoy HC	44 30 36 63 30 16	Mo(A) W	6s	Red and white vertical stripes, marked "HC".	Year round. Chart:4237	
515	Navy West Cautionary light and whistle buoy HNWC	44 32 41 63 25 15	Fl Y	4s	Yellow, marked "HNWC".	Year round. Chart:4237	
516	Inner Automatic light buoy H4	NE. of Chebucto Head. 44 31 39.5 63 30 03.6	Fl R	4s	Red, marked "H4".	Year round. Chart:4203	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks ----- Fog Signals
		----- Latitude N. Longitude W.				----- Height in meters above ground	

NOVA SCOTIA, SOUTHEAST COASTS

517	<i>Bear Cove light and bell buoy H6</i> Racon -. (N) X Band	<i>NE. of cove.</i> 44 32 36.3 63 31 19.6	Q R 1s	<i>Red, marked "H6".</i>	<i>Year round.</i>	Chart:4203
517.5	<i>Bear Cove bifurcation light buoy HK</i>	<i>NW. of shoal.</i> 44 32 41.2 63 32 00.6	Fl (2+1) G 6s	<i>Green, red and green, marked "HK".</i>	<i>Year round.</i>	Chart:4203
518	<i>Neverfail Shoal light and bell buoy H8</i>	44 33 15.5 63 31 27.6	Fl R 4s	<i>Red, marked "H8".</i>	<i>Year round.</i>	Chart:4203
519	<i>Lichfield Shoal light and whistle buoy H7</i>	<i>E. end of shoal.</i> 44 33 22.5 63 31 59.5	Fl G 4s	<i>Green, marked "H7".</i>	<i>Year round.</i>	Chart:4203
519.5	<i>Neverfail Shoal North light buoy HN7</i>	44 33 30.8 63 31 03.8	Fl G 4s	<i>Green, marked "HN7".</i>	<i>Year round.</i>	Chart:4203
520	<i>Thrumcap light and bell buoy HN6</i>	<i>S. of Thrumcap Shoal.</i> 44 33 49.3 63 30 11.6	Fl R 4s	<i>Red, marked "HN6".</i>	<i>Year round.</i>	Chart:4203
521	<i>Herring Cove light and bell buoy HM1</i>	<i>SE. of Tribune Head.</i> 44 33 52.2 63 32 54.7	Fl G 4s	<i>Green, marked "HM1".</i>	<i>Year round.</i>	Chart:4203
521.5	<i>Halifax Harbour Smart buoy</i>	44 33 31.3 063 32 43.9	Fl Y 25s	<i>ODAS, yellow.</i>	<i>Flash 5 s; eclipse 20 s. Private ODAS.</i>	Chart: 4203 Edn 07/15(F15-020)
522 H3604	Herring Cove	Tribune Head. 44 34 00.6 63 33 19.8	F G	19.5	6	Triangular skeleton tower, red and white rectangular daymark. 10.3	Operates at night only. Year round.	Chart:4203
522.1 H3605	Herring Cove Breakwater	SE. corner of breakwater. 44 34 09.6 63 33 25.4	Fl R 5s 4.0	Pipe swing pole, red and white triangular daymark red triangle in center. 3.5	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	Chart:4203 Edn 04/11(F11-039) Edn 10/11(F11-096)
523	<i>Mars Rock light and whistle buoy H9</i>	<i>Off SE. side of rock.</i> 44 34 28.4 63 32 07.5	Fl G 4s	<i>Green, marked "H9".</i>	<i>Year round.</i>	Chart:4203

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

523.4 H3602	Sandwich Point range	Halifax Harbour approach. 44 34 56.6 63 32 56.7	F	G	38.4	12	Triangular skeleton tower, white daymark, red vertical stripe. 6.1	Year round.	
523.5 H3602.1		336°29' 498.5m from front.	F	G	50.8	12	Triangular skeleton tower, white daymark, red vertical stripe. 14.6	Year round.	Chart:4203
524	Lighthouse Bank light and bell buoy H12	W. of bank. 44 35 36.3 63 31 59.5	Fl	R	4s	Red, marked "H12".	Year round.	Chart:4203
524.2	West Outer Middle Ground light buoy HK4	44 35 50.3 63 32 33.6	Fl	R	4s	Red, marked "HK4".	Year round.	Chart:4203
525	Outer Middle Ground bifurcation light buoy HAC	N. of Lighthouse bank. 44 35 54.8 63 32 24	Fl (2+1)	G	6s	Green, red and green, marked "HAC".	Year round.	Chart:4203
525.2	Southeast Middle Ground light buoy HK5	44 36 11.3 63 32 33.6	Fl	G	4s	Green, marked "HK5".	Year round.	Chart:4203
526	Maugher Beach light buoy H14	SW. of beach. 44 35 58.3 63 32 12.6	Q	R	1s	Red, marked "H14".	Year round.	Chart:4203
527 H3607	Maugher Beach	Near W. end of beach. 44 36 08.2 63 32 00.9	Fl	W	30s	17.4	15	White octagonal tower, red upper portion. 17.8	Flash 1 s; eclipse 29 s. Emergency light. Operates at night only. Year round.	Chart:4203
528 H3606	Halifax Harbour Middle range	NW. end of McNabs Island. 44 36 50.5 63 32 11	F	R	18.0	12	Triangular skeleton tower, white daymark, red vertical stripe. 4.3	Year round.	
528.1 H3606.1		356°13' 322m from front.	F	R	29.0	12	Triangular skeleton tower, white daymark, red vertical stripe. 21.9	Year round.	Chart:4203
529	Pleasant Shoal light and bell buoy H19	Off E. extremity of shoal. 44 36 58.2 63 33 08.8	Fl	G	4s	Green, marked "H19".	Year round.	Chart:4203
530	Middle Ground North Cardinal light buoy HAD	N. of Maugher Beach. 44 36 39.8 63 32 49.9	Q	W	1s	Black and yellow, marked "HAD".	Year round.	Chart:4203
531	Hens and Chickens light buoy HQ2	SE. of Hens and Chickens. 44 36 50 63 33 44	Fl	R	4s	Red, marked "HQ2".	Year round.	Chart:4202

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
532	Purcells Cove light buoy HQ1	E. of cove. 44 36 41.9 63 33 56.9	Fl G 4s	Green spar, marked "HQ1".	Year round.	
							Chart:4203	
533	Imperial Oil Wharf No. 1 light buoy HP22	44 38 02.3 63 31 56.6	Fl R 4s	Red, marked "HP22".	Year round.	
							Chart:4202	
534	Indian Point light buoy HP21	44 37 46.5 63 31 56.8	Q G 1s	Green spar, marked "HP21".	Year round.	
							Chart:4202	
535	Ives Knoll light and bell buoy H22	W. of Knoll. 44 37 39.4 63 32 54	Fl R 4s	Red, marked "H22".	Year round.	
							Chart:4202	
536	Ives Knoll light buoy HT2	N. of the Knoll. 44 37 50.2 63 32 44.7	Q R 1s	Red, marked "HT2".	Year round.	
							Chart:4202	
538 H3618	Halifax Harbour Inner range	On W. side of Georges Island. 44 38 26.2 63 33 37.2	F W	17.7	15	White octagonal tower, red vertical stripe, red upper portion. 16.4	White 290° through N., E. and S. to 181°. Increased intensity on line of range. Emergency light. Year round.
539 H3618.1		339°08' 3153.7m from front.	Fl W 10s	37.7	13	Triangular skeleton tower, white daymark, red vertical stripe. 17.4	Flash 1 s; eclipse 9 s. Year round.	
							Chart:4202	
540.1	Dartmouth Cove West Entrance light buoy HU1	44 39 42 63 33 38.4	Fl G 4s	Green spar, marked "HU1".	Year round.	
							Chart:4202 Edn 01/12(F11-195)	
544	Barrie Beach light and bell buoy HP2/2	NW. of Devils Island. 44 35 11.2 63 28 47.3	Fl R 4s	Red, marked "HP2/2".	Year round.	
							Chart:4237 Edn 01/10(F09-072) Edn 03/10(F10-002)	
545 H3596	Devils Island	SE. end of island. 44 34 49.5 63 27 35.3	LFl R 6s	6.0	7	Square skeleton tower, red, white and red rectangular daymark, red triangle in centre. 6.6	Three daymarks facing East, South and West. Flash 2 s; eclipse 4 s. Operates at night only. Year round.	
							Chart:4237 Edn 11/11(F11-184)	
546	Eastern Passage light and whistle buoy HP	SW. of Devils Island. 44 34 05 63 27 23	Mo(A) W 6s	Red and white vertical stripes, marked "HP".	Year round.	
							Chart:4237	
546.5	Lawlor Island light buoy HP3	E. of island. 44 35 56.1 63 29 08	Fl G 4s	Green, marked "HP3".	Year round.	
							Chart:4203	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

547 <i>H3609</i>	Lawlor Island Sector	On E. side of island. 44 36 21.8 63 29 45.4	F W G	4.8	10	Triangular skeleton mast. 3.8	Green from 133° to 140°30'; white from 140°30' to 142°30'; red from 142°30' to 155°. White sector indicates preferred channel. Year round.	Chart:4203	
547.2	<i>Lawlor Island light buoy HP11</i>	NE. of island. 44 36 31.8 63 29 58.4	Fl	G	4s	Green, marked "HP11". Year round.	Chart:4203	
549	<i>Eastern Passage light buoy HP13</i>	44 36 40.4 63 30 20.9	Q	G	1s	Green spar, marked "HP13". Year round.	Chart:4203	
550	<i>Eastern Passage light buoy HP15</i>	Opposite Texaco Co. wharf. 44 36 45.3 63 30 35.6	Fl	G	4s	Green, marked "HP15". Year round.	Chart:4203	
551	<i>Eastern Passage light buoy HP16</i>	44 37 03 63 30 32.8	Fl	R	4s	Red, marked "HP16". Year round.	Chart:4203	
552	<i>Eastern Passage light buoy HP17</i>	44 37 05.8 063 30 50.6	Fl	G	4s	Green, marked "HP17". Year round.	Chart:4203	
557	<i>Seaview Point light buoy H39</i>	44 40 37.6 063 37 14	Fl	G	4s	Green, marked "H39". Year round.	Chart:4201	
559	<i>Wrights Point light buoy H42</i>	44 41 19.8 063 37 22.6	Q	R	1s	Red spar, marked "H42". Year round.	Chart:4201	
560	<i>Dartmouth Yacht Club light buoy HY6</i>	44 41 59 063 36 48	Fl	R	4s	Red, marked "HY6". Privately maintained by Dartmouth Yacht Club. Seasonal.	Chart:4201	
560.5 <i>H3631</i>	Dartmouth Yacht Club	On breakwater. 44 42 01.3 063 36 49.1	Fl	G	4s	5.2	4	Square tower. 3.0	Privately maintained by Dartmouth Yacht Club Operates at night only. Year round.	Chart:4201
561	<i>Wrights Cove light buoy HY2</i>	NW. of Navy Island. 44 42 00.3 063 37 23.6	Fl	R	4s	Red, marked "HY2". Year round.	Chart:4201	
561.5	<i>Bedford Basin light buoy H45</i>	44 42 25.3 063 39 07.6	Q	G	1s	Green spar, marked "H45". Year round.	Chart:4201	
562	<i>Wellesley Rock light buoy H46</i>	S. of the rock. 44 42 37.3 063 39 26.1	Fl	R	4s	Red, marked "H46". Year round.	Chart:4201	

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

562.3	<i>Spruce Island light buoy H48</i>	<i>W. of island.</i> 44 43 00.3 063 39 54.6	<i>Fl R</i>	4s	Red spar, marked "H48".	Year round.	Chart:4201
563	<i>Shut-in Island light and bell buoy HX</i>	<i>SE. of island.</i> 44 36 39.8 063 16 01.2	<i>Mo(A) W</i>	6s	Red and white vertical stripes, marked "HX".	Year round.	Chart:4236
563.05	<i>Three Fathom Harbour light buoy HX8</i>	44 38 16.1 063 16 38	<i>Fl R</i>	4s	Red spar, marked "HX8".	Year round.	Chart: 4236 Edn 08/10(F10-023)
563.2	<i>Bull Rock light buoy HX2</i>	44 37 20 63 16 14	<i>Fl R</i>	4s	Red spar, marked "HX2".	Year round.	Chart:4236
564	<i>Chezzetcook Harbour light and bell buoy HJ2</i>	<i>Off Story Head.</i> 44 39 42.6 63 13 40.5	<i>Fl R</i>	4s	Red, marked "HJ2".	Year round.	Chart:4236
564.22	<i>East Chezzetcook light buoy HJ2/2</i>	<i>Eastern shore.</i> 44 41 16.4 063 13 52.7	<i>Fl R</i>	4s	Red spar, marked "HJ2/2".	Seasonal.	Chart: N/A Edn 07/16 (F16-021)
565	<i>Codray Shoal light and bell buoy HH2</i>	<i>SW. of shoal.</i> 44 40 24.5 63 10 38.6	<i>Fl R</i>	4s	Red, marked "HH2".	Year round.	Chart:4236
566.02	<i>Musquodoboit light buoy YV7</i>	44 40 44.0 063 04 23.4	<i>Q G</i>	1s	Green spar, marked "YV7".	Year round.	Chart:4236 Edn 07/16 (F16-024)
566.03	<i>Musquodoboit Harbour light buoy YV10</i>	44 41 09.6 063 04 45.6	<i>Q R</i>	1s	Red spar, marked "YV10".	Year round.	Chart:4236 Edn 07/16 (F16-028)
566.04	<i>Musquodoboit Harbour light buoy YV11</i>	44 41 26.2 063 04 47.5	<i>Fl G</i>	4s	Green spar, marked "YV11".	Year round.	Chart:4236 Edn 07/16 (F16-025)
566.05	<i>Musquodoboit Harbour light buoy YV12</i>	44 41 26.2 063 04 42.8	<i>Fl R</i>	4s	Red spar, marked "YV12".	Year round.	Chart:4236 Edn 07/16 (F16-027)
566.06	<i>Musquodoboit Harbour light buoy YV13</i>	44 41 34.0 063 04 43.7	<i>Fl G</i>	4s	Green spar, marked "YV13".	Year round.	Chart:4236 Edn 07/16 (F16-026)
566.08	<i>Musquodoboit (Flat Rock) light buoy YV15</i>	<i>Eastern shore.</i> 44 41 41.4 063 04 45.0	<i>Q G</i>	1s	Green spar, marked "YV15".	Year round.	Chart:N/A Edn 07/16 (F16-029)
566.12	<i>Musquodoboit (Francis Nose Is) light buoy YV21</i>	44 42 52.9 063 05 03.1	<i>Q G</i>	1s	Green spar, marked "YV21".	Year round.	Chart: N/A Edn 07/16 (F16-023)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

566.5	<i>Musquodoboit Ledge light and bell buoy YV3</i>	W. side of ledge. 44 39 36 63 04 16	Fl G 4s	Green, marked "YV3".	Year round.	Chart:4236
568 H3578	Musquodoboit Harbour	On pier on Shag Ledge. 44 41 41.7 63 04 41.6	Q R 1s 5.5	Red cylindrical mast, red and white triangular daymark. 3.6	Operates at night only. Year round.	Chart:4236 Edn 04/10(F10-011)
569 H3579	French Point	44 42 21 63 04 33.3	F R	14.2	8	White square tower. 9.4	Visible 278° through N. and E. to 098°. Operates at night only. Year round.	Chart:4236
570 H3570	Jeddore Rock	On summit of rock. 44 39 47.1 63 00 37.3	LFl W 12s 29.5	8	Skeleton tower. 14.9	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4236 Edn 09/11(F11-067)
570.5	<i>Arnold Rock light and bell buoy YT3</i>	S. of rock. 44 39 04.2 63 00 29.5	Fl G 4s	Green, marked "YT3".	Year round.	Chart:4236
572	<i>Thorn Shoal light and bell buoy YT5</i>	On alignment of Jeddore Harbour range. 44 41 24 63 00 10	Fl G 4s	Green, marked "YT5".	Year round.	Chart:4236
572.3	<i>Jeddore Harbour lighted spar YT7</i>	44 42 18.6 63 00 46.8	Q G 1s	Green spar, marked "YT7".	Year round.	Chart:4236
572.6	<i>Jeddore Harbour light buoy YT9</i>	44 43 10.7 63 00 16.9	Fl G 4s	Green, marked "YT9".	Year round.	Chart:4236
573	<i>Marsh Point light buoy YT11</i>	44 43 23.6 63 00 11.7	Q G 1s	Green, marked "YT11".	Year round.	Chart:4236
576	<i>Bar Shoal light buoy YT8</i>	44 42 31.3 63 00 36.8	Fl R 4s	Red spar, marked "YT8".	Year round.	Chart:4236
577	<i>Brig Rock light and bell buoy YT2</i>	W. of rock. 44 37 08.4 62 56 18.7	Fl R 4s	Red, marked "YT2".	Year round.	Chart:4236
578	<i>Porter Island West light and bell buoy YS6</i>	44 41 29 62 51 46.1	Fl R 4s	Red, marked "YS6".	Year round.	Chart:4236
579	<i>Little Harbour Head light buoy YS9</i>	N. of head. 44 42 22.3 62 50 29.9	Fl G 4s	Green boat type, marked "YS9".	Year round.	Chart:4236

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

580 <i>H3568</i>	Egg Island	Centre of island. 44 39 52.7 062 51 48.4	LFI W 6s 7.6	12	Square skeleton tower. 4 red, white and red rectangular daymarks.	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Daymarks facing 000°, 090°, 180° and 270°	Chart:4236 Edn 02/10 (F09-078) Edn 09/11 (F11-069) Edn 05/16 (F16-011)
580.3	<i>Psyche Rock East Cardinal light and bell buoy YS</i>	44 39 50.3 62 50 30.6	Q(3) W 10s	<i>Black, yellow and black, marked "YS".</i>	Year round.	Chart:4236
582	<i>Owls Head Harbour light and bell buoy YP2</i>	SE. of head. 44 41 20 62 45 01.4	FI R 4s	<i>Red marked "YP2".</i>	Year round.	Chart:4236
583 <i>H3566</i>	Owls Head Direction light	On extremity of head. 44 43 14.6 62 47 59.5	FI W 4s 25.8	6	Skeleton mast, red, white and red triangular daymarks. 9.7	Operates at night only. Year round.	Chart:4236 Edn 04/11(F11-071)
584	<i>Ship Harbour light and whistle buoy YM1</i>	SE. of Little Rock. 44 41 06.3 62 42 07.1	FI G 4s	<i>Green, marked "YM1".</i>	Year round.	Chart:4236
585 <i>H3564</i>	Ship Harbour	On Wolfes Point. 44 44 55.4 62 45 23.6	LFI G 6s 18.2	4	Skeleton tower, rectangular daymark, white and red horizontals bands. 6.1	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal.	Chart:4236 Edn 09/11(F11-073)
586	<i>Bull Rock bifurcation light and bell buoy YM</i>	S. of rock. 44 44 05.6 62 41 29.6	FI R 6s	<i>Red, green and red, marked "YM".</i>	Year round.	Chart:4236
587	<i>Tangier Harbour light and whistle buoy YJ</i>	SE. of Mooseback Point. 44 44 06.2 62 37 38.3	Mo(A) W 6s	<i>Red and white vertical stripes, marked "YJ".</i>	Year round.	Chart:4236
588	<i>Popes Harbour light and bell buoy YE2</i>	W. of Popes Head. 44 46 23.9 62 36 47.8	FI R 4s	<i>Red, marked "YE2".</i>	Year round.	Chart:4236
589 <i>H3560</i>	Popes Harbour	On W. point of Harbour Island. 44 47 40.3 62 39 01.4	LFI R 12s 9.4	5	Skeleton tower, red and white rectangular daymark. 6.7	Flash 2 s; eclipse 10 s. Operates at night only. Year round.	Chart:4236 Edn 04/11(F11-038)
590	<i>Spry Bay light and bell buoy YA2</i>	Off entrance. 44 45 37.2 62 33 28.6	FI R 4s	<i>Red, marked "YA2".</i>	Year round.	Chart:4236

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N.	Longitude W.	-----	-----	-----				

NOVA SCOTIA, SOUTHEAST COASTS

591 H3557	Spry Bay Sector	44 49 21.5 62 35 54.3	F	R W G	23.4	10	White square tower, red upper portion. 7.5	Red from 317° to 336°15'; white from 336°15' to 338°15'; green from 338°15' through N. to 010°. White sector indicates preferred channel. Operates at night only. Year round.	Chart:4236
593	Geddes Shoal light and whistle buoy X26	SW. of shoal. 44 44 28 62 28 09	Fl	R	4s	Red, marked "X26".	Year round.	Chart:4235
593.6	MacDonald Shoals light buoy XU4	44 48 54 62 28 41	Fl	R	4s	Red, marked "XU4".	Year round.	Chart:4235
594 H3541	Sheet Rock	Entrance to harbour. 44 49 50.4 62 29 30.6	Fl	W	4s	25.7	7	White cylindrical tower, red horizontal bands. 9.1	Operates at night only. Year round.	Chart:4235 Edn 09/11(F11-075)
595	White Rock light buoy XU10	44 51 00.5 62 29 38	Q	R	1s	Red spar, marked "XU10".	Year round.	Chart:4235
596	Watt Point light buoy XU14	44 53 49.5 62 29 16	Fl	R	4s	Red spar, marked "XU14".	Year round.	Chart:4235
596.01	Northeast Arm light buoy XX1	44 55 06 62 30 56	Fl	G	4s	Green, marked "XX1".	Year round.	Chart:4235
596.04	Mussel Shoal XU18	44 54 36.5 62 31 09.0	Fl	R	4s	Red spar, marked "XU18".	Operates at night only.	Chart:4235 Edn 06/15 (F15-015)
597	Sheet Harbour Passage light and bell buoy XP7	S. of Hardwood Island. 44 49 06 62 25 54	Fl	G	4s	Green, marked "XP7".	Year round.	Chart:4235
598 H3542	Sheet Harbour Passage range	E. of Kirby River. 44 51 30 62 26 53.6	F	W	15.8	18	White square tower, red upper portion, red vertical stripe. 7.5	Visible in line of range. Operates at night only. Year round.	
599 H3542.1		343°28' 278.3m from front.	F	W	20.6	18	White square tower, red upper portion, red vertical stripe. 9.0	Visible in line of range. Operates at night only. Year round.	Chart:4235 Edn 03/11(F11-026) Edn 11/12 (F12-041, 042)
600	Beaver Harbour light and whistle buoy XK1	Off harbour. 44 47 55 62 17 03	Fl	G	4s	Green, marked "XK1".	Year round.	Chart:4235

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
601	Beaver Island light and bell buoy XK3	E. of island. 44 49 33 62 19 28	Fl G 4s	Green, marked "XK3".	Year round. Chart:4235
602 H3534	Beaver Island	Eastern end of island. 44 49 29.2 62 20 16	Fl W 7s	19.9	14	White cylindrical tower. 8.5	Emergency light. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 144°. Chart:4235
605	Bassoon Reefs light and bell buoy XH1	S. extremity of the SE. portion of reefs. 44 50 41 62 13 34	Fl G 4s	Green, marked "XH1".	Year round. Chart:4235
606.3	Tuffin Island light buoy XA6	N. of island. 44 54 53.5 62 10 45.5	Q R 1s	Red, marked "XA6".	Year round. Chart:4235
606.5	Tuffin Island light and bell buoy XA4	SW. of island. 44 54 12 62 10 50.5	Fl R 4s	Red, marked "XA4".	Year round. Chart:4235
606.7	Halibut Island light and bell buoy XA3	44 53 06 62 10 55	Fl G 4s	Green, marked "XA3".	Year round. Chart:4235
607	Bowen Ledge light and bell buoy XA2	SW. of ledge. 44 51 59 62 10 15	Fl R 4s	Red, marked "XA2".	Year round. Chart:4235
608	White Island light and bell buoy VV1	Off E. extremity of White Island breaker. 44 52 59.8 62 06 16.3	Fl G 4s	Green, marked "VV1".	Year round. Chart:4235 Edn 08/11(F11-151)
609	Lockwood Rock light and whistle buoy V24	S. of rock. 44 51 39 62 04 21	Fl R 4s	Red, marked "V24".	Year round. Chart:4235
610	Necum Point light buoy VV12	44 57 16 062 08 59	Fl R 4s	Red spar, marked "VV12".	Year round. Chart:4235
610.5	Frenchman Rock light buoy VV8	44 55 56.5 062 07 03.5	Fl R 4s	Red spar, marked "VV8".	Year round. Chart:4235
611	Seal Ledge light and bell buoy VT5	NE. of ledge. 44 57 28 061 59 31	Fl G 4s	Green, marked "VT5".	Year round. Chart:4234

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
612 H3530	Marie Joseph (Thrumcap Island)	On Thrumcap Islet. 44 57 25.6 062 02 25.7	Fl R 4s	12.2	4	Square skeleton tower, red and white rectangular daymark, red triangle in center. 6.1	Operates at night only. Year round. Chart:4234 Edn 04/11(F11-024)
613	Liscomb light and whistle buoy VP	E. of Hawbolt Rock. 44 55 00 061 53 33	Mo(A) W 6s	Red and white vertical stripes, marked "VP".	Year round. Chart:4234
614	Liscomb Shoal light and bell buoy VP5	SE. of shoal. 44 58 31 061 57 50	Fl G 4s	Green, marked "VP5".	Year round. Chart:4234
615 H3526	Liscomb	On island near Cranberry Point. 44 59 15.8 061 57 58.4	Fl W 10s	21.9	14	White octagonal tower, red upper portion. 13.7	Flash 1 s; eclipse 9 s. Emergency light. Year round. Horn - Blast 3 s; sil. 27 s. Chart:4234
619	Little Liscomb light and bell buoy VM3	SE. of Crook Point. 44 59 10 061 53 27	Fl G 4s	Green, marked "VM3".	Seasonal. Chart:4234
621	Saint Marys River light and bell buoy VK	S. of Wedge Island. 44 59 36 061 49 41.5	Mo(A) W 6s	Red and white vertical stripes, marked "VK".	Year round. Chart:4234 Edn 08/12(F12-044)
621.5	Barachois Point light and bell buoy VK3	Off point. 45 01 16.5 061 51 45	Fl G 4s	Green, marked "VK3".	Year round. Chart:4234 Edn 08/12(F12-045)
622	Horse Shoal light buoy VK11	45 03 05.6 061 53 43.8	Q G 1s	Green, marked "VK11".	Year round. Chart:4234 Edn 08/12(F12-046)
623.5	Rude Shoal light and bell buoy VH5	Off shoal. 45 04 12.5 061 48 26.5	Q G 1s	Green, marked "VH5".	Year round. Chart:4234 Edn 08/12(F12-047)
625	Nixonmate Shoal light and whistle buoy VH2	SW. of shoal. 45 01 47.5 61 45 15.5	Fl R 4s	Red, marked "VH2".	Year round. Chart:4234 Edn 08/12(F12-048)
626.1	Mouton Harbour Outer Channel light buoy VC1	45 05 34.3 61 42 53.7	Q G 1s	Green spar, marked "VC1".	Winter spar Seasonal. (In place Year round.) Chart:4234
626.2	Mouton Harbour Outer Channel light buoy VC2	45 05 34.5 61 42 56	Fl R 4s	Red spar, marked "VC2".	Winter spar Seasonal. (In place Year round.) Chart:4234

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
626.3	Mouton Harbour Outer Channel light buoy VC3	45 05 33.6 61 43 00.4	Fl G 4s	Green spar, marked "VC3".	Winter spar Seasonal. (In place Year round.) Chart:4234
626.4	Mouton Harbour Inner Channel light buoy VC4	45 05 34.7 61 43 14.2	Q R 1s	Red spar, marked "VC4".	Winter spar Seasonal. (In place Year round.) Chart:4234
626.6	Mouton Harbour Inner Channel light buoy VC5	45 05 34.4 61 43 15.8	Fl G 4s	Green spar, marked "VC5".	Winter spar Seasonal. (In place Year round.) Chart:4234
626.7	Mouton Harbour Inner Channel light buoy VC7	45 05 37.9 61 43 26	Fl G 4s	Green spar, marked "VC7".	Winter spar Seasonal. (In place Year round.) Chart:4234
626.9	Bickerton Island light buoy V1	45 05 02 61 42 04	Fl G 4s	Green spar, marked "V1".	Seasonal. (In place Year round.) Chart:4234
627.1	Bickerton East Bifurcation light buoy VCC	45 05 36.2 61 42 33	Fl G 6s (2+1)	Green, red and green spar, marked "VCC".	Winter spar. Seasonal. (In place Year round.) Chart:4234
627.5	Bickerton East Outer light buoy V3	45 05 42.7 61 42 38.3	Fl G 4s	Green spar, marked "V3".	Winter spar. Seasonal. (In place Year round.) Chart:4234
628.1	Bickerton East Middle light buoy V4	45 05 55.9 61 43 03.9	Fl R 4s	Red spar, marked "V4".	Winter spar. Seasonal. (In place Year round.) Chart:4234
628.5	Bickerton East Inner light buoy V6	45 06 12.2 61 43 22.1	Q R 1s	Red spar, marked "V6".	Winter spar. Seasonal. (In place Year round.) Chart:4234
629 H3514	Port Bickerton	Near W. extremity of Barachois Head. 45 05 24 61 42 01.7	Fl W 3s 20.6	17	White rectangular tower, red upper portion. 9.2	Flash 1s; eclipse 2 s Visible from 280° through N. and E. to 136°. Emergency light. Operates at night only. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 156°. Horns sound in unison.	
							Chart:4234 Edn 04/10(G10-012)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
629.5 <i>H3516</i>	Mouton Harbour Outer range	45 05 29.9 61 43 49.6	F W	3.8	14	Square skeleton tower, white daymark, red vertical stripe. 3.6	Visible in line of range. Operates at night only. Year round.
629.6 <i>H3516.1</i>		263°39' 141.9m from front.	F W	7.6	14	Square skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.
629.8 <i>H3516.3</i>	Mouton Harbour	On crib. 45 05 40.8 61 43 28.5	Iso R	1s	4.4	4	Square skeleton tower, red and white triangular daymark, red triangle in center. 3.6	Operates at night only. Year round.
629.9 <i>H3516.4</i>	Mouton Harbour Wharf	45 05 41.8 61 43 35.1	Fl G	4s	4.2	4	Cylindrical mast, green and white daymark, green square in centre. 3.5	Operates at night only. Year round.
631.2 <i>H3515</i>	Port Bickerton East wharf	On outer end of wharf. 45 06 18.8 61 43 21.9	Iso R	4s	4.3	4	Cylindrical mast. 3.6	Operates at night only. Year round.
632	Port Bickerton Fairway light and bell buoy V	SW. of Taylor Shoal. 45 01 13 61 39 09	Mo(A) W	6s	Red and white vertical stripes, marked "V".	Year round.
633.01	Rose Shoal South Cardinal light buoy TY	45 04 33 61 37 20	Q(6) +LFI	W	15s	Yellow and black, marked "TY". Year round.
633.02	Bull Rock light buoy TY5	45 05 11.0 061 38 32.5	Q	G	1s	Green spar, marked "TY5". Seasonal (in place year round).
634 <i>H3512</i>	Fishermans Harbour	W. extremity of Shingle beach on S. side of harbour. 45 06 42 61 40 41.1	Fl G	4s	7.1	7	Square skeleton tower, green, white and green daymark. 7.9	Operates at night only. Seasonal.
634.4	South Easter South Cardinal light buoy TU	SW. of South Easter. 45 02 45 61 35 12	Q(6) +LFI	W	15s	Yellow and black, marked "TU". Year round.
635	Isaac's Harbour Fairway light and whistle buoy TT	E. of Jarvis Bank. 45 02 15 61 32 35	Mo(A) W	6s	Red and white vertical stripes, marked "TT".	Year round.
635.5	Tom Cod light buoy TT2	45 04 28 61 33 04	Fl R	4s	Red, marked "TT2".	Year round.

Chart:4234
Edn 12/09(G09-156,165)

Chart:4234
Edn 01/10(G09-150)

Chart:4234
Edn 01/10(G09-152)

Chart:4234
Edn 01/10(G09-154)

Chart:4234
Edn 08/12 (G12-152)
Edn 10/12 (G12-191)

Chart:4234
Edn 08/12 (G12-153)

Chart:4234
Edn 03/17 (G17-007)

Chart:4234
Edn 04/11(G11-054)

Chart:4234
Edn 08/12 (G12-154)

Chart:4234
Edn 08/12 (G12-155)
Edn 10/12 (G12-192)

Chart:4234
Edn 07/09(G09-055)
Edn 08/12 (G12-157)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
636	Goose Island light buoy TT4	S. extremity of island. 45 05 54.6 61 34 36.3	Q R	1s	Red, marked "TT4".	Year round. Chart:4234 Edn 07/09(G09-056) Edn 08/12 (G12-158)
636.04	Isaac's Harbour light buoy TT7	45 09 34 61 39 20	Q G	1s	Green spar, marked "TT7".	Seasonal. Chart:4234
636.1	Avondale Reef light buoy TT10	45 09 43 61 39 02	Fl R	4s	Red, marked "TT10".	Seasonal. Chart:4234
636.2	Middle Ground light buoy TX1	Off Saladin Point. 45 07 32 61 35 21	Fl G	4s	Green spar, marked "TX1".	Seasonal. Chart:4234
638 H3508	Drum Head	On outer end of breakwater. 45 08 43.2 61 36 09.2	Fl R	4s	4.2	4 Cylindrical mast, red and white triangular daymark, red triangle in center. 3.6	Operates at night only. Seasonal. Chart:4234 Edn 05/12(G12-026)
639 H3504	Country Island	S. side of island. 45 05 59.8 61 32 31.9	Fl W	20s	16.5	10 White octagonal tower, red upper portion. 13.7	Flash 2 s; eclipse 18 s. Emergency light. Operates at night only. Year round. Chart:4233
639.5	Split Rock light and whistle buoy TS2	SW. of rock. 45 07 08 61 29 45.4	Q R	1s	Red, marked "TS2".	Year round. Chart:4233 Edn 08/12 (G12-159)
639.7	Brandy Ledge light and bell buoy TQ2	S. of ledge. 45 06 54.5 61 26 56.6	Fl R	4s	Red, marked "TQ2".	Year round. Chart:4233 Edn 08/12 (G12-160)
640	Coddles Harbour light and bell buoy TS6	Off S. extremity of Coddles Island. 45 08 33.8 61 30 48	Fl R	4s	Red, marked "TS6".	Year round. Chart:4233 Edn 08/12 (G12-161)
641 H3502	Coddles Harbour	On Thrumcap Island, entrance to harbour. 45 09 21.3 61 31 01	Fl W	4s	9.8	6 Triangular skeleton tower, red and white rectangular daymark. 6.5	Operates at night only. Seasonal. Chart:4233
642	Shoal Point light and bell buoy TP1	S. of Eastern Head. 45 09 02 61 25 27.8	Fl G	4s	Green, marked "TP1".	Year round. Chart:4233 Edn 08/12 (G12-162)
643	Eastern Head light buoy TP2	NE. of point. 45 10 00.8 61 26 14.4	Fl R	4s	Red spar, marked "TP2".	Year round. Chart:4233 Edn 08/12 (G12-163)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
644 <i>H3500</i>	New Harbour Cove	On outer end of breakwater. 45 10 13.5 61 27 01.6	Fl(2) G	6s	8.2	3 3.5	Skeleton tower, enclosed lower portion. Flash 1s; eclipse 1 s; flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
Chart:4233 Edn 11/09(G09-149)							
645.6	<i>Larry's River light buoy TK1</i>	<i>Torbay</i> 45 11 54.1 61 21 07.1	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green, marked "TK1".</i> <i>Seasonal.</i>
Chart:4233 Edn 11/09(G09-145) Edn 12/10(G10-201)							
646 <i>H3484</i>	Berry Head	On E. point of Berry Head, W. side of entrance to bay. 45 11 28.8 061 18 39.9	F W	12.5	12 6.2	White rectangular tower, red upper portion. Year round.
Chart:4233 Edn 07/16 (G16-089)							
646.1	<i>Torbay light and bell buoy TH</i>	45 10 48.7 61 16 24.1	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i> <i>Red and white vertical stripes, marked "TH".</i>	<i>Year round.</i>
Chart:4233 Edn 09/09(G09-064) Edn 04/10(G10-023) Edn 10/11(G11-078)							
646.2	<i>Torbay French Rock light buoy TH2</i>	45 11 14.2 61 16 47	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i> <i>Red spar, marked "TH2".</i> <i>Seasonal.</i> <i>(In place year round).</i>
Chart:4233 Edn 02/11(G10-209)							
646.3	<i>Torbay Ledges light buoy TH3</i>	45 11 37 61 17 21	<i>Q</i>	<i>G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "TH3".</i> <i>Year round.</i>
Chart:4233 Edn 09/09(G09-066) Edn 10/11(G11-079)							
646.4	<i>Torbay Ledges light buoy TH4</i>	45 11 44.6 61 17 13.7	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Red spar, marked "TH4".</i> <i>Seasonal.</i> <i>(In place year round).</i>
Chart:4233 Edn 02/11(G10-211)							
646.7	<i>Webber Shoal light buoy TH7</i>	45 12 40.3 61 19 28.3	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "TH7".</i> <i>Seasonal.</i> <i>(In place year round).</i>
Chart:4233 Edn 02/11(G10-213)							
646.8	<i>Larry's River light buoy TH9</i>	45 12 54.6 61 22 02.7	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "TH9".</i> <i>Year round.</i>
Chart:4233 Edn 09/09(G09-062) Edn 10/11(G11-080)							
647.2 <i>H3497</i>	Larry's River Northeast Breakwater	On outer end of breakwater. 45 12 58.1 61 22 06.3	Iso R	4s	3.9	10 3.3	Square skeleton tower, two red and white rectangular daymarks, red triangle in centre. One daymark facing ESE and one facing WNW. Operates at night only. Year round.
Chart:4233 Edn 06/09(G09-053) Edn 10/11							

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
648.1	<i>Charlos Harbour Fairway light buoy TN</i>	45 14 22.5 61 18 45.5	Mo(A) W	6s	Spar, red and white vertical stripes, marked "TN".	Year round. Chart:4233 Edn 09/09(G09-059) Edn 10/11(G11-081)
654 H3478	Hog Island	E. end of island. 45 13 43.6 61 13 11	Fl W	4s	10.6	7 Square skeleton tower, red and white rectangular daymark. 9.9	Visible from 196° through W. and N. to 062°. Operates at night only. Seasonal. Horn - Blast 2 s; sil. 18 s. Chart:4233 Edn 01/12(G11-336)
655	<i>Flying Point Shoals light and whistle buoy TA4</i>	W. of shoals. 45 11 59.5 61 13 09.4	Fl R	4s	Red, marked "TA4".	Year round. Chart:4233 Edn 10/11(G11-082)
656	<i>Port Felix light and bell buoy TA7</i>	S. of Hog Island. 45 13 16.2 61 13 11.2	Fl G	4s	Green, marked "TA7".	Year round. Chart:4233 Edn 10/11(G11-083)
656.6	<i>Whitehaven Harbour light buoy PU15</i>	S. of Kelp Shoal. 45 14 04.3 61 10 41.5	Fl G	4s	Green spar, marked "PU15".	Year round. Chart:4233
657 H3476	Three Top Island	SE. point of island, entrance to Whitehaven. 45 12 28.9 61 09 31.9	LFI W	12s	16.9	7 Square skeleton tower, red and white rectangular daymark. 9.6	Flash 2 s; eclipse 10 s. Visible from 150° through W and N. to 033°. Operates at night only. Year round. Chart:4233 Edn 07/10(G10-099) Edn 02/12(G12-005) Edn 06/12(G12-074)
657.5	<i>Gammon Islands light buoy PU5</i>	Southern Passage. 45 12 08 61 08 35.8	Q G	1s	Green spar, marked "PU5".	Year round. Chart:4233
658	<i>Southwest Bull light and bell buoy PU1</i>	SE. of Southwest Bull. 45 11 08.8 61 08 20.9	Fl G	4s	Green, marked "PU1".	Winter spar. Year round. Chart:4233 Edn 10/11(G11-084)
659 H3474	White Head Island	SW. side of island. 45 11 49.1 61 08 10.8	Fl W	5s	18.2	12 White block, red upper portion. 10.6	Year round. Flash 0.5 s; eclipse 4.5 s. Horn - Blast 3 s; sil. 27 s. Horn points 190°. Chart:4233 Edn. 03/15 (G15-008)
660	<i>Whitehead light and whistle buoy PU</i>	45 09 21.4 61 07 28.4	Mo(A) W	6s	Red and white vertical stripes, marked "PU".	Year round. Chart:4233 Edn 10/11(G11-076)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
661.2	White Point Ledges South Cardinal light and whistle buoy PQ	45 13 28 60 58 46.7	Q(6) W + LFI	15s	Yellow and black, marked "PQ". Year round. Chart:4233 Edn 06/10(G10-047) Edn 10/11(G11-085)
662	Horne Shoal light and bell buoy PQ4	W. side of Horne Shoal. 45 15 27.4 61 01 03.3	Fl R	4s	Red, marked "PQ4". Year round. Chart:4233 Edn 06/10(G10-043) Edn 10/11(G11-086)
662.2	Dover Bay light buoy PQ6	45 16 25.9 61 01 03.6	Q R	1s	Red spar, marked "PQ6". Year round. Chart:4233 Edn 02/11(G10-245) Edn 03/11(G10-245) Edn 10/14(G14-107)
662.5 H3473	Walsh Point Fog Signal	45 16 17.2 061 01 27.0	Triangular skeleton mast. Seasonal. Horn - Blast 2 s; sil. 18 s. Mariners requiring the operation of the fog signal will have to select VHF channel 65 (156.275Mhz) and key their microphones five (5) times within 10 secs. The signal will be in operation for 30 min. After this delay the same operation must be repeated. Chart:4233 Edn 07/16 (G16-050)
662.9	Dover Harbour light buoy PQ11	45 16 50.5 61 01 34	Q G	1s	Green spar, marked "PQ11". Year round. Chart:4233 Edn 02/11(G10-247)
662.91	Dover Harbour light buoy PQ12	45 16 51.7 61 01 34.9	Fl R	4s	Red spar, marked "PQ12". Year round. Chart:4233 Edn 03/11(G10-243)
662.94	Dover Harbour light buoy PQ15	45 17 13.9 61 02 09.1	Fl G	4s	Green spar, marked "PQ15". Year round. Chart:4233 Edn 11/12(G12-174)
663 H3472	Little Dover Harbour	On small island. 45 16 41.5 61 01 12.4	Fl W	4s	8.1	7	Triangular skeleton tower, red and white rectangular daymark. 6.6 Operates at night only. Seasonal. Chart:4233
663.2 H3471	Rock Island	45 16 58.1 61 01 42.6	LFI R	6s	5	Cylindrical mast, two red and white triangular daymarks, red triangle in centre. Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4233 Edn 05/11(G11-057) Edn 11/11(G11-296) Edn 11/12 (G12-207)
664.03	Little Dover Run light buoy PP7	45 16 08.5 60 59 02	Fl G	4s	Green spar, marked "PP7". Year round. Chart:4233 Edn 07/11(G11-182)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
664.032	Little Dover Run light buoy PP11	45 16 19.2 61 59 22	Fl G	4s	Green, marked "PP11".	Year round. Chart:4233 Edn 07/11(G11-203)
664.034	Little Dover Run light buoy PP15	45 16 25.9 60 59 36.6	Fl G	4s	Green spar, marked "PP15".	Year round. Chart:4233 Edn 07/11(G11-201)
664.035	Little Dover Run light buoy PP22	45 16 39.4 61 00 15.1	Fl R	4s	Red spar, marked "PP22".	Year round. Chart:4233 Edn 07/11(G11-207)
664.037	Little Dover Run light buoy PP25	45 16 52.4 61 00 44.3	Fl G	4s	Green spar, marked "PP25".	Year round. Chart:4233 Edn 07/11(G11-196)
664.038	Little Dover Run light buoy PP26	45 17 13.5 61 01 28.1	Fl R	4s	Red spar, marked "PP26".	Year round. Chart:4233 Edn 07/11(G11-208)
664.039	Little Dover Run light buoy PP29	45 17 22.1 61 01 50.7	Q G	1s	Green spar, marked "PP29".	Year round. Carte:4233 Edn 07/11(G11-198)
664.1	Little Dover Harbour Fairway light and bell buoy P	E. of Thrumcap Island. 45 16 00 60 57 18.8	Mo(A) W	6s	Red and white vertical stripes, marked "P".	Year round. Chart:4233 Edn 01/12(G11-334)
664.5	Banquereau ODAS light buoy 44139	44 14 03.0 057 05 44.4	Fl (5) Y	20s	ODAS yellow light buoy.	Private. Year round. Chart:4045 Edn 03/16 (G16-005)
664.6	Laurentian Fan ODAS light buoy 44141	43 00 00 057 59 57.2	Fl (5) Y	20s	ODAS yellow light buoy.	Private. Year round. Chart:4001 Edn 03/16 (G16-006)
664.7	East Scotia Slope ODAS light buoy 44137	42 15 42. 061 59 54	Fl (5) Y	20s	ODAS yellow light buoy.	Private. Year round. Chart:4003 Edn 03/16 (G16-007, 021)
664.8	Southwest Grand Banks ODAS light buoy 44138	44 13 00 053 36 00	Fl (5) Y	20s	ODAS yellow light buoy.	Private. Year round. Chart:4006 Edn 03/16 (G16-008)
666.8	Andrew Island East Cardinal light and whistle buoy PK	45 17 36 60 52 58	Q(3) W	10s	Black, yellow and black, marked "PK".	Year round. Chart:4281 Edn 05/11(G11-088)
667.015	Pink Rock light buoy PK2	45 19 04.3 60 55 35.7	Fl R	4s	Red spar, marked "PK2".	Year round. Chart:4281 Edn 05/11(G11-077) Edn 09/11(G11-077) Edn 11/12 (G12-109)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
668 H3458	Cranberry Islands Racon -... (B) X Band	S. part of island, off Cape Canso. 45 19 29.6 60 55 38.2	Fl W	15s	16.9 21	White square tower, red upper portion. 14.6	Flash 1 s; eclipse 14 s. Emergency light. Operates at night only. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 066° and 141°. Horns sound in unison.
Chart:4281							
669	<i>Grime Shoal light and whistle buoy CV1</i>	<i>E. of Grime Rock.</i> 45 21 05.3 60 50 44.6	Fl G	4s	<i>Green, marked "CV1".</i>	<i>Year round.</i>
Chart:4281 Edn 05/11(G11-089) Edn 09/11(G11-089)							
669.5	<i>Bass Rock light and bell buoy PJ2</i>	<i>S. of rock.</i> 45 20 38.4 60 52 54.7	Fl R	4s	<i>Red, marked "PJ2".</i>	<i>Year round.</i>
Chart:4281 Edn 05/11(G11-077) Edn 09/11(G11-077)							
669.8	<i>Frying Pan Shoal light and bell buoy PJ3</i>	<i>E. of shoal.</i> 45 19 58.2 60 55 41.1	Fl G	4s	<i>Green, marked "PJ3".</i>	<i>Year round.</i>
Chart:4281 Edn 05/11(G11-090) Edn 09/11(G11-090)							
670	<i>Man of War Rock light and bell buoy PK7</i>	<i>E. of rock.</i> 45 19 41.3 60 56 56.7	Fl G	4s	<i>Green, marked "PK7".</i>	<i>Year round.</i>
Chart:4281 Edn 05/11(G11-091) Edn 09/11(G11-091)							
670.5	<i>Pas Reef light buoy PJ6</i>	45 20 02.7 60 56 56.5	Fl R	4s	<i>Red spar, marked "PJ6".</i>	<i>Year round.</i>
Chart:4281 Edn 10/12 (G12-084)							
671	<i>Grassy Island light buoy PJ12</i>	<i>S. of island.</i> 45 19 58.3 60 58 10.7	Q R	1s	<i>Red spar, marked "PJ12".</i>	<i>Year round.</i>
Chart:4281 Edn 10/12 (G12-086)							
672 H3460	S. of Lanigan Beach, near S. entrance to harbour. 45 19 56.2 60 58 46.5 Canso range	F R	11.9	13	White square tower, red upper portion, red vertical stripe. 10.1	Visible in line of range. Operates at night only. Year round.
673 H3460.1	266°29' 365.75m from front.	F R	28.5	13	White square tower, red upper portion, red vertical stripe. 13.8	Visible in line of range. Operates at night only. Year round.
Chart:4281 Edn 01/12(G11-328, 329)							

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
674 H3462	Canso Harbour range	On N. end of breakwater. 45 20 14.3 60 59 03.8	F G	4.5	7	Square skeleton tower, white daymark, red vertical stripe. 3.0	Operates at night only. Year round.
674.2 H3462.1		164°28' 62m from front.	F G	6.6	7	Square skeleton tower, white daymark, red vertical stripe. 5.1	Operates at night only. Year round.
675.1	Canso Harbour Turn light buoy PC14	45 20 19.4 60 59 08.5	Q R	1s	Red spar, marked "PC14".	Year round.
677 H3464.5	Starling Rock	On crib. 45 20 23.6 60 59 04.6	Q G	1s	6.3	4	White cylindrical tower, green horizontal band, 3 green and white square daymarks facing S., W., and N., black square in center. 3.6	Operates at night only. Year round.
678 H3464	Piscatiqui Island	W. shore of island. 45 20 33.6 60 59 09.1	Fl W	5s	5.1	6	Square skeleton tower. 2 red and white rectangular daymarks, facing 220° (T) & 310° (T) 3	Flash 2 s; eclipse 3 s. Year round.
679 H3465	Hart Island range	45 20 37.6 60 59 25.3	F R	4.1	17	Square skeleton tower, white trapezoidal daymark, red vertical stripe. 3.5	Increased intensity in line of range. Operates at night only. Year round.
679.1 H3465.1		169°45' 116.7m from front.	F R	9.3	17	Square skeleton tower, white trapezoidal daymark, red vertical stripe. 8.2	Visible in line of range. Operates at night only. Year round.
679.5 H3468	Harbour Shoal	On crib. 45 20 20.4 60 59 38.6	Fl G	4s	6.4	6	White cylindrical tower, green horizontal band, 3 green and white square daymarks facing E., W., and N., black square in center. 3.6	Operates at night only. Year round.
680.2	Hart Island light buoy PC6	NW. of island. 45 20 45.7 60 59 28.2	Q R	1s	Red spar, marked "PC6".	Year round.
680.5	Piscatiqui Island light buoy PC5	NW. of island. 45 20 53.8 60 59 27.8	Fl G	4s	Green spar, marked "PC5".	Year round.

Chart:4281
Edn 11/10(G10-171)
Edn 11/12 (G10-172)

Chart:4281
Edn 11/12 (G12-111)
Edn 03/13

Chart:4281
Edn 06/12(G12-105)
Edn 07/12(G12-105)

Chart:4281
Edn 02/15 (G14-219)

Chart:4281
Edn 12/10(G10-181)
Edn 12/11(G11-320, 321)

Chart:4281
Edn 10/11(G11-278)
Edn 06/12(G12-104)
Edn 07/12(G12-104)
Edn 05/13(G13-011)

Chart:4281
Edn 10/12 (G12-113)

Chart:4281
Edn 07/12(G12-114)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

681	Bald Rock light and bell buoy PC2	N. entrance to Canso Harbour. 45 21 10.8 60 59 36.2	Fl R	4s	Red, marked "PC2".	Year round.	Chart:4281 Edn 05/11(G11-092) Edn 09/11(G11-092)
682	Canso Harbour light and whistle buoy PC	N. entrance to harbour. 45 21 43 60 59 41.5	Mo(A) W	6s	Red and white vertical stripes, marked "PC".	Year round.	Chart:4281 Edn 03/11(G11-024) Edn 05/11(G11-098)
683 H3456	Queensport	On Rock Island, Chedabucto Bay. 45 20 52.6 61 16 18.9	Fl W	4s	16.5	7 White block, red upper portion. 10.6	Year round.	Chart:4307
683.1	Guysborough Harbour light buoy CQ2	45 22 29.1 61 29 06.6	Fl R	4s	Red, marked "CQ2".	Seasonal.	Chart:4335 Edn 08/14 (G14-064)
684.02	Guysborough Harbour light buoy CQ5	45 22 55.3 61 29 20.3	Fl G	4s	Green, marked "CQ5".	Seasonal.	Chart:4335