

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
327 H3784	Cape Sable Racon --. (C) X Band	On cape. 43 23 24 065 37 16.9	Fl W 5s	29.7	18	White octagonal tower, red upper portion. 30.0	Flash 1 s; eclipse 4 s. Emergency light. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 150°. Chart:4210
328	<i>Hawk Channel light buoy JS53</i>	<i>E. entrance of channel.</i> 43 23 58 065 35 20	<i>Fl G 4s</i>	<i>Green, marked "JS53".</i>	<i>Year round.</i> Chart:4241
329	<i>White Knoll Ledge light buoy JS55</i>	<i>SE. of ledge.</i> 43 25 13 065 34 17.5	<i>Fl G 4s</i>	<i>Green, marked "JS55".</i>	<i>Year round.</i> Chart:4241
329.5 H3784.4	Daniels Head	End of rubble breakwater. 43 26 54.6 065 35 09.6	Fl G 4s	9.4	4	Square skeleton tower. 6.6	Operates at night only. Year round. Chart:4241 Edn 04/11 (F11-045)
329.6	<i>Daniels Head light buoy JU50</i>	43 26 57 065 34 55	<i>Fl R 4s</i>	<i>Red spar, marked "JU50".</i>	<i>Year round.</i> Chart:4241
330	<i>Stoney Island light buoy JQ</i>	<i>N. of Stoney Island Shoal.</i> 43 27 24.5 065 32 44.5	<i>Mo(A) W 6s</i>	<i>Red and white vertical stripes, marked "JQ".</i>	<i>Year round.</i> Chart:4241
331	<i>Congress Shoal light buoy JS59</i>	<i>E. of shoal.</i> 43 27 58 065 32 48	<i>Fl G 4s</i>	<i>Green spar, marked "JS59".</i>	<i>Year round.</i> Chart:4241
331.2 H3787.4	Stoney Island Outer Breakwater	On outer end of breakwater. 43 28 06.4 065 33 56.1	Fl G 3s	9.6	Square skeleton tower, red, white and red rectangular daymark, green square in center. 6.7	Flash 1 s; eclipse 2 s. Operates at night only. Year round. Chart:4241 Edn 04/11 (F11-060) Edn 09/11 (F11-093)
331.44	<i>Stoney Island light buoy JQ52</i>	43 27 57.5 065 33 40.3	<i>Fl R 4s</i>	<i>Red, marked "JQ52".</i>	<i>Year round.</i> Chart:4241
331.5	Cripple Creek Breakwater	43 29 22.5 065 33 35.3	Iso G 4s	2	Mast.	Operates at night only. Year round. Chart:4241
331.6	<i>Cripple Creek light buoy JS61</i>	43 29 21 065 33 18	<i>Fl G 4s</i>	<i>Green spar, marked "JS61".</i>	<i>Year round.</i> Chart:4241
333.5	<i>Wesses Ledge light buoy JS70</i>	43 31 02.5 065 34 58	<i>Q R 1s</i>	<i>Red spar, marked "JS70".</i>	<i>Year round.</i> Chart:4241
334	<i>Barrington Passage Channel light buoy JS76</i>	<i>Entrance to channel.</i> 43 31 26 065 35 51	<i>Fl R 4s</i>	<i>Red spar, marked "JS76".</i>	<i>Year round.</i> Chart:4241

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

336 H3782	Baccaro Point	E. side of entrance to Barrington Bay. 43 26 59 065 28 15	Mo(D) W	10s	15.0	15	White square tower, red upper portion. 14.0	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible from 207° through W., N. and E. to 127°. Operates at night only. Fog signal - Blast 2 s; sil. 18 s. Horn points 200°. Chart:4241 Edn 06/15 (F15-014) Edn 07/15 (F15-022)
337	<i>Bantam Rocks light buoy JS56</i>	<i>W. of the rocks.</i> 43 25 42 065 29 16	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JS56".</i>	<i>Year round.</i> Chart:4241
338	<i>Brazil Rock South Cardinal light buoy J</i>	<i>S. of rock.</i> 43 21 00 065 26 44	<i>Q(6) +LFI</i>	<i>W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow and black, marked "J".</i>	<i>Year round.</i> Chart:4241
339	<i>Cuckold Rock light buoy JJ51</i>	<i>SE. of rock, entrance to Port La Tour.</i> 43 27 06 065 27 18	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JJ51".</i>	<i>Year round.</i> Chart:4241
340	<i>Port La Tour light buoy JN</i>	43 29 27 065 26 42	Mo(A) W	6s	Red and white vertical stripes, marked "JN".	Year round. Chart:4241
340.01	<i>Outer Rock South Cardinal light buoy JJ</i>	43 26 00 065 26 35	Q(6) + LFI	W 15s	Yellow and black spar, marked "JJ".	Year round. Chart:4241
340.03	<i>Port La Tour light buoy JJ56</i>	43 27 51.7 065 26 59.2	Fl R	4s	Red spar, marked "JJ56".	Year round. Chart:4241
340.04	<i>Port La Tour light buoy JJ57</i>	43 28 33 065 27 08.5	Fl G	4s	Green spar, marked "JJ57".	Year round. Chart:4241
342	<i>Port La Tour Inner light buoy JN53</i>	<i>Off Mohawk Ledge.</i> 43 30 20.8 065 27 08.2	Fl G	4s	Green spar, marked "JN53".	Year round. Chart:4241
343 H3781	Upper Port La Tour	Outer end of E. breakwater. 43 30 16.9 065 28 12.7	LFI R	6s	7.3	5	Pipe swing pole, red, white and red triangular daymark. 6.8	Flash 2 s; eclipse 4 s. Year round. Chart:4241 Edn 03/11 (F11-035) Edn 01/18 (F17-034)
344 H3780	Port La Tour	On outer end of breakwater. 43 29 58 065 28 14.2	LFI G	6s	6.3	5	Cylindrical mast, green and white square daymark. 3.8	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4241 Edn 03/10 (F09-076)
345 H3779	Port Latour Harbour	On Whale Back Rock. 43 29 34.0 065 26 58.8	Fl G	4s	5.5	2	Cylindrical mast, green, white and black square daymark. 3.8	Year round. Chart:4241 Edn 09/16 (F16-050)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
346	Barrel Rock light buoy JA56	SW. of rock. 43 29 44 065 27 06	Q R 1s	Red spar, marked "JA56".	Year round. Chart:4241
346.01	Port La Tour light buoy JN51	43 29 55.5 065 26 39.4	Q G 1s	Green spar, marked "JN51".	Year round. Chart:4241
347	Port La Tour light buoy JA	S. of Blanche Island. 43 26 33 065 24 09	Mo(A) W 6s	Red and white vertical stripes, marked "JA".	Year round. Chart:4241
348 H3778	The Salvages	SE. end of island. 43 28 08.1 065 22 44	LFI W 12s	15.6	10	White rectangular tower, red upper portion. 12.0	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Horn - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Chart:4241 Edn 03/12 (F12-007)
349 H3774	Cape Negro Island	On SE. end of island. 43 30 26.2 065 20 44.2	FI(2) W 15s	28.3	White octagonal tower, red upper portion. 11.9	Visible from 187° through W., N. and E. to 106°30'. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s. Chart:4241 Edn 03/12 (F12-003)
350	Budget Rock light and bell buoy SN51	At entrance to Negro Harbour. 43 31 35 065 20 41.5	FI G 4s	Green, marked "SN51".	Year round. Chart:4241
350.02	Negro Harbour light buoy SN52	43 31 48.9 065 20 53	FI R 4s	Red spar, marked "SN52".	Year round. Chart:4241
350.5	The Nubble North Cardinal light buoy SNC	43 32 00 065 23 30	Q W 1s	Black and yellow, marked "SNC".	Year round. Chart:4241
351	Grog Rock light buoy SP54	SW. of rock. 43 32 20.6 065 21 51.5	FI R 4s	Red, marked "SP54".	Year round. Chart:4241
351.02	Negro Harbour light buoy SP56	43 32 36.4 065 21 51.5	FI R 4s	Red spar, marked "SP56".	Year round. Chart:4241
351.04	Negro Harbour light buoy SP59	43 33 08 065 22 04	FI G 4s	Green spar, marked "SP59".	Year round. Chart:4241
352 H3776	Ingomar Wharf	On outer end of wharf. 43 33 45.7 065 21 46.8	LFI R 6s	5.4	5	Cylindrical mast, two red and white triangular daymarks, red triangle in centre. 3.8	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4241 Edn 08/11 (F11-143)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
352.5	Shingle Point light buoy SN60	Off point. 43 32 49 065 24 15	Fl R 4s	Red, marked "SN60".	Year round. Chart:4241
353	Negro Harbour light and whistle buoy SN	At East Entrance to harbour. 43 31 01.5 065 18 50	Mo(A) W 6s	Red and white vertical stripes, marked "SN".	Year round. Chart:4241
354	Jig Rock light buoy S51	Off rock. 43 35 58.3 065 15 51.4	Fl G 4s	Green, marked "S51".	Year round. Chart:4241
355 H3762	Cape Roseway	Near SE. point of McNutt Island. 43 37 21.4 065 15 50	Fl W 10s	33.1	10	White octagonal tower, red upper portion. 17.3	Flash 1 s; eclipse 9 s. Visible from 187° through W. and N. to 055°. Operates at night only. Year round. Chart:4209 Edn 01/12 (F11-187)
357	Shelburne light buoy S	Off entrance to Shelburne Harbour. 43 37 36 065 13 51	Mo(A) W 6s	Red and white vertical stripes, marked "S".	Year round. Chart:4241
357.5	Old Cow Reef bifurcation light buoy SAC	43 38 18 065 13 12	Fl R (2+1) 6s	Red, green and red, marked "SAC".	Year round. Chart:4241
357.8	Strap Tub South Cardinal light buoy KSA	43 39 00 065 14 07.8	Q(6) W +LFl 15s	Yellow and black spar, marked "KSA".	Year round. Chart:4241
359 H3763	Lower Sandy Point	On outer end of wharf. 43 40 48.7 065 18 10.8	Fl W 4s	4.3	5	Pipe swing pole. 3.7	Operates at night only. Year round. Chart:4209 Edn 09/11 (F11-094)
360.01	Gunning Cove light buoy SA51	43 41 01.5 065 20 18	Fl G 4s	Green, marked "SA51".	Year round. Chart:4209
360.02	Sandy Point Inner light buoy S56	43 42 22.8 065 19 38.4	Fl R 4s	Red, marked "S56".	Year round. Chart:4209
360.1	Middle Rock light buoy S52	43 40 34.8 065 18 50.4	Fl R 4s	Red, marked "S52".	Year round. Chart:4209
360.11	Irving Oil Wharf Ruins light buoy SD52	43 45 23.3 065 19 26.9	Fl R 4s	Red spar, marked "SD52".	Year round. Chart:4209
361 H3765	Gunning Cove (Shelburne Harbour)	On large rock, N. end of shoal. 43 40 53.3 065 20 06.9	Fl W 4s	4.3	6	Triangular skeleton tower. 3.8	Maintained by Harbour Authority of Gunning Cove. Operates at night only. Year round. Chart:4209

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
362.8	Sandy Point light buoy S54	SE. Coast, Shelburne Harbour. 43 41 25.3 065 19 39.9	Q R 1s	Red, marked "S54".	Year round. Chart:4209
363 H3766	Sandy Point	E. side of entrance to Shelburne Harbour. 43 41 29.3 065 19 31.5	F R	14.3	6 White square tower. 13.4	Visible from 310° through N., E. and S. to 188°. Privately maintained. Year round. Chart:4209
366.01	Lower Jordan Bay Outer light buoy KS57	43 40 45.2 065 13 59.6	Fl G 4s	Green, marked "KS57".	Year round. Chart:4241
366.02	Lower Jordan Bay Outer light buoy KS56	43 40 46.2 065 13 58.8	Fl R 4s	Red, marked "KS56".	Year round. Chart:4241
366.03	Lower Jordan Bay Inner light buoy KS59	43 40 49.7 065 14 08.9	Fl G 4s	Green, marked "KS59".	Year round. Chart:4241
366.04	Lower Jordan Bay Inner light buoy KS58	43 40 50.1 065 14 08.5	Fl R 4s	Red, marked "KS58".	Year round. Chart:4241
366.05	Lower Jordan Bay light buoy KS54	43 40 43.4 065 13 52.1	Fl R 4s	Red, marked "KS54".	Year round. Chart:4241
366.06	Lower Jordan Bay light buoy KS55	43 40 41.6 065 13 53.6	Fl G 4s	Green, marked "KS55".	Year round. Chart:4241
366.1	Lower Jordan Bay Fairway light buoy KS	43 39 44.7 065 13 05	Mo(A) W 6s	Red and white vertical stripes, marked "KS".	Year round. Chart:4241
366.35	Lower Jordan Bay light buoy KS53	43 40 37 065 13 45.5	Q G 1s	Green spar, marked "KS53".	Year round. Chart:4241
366.8	Lower Jordan Bay light buoy KS61	43 40 56.3 065 14 14.9	Fl G 4s	Green, marked "KS61".	Year round. Chart:4241
367 H3759.4	Lower Jordan Bay Wharf	On most northerly end of wharf. 43 40 52 065 14 23	LFl W 6s	3	3	10' cylindrical mast, enclosed lower portion. White and red daymark. 3.8	Year round. Chart:4241 Edn 02/15 (F14-040) Edn 03/15 (F14-040)
367.7	Green Harbour light buoy KPA	NE. of Jenkins Island. 43 43 14 065 09 37.5	Mo(A) W 6s	Spar, red and white vertical stripes, marked "KPA".	Year round. Chart:4241

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
368	Green Harbour light and bell buoy KP	43 40 14.6 065 09 33	Mo(A) W 6s	Red and white vertical stripes, marked "KP".	Year round. Chart:4241
368.02	West Green Harbour Outer light buoy KP56	43 43 14.8 065 09 48.2	Fl R 4s	Red spar, marked "KP56".	Year round. Chart:4241
369	Bull Rock light buoy KK51	SW. of rock. 43 37 32 065 08 11.5	Fl G 4s	Green, marked "KK51".	Year round. Chart:4209
369.04	Southwest Rock light buoy KK57	43 40 00.3 065 06 13.9	Q G 1s	Green spar, marked "KK57".	Year round. Chart:4209
Lockeport							
370 H3750	Lockeport	On Gull Rock, entrance to harbour. 43 39 18.3 065 05 55.9	LFl W 15s	16.7	12	White rectangular tower, red upper portion.	Flash 4 s; eclipse 11 s. Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s. Chart:4209 Edn 03/12 (F12-004)
371	Laurier Rock light buoy KK61	SW. of rock. 43 41 01.8 065 05 45.9	Fl G 4s	Green spar, marked "KK61".	Year round. Chart:4209
371.02	Laurier Rock light buoy KK64	43 41 16.3 065 05 47.9	Fl R 4s	Red spar, marked "KK64".	Year round. Chart:4209
372	Carter Island light buoy KK69	S. of island. 43 42 08.3 065 05 58.9	Q G 1s	Green spar, marked "KK69".	Year round. Chart:4209
372.03	Lockeport Inner Harbour light buoy KK72	43 42 06.8 065 06 33.9	Fl R 4s	Red spar, marked "KK72".	Year round. Chart:4209
373.5 H3758	Osborne Harbour	On outer end of wharf. 43 42 52.6 065 06 33.6	LFl R 6s	4.7	5	Cylindrical mast, red, white, and red triangular daymark.	Flash 2 s; eclipse 4 s. Year round. Chart:4209 Edn 03/11 (F11-025) Edn 06/12 (F12-012) Edn 07/17 (F17-025)
374 H3753	Carter Island	On S. end of island. 43 42 19.3 065 06 04	Fl W 6s	16.4	7	White cylindrical tower, two red horizontal bands. 11.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4209

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
375 H3754	Lockeport Breakwater	Near outer end of S. breakwater. 43 42 05.6 065 06 25.8	Fl G 5s	3.0	4	Cylindrical mast, green and white square daymark. 3.0	One daymark facing 064°(T) and one facing 244°(T). Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4209 Edn 11/11 (F11-177)
380 H3755	Lockeport North	On outer end of N. breakwater. 43 42 09 065 06 25.9	Q R 1s	3.0	3	Cylindrical mast, red and white triangular daymark. 3.0	One daymark facing 088°(T) and one facing 268°(T). Operates at night only. Year round. Chart:4209 Edn 11/11 (F11-176)
382.01	Outer Farm Ledge light buoy KE52	43 38 27 065 02 15	Fl R 4s	Red, marked "KE52".	Year round. Chart:4209
383.1	Black Point Fairway light buoy KE	E. of Kelp Shoals. 43 39 31.3 065 04 18.9	Mo(A) W 6s	Red and white vertical stripes, marked "KE".	Year round. Chart:4209
383.5	Lockeport West Cardinal light buoy KEA	43 40 14.3 065 04 57.9	Q(9) W 15s	Yellow, black and yellow, marked "KEA".	Year round. Chart:4209
384 H3748	Little Harbour Wharf	On outer end of wharf. 43 42 57.5 065 01 48.1	Fl R 4s	3	7	Pipe swing pole.	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4209 Edn 01/14 (F13-039)
384.5	Little Harbour light buoy KC53	43 42 54 065 00 51	Q G 1s	Green, marked "KC53".	Year round. Chart:4240
386	Little Harbour East Cardinal light buoy KC	43 42 29.4 065 59 42	Q(3) W 10s	Black, Yellow, Black, marked "KC".	Year round. Chart:4240 Edn 01/14 (F13-037)
386.01	Bantam Rock light buoy KA51	43 43 12 064 58 00	Fl G 4s	Green, marked "KA51".	Year round. Chart:4240
387	Port Hebert light buoy UX	SW. of Thrum Point. 43 46 19 064 54 47	Mo(A) W 6s	Red and white vertical stripes, marked "UX".	Year round. Chart:4240
387.01	Shingle Point light buoy UX53	43 48 30 064 55 24	Fl G 4s	Green spar, marked "UX53".	Year round. Chart:4240
387.04	Port Hebert light buoy UX56	43 48 49 064 55 42	Fl R 4s	Red, marked "UX56".	Year round. Chart:4240
387.5	Shingle Point light buoy UX55	43 48 42.5 064 55 33	Q G 1s	Green, marked "UX55".	Year round. Chart:4240

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
388 H3746	Port Hebert	On Shingle Point, E. side of harbour. 43 48 46.9 064 55 30.4	Fl R 5s	8.0	4	Skeleton mast, red and white rectangular daymark, red triangle in centre. 6.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4240 Edn 04/11 (F11-068) Edn 08/11 (F11-144)
391	Little Hope Shoal light buoy UV52	S. of shoal. 43 47 15 064 49 53	Fl R 4s	Red, marked "UV52".	Year round. Chart:4240
394.01	Little Hope Island East Cardinal light buoy UEF	43 48 12.6 064 46 27.2	Q(3) W 10s	Black, yellow and black, marked "UEF".	Year round. Chart:4240
394.5	Mouton Head light buoy US51	43 51 45 064 46 16.8	Fl G 4s	Green, marked "US51".	Year round. Chart:4240
395	Port Mouton light buoy UN	E. of Mouton Island. 43 53 31 064 42 30	Mo(A) W 6s	Red and white vertical stripes, marked "UN".	Year round. Chart:4240
396 H3742	Port Mouton	NE. point, Spectacle Island. 43 55 05.6 064 48 14.4	Fl W 12s	16.8	6	White square tower, red upper portion. 7.5	Flash 2 s; eclipse 10 s. Visible from 069°30' through E., S. and W. to 291°30'. Operates at night only. Year round. Chart:4240
396.1	Willow Cove Entrance light buoy UT52	43 54 59.8 064 50 11.7	Fl R 4s	Red spar, marked "UT52".	Year round. Chart:4240
396.2	Willow Cove Entrance light buoy UT53	43 54 58.2 064 50 10.9	Fl G 4s	Green spar, marked "UT53".	Year round. Chart:4240
396.3	Willow Cove Entrance light buoy UT54	43 54 56.8 064 50 11.8	Q R 1s	Red spar, marked "UT54".	Year round. Chart:4240
396.4 H3742.04	Spectacle Islands West	Off W. side of islands. 43 54 32 064 48 42.4	Fl R 4s	4	Red cylindrical mast. Red and white rectangular daymark. 3.0	Fl 1 s Ec 3 s. Operates at night only. Year round. Chart:4240 Edn 11/13 (F13-033) Edn 12/13 (F13-033)
396.5	Wobamkek Beach light buoy US57	Port Mouton. 43 54 20 064 48 14	Fl G 4s	Green, marked "US57".	Year round. Chart:4240
397.5	Middle Rock East Cardinal light buoy US	43 53 37.5 064 47 03	Q(3) W 10s	Black, yellow and black, marked "US".	Year round. Chart:4240

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
398	<i>Willow Cove light buoy UT</i>	<i>N. of cove. 43 55 07.2 064 50 09.8</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Spar, red and white vertical stripes, marked "UT".</i>	<i>Year round.</i> Chart:4240
399.5 <i>H3742.5</i>	Port Mouton Inner	On fish plant wharf. 43 55 10 064 50 49.8	LFI R 6s	4.3	5	Cylindrical mast, triangular daymark. 3.5	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4240 Edn 02/10 (F09-074)
400	<i>Charley Island light buoy UN59</i>	<i>43 55 22.5 064 50 10.4</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "UN59".</i>	<i>Year round.</i> Chart:4240
400.5	<i>Port Mouton Channel light buoy UN66</i>	<i>43 55 29.2 064 50 25.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "UN66".</i>	<i>Year round.</i> Chart:4240
400.7	<i>Port Mouton light buoy UN74</i>	<i>43 55 17 064 50 34.8</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "UN74".</i>	<i>Year round.</i> Chart:4240
401	<i>Port Mouton light buoy UN80</i>	<i>43 55 12.9 064 50 43.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "UN80".</i>	<i>Year round.</i> Chart:4240
401.5 <i>H3742.3</i>	Port Mouton Breakwater	43 55 16 064 50 33	Fl G 4s	2	Cylindrical mast.	Year round. Chart:4240
402	<i>Spectacle Ledge light buoy UN55</i>	<i>N. of ledge. 43 56 09 064 47 28.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "UN55".</i>	<i>Year round.</i> Chart:4240
403 <i>H3742.6</i>	Hunts Landing	On outer end of breakwater. 43 57 05.3 064 46 07.4	Iso R 4s	7.6	4	Skeleton tower, enclosed lower portion red, and white rectangular daymark, red triangle in center. 3.5	Operates at night only. Year round. Chart:4240 Edn 04/11 (F11-066) Edn 09/11 (F11-084)
403.4	<i>Brazil Rocks light buoy UN54</i>	<i>43 54 54.5 064 44 42</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "UN54".</i>	<i>Year round.</i> Chart:4240
404	<i>White Point Rock light buoy UQ52</i>	<i>S. of rock. 43 55 36.5 064 43 02</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "UQ52".</i>	<i>Year round.</i> Chart:4240
405 <i>H3740</i>	Western Head	W. side of entrance to Liverpool Bay. 43 59 20.8 064 39 44.5	Fl W 15s	16.8	15	White octagonal tower, red upper portion. 13.8	Flash 0.5 s; eclipse 14.5 s. Visible from 180° through W. and N. to 062°. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 104°. Chart:4240 Edn 03/12 (F12-001)
407 <i>H3735</i>	Coffin Island	44 02 01.1 064 37 41.8	Fl W 4s	18.5	7	White octagonal tower, red upper portion.	Operates at night only. Year round. Chart:4379

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
408.1	Moose Harbour light buoy UB1	44 01 17.8 064 39 35.8	FI G 4s	Green spar, marked "UB1".	Year round. Chart:4379
408.2 H3736	Moose Point	Outer end of breakwater. 44 01 10.2 064 39 45.5	Q G 1s	7.1	Cylindrical mast.	Radar reflector. Operates at night only. Year round. Chart:4379
408.5	Brooklyn Pier light buoy UM52	44 02 38.4 064 41 32.3	FI R 4s	Red, marked "UM52".	Year round. Chart:4379
409 H3730	Brooklyn Pier	Near outer end of breakwater. 44 02 40.4 064 41 30.3	LFI W 12s	9.1	3	Cylindrical mast.	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4379
410	Fort Point Shoal light buoy UM53	44 02 46.3 064 42 03.9	Q G 1s	Green, marked "UM53".	Year round. Chart:4379
410.5	Liverpool Harbour light buoy UM58	44 02 47.5 064 42 26.4	FI R 4s	Red spar, marked "UM58".	Year round. Chart:4379
411	Liverpool Harbour light buoy UM59	44 02 43.7 064 42 30.5	FI G 4s	Green spar, marked "UM59".	Year round. Chart:4379
411.5	Liverpool Harbour light buoy UM60	44 02 43.8 064 42 36	FI R 4s	Red spar, marked "UM60".	Year round. Chart:4379
412.2	West Berlin light buoy UJ	44 03 40.3 064 35 18.8	Mo(A) W 6s	Spar, red and white vertical stripes, marked "UJ".	Year round. Chart:4211
412.3	Liverpool Harbour light buoy UM64	44 02 33.3 064 42 49.3	FI R 4s	Red spar, marked "UM64".	Year round. Chart:4379
412.5	Blueberry Bay light buoy UJ52	44 04 01.3 064 35 10.8	FI R 4s	Red spar, marked "UJ52".	Year round. Chart:4211
413	Port Medway light buoy UA51	44 03 23.3 064 31 28.8	FI G 4s	Green, marked "UA51".	Year round. Chart:4211
414	Medway South Cardinal light and whistle buoy UA	SW. of Southwest Breaker. 44 04 58.3 064 31 24.8	Q(6) +LFI W 15s	Yellow and black, marked "UA".	Year round. Chart:4211
414.5	Long Cove East Cardinal light and bell buoy UC	44 05 12 064 32 14	Q(3) W 10s	Black, yellow and black, marked "UC".	Year round. Chart:4211
415 H3722	Medway Head	W. side of entrance. 44 06 10.6 064 32 23.3	FI W 12s	24.2	11	White square tower, red upper portion.	Flash 4 s; eclipse 8 s. Year round. Chart:4211
415.3	Fosters Islets light buoy UA64	44 08 02.3 064 34 25.8	FI R 4s	Red, marked "UA64".	Year round. Chart:4211

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
415.5	Frying Pan Island	44 06 04.2 064 31 23.8	Fl R 12s	10.5	4	Triangular skeleton tower, red and white rectangular daymark.	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4211
416.3	Great Island bifurcation light buoy UAA	Off island. 44 07 48.3 064 32 28.8	Fl (2+1) R 6s	Red, green and red, marked "UAA".	Year round. Chart:4211
416.4	Medway Harbour light buoy UE51	44 08 33.3 064 32 28.8	Fl G 4s	Green spar, marked "UE51".	Year round. Chart:4211
416.5 H3725	Voglers Cove West Direction light	On outer end of breakwater. 44 09 09.7 064 32 43.4	Fl R 3s	4.5	4	Cylindrical mast.	Flash 1 s; eclipse 2 s. Increased intensity on a bearing of 350°. Operates at night only. Year round. Chart:4211
416.51	Medway Harbour (West Berlin) light buoy UJ54	44 04 02.7 064 35 05.6	Fl R 4s	Red spar, marked "UJ54".	Year round. Chart:4211
416.515	Medway Harbour (West Berlin) light buoy UJ55	44 04 02 064 35 06.2	Fl G 4s	Green, marked "UJ55".	Year round. Chart:4211
416.53	Medway Harbour (West Berlin) light buoy UJ58	44 04 06.7 064 35 05.2	Fl R 4s	Red spar, marked "UJ58".	Year round. Chart:4211
416.54	Medway Harbour (West Berlin) light buoy UJ59	44 04 07.6 064 35 02.7	Fl G 4s	Green spar, marked "UJ59".	Year round. Chart:
416.55	Medway Harbour (West Berlin) light buoy UJ61	44 04 10.3 064 35 00.8	Fl G 4s	Green spar, marked "UJ61".	Year round. Chart:4211
417.5 H3718	Cherry Cove	On point of land between Little Harbour and Back Cove. 44 09 29.8 064 28 53.2	Iso G 4s	6.7	8	Cylindrical mast. 3.7	Year round. Chart:4211 Edn 03/10 (F10-004) Edn 04/11 (F11-070) Edn 08/16 (F16-034)
417.81	Little Harbour Cherry Cove light buoy TU53	44 09 36.8 064 28 40.3	Fl G 4s	Green spar, marked "TU53".	Year round. Chart:4211
418	Little Harbour Cherry Cove light buoy TU	44 09 36.3 064 28 17.8	Mo(A) W 6s	Red and white vertical stripes, marked "TU".	Year round. Chart:4384
419	Little Harbour Cherry Cove light buoy TU54	44 09 37.7 064 28 48.2	Fl R 4s	Red spar, marked "TU54".	Year round. Chart:4211

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
419.5	Seal Point light and bell buoy TS52	S. of point. 44 10 23.3 064 23 51.8	Fl R 4s	Red, marked "TS52".	Year round. Chart:4211	
420	Indian Island light and whistle buoy TS51	SE. of island. 44 09 18.3 064 22 13.8	Fl G 4s	Green marked "TS51".	Year round. Chart:4211	
420.5	Black Rock East Cardinal light and whistle buoy T	44 09 38.7 064 18 43.7	Q(3) W 10s	Black, yellow and black, marked "T".	Year round. Chart:4384	
422	False La Have light and bell buoy T51	E. of Cape La Have Island. 44 12 36.3 064 19 03.7	Fl G 4s	Green, marked "T51".	Year round. Chart:4384	
423 H3710	Mosher Island	On island, W. side of entrance to La Have River. 44 14 14.6 064 18 59.1	F W	23.3	13 White cylindrical tower. 11.4	Visible from 106° through S. and W. to 351°. Emergency light. Operates at night only. Year round. Horn - Blast 2 s; sil. 18 s. Chart:4394	
423.6	Crooked Channel light buoy TN51	44 14 03.9 064 22 08.3	Fl G 4s	Green, marked "TN51".	Year round. Chart:4394	
425	La Have light and bell buoy TA	Entrance to La Have River. 44 14 57.4 064 18 39.3	Mo(A) W 6s	Red and white vertical stripes, marked "TA".	Year round. Chart:4394	
426.25	Cockawee Shoal bifurcation light and bell buoy TD	N. of East Spectacle Island. 44 15 30.4 064 20 15.7	Fl R (2+1)	6s	Red, green and red, marked "TD".	Year round. Chart:4394
426.5	Cockawee Shoal light buoy T54/2	44 15 41.8 064 21 26.3	Fl R 4s	Red spar, marked "T54/2".	Year round. Chart:4395	
427	Cockawee Shoal West light buoy T56	W. of shoal. 44 15 50.6 064 21 32.8	Fl R 4s	Red, marked "T56".	Year round. Chart:4394	
428 H3711	Dublin Shore South Cardinal light.	On wharf. 44 16 01.2 064 21 50.2	Q(6) +LFI W 15s	8.4	5	Cylindrical mast. Black with yellow band at top. 3.4	6(Fl 0.3s. Ec 0.7s) Fl 2s Ec 7s. Radar reflector. Operates at night only. Year round. Chart:4394 Edn 06/16 (F16-017)	
429	Dublin Shore light buoy T59	44 16 14.4 064 21 17.2	Fl G 4s	Green, marked "T59".	Year round. Chart:4394 Edn 02/16 (F15-038)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
429.2	Dublin Shore East light T60	44 16 13.3 064 21 14.7	Fl R 4s	Red, marked "T60".	Year round. Chart:4394 Edn 02/16 (F15-039)
430	Bull Rock light buoy T63	Entrance to La Have River. 44 16 22.4 064 20 54.8	Q G 1s	Green, marked "T63".	Year round. Chart:4394
431.5 H3710.5	Krout Point	44 17 24.9 064 20 47.1	Fl R 5s	5.0	5	Square skeleton tower.	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4395
432 H3708	West Ironbound Island	On S. side of island, entrance to La Have River. 44 13 43.7 064 16 28	Fl W 12s	24.3	8	Cylindrical tower, red and white horizontal bands. 10.5	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4394
432.2	West Ironbound light and bell buoy T52	SW. of Ironbound breaker. 44 13 24.9 064 17 12.8	Fl R 4s	Red, marked "T52".	Year round. Chart:4394
433	Pollock Shoal light and bell buoy TC52	S. of shoal. 44 14 38.3 064 14 28.7	Fl R 4s	Red, marked "TC52".	Year round. Chart:4384
434	Cross Island light and whistle buoy E50	44 17 28.9 064 11 01.3	Fl R 4s	Red, marked "Cross Island E50".	Year round. Chart:4328
435 H3700	Feltzen South	At end of breakwater. 44 19 47.6 064 16 49.7	Fl G 6s	6.1	4	Cylindrical mast. 3.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4328 Edn 04/11 (F11-074)
435.5	Lunenburg Bay Isolated Danger light buoy EF	44 19 56.5 064 13 22.6	Fl(2) W 5s	Black, red and black, spar marked "EF".	Year round. Chart:4328
436	Sculpin Shoal light and bell buoy E52	SW. of shoal. 44 20 08.3 064 15 13.3	Fl R 4s	Red, marked "E52".	Year round. Chart:4328
437	Long Shoal light buoy E57	E. of shoal. 44 21 13.7 064 17 18.1	Fl G 4s	Green, marked "Long Shoal E57".	Year round. Chart:4328
437.5	Lower South Cove Entrance light buoy EM55	44 20 43.1 064 18 50.3	Fl G 4s	Green spar, marked "EM55".	Year round. Chart:4328

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

438 H3702	Battery Point Breakwater	Near outer end of breakwater. 44 21 37.0 064 17 46.7	Iso R 4s	7.5	9	White square tower, red upper portion. 8.0	Operates 24 h. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 130°. Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second intervals on channel 65A (156,275 MHz). The signal will be in operation for 30 minutes. After this delay, the same operation must be repeated. Chart:4328 Edn 02/16 (F15-033) Edn 07/16
439	Lunenburg Harbour Outer light buoy E64	44 21 54.6 064 18 02.1	Fl R 4s	Red, marked "E64".	Year round. Chart:4328
439.8	Lunenburg Harbour Marine Railway light buoy E66	SW. of marine railway wharf. 44 22 19.3 064 18 16.5	Q R 1s	Red spar, marked "E66".	Year round. Chart:4328
441	Lunenburg Harbour light buoy E77	44 22 28 064 18 37.6	Fl G 4s	Green spar, marked "E77".	Year round. Chart:4328
442	Lunenburg bifurcation light and bell buoy EDA	N. entrance to Lunenburg Bay. 44 20 21.7 064 11 10.9	Fl (2+1) G 6s	Green, red and green, marked "Lunenburg EDA".	Year round. Chart:4328
443 H3698	Cross Island	E. point of island. 44 18 43.7 064 10 06.4	Fl W 10s	24.9	10	White cylindrical tower, red upper portion.	Flash 1 s; eclipse 9 s. Operates at night only. Year round. Chart:4328
444 H3699	East Point Island	44 20 59.2 064 12 15	LFl G 6s	9.6	6	Triangular skeleton mast. 6.9	Year round. Chart:4328 Edn 02/15 (F14-039)
Mahone Bay							
445	Tanner Pass light and whistle buoy EA51	Tanner Pass entrance. 44 22 01.9 064 11 32.6	Fl G 4s	Green, marked "Tanner Pass EA51".	Year round. Chart:4328
446 H3694	Gunning Point Island (Tanner Island)	On E. end of island. 44 22 01.5 064 12 04.3	Fl W 4s	10.9	6	White cylindrical tower, red band. 7.7	Operates at night only. Year round. Chart:4328
447	Middle Ledge light and whistle buoy M52	W. of ledge. 44 22 31.2 064 07 52.8	Fl R 4s	Red, marked "M52".	Year round. Chart:4328

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
448	Bull Rock light and bell buoy M54	S. of rock. 44 24 30.4 064 09 23.7	Fl R 4s	Red, marked "M54".	Year round. Chart:4381
448.5	Chockle Cap light and bell buoy M55	44 24 36.4 064 12 39.7	Fl G 4s	Green, marked "M55".	Year round. Chart:4381
449.25	Hobson's Island North Cardinal light buoy ME	44 25 19 064 16 38.6	Q W 1s	Black and yellow, marked "ME".	Year round. Chart:4381 Edn 09/10 (F10-024)
449.4	Middle Patch Isolated Danger Buoy M	44 25 27.4 064 15 05.4	Fl(2) W 5s	Black, red and black, marked "M".	Year round. Chart:4381 Edn 11/10 (F10-051)
449.5	Southwest Ledge light buoy M60	S. of ledge. 44 25 47.4 064 16 18.7	Fl R 4s	Red spar, marked "M60".	Year round. Chart:4381
450	Covey Ledge light buoy M61	NE. of ledge. 44 25 48.4 064 17 30.7	Fl G 4s	Green spar, marked "M61".	Year round. Chart:4381
450.8	Westhaver Island light buoy M67	SE. of island. 44 26 18.4 064 20 33.7	Q G 1s	Green spar, marked "M67".	Year round. Chart:4381
451 H3688	Westhaver Island	Mahone Harbour entrance. 44 26 09.8 064 20 15.3	Fl W 4s	9.6	7	White cylindrical tower, red horizontal band at top. 7.6	Operates at night only. Year round. Chart:4381
452.5	Mahone Harbour light buoy M72	44 26 43.3 064 21 59.3	Fl R 4s	Red, marked "M72".	Year round. Chart:4381 Edn 11/10 (F10-044)
452.7	East Shoal light and bell buoy MC55	44 27 12.4 064 12 36.7	Fl G 4s	Green, marked "MC55".	Year round. Chart:4381
453 H3682	Kaulback Island range	N. end of island. 44 28 11.3 064 16 53.3	F W	10.2	9	White square tower, red vertical stripe, red upper portion.	Visible in line of range. Year round.
454 H3682.1		268°03' 113.1m from front.	F W	19.8	9	White square tower, red vertical stripe, red upper portion.	Visible in line of range. Operates at night only. Year round. Chart:4381 Edn 08/11 (F11-157, 158)
454.2	Martins Point light Buoy MS56	Mahone Bay. 44 28 53.2 064 17 37.4	Fl R 4s	Red, marked "MS56".	Seasonal. Chart:4381 Edn 11/10 (F10-052) Edn 02/12
454.4	Beacon Shoal light buoy MS57	44 28 50 064 17 49.7	Q G 1s	Green, marked "MS57".	Seasonal. Chart:4381 Edn 11/10 (F10-046)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
454.5 H3683	Western Shore Breakwater	On seaward end of breakwater. 44 31 21.5 064 18 16.1	LFI G 6s	4.0	3	Square skeleton tower, green, white and black square daymark.	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4381 Edn 03/10 (F09-077)
454.51 H3683.2	Western Shore Inner	44 31 20.9 064 18 18	LFI R 6s	5.2	3	Cylindrical mast, enclosed lower portion.	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4381 Edn 02/10 (F09-073)
454.55	Little Fish Island light buoy MC70	N. of island. 44 32 12.9 064 15 02.7	FI R 4s	Red spar, marked "MC70".	Year round. Chart:4381
454.6	Dauphinee Point light buoy MC66	S. of point. 44 32 09.4 064 15 39.7	FI R 4s	Red spar, marked "MC66".	Year round. Chart:4381
454.62	Gold Ledges light buoy MU57	44 32 26.4 064 18 28.7	FI G 4s	Green, marked "MU57".	Year round. Chart:4381
454.63	Middle Rock light buoy MU53	44 32 09.4 064 17 25.7	Q G 1s	Green spar, marked "MU53".	Year round. Chart:4381
454.65	South Gooseberry Shoal bifurcation light buoy MCA	Off S. end of shoal. 44 31 16.9 064 15 58.7	FI R 6s (2+1)	Red, green and red, marked "MCA".	Year round. Chart:4381
454.7	Sheep Ledge light and bell buoy MC59	44 30 06.4 064 15 51.7	FI G 4s	Green, marked "MC59".	Year round. Chart:4381
455	Lynch Shoal light and bell buoy MA57	SE. of Quaker Island. 44 30 30.4 064 12 48.7	FI G 4s	Green, marked "MA57".	Year round. Chart:4381
456 H3680	Quaker Island	Off Chester Harbour. 44 30 53.7 064 13 57.2	FI R 4s	30.8	3	White cylindrical tower, red horizontal band at top.	Operates at night only. Year round. Chart:4381
457	Coachman Ledge light and whistle buoy MA55	N. of ledge. 44 30 01.4 064 10 36.7	FI G 4s	Green, marked "MA55".	Year round. Chart:4381
457.2	Shoal Cove light buoy MK53	44 29 51.9 064 07 21.2	FI G 4s	Green, marked "MK53".	Year round. Chart:4381
457.4	Blandford light buoy MK58	44 29 44.4 064 06 43.7	FI R 4s	Red spar, marked "MK58".	Year round. Chart:4381

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
459	Blandford light and bell buoy MK52	NW. of Blandford Shoal. 44 29 43.4 064 08 14.7	Fl R 4s	Red, marked "MK52".	Year round. Chart:4381
460	Big Tancook Island light and bell buoy MN51	N. of island. 44 28 19.4 064 10 45.7	Fl G 4s	Green, marked "MN51".	Year round. Chart:4381
461 H3677	Little Tancook Island Wharf Outer	On outer end of wharf. 44 28 18.2 064 08 30.7	LFl W 6s	7.1	5	Square skeleton tower, red rectangular daymark, white band.	Flash 2 s; eclipse 4 s. Year round. Chart:4381 Edn 04/10 (F10-005) Edn 07/17 (F17-026)
463 H3676	Big Tancook Island NW. Cove	On outer end of wharf. 44 27 52.3 064 10 17.9	Fl G 6s	3.8	3	Cylindrical mast. 2.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4381
464	Reef Point light and whistle buoy MD55	E. of point. 44 27 25.4 064 08 36.7	Fl G 4s	Green, marked "MD55".	Year round. Chart:4381
466	New Harbour light and bell buoy MA	W. of New Harbour Point. 44 28 14.4 064 06 48.7	Mo(A) W 6s	Red and white vertical stripes, marked "MA".	Year round. Chart:4381
467 H3674	New Harbour	On S. side of entrance. 44 28 21.3 064 05 31.9	Fl R 5s	5.7	4	Cylindrical mast.	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4381 Edn 06/11 (F11-077)
468	West Head light and bell buoy MD53	N. of East Ironbound Island. 44 26 44.4 064 06 27.7	Fl G 4s	Green, marked "MD53".	Year round. Chart:4381
469 H3672	East Ironbound Island	Near centre of island. 44 26 22.4 064 04 59.7	Iso W 6s	44.5	13	White rectangular tower, red upper portion.	Operates at night only. Year round. Chart:4381 Edn 11/15 (F15-030)
470	East Ironbound South light and bell buoy MC52	S. of island. 44 25 37.4 064 05 08.7	Fl R 4s	Red, marked "MC52".	Year round. Chart:4381
471 H3670	Pearl Island	Off St. Margaret's and Mahone Bays. 44 22 57.2 064 02 54	Fl W 10s	19.0	8	White square tower.	Flash 0.5 s; eclipse 9.5 s. Operates at night only. Year round. Chart:4381
473	Northeast Shoal light and bell buoy DA51	E. of shoal. 44 24 59.4 064 01 19.7	Fl G 4s	Green, marked "DA51".	Year round. Chart:4381

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
474	Horseshoe Ledge light and whistle buoy DA53	Off S. end of ledge. 44 28 15.3 063 58 21.7	Fl G 4s	Green, marked "DA53".	Year round. Chart:4386
475	Seal Ledge light and whistle buoy MA54	E. of East Ironbound Island. 44 27 19.4 064 02 36.7	Fl R 4s	Red, marked "MA54".	Year round. Chart:4381
476	Aspotogan light and bell buoy DF	SE. approach to Aspotogan Harbour. 44 29 27.3 064 00 13.8	Mo(A) W 6s	Red and white vertical stripes, marked "DF".	Year round. Chart:4381
St. Margaret's Bay							
477.2	Horse Island light buoy DP51	St. Margaret's Bay. 44 32 05.3 064 00 38.7	Fl G 4s	Green, marked "DP51".	Year round. Chart:4386
477.4	Northwest Cove light buoy DP54	E. of wharf. 44 32 01 064 01 20	Fl R 4s	Red spar, marked "DP54".	Year round. Chart:4386 Edn 11/12 (F12-049, 052)
478 H3665	Hubbards Cove	On Green Point, W. side of entrance. 44 37 16.1 064 03 14.6	Fl G 6s	11.5	6	Square skeleton tower, green and white rectangular daymark. 6.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4386 Edn 03/10 (F09-079) Edn 06/12 (F12-032) Edn 07/14 (F14-011)
478.2	Fox Cove Wharf Light	44 36 49.4 064 03 28.3	Fl W 4s	3	Pipe swing pole, two black, white and black triangular daymarks.	Flash 1 s; eclipse 3 s. Operates 24 h. Year round. Chart:4386 Edn 03/17 (F16-059)
478.4	Mill Cove Wharf Light	44 34 53.7 064 03 16.0	Fl G 4s	3	Pipe swing pole, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Operates 24 h. Year round. Chart:4386 Edn 06/17 (F17-007)
479	Slaughenwhite Ledge light buoy DY52	SW. of ledge. 44 37 01.7 064 02 21.8	Fl R 4s	Red spar, marked "DY52".	Year round. Chart:4386 Edn 10/16 (F16-047)
479.01	Slaughenwhite Ledge light buoy DY54	44 37 24.4 064 02 43.7	Fl R 4s	Red spar, marked "DY54".	Year round. Chart:4386 Edn 03/17 (F16-057)
480 H3664	Croucher Island	In St. Margaret's Bay. 44 38 23.3 063 57 29.7	Fl W 12s	27.4	6	Triangular skeleton mast, red and white rectangular daymark. 10.7	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4386

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
480.1	Redmond Cove light buoy DV52	44 36 02.3 063 56 11.7	Fl R 4s	Red spar, marked "DV52".	Year round. Chart:4386
480.2	Ringdove Shoal light and bell buoy DA58	W. of shoal. 44 35 45.3 063 58 03.7	Fl R 4s	Red, marked "DA58".	Year round. Chart:4386
481 H3667	Northwest Cove Wharf	On outer end of wharf. 44 32 01.2 064 01 24.9	LFl R 6s	4.6	4	Pipe swing pole. 3.7	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4386 Edn 10/09 (F09-048) Edn 04/11 (F11-065)
482 H3663	Indian Harbour	On SE. extremity of Paddy Head Island. 44 31 20.3 063 56 45.7	F W	11.0	9	White square tower, red upper portion. 9.4	Operates at night only. Year round. Chart:4386
484	Crawford Ledge light and bell buoy DA56	W. extremity of shoal. 44 30 46.3 063 57 25.7	Fl R 4s	Red, marked "DA56".	Year round. Chart:4386
486 H3661	Peggy's Cove Wharf	On outer end of wharf. 44 29 36.4 063 54 59.6	Fl G 3s	4.5	4	Pipe swing pole, green, white and green square daymark. 3.7	Flash 1 s; eclipse 2 s. Operates at night only. Year round. Chart:4386 Edn 09/09 (F09-050) Edn 04/11 (F11-051)
487 H3660	Peggy's Point	E. side of entrance to St. Margaret's Bay. 44 29 30.4 063 55 07.2	Fl R 5s	22.0	10	White octagonal tower, red upper portion. 13.2	Flash 1.5 s; eclipse 3.5 s. Visible from 290° through N. and E. to 136°. Year round. Chart:4386
487.5 H3659	Dover West	On wharf. 44 29 34.7 063 52 05.4	LFl G 6s	5.2	4	Pipe swing pole. 3.7	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4386 Edn 09/09 (F09-049) Edn 04/11 (F11-080)
488 H3658	Dover	On S. end of Callaghan Island. 44 29 24.3 063 51 40.7	Fl G 4s	15.2	4	Triangular skeleton mast, red and white rectangular daymark. 7.6	Operates at night only. Chart:4386
488.5	Flemming Ledge light buoy AT60	44 29 09.2 063 51 15.9	Fl R 4s	Red spar, marked "AT60".	Year round. Chart:4386
489 H3657	East Dover Wharf	On outer end of wharf. 44 29 44.5 063 50 41.6	LFl R 6s	4.5	4	Pipe swing pole, red and white triangular daymark, red triangle in centre. 3.7	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4386 Edn 09/09 (F09-051) Edn 04/11 (F11-048)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
489.5	White Island light buoy AY53	Off island. 44 29 16.8 063 49 58.8	Fl G 4s	Green, marked "AY53".	Year round. Chart:4386	
490	Dover Castle light and whistle buoy AT	S. of Taylor Island. 44 26 42.5 063 53 33.5	Mo(A) W 6s	Red and white vertical stripes, marked "AT".	Year round. Chart:4386	
491	Shag Bay Breakers light and bell buoy AT50	Off SW. extremity of shoal. 44 28 03.3 063 50 10.7	Fl R 4s	Red, marked "AT50".	Year round. Chart:4386	
492 H3655	Prospect Wharf	On outer end of public wharf. 44 28 07.9 063 47 03.3	Fl G 4s	4.5	4	Pipe swing pole. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4385 Edn 09/09 (F09-052) Edn 04/11 (F11-053)	
494	Prospect light and bell buoy AM62	SE. of Saul Point. 44 27 53.3 063 46 33.7	Fl R 4s	Red, marked "AM62".	Year round. Chart:4385	
494.01	Saul Island light buoy AM64	44 28 03.3 063 46 49.8	Fl R 4s	Red spar, marked "AM64".	Year round. Chart:4385	
495 H3652	Betty Island	On Brig Point. 44 26 19.7 063 46 00.4	LFl W 15s	19.2	13	Square skeleton tower, white rectangular daymark with red bands.	Flash 4 s; eclipse 11 s. Visible from all points of marine approach from the S. Year round. Chart:4385 Edn 08/16 (F16-032)	
496	Grampus Rock light and bell buoy AM52	Off the rock. 44 25 31.4 063 43 39.1	Fl R 4s	Red, marked "AM52".	Year round. Chart:4385	
496.5 H3651.4	Lower Prospect	On wharf. 44 27 03.4 063 43 32.1	Fl W 4s	4.5	4	Pipe swing pole. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4385 Edn 09/09 (F09-054) Edn 04/11 (F11-056)	
497	Terence Bay light and bell buoy AD	44 26 53.5 063 40 36.8	Mo(A) W 6s	Red and white vertical stripes, marked "AD".	Year round. Chart:4385 Edn 04/11 (F11-053)	
498 H3650	Terence Bay	On Tennant Point. 44 27 36.6 063 42 20.4	F R	14.6	8	White square tower. 7.3	Operates at night only. Year round. Chart:4385
498.2	Tennant Point light buoy AD56	E. of Terence Rock. 44 27 23.2 063 41 19.3	Fl R 4s	Red, marked "AD56".	Year round. Chart:4385	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

499 H3651	Terence Bay Wharf	On outer end of wharf. 44 28 04.4 063 42 52.2	LFl W 6s	4.7	4	Pipe swing pole. 3.7	Flash 2 s; eclipse 4 s. Operates at night only. Year round.
--------------	----------------------	--	----------	-----	---	-------------------------	---

Chart:4385
Edn 09/09 (F09-053)
Edn 04/11 (F11-052)

Halifax Harbour and Approaches

499.9	Stapleton Rock West Cardinal light buoy AAB	44 27 32.9 063 39 33.7	Q(9) W 15s	Yellow, black and yellow, marked "AAB".	Year round.	Chart:4385 Edn 02/12
501.1	Fawson Rock light buoy AA57	44 28 01.9 063 38 15.1	Fl G 4s	Green, marked "AA57".	Year round.	Chart:4385
501.2	Pennant Harbour light buoy AA55	44 27 48.3 063 38 28.2	Fl G 4s	Green, marked "AA55".	Year round.	Chart:4385
501.3	Pennant Harbour light buoy AA54	44 27 38 063 38 30.8	Fl R 4s	Red, marked "AA54".	Year round.	Chart:4385
501.4	Pennant Harbour bifurcation light buoy AAA	44 27 09.9 063 38 55.9	Fl (2+1) G 6s	Green, red and green spar, marked "AAA".	Year round.	Chart:4385
501.5	Pennant Harbour light buoy AA53	44 26 48.2 063 39 23.6	Fl G 4s	Green spar, marked "AA53".	Year round.	Chart:4385
501.6	Pennant Harbour light buoy AA51	44 26 32.6 063 39 48	Fl G 4s	Green spar, marked "AA51".	Year round.	Chart:4385
501.7	Pennant Harbour light buoy AA52	44 26 10.3 063 39 36.6	Fl R 4s	Red spar, marked "AA52".	Year round.	Chart:4385
502	Pennant Point light and bell buoy AA50	SW. of point. 44 25 33.3 063 39 07	Fl R 4s	Red, marked "AA50".	Year round.	Chart:4385
503	Smithson Rock light and bell buoy HE2	SW. of the rock. 44 24 16.4 063 36 59.4	Fl R 4s	Red, marked "HE2".	Year round.	Chart:4237 Edn 06/13 (F13-003)
503.03	Sambro light buoy HE7	44 26 14.5 063 35 52.8	Fl G 4s	Green spar, marked "HE7".	Operates at night only.	Chart: 4237 Edn 06/15 (F15-016)
503.05	Sambro light buoy HE10	44 26 51.0 063 34 50.5	Fl R 4s	Red spar, marked "HE10".	Operates at night only.	Chart: 4237 Edn 06/15 (F15-017)
503.1	Nick Shoal light buoy HE16	44 27 40.6 063 32 49.6	Fl R 4s	Red spar, marked "HE16".	Year round.	Chart:4237 Edn 11/13 (F13-025)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
503.11	Morris Point light buoy HE17	44 28 00.6 063 32 40.9	Fl G 4s	Green spar, marked "HE17".	Year round. Chart:4237 Edn 11/13 (F13-024)
503.5	Thrumcap Rock light buoy HE3	44 25 25 063 36 41.6	Fl G 4s	Green, marked "HE3".	Year round. Chart:4237 Edn 06/13 (F13-004)
503.52	Sambro light buoy HE6	44 25 17.1 063 36 15.6	Fl R 4s	Red spar marked "HE6".	Operates at night only. Carte:4237 Edn 05/15 (F15-012)
504	Inner Sambro light and bell buoy HS6	SW. of W. end of Inner Sambro Island. 44 27 05 063 35 48	Q R 1s	Red, marked "HS6".	Year round. Chart:4237
504.01	Inner Sambro Island light buoy HA2	44 27 22 063 35 09	Fl R 4s	Red, marked "HA2".	Year round. Chart:4237 Edn 06/11 (F11-134)
504.02	Cowley Rock bifurcation light buoy HSA	44 27 32 063 35 46.5	Fl R 6s (2+1)	Green, red and green spar, marked "HSA".	Year round. Chart:4237
504.5	Cronie Reef light buoy HS12	44 28 21.4 063 35 35.3	Fl R 4s	Red spar, marked "HS12".	Year round. Chart:4237
504.7	Bull Point light buoy HS13	44 28 19 063 35 42.8	Fl G 4s	Green, marked "HS13".	Year round. Chart:4237
505 H3644	Sambro Harbour	On extremity of Bull Point. 44 28 30 063 35 45.5	F G	10.5 7	White square tower. 8.4	Operates at night only. Year round. Chart:4237
505.1	Big Island light buoy HR2	44 28 41.3 063 35 22.1	Q R 1s	Red, marked "HR2".	Year round. Chart:4237
505.2	Big Island light buoy HR4	44 28 47.8 063 35 13.4	Fl R 4s	Red, marked "HR4".	Year round. Chart:4237
505.3	Big Island light buoy HR5	44 28 51.2 063 35 10.7	Fl G 4s	Green, marked "HR5".	Year round. Chart:4237
505.8	Sambro light buoy HS19	44 28 37 063 35 50.3	Fl G 4s	Green, marked "HS19".	Year round. Chart:4237
505.81	Sambro Harbour light buoy HS20	44 28 38 063 35 45.5	Fl R 4s	Red spar, marked "HS20".	Year round. Chart:4237 Edn 06/11 (F11-136)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
505.82	Sambro Harbour light buoy HS22	44 28 41 063 35 49	Fl R 4s	Red spar, marked "HS22".	Year round. Chart:4237 Edn 06/11 (F11-138)
505.83	Sambro Harbour light buoy HS24	44 28 43.1 063 35 53	Fl R 4s	Red spar, marked "HS24".	Year round. Chart:4237 Edn 06/11 (F11-133)
506.6	Lobster Claw light buoy HE13	S. of Lobster Claw. 44 27 18 063 34 06.5	Fl G 4s	Green, marked "HE13".	Year round. Chart:4237
507 H3632	Sambro	Centre of island. 44 26 12 063 33 48	Fl W 6s	42.7	23	White octagonal tower, red horizontal bands. 20.7	Flash 1 s; eclipse 5 s. Year round. Chart:4237 Edn 01/12 (F11-193)
508	Sambro Harbour light and whistle buoy HS	S. of Southwest Breaker. 44 24 30 063 33 36.5	Mo(A) W 6s	Red and white vertical stripes, marked "HS".	Year round. Chart:4237
508.2	Pennel Shoal light buoy HS2	44 25 15.8 063 33 49.6	Fl R 4s	Red, marked "HS2".	Year round. Chart:4385 Edn 11/11 (F11-183)
508.22	Shag Rock light buoy HS2/2	44 25 38.5 063 34 16.3	Fl R 4s	Red, marked "HS2/2".	Year round. Chart:4385 Edn 11/11 (F11-182)
508.4	Sambro Island West light buoy HS4	44 26 00 063 34 42	Fl R 4s	Red, marked "HS4".	Year round. Chart:4385 Edn 11/11 (F11-181)
508.42	Four Fathom Shoal light buoy HS4/2	44 26 23.6 063 35 08	Q R 1s	Red, marked "HS4/2".	Year round. Chart:4385 Edn 11/11 (F11-180)
508.44	Fairweather Rock East Cardinal light buoy HSE	44 26 44 063 35 42.4	Q(3) W 10s	Black, yellow and black, marked "HSE".	Year round. Chart:4385 Edn 11/11 (F11-179)
509	Sisters light and bell buoy HD3	S. of The Sisters. 44 26 14 063 31 26	Fl G 4s	Green, marked "HD3".	Year round. Chart:4237
509.5	Halifax Bravo light buoy HB	44 26 37 063 27 33	Mo(A) W 6s	Red and white vertical stripes, marked "HB".	Year round. Chart:4237
510	Halifax Alpha light and whistle buoy HA	44 21 45 063 24 15	Mo(A) W 6s	Red and white vertical stripes, marked "HA".	Year round. Chart:4237
511	Ketch Harbour light buoy HE19	Ketch Harbour entrance. 44 28 19.6 063 32 16	Fl G 4s	Green, marked "HE19".	Year round. Chart:4237

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
512	Bell Rock light buoy HD5	E. of Ketch Head. 44 29 00 063 31 03	Fl G 4s	Green, marked "HD5".	Year round. Chart:4237
512.5	Duncan Reef light buoy H1	44 29 36 063 30 34	Q G 1s	Green, marked "H1".	Year round. Chart:4237
513 H3600	Chebucto Head Racon - .. (Z) X Band	On summit. 44 30 26.6 063 31 21.8	Fl W 20s	47.8	10	White tower, red upper portion. 12.9	Flash 0.5 s; eclipse 19.5 s. Visible from 155° through S. and W. to 000°. Connected by telephone with Halifax. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s;sil. 51 s. Horn points 113°. Chart:4385 Edn 06/10
514	Halifax Charlie light and bell buoy HC	44 30 36 063 30 16	Mo(A) W 6s	Red and white vertical stripes, marked "HC".	Year round. Chart:4237
515	Navy West Cautionary light and whistle buoy HNWC	44 32 41 063 25 15	Fl Y 4s	Yellow, marked "HNWC".	Year round. Chart:4237
516	Inner Automatic light buoy H4	NE. of Chebucto Head. 44 31 39.5 063 30 03.6	Fl R 4s	Red, marked "H4".	Year round. Chart:4203
517	Bear Cove light and bell buoy H6 Racon -. (N) X Band	NE. of cove. 44 32 36.3 063 31 19.6	Q R 1s	Red, marked "H6".	Year round. Chart:4203
517.5	Bear Cove bifurcation light buoy HK	NW. of shoal. 44 32 41.2 063 32 00.6	Fl G 6s (2+1)	Green, red and green, marked "HK".	Year round. Chart:4203
518	Neverfail Shoal light and bell buoy H8	44 33 15.5 063 31 27.6	Fl R 4s	Red, marked "H8".	Year round. Chart:4203
519	Lichfield Shoal light and whistle buoy H7	E. end of shoal. 44 33 22.5 063 31 59.5	Fl G 4s	Green, marked "H7".	Year round. Chart:4203
519.5	Neverfail Shoal North light buoy HN7	44 33 30.8 063 31 03.8	Fl G 4s	Green, marked "HN7".	Year round. Chart:4203

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
520	Thrumcap light and bell buoy HN6	S. of Thrumcap Shoal. 44 33 49.3 063 30 11.6	Fl R 4s	Red, marked "HN6".	Year round.	
							Chart:4203	
521	Herring Cove light and bell buoy HM1	SE. of Tribune Head. 44 33 52.2 063 32 54.7	Fl G 4s	Green, marked "HM1".	Year round.	
							Chart:4203	
521.5	Halifax Harbour Smart buoy	44 33 21.3 063 32 38.7	Fl(5) Y 20s	ODAS, yellow.	Privately maintained. Operates 24 h. Year round.	
							Chart:4203 Edn 07/15 (F15-020) Edn 11/17 (F17-030)	
522 H3604	Herring Cove	Tribune Head. 44 34 00.6 063 33 19.8	F G	19.5	6	Triangular skeleton tower, red and white rectangular daymark. 10.3	Operates at night only. Year round.
							Chart:4203	
522.1 H3605	Herring Cove Breakwater	SE. corner of breakwater. 44 34 09.6 063 33 25.4	Fl R 5s	4.0	Pipe swing pole, red and white triangular daymark red triangle in center. 3.5	Flash 1 s; eclipse 4 s. Operates at night only. Year round.	
							Chart:4203 Edn 04/11 (F11-039) Edn 10/11 (F11-096)	
523	Mars Rock light and whistle buoy H9	Off SE. side of rock. 44 34 28.4 063 32 07.5	Fl G 4s	Green, marked "H9".	Year round.	
							Chart:4203	
523.4 H3602	Halifax Harbour approach. Sandwich Point range	44 34 56.6 063 32 56.7	F G	38.4	12	Triangular skeleton tower, white daymark, red vertical stripe. 6.1	Year round.
523.5 H3602.1		336°29' 498.5m from front.	F G	50.8	12	Triangular skeleton tower, white daymark, red vertical stripe. 14.6	Year round.
							Chart:4203	
524	Lighthouse Bank light and bell buoy H12	W. of bank. 44 35 36.3 063 31 59.5	Fl R 4s	Red, marked "H12".	Year round.	
							Chart:4203	
524.2	West Outer Middle Ground light buoy HK4	44 35 50.3 063 32 33.6	Fl R 4s	Red, marked "HK4".	Year round.	
							Chart:4203	
525	Outer Middle Ground bifurcation light buoy HAC	N. of Lighthouse bank. 44 35 54.8 063 32 24	Fl (2+1) G 6s	Green, red and green, marked "HAC".	Year round.	
							Chart:4203	
525.2	Southeast Middle Ground light buoy HK5	44 36 11.3 063 32 33.6	Fl G 4s	Green, marked "HK5".	Year round.	
							Chart:4203	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS									
526	Maugher Beach light buoy H14	SW. of beach. 44 35 58.3 063 32 12.6	Q	R	1s	Red, marked "H14".	Year round. Chart:4203
527 H3607	Maugher Beach	Near W. end of beach. 44 36 08.2 063 32 00.9	Iso	W	4s	17.4	10	White octagonal tower, red top. 17.8	Year round. Chart:4203 Edn 07/17 (F17-017)
528 H3606	Halifax Harbour Middle range	NW. end of McNabs Island. 44 36 50.5 063 32 11	F	R	18.0	12	Triangular skeleton tower, white daymark, red vertical stripe. 4.3	Year round.
528.1 H3606.1		356°13' 322m from front.	F	R	29.0	12	Triangular skeleton tower, white daymark, red vertical stripe. 21.9	Year round. Chart:4203
529	Pleasant Shoal light and bell buoy H19	Off E. extremity of shoal. 44 36 58.2 063 33 08.8	Fl	G	4s	Green, marked "H19".	Year round. Chart:4203
530	Middle Ground North Cardinal light buoy HAD	N. of Maugher Beach. 44 36 39.8 063 32 49.9	Q	W	1s	Black and yellow, marked "HAD".	Year round. Chart:4203
531	Hens and Chickens light buoy HQ2	SE. of Hens and Chickens. 44 36 50 063 33 44	Fl	R	4s	Red, marked "HQ2".	Year round. Chart:4202
532	Purcells Cove light buoy HQ1	E. of cove. 44 36 41.9 063 33 56.9	Fl	G	4s	Green spar, marked "HQ1".	Year round. Chart:4203
533	Imperial Oil Wharf No. 1 light buoy HP22	44 38 02.3 063 31 56.6	Fl	R	4s	Red, marked "HP22".	Year round. Chart:4202
534	Indian Point light buoy HP21	44 37 46.5 063 31 56.8	Q	G	1s	Green spar, marked "HP21".	Year round. Chart:4202
535	Ives Knoll light and bell buoy H22	W. of Knoll. 44 37 39.4 063 32 54	Fl	R	4s	Red, marked "H22".	Year round. Chart:4202
536	Ives Knoll light buoy HT2	N. of the Knoll. 44 37 50.2 063 32 44.7	Q	R	1s	Red, marked "HT2".	Year round. Chart:4202

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
538 H3618	Halifax Harbour Inner range	On W. side of Georges Island. 44 38 26.2 063 33 37.2	F W	17.7	15	White octagonal tower, red vertical stripe, red upper portion. 16.4	White 290° through N., E. and S. to 181°. Increased intensity on line of range. Emergency light. Year round.
539 H3618.1		339°08' 3153.7 m from front.	Oc W 10s	37.7	24	Triangular skeleton tower, white slatwork daymark, red vertical stripe. 17.4	Flash 7 s; eclipse 3 s. Visible in line of range. Operates 24 h. Year round.
540.1	Dartmouth Cove West Entrance light buoy HU1	44 39 42 063 33 38.4	Fl G 4s	Green spar, marked "HU1".	Year round. Chart:4202 Edn 01/18 (F11-035)
544	Barrie Beach light and bell buoy HP2/2	NW. of Devils Island. 44 35 11.2 063 28 47.3	Fl R 4s	Red, marked "HP2/2".	Year round. Chart:4237 Edn 01/10 (F09-072) Edn 03/10 (F10-002)
545 H3596	Devils Island	SE. end of island. 44 34 49.5 063 27 35.3	LFl R 6s	6.0	7	Square skeleton tower, red, white and red rectangular daymark, red triangle in centre. 6.6	Three daymarks facing East, South and West. Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4237 Edn 11/11 (F11-184)
546	Eastern Passage light and whistle buoy HP	SW. of Devils Island. 44 34 05 063 27 23	Mo(A) W 6s	Red and white vertical stripes, marked "HP".	Year round. Chart:4237
546.5	Lawlor Island light buoy HP3	E. of island. 44 35 56.1 063 29 08	Fl G 4s	Green, marked "HP3".	Year round. Chart:4203
547 H3609	Lawlor Island Sector	On E. side of island. 44 36 21.8 063 29 45.4	F W G	4.8	10	Triangular skeleton mast. 3.8	Green from 133° to 140°30'; white from 140°30' to 142°30'; red from 142°30' to 155°. White sector indicates preferred channel. Year round. Chart:4203
547.2	Lawlor Island light buoy HP11	NE. of island. 44 36 31.8 063 29 58.4	Fl G 4s	Green, marked "HP11".	Year round. Chart:4203
549	Eastern Passage light buoy HP13	44 36 40.4 063 30 20.9	Q G 1s	Green spar, marked "HP13".	Year round. Chart:4203
550	Eastern Passage light buoy HP15	Opposite Texaco Co. wharf. 44 36 45.3 063 30 35.6	Fl G 4s	Green, marked "HP15".	Year round. Chart:4203

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
551	Eastern Passage light buoy HP16	44 37 03 063 30 32.8	Fl R 4s	Red, marked "HP16".	Year round. Chart:4203
552	Eastern Passage light buoy HP17	44 37 05.8 063 30 50.6	Fl G 4s	Green, marked "HP17".	Year round. Chart:4203
557	Seaview Point light buoy H39	44 40 37.6 063 37 14.0	Fl G 4s	Green spar, marked "H39".	Year round. Chart:4201 Edn 09/17 (F02-075)
559	Wrights Point light buoy H42	44 41 19.8 063 37 22.6	Q R 1s	Red spar, marked "H42".	Year round. Chart:4201
560	Dartmouth Yacht Club light buoy HY6	44 41 59 063 36 48	Fl R 4s	Red, marked "HY6".	Privately maintained by Dartmouth Yacht Club. Seasonal. Chart:4201
560.5 H3631	Dartmouth Yacht Club	On breakwater. 44 42 01.3 063 36 49.1	Fl G 4s	5.2	4	Square tower. 3.0	Privately maintained by Dartmouth Yacht Club. Operates at night only. Year round. Chart:4201
561	Wrights Cove light buoy HY2	NW. of Navy Island. 44 42 00.3 063 37 23.6	Fl R 4s	Red, marked "HY2".	Year round. Chart:4201
561.5	Bedford Basin light buoy H45	44 42 25.3 063 39 07.6	Q G 1s	Green spar, marked "H45".	Year round. Chart:4201
562	Wellesley Rock light buoy H46	S. of the rock. 44 42 37.3 063 39 26.1	Fl R 4s	Red, marked "H46".	Year round. Chart:4201
562.3	Spruce Island light buoy H48	W. of island. 44 43 00.3 063 39 54.6	Fl R 4s	Red spar, marked "H48".	Year round. Chart:4201
563	Shut-in Island light and bell buoy HX	SE. of island. 44 36 39.8 063 16 01.2	Mo(A) W 6s	Red and white vertical stripes, marked "HX".	Year round. Chart:4236
563.05	Three Fathom Harbour light buoy HX8	44 38 16.1 063 16 38	Fl R 4s	Red spar, marked "HX8".	Year round. Chart: 4236 Edn 08/10 (F10-023)
563.2	Bull Rock light buoy HX2	44 37 20 063 16 14	Fl R 4s	Red spar, marked "HX2".	Year round. Chart:4236
564	Chezzetcook Harbour light and bell buoy HJ2	Off Story Head. 44 39 42.6 063 13 40.5	Fl R 4s	Red, marked "HJ2".	Year round. Chart:4236

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
564.22	East Chezzetcook light buoy HJ2/2	Eastern shore. 44 41 16.4 063 13 52.7	Fl R 4s	Red spar, marked "HJ2/2".	Seasonal. Chart: N/A Edn 07/16 (F16-021)
565	Codray Shoal light and bell buoy HH2	SW. of shoal. 44 40 24.5 063 10 38.6	Fl R 4s	Red, marked "HH2".	Year round. Chart: 4236
566.02	Musquodoboit light buoy YV7	44 40 44.0 063 04 23.4	Q G 1s	Green spar, marked "YV7".	Year round. Chart: 4236 Edn 07/16 (F16-024)
566.03	Musquodoboit Harbour light buoy YV10	44 41 09.6 063 04 45.6	Q R 1s	Red spar, marked "YV10".	Year round. Chart: 4236 Edn 07/16 (F16-028)
566.04	Musquodoboit Harbour green lighted spar buoy YV11	44 41 23.4 063 04 48.5	Fl G 4s	Green spar, marked "YV11".	Year round. Chart: 4236 Edn 07/16 (F16-025) Edn 08/17 (F17-022)
566.05	Musquodoboit Harbour light buoy YV12	44 41 26.2 063 04 42.8	Fl R 4s	Red spar, marked "YV12".	Year round. Chart: 4236 Edn 07/16 (F16-027)
566.06	Musquodoboit Harbour light buoy YV13	44 41 34.0 063 04 43.7	Fl G 4s	Green spar, marked "YV13".	Year round. Chart: 4236 Edn 07/16 (F16-026)
566.08	Musquodoboit (Flat Rock) light buoy YV15	Eastern shore. 44 41 41.4 063 04 45.0	Q G 1s	Green spar, marked "YV15".	Year round. Chart: N/A Edn 07/16 (F16-029)
566.11	Musquodoboit (French Pt) lighted red spar YV18	Eastern shore. 44 42 31.2 063 04 57.0	Q R 1s	Red spar, marked "YV18".	Year round. Chart: N/A Edn 08/17 (F17-021)
566.12	Musquodoboit (Francis Nose Is) light buoy YV21	44 42 52.9 063 05 03.1	Q G 1s	Green spar, marked "YV21".	Year round. Chart: N/A Edn 07/16 (F16-023)
566.5	Musquodoboit Ledge light and bell buoy YV3	W. side of ledge. 44 39 36 063 04 16	Fl G 4s	Green, marked "YV3".	Year round. Chart: 4236
568 H3578	Musquodoboit Harbour	On pier on Shag Ledge. 44 41 41.7 063 04 41.6	Q R 1s	5.5	Red cylindrical mast, red and white triangular daymark. 3.6	Operates at night only. Year round. Chart: 4236 Edn 04/10 (F10-011)
569 H3579	French Point	44 42 21 063 04 33.3	F R	14.2	8 White square tower. 9.4	Visible 278° through N. and E. to 098°. Operates at night only. Year round. Chart: 4236

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
570 H3570	Jeddore Rock	On summit of rock. 44 39 47.1 063 00 37.3	LFI W 12s	29.5	8	Skeleton tower. 14.9	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4236 Edn 09/11 (F11-067)
570.5	Arnold Rock light and bell buoy YT3	S. of rock. 44 39 04.2 063 00 29.5	Fl G 4s	Green, marked "YT3".	Year round. Chart:4236
572	Thorn Shoal light and bell buoy YT5	On alignment of Jeddore Harbour range. 44 41 24 063 00 10	Fl G 4s	Green, marked "YT5".	Year round. Chart:4236
572.3	Jeddore Harbour lighted spar YT7	44 42 18.6 063 00 46.8	Q G 1s	Green spar, marked "YT7".	Year round. Chart:4236
572.6	Jeddore Harbour light buoy YT9	44 43 10.7 063 00 16.9	Fl G 4s	Green, marked "YT9".	Year round. Chart:4236
573	Marsh Point light buoy YT11	44 43 23.6 063 00 11.7	Q G 1s	Green, marked "YT11".	Year round. Chart:4236
576	Bar Shoal light buoy YT8	44 42 31.3 063 00 36.8	Fl R 4s	Red spar, marked "YT8".	Year round. Chart:4236
577	Brig Rock light and bell buoy YT2	W. of rock. 44 37 08.4 062 56 18.7	Fl R 4s	Red, marked "YT2".	Year round. Chart:4236
578	Porter Island West light and bell buoy YS6	44 41 29 062 51 46.1	Fl R 4s	Red, marked "YS6".	Year round. Chart:4236
579	Little Harbour Head light buoy YS9	N. of head. 44 42 22.3 062 50 29.9	Fl G 4s	Green boat type, marked "YS9".	Year round. Chart:4236
580 H3568	Egg Island	Centre of island. 44 39 52.7 062 51 48.4	LFI W 6s	7.6	12	Square skeleton tower. 4 red, white and red rectangular daymarks.	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Daymarks facing 000°, 090°, 180° and 270°. Chart:4236 Edn 02/10 (F09-078) Edn 09/11 (F11-069) Edn 05/16 (F16-011)
580.3	Psyche Rock East Cardinal light and bell buoy YS	44 39 50.3 062 50 30.6	Q(3) W 10s	Black, yellow and black, marked "YS".	Year round. Chart:4236
582	Owls Head Harbour light and bell buoy YP2	SE. of head. 44 41 20 062 45 01.4	Fl R 4s	Red marked "YP2".	Year round. Chart:4236

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

583 H3566	Owls Head Direction light	On extremity of head. 44 43 14.6 062 47 59.5	Fl W 4s	25.8	6	Skeleton mast, red, white and red triangular daymarks. 9.7	Operates at night only. Year round. Chart:4236 Edn 04/11 (F11-071)
584	Ship Harbour light and whistle buoy YM1	SE. of Little Rock. 44 41 06.3 062 42 07.1	Fl G 4s	Green, marked "YM1".	Year round. Chart:4236
585 H3564	Ship Harbour	On Wolfes Point. 44 44 55.4 062 45 23.6	LFl G 6s	18.2	4	Skeleton tower, rectangular daymark, white and red horizontal bands. 6.1	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4236 Edn 09/11 (F11-073)
586	Bull Rock bifurcation light and bell buoy YM	S. of rock. 44 44 05.6 062 41 29.6	Fl R (2+1)	6s	Red, green and red, marked "YM". Year round. Chart:4236
587	Tangier Harbour light and whistle buoy YJ	SE. of Mooseback Point. 44 44 06.2 062 37 38.3	Mo(A) W 6s	Red and white vertical stripes, marked "YJ".	Year round. Chart:4236
588	Popes Harbour light and bell buoy YE2	W. of Popes Head. 44 46 23.9 062 36 47.8	Fl R 4s	Red, marked "YE2".	Year round. Chart:4236
589 H3560	Popes Harbour	On W. point of Harbour Island. 44 47 40.3 062 39 01.4	LFl R 12s	9.4	5	Skeleton tower, red and white rectangular daymark. 6.7	Flash 2 s; eclipse 10 s. Operates at night only. Year round. Chart:4236 Edn 04/11 (F11-038)
590	Spry Bay light and bell buoy YA2	Off entrance. 44 45 37.2 062 33 28.6	Fl R 4s	Red, marked "YA2".	Year round. Chart:4236
591 H3557	Spry Bay Sector	44 49 21.5 062 35 54.3	F R W G	23.4	10 White square tower, red upper portion. 7.5	Red from 317° to 336°15'; white from 336°15' to 338°15'; green from 338°15' through N. to 010°. White sector indicates preferred channel. Operates at night only. Year round. Chart:4236
593	Geddes Shoal light and whistle buoy X26	SW. of shoal. 44 44 28 062 28 09	Fl R 4s	Red, marked "X26".	Year round. Chart:4235
593.6	MacDonald Shoals light buoy XU4	44 48 54 062 28 41	Fl R 4s	Red, marked "XU4".	Year round. Chart:4235
594 H3541	Sheet Rock	Entrance to harbour. 44 49 50.4 062 29 30.6	Fl W 4s	25.7	7	White cylindrical tower, red horizontal bands. 9.1	Operates at night only. Year round. Chart:4235 Edn 09/11 (F11-075)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
NOVA SCOTIA, SOUTHEAST COASTS								
595	White Rock light buoy XU10	44 51 00.5 062 29 38	Q R 1s	Red spar, marked "XU10".	Year round. Chart:4235	
596	Watt Point light buoy XU14	44 53 49.5 062 29 16	Fl R 4s	Red spar, marked "XU14".	Year round. Chart:4235	
596.01	Northeast Arm light buoy XX1	44 55 06 062 30 56	Fl G 4s	Green, marked "XX1".	Year round. Chart:4235	
596.04	Mussel Shoal XU18	44 54 36.5 062 31 09.0	Fl R 4s	Red spar, marked "XU18".	Operates at night only. Chart:4235 Edn 06/15 (F15-015)	
597	Sheet Harbour Passage light and bell buoy XP7	S. of Hardwood Island. 44 49 06 062 25 54	Fl G 4s	Green, marked "XP7".	Year round. Chart:4235	
598 H3542	Sheet Harbour Passage range	E. of Kirby River. 44 51 30 062 26 53.6	F W	15.8	18	White square tower, red upper portion, red vertical stripe. 7.5	Visible in line of range. Operates at night only. Year round.
599 H3542.1		343°28' 278.3m from front.	F W	20.6	18	White square tower, red upper portion, red vertical stripe. 9.0	Visible in line of range. Operates at night only. Year round. Chart:4235 Edn 03/11 (F11-026) Edn 11/12 (F12-041, 042)
600	Beaver Harbour light and whistle buoy XK1	Off harbour. 44 47 55 062 17 03	Fl G 4s	Green, marked "XK1".	Year round. Chart:4235	
601	Beaver Island light and bell buoy XK3	E. of island. 44 49 33 062 19 28	Fl G 4s	Green, marked "XK3".	Year round. Chart:4235	
602 H3534	Beaver Island	Eastern end of island. 44 49 29.2 062 20 16	Fl W 7s	19.9	14	White cylindrical tower. 8.5	Emergency light. Operates at night only. Year round. Horn - Blast 6 s; sil. 54 s. Horn points 144°. Chart:4235	
605	Bassoon Reefs light and bell buoy XH1	S. extremity of the SE. portion of reefs. 44 50 41 062 13 34	Fl G 4s	Green, marked "XH1".	Year round. Chart:4235	
606.3	Tuffin Island light buoy XA6	N. of island. 44 54 53.5 062 10 45.5	Q R 1s	Red, marked "XA6".	Year round. Chart:4235	
606.5	Tuffin Island light and bell buoy XA4	SW. of island. 44 54 12 062 10 50.5	Fl R 4s	Red, marked "XA4".	Year round. Chart:4235	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
606.7	Halibut Island light and bell buoy XA3	44 53 06 062 10 55	Fl G 4s	Green, marked "XA3".	Year round. Chart:4235
607	Bowen Ledge light and bell buoy XA2	SW. of ledge. 44 51 59 062 10 15	Fl R 4s	Red, marked "XA2".	Year round. Chart:4235
608	White Island light and bell buoy VV1	Off E. extremity of White Island breaker. 44 52 59.8 062 06 16.3	Fl G 4s	Green, marked "VV1".	Year round. Chart:4235 Edn 08/11 (F11-151)
609	Lockwood Rock light and whistle buoy V24	S. of rock. 44 51 39 062 04 21	Fl R 4s	Red, marked "V24".	Year round. Chart:4235
610	Necum Point light buoy VV12	44 57 16 062 08 59	Fl R 4s	Red spar, marked "VV12".	Year round. Chart:4235
610.5	Frenchman Rock light buoy VV8	44 55 56.5 062 07 03.5	Fl R 4s	Red spar, marked "VV8".	Year round. Chart:4235
611	Seal Ledge light and bell buoy VT5	NE. of ledge. 44 57 28 061 59 31	Fl G 4s	Green, marked "VT5".	Year round. Chart:4234
612 H3530	Marie Joseph (Thrumcap Island)	On Thrumcap Islet. 44 57 25.6 062 02 25.7	Fl R 4s	12.2	4	Square skeleton tower, red and white rectangular daymark, red triangle in center. 6.1	Operates at night only. Year round. Chart:4234 Edn 04/11 (F11-024)
613	Liscomb light and whistle buoy VP	E. of Hawbolt Rock. 44 55 00 061 53 33	Mo(A) W 6s	Red and white vertical stripes, marked "VP".	Year round. Chart:4234
614	Liscomb Shoal light and bell buoy VP5	SE. of shoal. 44 58 31 061 57 50	Fl G 4s	Green, marked "VP5".	Year round. Chart:4234
615 H3526	Liscomb	On island near Cranberry Point. 44 59 15.8 061 57 58.4	Fl W 10s	21.9	14	White octagonal tower, red upper portion. 13.7	Flash 1 s; eclipse 9 s. Emergency light. Year round. Horn - Blast 3 s; sil. 27 s. Chart:4234
619	Little Liscomb light and bell buoy VM3	SE. of Crook Point. 44 59 10 061 53 27	Fl G 4s	Green, marked "VM3".	Seasonal. Chart:4234
621	Saint Marys River light and bell buoy VK	S. of Wedge Island. 44 59 36 061 49 41.5	Mo(A) W 6s	Red and white vertical stripes, marked "VK".	Year round. Chart:4234 Edn 08/12 (F12-044)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
621.5	Barachois Point light and bell buoy VK3	Off point. 45 01 16.5 061 51 45	Fl G 4s	Green, marked "VK3".	Year round. Chart:4234 Edn 08/12 (F12-045)
622	Horse Shoal light buoy VK11	45 03 05.6 061 53 43.8	Q G 1s	Green, marked "VK11".	Year round. Chart:4234 Edn 08/12 (F12-046)
623.5	Rude Shoal light and bell buoy VH5	Off shoal. 45 04 12.5 061 48 26.5	Q G 1s	Green, marked "VH5".	Year round. Chart:4234 Edn 08/12 (F12-047)
625	Nixonmate Shoal light and whistle buoy VH2	SW. of shoal. 45 01 47.5 061 45 15.5	Fl R 4s	Red, marked "VH2".	Year round. Chart:4234 Edn 08/12 (F12-048)
626.1	Mouton Harbour Outer Channel light buoy VC1	45 05 34.3 061 42 53.7	Q G 1s	Green spar, marked "VC1".	(Winter spar.) Seasonal (in place year round). Chart:4234
626.2	Mouton Harbour Outer Channel light buoy VC2	45 05 34.5 061 42 56	Fl R 4s	Red spar, marked "VC2".	(Winter spar.) Seasonal (in place year round). Chart:4234
626.3	Mouton Harbour Outer Channel light buoy VC3	45 05 33.6 061 43 00.4	Fl G 4s	Green spar, marked "VC3".	(Winter spar.) Seasonal (in place year round). Chart:4234
626.4	Mouton Harbour Inner Channel light buoy VC4	45 05 34.7 061 43 14.2	Q R 1s	Red spar, marked "VC4".	(Winter spar.) Seasonal (in place year round). Chart:4234
626.6	Mouton Harbour Inner Channel light buoy VC5	45 05 34.4 061 43 15.8	Fl G 4s	Green spar, marked "VC5".	(Winter spar.) Seasonal (in place year round). Chart:4234
626.7	Mouton Harbour Inner Channel light buoy VC7	45 05 37.9 061 43 26	Fl G 4s	Green spar, marked "VC7".	(Winter spar.) Seasonal (in place year round). Chart:4234
626.9	Bickerton Island light buoy V1	45 05 02 061 42 04	Fl G 4s	Green spar, marked "V1".	Seasonal (in place year round). Chart:4234
627.1	Bickerton East Bifurcation light buoy VCC	45 05 36.2 061 42 33	Fl G (2+1)	Green, red and green spar, marked "VCC".	(Winter spar.) Seasonal (in place year round). Chart:4234

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

627.5	Bickerton East Outer light buoy V3	45 05 42.7 061 42 38.3	Fl G 4s	Green spar, marked "V3".	(Winter spar.) Seasonal (in place year round).
							Chart:4234
628.1	Bickerton East Middle light buoy V4	45 05 55.9 061 43 03.9	Fl R 4s	Red spar, marked "V4".	(Winter spar.) Seasonal (in place year round).
							Chart:4234
628.5	Bickerton East Inner light buoy V6	45 06 12.2 061 43 22.1	Q R 1s	Red spar, marked "V6".	(Winter spar.) Seasonal (in place year round).
							Chart:4234
629 H3514	Port Bickerton	Near W. extremity of Barachois Head. 45 05 24 061 42 01.7	Fl W 3s	20.6	17	White rectangular tower, red upper portion. 9.2	Flash 1s; eclipse 2 s. Visible from 280° through N. and E. to 136°. Emergency light. Operates at night only. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 156°. Horns sound in unison.
							Chart:4234 Edn 04/10 (G10-012)
629.5 H3516	Mouton Harbour Outer range	45 05 29.9 061 43 49.6	F W	3.8	14	Square skeleton tower, white daymark, red vertical stripe. 3.6	Visible in line of range. Operates at night only. Year round.
629.6 H3516.1		263°39' 141.9m from front.	F W	7.6	14	Square skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.
							Chart:4234 Edn 12/09 (G09-156, 165)
629.8 H3516.3	Mouton Harbour	On crib. 45 05 40.8 061 43 28.5	Iso R 1s	4.4	4	Square skeleton tower, red and white triangular daymark, red triangle in center. 3.6	Operates at night only. Year round.
							Chart:4234 Edn 01/10 (G09-150)
629.9 H3516.4	Mouton Harbour Wharf	45 05 41.8 061 43 35.1	Fl G 4s	4.2	4	Cylindrical mast, green and white daymark, green square in centre. 3.5	Operates at night only. Year round.
							Chart:4234 Edn 01/10 (G09-152)
631.2 H3515	Port Bickerton East wharf	On outer end of wharf. 45 06 18.8 061 43 21.9	Iso R 4s	4.3	4	Cylindrical mast. 3.6	Operates at night only. Year round.
							Chart:4234 Edn 01/10 (G09-154)
632	Port Bickerton Fairway light and bell buoy V	SW. of Taylor Shoal. 45 01 13 061 39 09	Mo(A) W 6s	Red and white vertical stripes, marked "V".	Year round.
							Chart:4234 Edn 08/12 (G12-152) Edn 10/12 (G12-191)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
633.01	Rose Shoal South Cardinal light buoy TY	45 04 33 061 37 20	Q(6) W 15s +LFI	Yellow and black, marked "TY".	Year round. Chart:4234 Edn 08/12 (G12-153)
633.02	Bull Rock light buoy TY5	45 05 11.0 061 38 32.5	Q G 1s	Green spar, marked "TY5".	Seasonal (in place year round). Chart:4234 Edn 03/17 (G17-007)
634 H3512	Fishermans Harbour	W. extremity of Shingle beach on S. side of harbour. 45 06 42 061 40 41.1	Fl G 4s	7.1	7	Square skeleton tower, green, white and green daymark. 7.9	Operates at night only. Seasonal. Chart:4234 Edn 04/11 (G11-054)
634.4	South Easter South Cardinal light buoy TU	SW. of South Easter. 45 02 45 061 35 12	Q(6) W 15s +LFI	Yellow and black, marked "TU".	Year round. Chart:4234 Edn 08/12 (G12-154)
635	Isaac's Harbour light and bell buoy TT	E. of Jarvis Bank. 45 02 15.0 061 32 35.0	Mo(A) W 6s	Red and white vertical stripes, marked "TT".	Year round. Chart:4234 Edn 08/12 (G12-155) Edn 10/12 (G12-192) Edn 10/17 (G17-091)
635.5	Tom Cod light buoy TT2	45 04 28 061 33 04	Fl R 4s	Red, marked "TT2".	Year round. Chart:4234 Edn 07/09 (G09-055) Edn 08/12 (G12-157)
636	Goose Island light buoy TT4	S. extremity of island. 45 05 54.6 061 34 36.3	Q R 1s	Red, marked "TT4".	Year round. Chart:4234 Edn 07/09 (G09-056) Edn 08/12 (G12-158)
636.04	Isaac's Harbour light buoy TT7	45 09 34 061 39 20	Q G 1s	Green spar, marked "TT7".	Seasonal. Chart:4234
636.1	Avondale Reef light buoy TT10	45 09 43 061 39 02	Fl R 4s	Red, marked "TT10".	Seasonal. Chart:4234
636.2	Middle Ground light buoy TX1	Off Saladin Point. 45 07 32 061 35 21	Fl G 4s	Green spar, marked "TX1".	Seasonal. Chart:4234
638 H3508	Drum Head	On outer end of breakwater. 45 08 43.2 061 36 09.2	Fl R 4s	4.2	4	Cylindrical mast, red and white triangular daymark, red triangle in center. 3.6	Operates at night only. Seasonal. Chart:4234 Edn 05/12 (G12-026)
639 H3504	Country Island	S. side of island. 45 05 59.8 061 32 31.9	Fl W 20s	16.5	10	White octagonal tower, red upper portion. 13.7	Flash 2 s; eclipse 18 s. Emergency light. Operates at night only. Year round. Chart:4233

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
639.5	Split Rock light and whistle buoy TS2	SW. of rock. 45 07 08 061 29 45.4	Q R 1s	Red, marked "TS2".	Year round. Chart:4233 Edn 08/12 (G12-159)
639.7	Brandy Ledge light and bell buoy TQ2	S. of ledge. 45 06 54.5 061 26 56.6	Fl R 4s	Red, marked "TQ2".	Year round. Chart:4233 Edn 08/12 (G12-160)
640	Coddles Harbour light and bell buoy TS6	Off S. extremity of Coddles Island. 45 08 33.8 061 30 48	Fl R 4s	Red, marked "TS6".	Year round. Chart:4233 Edn 08/12 (G12-161)
641 H3502	Coddles Harbour	On Thrumcap Island, entrance to harbour. 45 09 21.3 061 31 01	Fl W 4s	9.8	6	Triangular skeleton tower, red and white rectangular daymark. 6.5	Operates at night only. Seasonal. Chart:4233
642	Shoal Point light and bell buoy TP1	S. of Eastern Head. 45 09 02 061 25 27.8	Fl G 4s	Green, marked "TP1".	Year round. Chart:4233 Edn 08/12 (G12-162)
643	Eastern Head light buoy TP2	NE. of point. 45 10 00.8 061 26 14.4	Fl R 4s	Red spar, marked "TP2".	Year round. Chart:4233 Edn 08/12 (G12-163)
644 H3500	New Harbour Cove	On outer end of breakwater. 45 10 13.5 061 27 01.6	Fl(2) G 6s	8.2	3	Skeleton tower, enclosed lower portion. 3.5	Flash 1s; eclipse 1 s; flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4233 Edn 11/09 (G09-149)
645.6	Larry's River light buoy TK1	Torbay. 45 11 54.1 061 21 07.1	Fl G 4s	Green, marked "TK1".	Seasonal. Chart:4233 Edn 11/09 (G09-145) Edn 12/10 (G10-201)
646 H3484	Berry Head	On E. point of Berry Head, W. side of entrance to bay. 45 11 28.8 061 18 39.9	F W	12.5	12	White rectangular tower, red upper portion. 6.2	Year round. Chart:4233 Edn 07/16 (G16-089)
646.1	Torbay light and bell buoy TH	45 10 48.7 061 16 24.1	Mo(A) W 6s	Red and white vertical stripes, marked "TH".	Year round. Chart:4233 Edn 09/09 (G09-064) Edn 04/10 (G10-023) Edn 10/11 (G11-078)
646.2	Torbay French Rock light buoy TH2	45 11 14.2 061 16 47	Q R 1s	Red spar, marked "TH2".	Seasonal (in place year round). Chart:4233 Edn 02/11 (G10-209)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
646.3	Torbay Ledges light buoy TH3	45 11 37 061 17 21	Q G 1s	Green spar, marked "TH3".	Year round. Chart:4233 Edn 09/09 (G09-066) Edn 10/11 (G11-079)
646.4	Torbay Ledges light buoy TH4	45 11 44.6 061 17 13.7	Fl R 4s	Red spar, marked "TH4".	Seasonal (in place year round). Chart:4233 Edn 02/11 (G10-211)
646.7	Webber Shoal light buoy TH7	45 12 40.3 061 19 28.3	Fl G 4s	Green spar, marked "TH7".	Seasonal (in place year round). Chart:4233 Edn 02/11 (G10-213)
646.8	Larry's River light buoy TH9	45 12 54.6 061 22 02.7	Fl G 4s	Green spar, marked "TH9".	Year round. Chart:4233 Edn 09/09 (G09-062) Edn 10/11 (G11-080)
647.2 H3497	Larry's River Northeast Breakwater	On outer end of breakwater. 45 12 58.1 061 22 06.3	Iso R 4s	3.9	10	Square skeleton tower, two red and white rectangular daymarks, red triangle in centre. 3.3	One daymark facing ESE and one facing WNW. Operates at night only. Year round. Chart:4233 Edn 06/09 (G09-053) Edn 10/11
648.1	Charlos Harbour Fairway light buoy TN	45 14 22.5 061 18 45.5	Mo(A) W 6s	Spar, red and white vertical stripes, marked "TN".	Year round. Chart:4233 Edn 09/09 (G09-059) Edn 10/11 (G11-081)
654 H3478	Hog Island	E. end of island. 45 13 43.6 061 13 11	Fl W 4s	10.6	7	Square skeleton tower, red and white rectangular daymark. 9.9	Visible from 196° through W. and N. to 062°. Operates at night only. Seasonal. Horn - Blast 2 s; sil. 18 s. Chart:4233 Edn 01/12 (G11-336)
655	Flying Point Shoals light and whistle buoy TA4	W. of shoals. 45 11 59.5 061 13 09.4	Fl R 4s	Red, marked "TA4".	Year round. Chart:4233 Edn 10/11 (G11-082)
656	Port Felix light and bell buoy TA7	S. of Hog Island. 45 13 16.2 061 13 11.2	Fl G 4s	Green, marked "TA7".	Year round. Chart:4233 Edn 10/11 (G11-083)
656.6	Whitehaven Harbour light buoy PU15	S. of Kelp Shoal. 45 14 04.3 061 10 41.5	Fl G 4s	Green spar, marked "PU15".	Year round. Chart:4233

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
657 H3476	Three Top Island	SE. point of island, entrance to Whitehaven. 45 12 28.9 061 09 31.9	LFI W 12s	16.9	7	Square skeleton tower, red and white rectangular daymark. 9.6	Flash 2 s; eclipse 10 s. Visible from 150° through W and N. to 033°. Operates at night only. Year round. Chart:4233 Edn 07/10 (G10-099) Edn 02/12 (G12-005) Edn 06/12 (G12-074)
657.5	Gammon Islands light buoy PU5	Southern Passage. 45 12 08 061 08 35.8	Q G 1s	Green spar, marked "PU5".	Year round. Chart:4233
658	Southwest Bull light and bell buoy PU1	SE. of Southwest Bull. 45 11 08.8 061 08 20.9	FI G 4s	Green, marked "PU1".	(Winter spar.) Year round. Chart:4233 Edn 10/11 (G11-084)
659 H3474	White Head Island	SW. side of island. 45 11 49.1 061 08 10.8	FI W 5s	18.2	12	White block, red upper portion. 10.6	Year round. Flash 0.5 s; eclipse 4.5 s. Horn - Blast 3 s; sil. 27 s. Horn points 190°. Chart:4233 Edn. 03/15 (G15-008)
660	Whitehead light and whistle buoy PU	45 09 21.4 061 07 28.4	Mo(A) W 6s	Red and white vertical stripes, marked "PU".	Year round. Chart:4233 Edn 10/11 (G11-076)
661.2	White Point Ledges South Cardinal light and whistle buoy PQ	45 13 28 060 58 46.7	Q(6) W 15s + LFI	Yellow and black, marked "PQ".	Year round. Chart:4233 Edn 06/10 (G10-047) Edn 10/11 (G11-085)
662	Horne Shoal light and bell buoy PQ4	W. side of Horne Shoal. 45 15 27.4 061 01 03.3	FI R 4s	Red, marked "PQ4".	Year round. Chart:4233 Edn 06/10 (G10-043) Edn 10/11 (G11-086)
662.2	Dover Bay light buoy PQ6	45 16 25.9 061 01 03.6	Q R 1s	Red spar, marked "PQ6".	Year round. Chart:4233 Edn 02/11 (G10-245) Edn 03/11 (G10-245) Edn 10/14 (G14-107)
662.5 H3473	Walsh Point Fog Signal	45 16 17.2 061 01 27.0	Triangular skeleton mast.	Seasonal. Horn - Blast 2 s; sil. 18 s. Mariners requiring the operation of the fog signal will have to select VHF channel 65 (156.275Mhz) and key their microphones five (5) times within 10 secs. The signal will be in operation for 30 min. After this delay the same operation must be repeated. Chart:4233 Edn 07/16 (G16-050)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
662.9	Dover Harbour light buoy PQ11	45 16 50.5 061 01 34	Q G 1s	Green spar, marked "PQ11".	Year round. Chart:4233 Edn 02/11 (G10-247)
662.91	Dover Harbour light buoy PQ12	45 16 51.7 061 01 34.9	Fl R 4s	Red spar, marked "PQ12".	Year round. Chart:4233 Edn 03/11 (G10-243)
662.94	Dover Harbour light buoy PQ15	45 17 13.9 061 02 09.1	Fl G 4s	Green spar, marked "PQ15".	Year round. Chart:4233 Edn 11/12 (G12-174)
663 H3472	Little Dover Harbour	On small island. 45 16 41.5 061 01 12.4	Fl W 4s	8.1	7	Triangular skeleton tower, red and white rectangular daymark. 6.6	Operates at night only. Seasonal. Chart:4233
663.2 H3471	Rock Island	45 16 58.1 061 01 42.6	LFl R 6s	5	Cylindrical mast, two red and white triangular daymarks, red triangle in centre.	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4233 Edn 05/11 (G11-057) Edn 11/11 (G11-296) Edn 11/12 (G12-207)
664.03	Little Dover Run light buoy PP7	45 16 08.5 060 59 02	Fl G 4s	Green spar, marked "PP7".	Year round. Chart:4233 Edn 07/11 (G11-182)
664.032	Little Dover Run light buoy PP11	45 16 19.2 061 59 22	Fl G 4s	Green, marked "PP11".	Year round. Chart:4233 Edn 07/11 (G11-203)
664.034	Little Dover Run light buoy PP15	45 16 25.9 060 59 36.6	Fl G 4s	Green spar, marked "PP15".	Year round. Chart:4233 Edn 07/11 (G11-201)
664.035	Little Dover Run light buoy PP22	45 16 39.4 061 00 15.1	Fl R 4s	Red spar, marked "PP22".	Year round. Chart:4233 Edn 07/11 (G11-207)
664.037	Little Dover Run light buoy PP25	45 16 52.4 061 00 44.3	Fl G 4s	Green spar, marked "PP25".	Year round. Chart:4233 Edn 07/11 (G11-196)
664.038	Little Dover Run light buoy PP26	45 17 13.5 061 01 28.1	Fl R 4s	Red spar, marked "PP26".	Year round. Chart:4233 Edn 07/11 (G11-208)
664.039	Little Dover Run light buoy PP29	45 17 22.1 061 01 50.7	Q G 1s	Green spar, marked "PP29".	Year round. Carte:4233 Edn 07/11 (G11-198)
664.1	Little Dover Harbour Fairway light and bell buoy P	E. of Thrumcap Island. 45 16 00 060 57 18.8	Mo(A) W 6s	Red and white vertical stripes, marked "P".	Year round. Chart:4233 Edn 01/12 (G11-334)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
664.5	Banquereau ODAS light buoy 44139	44 14 03.0 057 05 44.4	Fl (5) Y 20s	ODAS yellow light buoy.	Private. Year round. Chart:4045 Edn 03/16 (G16-005)
664.6	Laurentian Fan ODAS light buoy 44141	43 00 00.0 057 59 57.2	Fl (5) Y 20s	ODAS yellow light buoy.	Private. Year round. Chart:4001 Edn 03/16 (G16-006)
664.7	East Scotia Slope ODAS light buoy 44137	42 15 42 061 59 54	Fl (5) Y 20s	ODAS yellow light buoy.	Private. Year round. Chart:4003 Edn 03/16 (G16-007, 021)
664.8	Southwest Grand Banks ODAS light buoy 44138	44 13 00 053 36 00	Fl (5) Y 20s	ODAS yellow light buoy.	Private. Year round. Chart:4006 Edn 03/16 (G16-008)
666.8	Andrew Island East Cardinal light and whistle buoy PK	45 17 36 060 52 58	Q(3) W 10s	Black, yellow and black, marked "PK".	Year round. Chart:4281 Edn 05/11 (G11-088)
667.015	Pink Rock light buoy PK2	45 19 04.3 060 55 35.7	Fl R 4s	Red spar, marked "PK2".	Year round. Chart:4281 Edn 05/11 (G11-077) Edn 09/11 (G11-077) Edn 11/12 (G12-109)
668 H3458	Cranberry Islands Racon -... (B) X Band	S. part of island, off Cape Canso. 45 19 29.6 060 55 38.2	Fl W 15s	16.9	21	White square tower, red upper portion. 14.6	Flash 1 s; eclipse 14 s. Emergency light. Operates at night only. Year round. Horns(2) - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horns point 066° and 141°. Horns sound in unison.
669	Grime Shoal light and whistle buoy CV1	E. of Grime Rock. 45 21 05.3 060 50 44.6	Fl G 4s	Green, marked "CV1".	Year round. Chart:4281 Edn 05/11 (G11-089) Edn 09/11 (G11-089)
669.5	Bass Rock light and bell buoy PJ2	S. of rock. 45 20 38.4 060 52 54.7	Fl R 4s	Red, marked "PJ2".	Year round. Chart:4281 Edn 05/11 (G11-077) Edn 09/11 (G11-077)
669.8	Frying Pan Shoal light and bell buoy PJ3	E. of shoal. 45 19 58.2 060 55 41.1	Fl G 4s	Green, marked "PJ3".	Year round. Chart:4281 Edn 05/11 (G11-090) Edn 09/11 (G11-090)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NOVA SCOTIA, SOUTHEAST COASTS							
670	Man of War Rock light and bell buoy PK7	E. of rock. 45 19 41.3 060 56 56.7	Fl G 4s	Green, marked "PK7".	Year round. Chart:4281 Edn 05/11 (G11-091) Edn 09/11 (G11-091)
670.5	Pas Reef light buoy PJ6	45 20 02.7 060 56 56.5	Fl R 4s	Red spar, marked "PJ6".	Year round. Chart:4281 Edn 10/12 (G12-084)
671	Grassy Island light buoy PJ12	S. of island. 45 19 58.3 060 58 10.7	Q R 1s	Red spar, marked "PJ12".	Year round. Chart:4281 Edn 10/12 (G12-086)
672 H3460	Canso range	S. of Lanigan Beach, near S. entrance to harbour. 45 19 56.2 060 58 46.5	F R	11.9	13 White square tower, red upper portion, red vertical stripe. 10.1	Visible in line of range. Operates at night only. Year round.
673 H3460.1		266°29' 365.75m from front.	F R	28.5	13 White square tower, red upper portion, red vertical stripe. 13.8	Visible in line of range. Operates at night only. Year round. Chart:4281 Edn 01/12 (G11-328, 329)
674 H3462	Canso Harbour range	On N. end of breakwater. 45 20 14.3 060 59 03.8	F G	4.5	7 Square skeleton tower, white daymark, red vertical stripe. 3.0	Operates at night only. Year round.
674.2 H3462.1		164°28' 62m from front.	F G	6.6	7 Square skeleton tower, white daymark, red vertical stripe. 5.1	Operates at night only. Year round. Chart:4281 Edn 11/10 (G10-171) Edn 11/12 (G10-172)
675.1	Canso Harbour Turn light buoy PC14	45 20 19.4 060 59 08.5	Q R 1s	Red spar, marked "PC14".	Year round. Chart:4281 Edn 11/12 (G12-111) Edn 03/13
677 H3464.5	Starling Rock	On crib. 45 20 23.6 060 59 04.6	Q G 1s	6.3	4	White cylindrical tower, green horizontal band, 3 green and white square daymarks facing S., W., and N., black square in center. 3.6	Operates at night only. Year round. Chart:4281 Edn 06/12 (G12-105) Edn 07/12 (G12-105)
678 H3464	Piscatiqui Island	W. shore of island. 45 20 33.6 060 59 09.1	Fl W 5s	5.1	6	Square skeleton tower. 2 red and white rectangular daymarks, facing 220° (T) & 310° (T) 3	Flash 2 s; eclipse 3 s. Year round. Chart:4281 Edn 02/15 (G14-219)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST COASTS

679 H3465	Hart Island range	45 20 37.6 060 59 25.3	F R	4.1	17	Square skeleton tower, white trapezoidal daymark, red vertical stripe. 3.5	Increased intensity in line of range. Operates at night only. Year round.
679.1 H3465.1		169°45' 116.7m from front.	F R	9.3	17	Square skeleton tower, white trapezoidal daymark, red vertical stripe. 8.2	Visible in line of range. Operates at night only. Year round.
							Chart:4281 Edn 12/10 (G10-181) Edn 12/11 (G11-320, 321)
679.5 H3468	Harbour Shoal	On crib. 45 20 20.4 060 59 38.6	Fl G 4s	6.4	6	White cylindrical tower, green horizontal band, 3 green and white square daymarks facing E., W., and N., black square in center. 3.6	Operates at night only. Year round.
							Chart:4281 Edn 10/11 (G11-278) Edn 06/12 (G12-104) Edn 07/12 (G12-104) Edn 05/13 (G13-011)
680.2	Hart Island light buoy PC6	NW. of island. 45 20 45.7 060 59 28.2	Q R 1s	Red spar, marked "PC6".	Year round.
							Chart:4281 Edn 10/12 (G12-113)
680.5	Piscataqui Island light buoy PC5	NW. of island. 45 20 53.8 060 59 27.8	Fl G 4s	Green spar, marked "PC5".	Year round.
							Chart:4281 Edn 07/12 (G12-114)
681	Bald Rock light and bell buoy PC2	N. entrance to Canso Harbour. 45 21 10.8 060 59 36.2	Fl R 4s	Red, marked "PC2".	Year round.
							Chart:4281 Edn 05/11 (G11-092) Edn 09/11 (G11-092)
682	Canso Harbour light and whistle buoy PC	N. entrance to harbour. 45 21 43 060 59 41.5	Mo(A) W 6s	Red and white vertical stripes, marked "PC".	Year round.
							Chart:4281 Edn 03/11 (G11-024) Edn 05/11 (G11-098)
683 H3456	Queensport	On Rock Island, Chedabucto Bay. 45 20 52.6 061 16 18.9	Fl W 4s	16.5	7	White block, red upper portion.	Year round.
							Chart:4307
683.1	Guysborough Harbour light buoy CQ2	45 22 29.1 061 29 06.6	Fl R 4s	Red, marked "CQ2".	Seasonal.
							Chart:4335 Edn 08/14 (G14-064)
684.02	Guysborough Harbour light buoy CQ5	45 22 55.3 061 29 20.3	Fl G 4s	Green, marked "CQ5".	Seasonal.
							Chart:4335