

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
5 H4164	Little River (U.S.)	At mouth of river. 44 39 00 067 11 30	Fl W 6s	17.1	13	Skeleton tower, white and red diamond daymark.  12.5	Flash every 6s. Year round.  <b>Horn – Blast 1s; sil. 9s.</b>  <b>Chart:4011</b>
5.6	North Shoal light and bell buoy X2	N. of shoal. 44 32 05.6 067 06 41.1	Fl R 4s	.....	.....	Red, marked "X2".	Year round.  <b>Chart:4340 Edn 06/14 (F14-008P)</b>
5.8	North Rock Light	N. of Machias Seal Island. 44 32 15.8 067 05 13.8	Fl R 6s	14.1	.....	White cylindrical tower with two horizontal red bands.	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:4340 Edn 02/19 (F18-046)</b>
6 H4192	<b>Machias Seal Island</b>	On summit of island. 44 30 06.6 067 06 04.1	Fl W 3s	25.0	17	White octagonal tower, red upper portion.  18.3	Flash every 3 s. Year round.  <b>Chart:4340 Edn 10/14 (F14-030)</b>
7	Bull Rock light and whistle buoy XA1	E. side of rock. 44 30 14.8 066 56 18.2	Fl G 4s	.....	.....	Green, marked "XA1".	Year round.  <b>Chart:4340</b>
7.5	Wallace Ledge light and bell buoy XA2	44 32 09.6 066 52 57.1	Fl R 4s	.....	.....	Red, marked "XA2".	Year round.  <b>Chart:4340</b>
7.7	Buck Rock light and bell buoy XA3	44 36 10 066 52 19.9	Fl G 4s	.....	.....	Green, marked "XA3".	Year round.  <b>Chart:4124</b>
8 H4188	Gannet Rock <b>Racon - -, (G) X &amp; S Bands</b>	S. of Grand Manan. 44 30 37.1 066 46 52.9	.....	.....	.....	White octagonal tower, black vertical stripes, red top.  22.9	Year round.  <b>Chart:4340 Edn 09/14 (F14-026) Edn 06/17 (F17-008)</b>
8.1	Gannet Rock North Light	44 30 38.0 066 46 53.6	Oc W 3s	12.9	11	Pipe swing pole. 12.9	Flash 2 s; eclipse 1 s. Visible from 193° through E., S. and W. to 348°. Year round.  <b>Chart:4340 Edn 09/17 (F17-010, 028)</b>
8.2	Gannet Rock South Light	44 30 37.2 066 46 53.7	Oc W 3s	13.6	11	Pipe swing pole. 13.6	Flash 2 s; eclipse 1 s. Visible from 193° through W., N. and E. to 164°. Year round.  <b>Chart:4340 Edn 09/17 (F17-011, 029)</b>
9	Old Proprietor light and whistle buoy X1	44 32 44.6 066 38 57.1	Fl G 4s	.....	.....	Green, marked "X1".	Year round.  <b>Chart:4340</b>
9.5	Old Proprietor Shoal East Cardinal light and bell buoy XK	44 33 45.6 066 39 39.1	Q(3) W 10s	.....	.....	Black, yellow and black, marked "XK".	Year round.  <b>Chart:4340</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
10	<i>Tinker Shoal light and bell buoy XK3</i>	<i>N. of shoal. 44 35 49.6 066 42 38.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "XK3".</i>	<i>Year round.</i>  <b>Chart:4340</b>
10.4	<i>Long Ledge light and bell buoy XK4</i>	<i>SW. of White Head. 44 36 56.2 066 44 29.2</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "XK4".</i>	<i>Year round.</i>  <b>Chart:4340 Edn 12/18 (F18-041)</b>
<b>Grand Manan Island</b>							
11 <i>H4186</i>	<b>Southwest Head</b>	On edge of cliff S. extremity of head. 44 36 02.9 066 54 19.8	Fl W 10s	47.5	16	White rectangular tower, red upper portion. 9.9	Operates at night only. Year round.  <b>Chart:4124 Edn 10/14 (F14-031)</b>
15 <i>H4181.5</i>	White Horse Islet	44 36 09.7 066 48 25.6	LFl G 12 s	13.4	4	Square skeleton tower, red and white rectangular daymark, green square in centre. 6.6	Flash 2 s; eclipse 10 s. Radar reflector. Year round.  <b>Chart:4124 Edn 05/11 (F11-128)</b>
16	<i>Constable Ledge light and bell buoy XJ2</i>	<i>NW. of ledge. 44 35 47.3 066 46 59.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "XJ2".</i>	<i>Year round.</i>  <b>Chart:4340 Edn 12/18 (F18-042)</b>
16.8 <i>H4184</i>	Seal Cove Outer Breakwater	On outer end of breakwater. 44 38 51.6 066 50 19.5	Fl G 6s	5.0	4	Cylindrical mast, green, white and black square daymark. 3.7	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4124 Edn 06/09 (F09-009) Edn 05/11 (F11-106)</b>
17.5	<i>Red Head light buoy XA7</i>	<i>44 38 30.8 066 49 01.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "XA7".</i>	<i>Year round.</i>  <b>Chart:4124</b>
18.2	<i>Joe's Point light buoy XA8</i>	<i>44 38 24.2 066 48 47.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "XA8".</i>	<i>Year round.</i>  <b>Chart:4124</b>
19	<i>Ox Head Ledges light buoy XK7</i>	<i>44 38 18.2 066 45 53.5</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "XK7."</i>	<i>Year round.</i>  <b>Chart:4342</b>
19.3	<i>Grand Harbour Middle light buoy XK11</i>	<i>44 39 27.8 066 45 10.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "XK11".</i>	<i>Year round.</i>  <b>Chart:4342</b>
20	<i>Sand Bar Ledge light buoy XN2</i>	<i>Off N. end of ledge. 44 37 59.5 066 44 32.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "XN2".</i>	<i>Year round.</i>  <b>Chart:4342 Edn 05/12 (F12-009) Edn 07/14 (F14-009)</b>
21	<i>White Head Ledge light buoy XM3</i>	<i>W. of White Head. 44 37 44.6 066 43 59.1</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "XM3".</i>	<i>Year round.</i>  <b>Chart:4340</b>
22 <i>H4180</i>	Ingalls Head Breakwater	On outer end of breakwater. 44 39 41.9 066 45 16.6	Q G 1s	5.3	7	Cylindrical mast, green, white and green square daymark. 4	Operates at night only. Year round.  <b>Chart:4342 Edn 06/09 (F09-010) Edn 04/11 (F11-042)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
22.5 H4176	Sam's Islet	44 38 51 066 44 43.8	Fl W 4s	.....	2	Cylindrical mast. 4.2	Year round.  <b>Chart:4342</b>
23 H4172	Half Tide Rock (Cheney Passage)	On rock, in middle of passage. 44 39 19.4 066 43 42.1	Fl G 5s	3.9	4	Square skeleton tower, two black and white rectangular daymarks on both sides facing traffic. 3.5	Flash 1 s; eclipse 4 s. Year round.  <b>Horn</b> - Blast 1 s; sil. 14 s. Mariners requiring the operation of the fog signal will have to select VHF channel 65 and key their microphones five (5) times within 10 seconds. The fog signal will be in operation for 15 minutes. The fog signal can be activated within a 1 NM distance. The fog signal can be activated for another 15 minutes by repeating the above procedure.  <b>Chart:4342</b> <b>Edn 03/17 (F16-061)</b>
24 H4178.3	Whitehead Harbour	44 37 49.4 066 43 39.4	Fl R 4s	4.7	4	Skeleton tower on 3-pile dolphin. 2.5	Operates at night only. Year round.  <b>Chart:4340</b>
25 H4178	Long Point	Near S. extremity of Whitehead Island. 44 36 49.2 066 42 34.7	Iso W 12s	15.6	12	White rectangular tower, red upper portion. 11.4	Year round.  <b>Horn</b> - Blast 2 s; sil. 18 s. Horn points 180°.  <b>Chart:4340</b>
26	<i>Brazil Shoal light and bell buoy XKA</i>	44 35 06.6 066 40 45.1	Mo(A) W 6s	.....	.....	<i>Red and white vertical stripes, marked "XKA".</i>	<i>Year round.</i>  <b>Chart:4340</b>
28	<i>Prangle Point light and bell buoy XP3</i>	<i>E. of the point.</i> 44 38 31.6 066 40 40.1	Fl G 4s	.....	.....	<i>Green, marked "XP3".</i>	<i>Year round.</i>  <b>Chart:4340</b>
28.6	<i>Great Duck Ledge light and whistle buoy XP4</i>	44 39 24.6 066 40 43.1	Fl R 4s	.....	.....	<i>Red, marked "XP4".</i>	<i>Year round.</i>  <b>Chart:4340</b>
29 H4174	<b>Great Duck Island</b>	S. end of island. 44 41 03.5 066 41 36.4	Fl W 10s	16.5	18	Square skeleton tower. Red with vertical white stripes rectangular day marks on the four sides. 9.1	Flash 1 s; eclipse 9 s. Operates at night only. Year round.  <b>Horn</b> - Blast 4 s; sil. 56 s. Horn points 120°  <b>Chart:4340</b> <b>Edn 01/16 (F15-032)</b>
30 H4171	Gull Islet	On Gull Islet Ledge. 44 41 11.6 066 43 41.7	Fl G 6s	3.4	4	Green square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4340</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
30.5 H4170.4	Farmer Ledge	44 43 23.7 066 43 34.5	Fl G 4s	4.1	4	Square skeleton tower, green and white rectangular daymark. 4.1	Flash 1 s; eclipse 3 s. Daymarks are facing 140° (T) and 320° (T). Operates at night only. Year round.  <b>Chart:4342 Edn 02/13 (F12-058)</b>
30.8 H4170	North Head	On Fisherman's Wharf. 44 45 45 066 45 04.2	Fl R 6s	4.4	4	Cylindrical mast. 3.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4342</b>
32	Net Rock Ledges light and bell buoy XV6	S. of Net Rocks. 44 45 18.3 066 44 23.9	Fl R 4s	.....	.....	Red, marked "XV6".	Year round.  <b>Chart:4342</b>
33 H4168	Swallowtail	Near edge of high cliff, NE. part of island. 44 45 51.1 066 43 57.5	Oc W 6s	37.1	12	White octagonal tower, red upper portion. 16.2	Flash 4 s; eclipse 2 s. Year round.  <b>Horn</b> - Blast 2 s; sil. 18 s. Horn points 100°.  <b>Chart:4342</b>
33.5 H4175	Edmunds Rock	E. of Ross Island. 44 40 24.8 066 43 11.4	Fl G 4s	3.0	4	Green cylindrical mast. 6.6	Operates at night only. Year round.  <b>Chart:4340</b>
34 H4166	Long Eddy Point	N. end of island. 44 47 57.4 066 47 06.8	Fl R 8s	38.3	14	White rectangular tower, red upper portion. 9.3	Flash every 8 s. Operates at night only. Year round.  <b>Horn</b> - Blast 4 s; sil. 56 s. Horn points 335°.  <b>Chart:4340</b>
36 H4110	Southwest Wolf Island	On SE. point of island. 44 56 11.8 066 43 59.5	Fl W 10s	38.1	7	White cylindrical tower. 11.4	Flash 1 s; eclipse 9 s. Operates at night only. Year round.  <b>Chart:4340</b>
38 H4162	<b>West Quoddy Head (U.S.)</b>	On E. end of head. 44 48 54.4 066 57 01.4	Fl(2) W 15s	25.3	18	Tower, red and white horizontal bands. 14.9	Distance Finding Station. Year round.  <b>Horn</b> - Blast 2 s; sil. 2 s; blast 2 s; sil. 24 s.  <b>Chart:4114</b>
39 H4157.4	Malloch Beach Wharf	On outer end of wharf. 44 54 58.7 066 56 27.9	Fl R 6s	6.1	3	Cylindrical mast, red and white triangular daymark. 6.1	Flash 2 s; eclipse 4 s. Operates at night only. Year round.  <b>Chart:4114 Edn 09/11 (F11-167)</b>
41 H4152	<b>Cherry Island</b>	On SE. point of island. 44 55 07.2 066 58 00	Fl W 5s	9.8	17	Cylindrical tower, red and white horizontal bands. 7.5	Flash 0.5 s; eclipse 4.5 s. Operates at night only. Year round.  <b>Horn</b> - Blast 2 s; sil. 18 s.  <b>Chart:4114</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
43 H4156	Wilson's Beach Wharf	44 55 54.6 066 56 26.2	Fl G 6s	.....	4	Cylindrical tower, green, white and black square daymark.  3.0	Flash 2 s; eclipse 4 s. Operates at night only. Year round.  <b>Chart:4114</b> <b>Edn 11/10 (F10-045)</b>
43.5	Green Island Shoal light buoy UH2	44 56 48 066 56 11.5	Fl R 4s	.....	.....	Red, marked "UH2".	Year round.  <b>Chart:4114</b>
44 H4154	Head Harbour	On the outermost rock of East Quoddy Head. 44 57 28.6 066 54 00.2	F R	.....	17.6	13 Octagonal tower, red and white horizontal bands. 15.1	Year round. <b>Horn</b> - Blast 4 s; sil. 56 s. Horn points 116°.  <b>Chart:4114</b>
44.5 H4155	Head Harbour Inner	44 56 55.2 066 54 46.9	LFI W 6s	12.3	.....	Pipe swing pole, white retro-reflective bands at top.	Flash 2 s; eclipse 4 s. Year round.  <b>Chart:4114</b> <b>Edn 11/10 (F10-057)</b> <b>Edn 08/17 (F17-018)</b> <b>Edn 12/17</b>
45	Leonardville Harbour Entrance light buoy UT2	Leonardville Harbour entrance. 44 58 06 066 57 10	Fl R 4s	.....	.....	Red spar, marked "UT2".	Year round.  <b>Chart:4114</b>
46 H4146	Leonardville	On cliff, at entrance to harbour. 44 58 05.6 066 57 18.4	F W	.....	20.0	10 White square tower, red upper portion. 8.5	Operates at night only. Year round.  <b>Chart:4114</b>
47 H4146.4	Leonardville Wharf	Near outer end of wharf. 44 58 17.3 066 57 09.4	F R	.....	7.8	7 Cylindrical mast. 6.8	Operates at night only. Year round.  <b>Chart:4114</b> <b>Edn 06/09 (F09-016)</b> <b>Edn 04/11 (F11-050)</b>
48 H4148	Fairhaven	On outer end of wharf. 44 57 49.8 067 00 29.5	LFI R 6	4.2	7	Pipe swing pole. 3.7	Flash 2s; Eclipse 4s. Operates at night only. Year round.  <b>Chart:4114</b> <b>Edn 04/11 (F11-040)</b> <b>Edn 08/14 (F14-024)</b>
49 H4147	Deer Point	On extremity of point. 44 55 31.4 066 59 05.4	LFI R 12s	9.6	7	White cylindrical tower. 6.1	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  <b>Chart:4114</b>
49.2 H4150	Dog Island (U.S.)	NE. side of island. 44 55 06.5 066 59 21.1	Fl(5) W 6s	11.0	10	Skeleton tower, green diamond daymark.	Year round. <b>Horn</b> - Blast 3 s; sil. 27 s.  <b>Chart:4114</b> <b>Edn 11/17</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
51 H4145	Pompey Ledge	On ledge, off E. side of Deer Island. 44 58 46.6 066 56 42.8	Fl W 4s	3.4	3	Green cylindrical mast. 6.6	Operates at night only. Year round. Radar reflector.  <b>Chart:4114 Edn 04/16(F16-007)</b>
51.1 H4144	Richardsonville	44 59 36.4 066 56 40.6	Iso G 4s	.....	.....	Cylindrical mast, green, white and black square daymark. 6.5	Shoal light. Year round. Radar reflector.  <b>Chart:4124 Edn 08/10 (F10-020) Edn 03/16 (F16-009)</b>
51.5	Hospital Island Ledge light buoy UP2	44 58 53 066 54 57.3	Fl R 4s	.....	.....	Red, marked "UP2".	Year round.  <b>Chart:4114</b>
52.25	Richardson Wharf light buoy UP7	44 59 43 066 56 35	Fl G 4s	.....	.....	Green spar, marked "UP7".	Year round.  <b>Chart:4124</b>
52.55	North Rock light buoy SA	44 59 56 066 52 44	Fl(2) W 5s	.....	.....	Black, red horizontal band, marked "SA".	Year round.  <b>Chart:4124</b>
53.5 H4142	Lords Cove	45 00 11.7 066 56 47.0	Fl G 4s	1.2	4	Green cylindrical mast, green, white and black square daymark.	Year round.  <b>Chart:4124 Edn 07/10 (F10-019) Edn 08/17 (F17-023)</b>
54 H4141	Bag Ledge light	44 59 59.5 066 56 26	Fl Y 4s	2.7	2	Gray cylindrical mast. Spindle with yellow tape. 7	Operates at night only. Year round. Radar reflector.  <b>Chart:4124 Edn 04/11 (F11-079) Edn 03/16 (F16-008)</b>
55	Simpson Head light buoy SH10	45 00 06.8 066 56 22	Fl R 4s	.....	.....	Red spar, marked "SH10".	Year round.  <b>Chart:4124</b>
56 H4140	Stuart Town Breakwater	45 01 11.8 066 56 06.5	Fl W 4s	5.6	6	Square skeleton tower, red rectangular daymark with white band.	Flash 1s; eclipse 3s. Year round.  <b>Chart:4124 Edn 06/16 (F16-015) Edn 08/16 (F16-043)</b>
57.2 H4139	Two Hour Rock	In Irish Channel. 45 01 44.1 066 56 06	Fl R 4s	2.5	4	Red square skeleton tower, red, white and red triangle daymark.	Radar reflector. Operates at night only. Year round.  <b>Chart:4124 Edn 11/10 (F10-060)</b>
57.25	Jameson Island West Light	W. end of Jameson. 45 01 56 066 55 57.9	Fl G 4s	1.7	4	Green cylindrical mast. 6.7	Operates at night only. Year round.  <b>Chart:4124 Edn 09/11 (F11-081)</b>
57.3 H4138.6	Little Letete Passage	N. end of Jameson Island Jameson. 45 02 08.2 066 55 33.5	Fl G 4s	3.5	4	Green square skeleton tower. 6.3	Radar reflector. Operates at night only. Year round.  <b>Chart:4124</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
<b>St. Croix River</b>							
57.8	Joe's Point light and bell buoy S10	45 04 40.3 067 05 32.5	Fl R 4s	.....	.....	Red, marked "S10".	Year round.  Chart:4115
57.9	Lower Bayside light buoy S12	45 07 25.2 067 07 08.9	Fl R 4s	.....	.....	Red, marked "S12".	Year round.  Chart:4115
58 H4134	St. Croix Island (U.S.)	On island. 45 07 44 067 08 04	Fl W 2.5s	30.8	7	White skeleton tower surmounted by platform.	Flash 0.5 s; eclipse 2 s. Year round.  Chart:4331
58.5	Sand Point light buoy S14	45 08 29.1 067 08 18.3	Fl R 4s	.....	.....	Red, marked "S14".	Year round.  Chart:4115
58.6	Oak Point light buoy S16	45 09 51 067 09 38	Fl R 4s	.....	.....	Red spar, marked "S16".	Seasonal (in place year round).  Chart:4115 Edn 05/11 (F11-110)
58.7	Spruce Point light buoy S18	45 10 00 067 11 30	Fl R 4s	.....	.....	Red spar, marked "S18".	Seasonal (in place year round).  Chart:4115 Edn 05/11 (F11-112)
61 H4138	Whitlocks Mill (U.S.)	On S. bank of river at The Narrows. 45 09 45 067 13 39	Iso G 6s	9.8	5	White conical tower.	Maintained during navigation season. Year round.  Chart:4331
<b>Passamaquoddy Bay</b>							
62 H4130	St. Andrews West Channel	N. side of channel. 45 04 15.2 067 04 03.8	Fl G 4s	3.1	4	Green cylindrical mast. 7.5	Operates at night only. Year round.  Chart:4115
62.5 H4133	St. Andrews Biological Station, wharf	45 04 58.1 067 05 06.5	Fl Y 4s	.....	2	.....	Privately maintained. Year round.  Chart:4115
63	Niger Reef light buoy SY4	N. of reef. 45 04 13.8 067 04 24	Fl R 4s	.....	.....	Red spar, marked "SY4".	Year round.  Chart:4115
64 H4127	St. Andrews (North Point)	45 04 02.6 067 02 50.3	Fl R 4s	7.0	4	Red square skeleton tower. 12.0	Operates at night only. Year round.  Chart:4115
66	Navy Bar light and bell buoy SX3	NE. of S. point of Navy Island. 45 03 30.3 067 01 42	Fl G 4s	.....	.....	Green, marked "SX3".	Year round.  Chart:4115

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
67 H4126	Tongue Shoal	On reef at E. entrance. 45 03 44.8 067 00 46.2	Fl W 4s	.....	7	Red square skeleton tower, three red, white and red daymarks.	Daymarks are facing 273° (T), 093° (T) and 183° (T). Operates at night only. Year round.  <b>Chart:4115 Edn 09/11 Edn 10/11</b>
68	Macs Island light and bell buoy S9	North of island. 45 03 23.3 066 55 47.9	Fl G 4s	.....	.....	Green, marked "S9".	Year round.  <b>Chart:4124</b>
70	Letete light buoy SQ	45 02 53 066 54 07.1	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "SQ".	Year round.  <b>Chart:4124</b>
70.15	Letete Outer light buoy SQ2	45 02 48.3 066 54 00.4	Fl R 4s	.....	.....	Red, marked "SQ2".	Year round.  <b>Chart:4124</b>
70.25	Letete Inner light buoy SQ3	45 03 00 066 53 57.4	Fl G 4s	.....	.....	Green spar, marked "SQ3".	Year round.  <b>Chart:4124</b>
70.5	Mohawk Ledge North Cardinal light buoy SAA	45 02 31.7 066 54 08	Q W 1s	.....	.....	Black and yellow, marked "SAA".	Year round.  <b>Chart:4124</b>
70.6	Mohawk Island East light buoy S5	45 02 18.3 066 53 55.9	Fl G 4s	.....	.....	Green, marked "S5".	Year round.  <b>Chart:4124</b>
71 H4120	Letete Passage Fog signal	On W. extremity of Greens Point. 45 02 19.6 066 53 30.6	.....	.....	.....	.....	<b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 180°. Year round.  <b>Chart:4124</b>
72 H4119	Back Bay	On outer end of breakwater. 45 03 14.2 066 51 40.3	Fl G 4s	4.3	4	Skeleton tower. 4.1	Operates at night only. Year round.  <b>Chart:4124</b>
72.1	Leavitts light buoy SE8	E. entrance to Letete Passage. 45 03 18.3 066 51 43.9	Fl R 4s	.....	.....	Red spar, marked "SE8".	Year round.  <b>Chart:4124</b>
72.5	Cailliff Rock light buoy SE2	45 01 52.8 066 52 21.9	Fl R 4s	.....	.....	Red, marked "SE2".	Year round.  <b>Chart:4124</b>
73 H4120.4	Morgan Ledge	SW. of Greens Point. 45 02 14 066 53 36.3	Fl R 6s	5.0	7	Red square skeleton tower, red and white rectangular daymarks, red triangle in centre. 6.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4124 Edn 05/11 (F11-107)</b>
73.25	Parker Island light buoy SJ1	45 02 10.7 066 54 54.4	Fl G 4s	....	.....	Green, marked "SJ1".	Year round.  <b>Chart:4124</b>
73.5	Parker Island light buoy SJA	45 02 09.9 066 55 07.3	Fl(2) W 10s	....	.....	Black, red and black spar, marked "SJA".	Year round.  <b>Chart:4124</b>



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
73.75	Jameson Island light buoy SJB	45 02 10 066 55 18.5	Fl(2) W 10s	.....	.....	Black, red and black spar, marked "SJB".	Year round.  Chart:4124
74.2	Macks Ledge light buoy SJ2	45 02 11.8 066 55 24.2	Fl R 4s	.....	.....	Red, marked "SJ2".	Year round.  Chart:4124
74.35 H4120.5	Pomeroy Ledge	45 02 17.8 066 54 41.8	Fl R 4s	4.9	4	Red cylindrical skeleton tower. 4.9	Radar reflector. Operates at night only. Year round.  Chart:4124
75	Adam Island light and bell buoy S3	Off N. end of island. 45 01 14.3 066 53 51.9	Fl G 4s	.....	.....	Green, marked "S3".	Year round.  Chart:4124
75.32	Little Letete Passage light buoy SQ4	45 02 57.8 066 53 53.2	Fl R 4s	.....	.....	Red spar, marked "SQ4".	Year round.  Chart:4124
75.43	New Ireland Ledge light buoy SJ4	45 02 03.2 066 56 00.7	Fl R 4s	.....	.....	Red, marked "SJ4".	Year round.  Chart:4124 Edn 02/10 (F09-075)
77 H4118	Bliss Island	On S.W. point of island, S. of W. entrance to Bliss Harbour. 45 01 06.2 066 51 01.2	Fl R 4s	12.5	7	Square skeleton tower. Red and white rectangular day marks. 7.6	Operates at night only. Year round. Facing 310°T, 220°T and 130°T.  Chart:4124 Edn 01/16 (F15-034)
77.5	Bliss Island Fairway light and bell buoy S	45 00 24.6 066 51 15.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "S".	Year round.  Chart:4124
78	Eastern Chops light and bell buoy KA2	SW. of Pea Point. 45 02 11.3 066 48 38.9	Fl R 4s	.....	.....	Red, marked "KA2".	Year round.  Chart:4124
79 H4115	Roaring Bull	On W. side of ledge. 45 02 22.6 066 48 46.2	Fl R 4s	4.5	3	Red cylindrical mast. 5.7	Operates at night only. Year round.  Chart:4124 Edn 04/11 (F11-078)
79.8 H4122	Letete Harbour	On ledge. 45 03 06.6 066 53 47.6	Fl G 4s	2.2	4	Green cylindrical skeleton mast. 7.2	Operates at night only. Year round.  Chart:4124
80 H4123	Matthews Ledge	45 03 03.7 066 53 47.7	LFl R 6s	4.5	4	Skeleton tower, two red and white rectangular daymarks. 9.4	Flash 2 s; eclipse 4 s. Operates at night only. Year round.  Chart:4124 Edn 08/11 (F11-148)

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>									
81 H4114	Pea Point	E. side of entrance to Letang Harbour. 45 02 20.4 066 48 28.2	F	W	.....	17.2	12	White rectangular tower, red upper portion. 10.6	Visible from 251° through N. and E. to 161°. Year round.  <b>Horn</b> - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 180°.  <b>Chart:4124</b>
81.1 H4116	Blacks Harbour Entrance	On NW. corner of wharf. 45 02 52.3 066 48 28.6	F	R	.....	7.2	7	Triangular skeleton tower. 6.3	Operates at night only. Year round.  <b>Chart:4124</b>
81.12 H4116.4	Blacks Harbour Wharf	On NW. corner of wharf. 45 03 18.8 066 47 41	Fl	R	6s	7.1	4	Cylindrical mast. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4124</b> <b>Edn 08/11 (F11-140)</b>
81.2	<i>Blacks Harbour light and bell buoy KA</i>	<i>SW. of Pea Point. 45 01 09.3 066 48 28.9</i>	<i>Mo(A)</i>	<i>W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "KA".</i>	<i>Year round.</i>  <b>Chart:4124</b>
82	<i>Beaver Harbour light and bell buoy KEA</i>	<i>S. of East Head. 45 03 12.3 066 43 30.9</i>	<i>Mo(A)</i>	<i>W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "KEA".</i>	<i>Year round.</i>  <b>Chart:4116</b>
83 H4112	Lighthouse Point	On S. side of Beaver Harbour. 45 03 46.7 066 43 59	Iso	W	6s	14.2	12	White cylindrical tower, red upper portion. 8.6	Year round.  <b>Horn</b> - Blast 6 s; sil. 54 s. Horn points 159°.  <b>Chart:4116</b> <b>Edn 01/12 (F11-192)</b>
84 H4113	Beaver Harbour	On outer end of breakwater. 45 04 07.9 066 44 14.5	Fl	G	4s	.....	4	Cylindrical mast, green, white and black square daymark. 3.5	Operates at night only. Year round.  <b>Chart:4116</b> <b>Edn 12/10 (F10-026)</b>
86	<i>Seely Head light and bell buoy K1</i>	<i>S. of head. 45 04 08.3 066 38 30.9</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K1".</i>	<i>Year round.</i>  <b>Chart:4116</b>
87	<i>Maces Bay light and bell buoy KJ1</i>	<i>S. of Barnaby Head. 45 06 42.3 066 31 21.9</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "KJ1".</i>	<i>Year round.</i>  <b>Chart:4116</b>
88	<i>Lepreau Ledges light and bell buoy K3</i>	<i>S. end of ledges. 45 04 37.3 066 29 57.9</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K3".</i>	<i>Year round.</i>  <b>Chart:4116</b>
90 H4108	Point Lepreau	On point. 45 03 31.7 066 27 31.3	Fl	W	5s	25.5	14	Octagonal tower, red and white horizontal bands. 17.6	Flash 1 s; eclipse 4 s. Year round.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 190°.  <b>Chart:4116</b>

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
91	Dipper Harbour light and bell buoy KN	S. of Fishing Point. 45 05 00.3 066 24 09.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KN".	Year round.  <b>Chart:4116</b>
92 H4104	Dipper Harbour Breakwater	Point Lepreau. 45 05 40.5 066 24 56.7	Fl G 4s	10.5	4	Pipe Swing Pole, 2 green, white and black square daymarks. 6.1	Daymarks have a bearing of 140° and 320°. Operates at night only. Year round.  <b>Chart:4116 Edn 07/13 (F13-012)</b>
93 H4100	Chance Harbour	On Reef Point, W. side of harbour entrance. 45 07 06.8 066 20 51.5	Fl W 12s	12.4	7	Cylindrical tower, red and white horizontal bands. 7.4	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  <b>Chart:4116</b>
93.5	Chance Harbour Breakwater Light	45 07 17.9 066 21 02.7	Fl R 4s	.....	.....	Pipe swing pole, red retro- reflective bands at top.	Operates 24 h. Year round.  <b>Chart:4116 Edn 12/17 (F17-032)</b>
94	Chance Harbour light and bell buoy KS	Off harbour. 45 06 52.8 066 19 52.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KS".	Year round.  <b>Chart:4116</b>
96	Western Head light and bell buoy KT1	Off Musquash Harbour entrance. 45 08 34.3 066 14 51.9	Fl G 4s	.....	.....	Green, marked "KT1".	Year round.  <b>Chart:4116</b>
97 H4096	<b>Musquash Head</b>	At Musquash Head, E. side of entrance. 45 08 37.1 066 14 14.2	Fl W 3s	35.1	20	White hexagonal tower, red horizontal band. 13.9	Flash 1 s; eclipse 2 s. Year round.  <b>Horn - Blast 4 s; sil. 56 s. Horn points 180°.</b>  <b>Chart:4116</b>
97.5 H4098	Five Fathom Hole	SE. corner of wharf. 45 11 11.3 066 15 26.0	Fl R 3s	7.6	5	Cylindrical mast. 6.6	Flash 1 s; eclipse 2 s. Year round.  <b>Chart:4116 Edn 06/09 (F09-017) Edn 05/18 (F18-013)</b>
98	Negro Head light and bell buoy JA1	Off head. 45 11 12.8 066 08 18	Fl G 4s	.....	.....	Green, marked "JA1".	Year round.  <b>Chart:4117</b>
98.8	Saint John NB Harbour Smart Buoy	45 11 49.1 066 06 50.2	Fl(5) Y 20s	.....	.....	ODAS, yellow.	Privately maintained. Operates 24 h. Year round.  <b>Chart:4117 Edn 05/15 (F15-010) Edn 07/16 (F16-019) Edn 05/17 (F17-012)</b>
99 H4092	Lorneville	On outer portion of breakwater. 45 11 35.3 066 08 53.3	Fl W 4s	7.0	6	Cylindrical mast. 6.6	Operates at night only. Year round.  <b>Chart:4117</b>

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
<b>Saint John Harbour</b>							
100 H4082	<b>Partridge Island</b>	Highest point of island. 45 14 21 066 03 13.8	Fl W	7.5s	35.3	<b>19</b> Hexagonal tower, red and white vertical stripes. 13.6	Flash every 7.5 s. Year round.  <b>Chart:4117</b>
100.2	Lower Cove Cautionary light buoy JD	45 15 43.4 066 03 26.6	Fl Y	4s	.....	..... Yellow, marked "JD".	Year round.  <b>Chart:4117</b>
100.5 H4089	<b>Saint John Harbour range</b>	45 16 22.3 066 04 07.6	F G	.....	20.3	<b>20</b> Triangular skeleton tower, red trapezoidal daymark, black vertical stripe. 18.5	Year round.
100.6 H4089.1		333°40' 431.3m from front.	F G	.....	33.2	<b>20</b> Triangular skeleton tower, red daymark, black vertical stripe. 10.5	Year round.  <b>Chart:4117 Edn 07/11 (F11-142) Edn 08/11 (F11-141)</b>
101	Partridge Island light and bell buoy J1	W. side of outer entrance to dredged channel. 45 14 12.1 066 02 40.5	Q G	1s	.....	..... Green, marked "J1".	Year round.  <b>Chart:4117</b>
101.3	Partridge Island light buoy J3	W. side of dredged channel. 45 14 24.1 066 02 48.9	Fl G	4s	.....	..... Green, marked "J3".	Year round.  <b>Chart:4117</b>
101.4	Partridge Island light buoy J7	W. side of dredged channel. 45 14 34.7 066 02 56.3	Fl G	4s	.....	..... Green, marked "J7".	Year round.  <b>Chart:4117</b>
102	Partridge Island Bar light buoy J9	On W. side of dredged channel. 45 14 44.1 066 03 02.9	Fl G	4s	.....	..... Green, marked "J9".	Year round.  <b>Chart:4117</b>
102.18	Hilyards Reef light buoy J18	45 16 13.3 066 04 17.9	Fl R	4s	.....	..... Red, marked "J18".	Year round.  <b>Chart:4117</b>
102.19	Navy Island light buoy J19	45 16 08.8 066 04 23	Fl G	4s	.....	..... Green, marked "J19".	Year round.  <b>Chart:4117</b>
102.3	Saint John Harbour light buoy J12	E. side of channel. 45 15 06.1 066 03 10.4	Fl R	4s	.....	..... Red, marked "J12".	Year round.  <b>Chart:4117</b>
103	Courtenay Bay light buoy JC4	E. side of channel. 45 15 11 066 02 50.2	Fl R	4s	.....	..... Red, marked "JC4".	Year round.  <b>Chart:4117</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>BAY OF FUNDY, N.B.</b>								
104 H4083	Courtenay Bay Breakwater	Near outer end of breakwater. 45 15 26.4 066 02 42.2	Iso R 2s	13.0	8	White hexagonal tower, red top. 9.9	Year round.  Chart:4117 Edn 07/18 (F18-023) Edn 11/18 (F18-038)	
105	Courtenay Bay Turn light buoy JC5	On W. side of turn in channel. 45 15 15.4 066 03 00	Fl G 4s	.....	.....	Green, marked "JC5".	Year round.  Chart:4117	
105.8	Courtenay Bay Turn light buoy JC8	Saint John Harbour. 45 15 23.6 066 02 47.1	Fl R 4s	.....	.....	Red spar, marked "JC8".	Year round.  Chart:4117 Edn 04/18 (F18-006)	
106	Courtenay Bay light buoy JC9	W. side of channel. 45 15 29.5 066 02 54	Fl G 4s	.....	.....	Green, marked "JC9".	Year round.  Chart:4117	
106.1	Courtenay Bay light buoy JC10	45 15 33.4 066 02 43.8	Fl R 4s	.....	.....	Red spar, marked "JC10".	Year round.  Chart:4117	
108	Courtenay Bay light buoy JC15	45 15 51.3 066 02 40.8	Q G 1s	.....	.....	Green, marked "JC15".	Year round.  Chart:4117	
108.16	Courtenay Bay light buoy JC16	45 15 52.6 066 02 32.6	Fl R 4s	.....	.....	Red spar, marked "JC16".	Year round.  Chart:4117	
110	Courtenay Basin light buoy JC20	E. side of channel. 45 16 11.2 066 02 23.5	Q R 1s	.....	.....	Red, marked "JC20".	Year round.  Chart:4117	
110.2 H4083.2	Courtenay Bay Dock 1	45 16 22.8 066 02 21.7	F R	.....	1.4	5 On 10-pile dolphin.	Privately operated. Year round.  Chart:4117	
110.3 H4083.4	<b>Courtenay Bay Inner range</b>	45 16 25.2 066 02 19	F G	.....	6.2	15 Triangular skeleton tower, red trapezoidal daymark, black vertical stripe. 6.0	Year round.	
110.4 H4083.41		021°10' 86.2m from front.	F G	.....	9.9	16 Triangular skeleton tower, red trapezoidal daymark, black vertical stripe. 8.8	Year round.  Chart:4117 Edn 07/11 (G11-085, 086)	
110.8 H4083.6	Courtenay Bay Outer Channel Sector	45 15 57.2 066 02 50.4	F AI RW AI GW	R W G	.....	8.0	12 Square skeleton tower, orange and white rectangular daymark. 6.6	Red from 001°30' to 002°30'; AI RW from 002°30' to 003°; white from 003° to 005°; AI GW from 005° to 005°30'; green from 005°30' to 006°30'. White sector indicates preferred channel. Year round.  Chart:4117

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>BAY OF FUNDY, N.B.</b>							
111	Courtenay Bay light buoy JC	Junction of Courtenay Bay Channel and Main Channel. 45 14 55 066 03 02.7	Fl R 6s (2+1)	.....	.....	Red, green and red, marked "JC".	Year round.  Chart:4117
112	America Rock light and bell buoy J14	On E. side of channel. 45 15 16.7 066 03 17.8	Fl R 4s	.....	.....	Red, marked "J14".	Year round.  Chart:4117
113.3 H4085.5	Pier 12	On E. corner of pier. 45 15 37.8 066 03 41.4	Iso G 2s	2.5	4	Rectangular skeleton tower. 2.1	Privately operated. Operates at night only. Year round.  Chart:4117 Edn 04/10 (F10-008)
114 H4089.4	Pier 1	On extreme NW. end of pier. 45 16 04 066 04 15.4	F G .....	3.9	6	Skeleton tower. 3.2	Privately operated. Year round.  Chart:4117
145	Saint John Harbour light and whistle buoy J  <b>Racon -. (N) X Band</b>	S. of Partridge Island. 45 12 55.3 066 02 36.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "J".	Year round.  Chart:4117
145.3 H4080	Black Point	S. tip of point. 45 12 59.8 066 00 27.9	Fl R 4s	11.1	7	Red and white cylindrical tower. 8.1	Operates at night only. Year round.  Chart:4117
145.4	Black Point light and bell spoil ground buoy JB	SW. of point. 45 12 27.3 066 01 00.9	Fl Y 4s	.....	.....	Yellow, marked "JB".	Year round.  Chart:4117
146 H4078	Cape Spencer	Pitch of cape. 45 11 42.5 065 54 35.5	Fl W 11s	61.6	14	Red and white cylindrical tower, red top. 8.6	Flash 1 s; eclipse 10 s. Operates 24 h. Year round.  Chart:4116 Edn 12/18 (F18-044P)
147 H4077	Black River	On SW. point entrance to river. 45 15 27.4 065 48 39.6	Fl W 4s	13.9	6	Pipe Swing Pole. 6.8	Operates at night only. Year round.  Chart:4010 Edn 04/11 (F11-049)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.B.

147.1 H4079.5	LNG West Initial (060) Sector	45 12 34.6 065 59 22.2	F AI RW AI GW	R W G	.....	23.3	.....	On building.	Red from 057°30' to 058°39'; AI RW from 058°39' to 059°39'; White from 059°39' to 060°21'; AI WG from 060°21' to 061°21'; Green from 061°21' to 062°30'. For sole use of LNG vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.	<b>Chart:4117</b> <b>Edn 07/09 (F09-022)</b>
147.12 H4079.5	LNG East Secondary (310) Sector	45 12 34.6 065 59 22.2	F AI RW AI GW	R W G	.....	23.3	5	On building. 23.3	Red from 307°30' to 308°39'; AI RW from 308°39' to 309°39'; White from 309° to 310°21'; AI WG from 310°21' to 311°21'; Green from 311°21' to 312°30'. For sole use of vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.	<b>Chart:4117</b> <b>Edn 07/09 (F09-022)</b>
147.13 H4078.7	LNG East Initial (000) Sector	45 12 51.8 065 56 51.2	F AI RW AI GW	R W G	.....	18.3	.....	On block.	Red from 358°36' to 359°06'; AI RW from 359°06' to 359°48'; white from 359°48' to 000°12'; AI GW 000°12' to 000°54'; green from 000°54' to 002°06'. For sole use of vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.	<b>Chart:4116</b> <b>Edn 08/09 (F09-047)</b> <b>Edn 12/09 (F09-047)</b>
147.14 H4078.5	LNG West Secondary (088) Sector	45 12 16.4 065 55 34.6	F AI RW AI GW	R W G	.....	23.4	.....	On block.	Red from 085°54' to 087°06'; AI RW from 087°06' to 087°48'; White from 087°48' to 088°12'; AI WG from 088°12' to 088°54'; Green from 088°54' to 089°24'. For sole use of vessels transmitting to and from Canaport facility (Occasional). Privately maintained. Year round.	<b>Chart:4116</b> <b>Edn. 08/09 (F09-046)</b>
147.17 H4079.35	LNG MD1 Jetty	45 12 21 065 59 00.3	Fl	Y	4s	7.3	5	Cylindrical mast. 7.3	Visible 360°. Privately maintained. Year round.	<b>Chart:4117</b> <b>Edn 07/09 (F09-024)</b>
147.171 H4079.3	LNG BD1 Jetty	45 12 19.2 065 58 53.2	Fl	G	4s	.....	5	Cylindrical mast. 7.4	Visible 360°. Privately maintained. Year round.	<b>Chart:4117</b> <b>Edn 07/09 (F09-025)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.B.

147.173 H4079.25	LNG BD4 Jetty	45 12 18.8 065 58 48.2	Fl G 4s	7.7	5	Cylindrical mast. 7.7	Visible 360°. Privately maintained. Year round.  <b>Chart:4117 Edn 07/09 (F09-026)</b>
147.174 H4079.2	LNG MD6 Jetty	45 12 19.3 065 58 41.3	Fl Y 4s	7.7	5	Cylindrical mast. 7.7	Visible 360°. Privately maintained. Year round.  <b>Chart:4117 Edn 07/09 (F09-027)</b>
147.21	LNG Cautionary light buoy	45 12 23.8 065 58 19.3	Fl Y 4s	.....	.....	Yellow, marked "LNG".	Privately maintained. Year round.  <b>Chart:4117 Edn 08/09 (F09-035)</b>
147.22 H4078.6	LNG Black Rock	45 12 19.6 065 56 58.2	Fl Y 4s	4.8	3	.....	Visible 360°. Privately maintained. Year round.  <b>Chart:4116 Edn 08/09 (F09-039)</b>
148	The Sisters South Cardinal light and bell buoy KB	On S. side of rocks. 45 14 30.3 065 46 55.8	Q(6) +LFl	W 15s	.....	.....	Yellow and black, marked "KB". Year round.  <b>Chart:4010</b>
149	Quaco Ledge North Cardinal light and bell buoy KW	NW. of ledge. 45 14 42.3 065 22 09.8	Q	W 1s	.....	.....	Black and yellow, marked "KW". Year round.  <b>Chart:4010</b>
150 H4076	Quaco	On Quaco Head. 45 19 25.3 065 32 08.8	Fl	W 10s	26.0	21	White rectangular tower, red upper portion. 11.6 Flash 0.3 s; eclipse 9.7 s. Year round.  Horn - Blast 3 s; sil. 27 s. Horn points 130°. Year round.  <b>Chart:4010</b>
151	Quaco light and bell buoy K15	SE. of Quaco Head Reef. 45 19 16.3 065 31 15.8	Fl	G 4s	.....	.....	Green, marked "K15". Seasonal (in place year round).  <b>Chart:4010 Edn 03/17 (F17-001)</b>
152 H4074	St. Martins	On outer end of E. breakwater pier. 45 21 18.8 065 31 55.1	LFl	R 6s	7.2	4	Triangular skeleton tower. 5.9 Flash 2 s; eclipse 4 s. Operates at night only. Year round.  <b>Chart:4010 Edn 11/10 (F10-062)</b>
155 H4064	Alma	On outer end of public wharf. 45 36 00.1 064 56 39.2	Iso	R 4s	.....	4	Pipe swing pole, red and white triangular daymark. 6.0 Year round.  <b>Chart:4337 Edn 03/17 (F16-054)</b>
155.5	Alma light and bell buoy KX	45 35 32.3 064 55 59.8	Mo(A)	W 6s	.....	.....	Red and white vertical stripes, marked "KX". (Winter spar.) Seasonal (in place year round).  <b>Chart:4337 Edn 03/17 (F17-002)</b>



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

BAY OF FUNDY, N.B.

156	Cape Enrage light and bell buoy K19	Off reef extending S. from cape. 45 35 08.8 064 47 16.3	Fl G 4s	.....	.....	Green, marked "K19".	Seasonal (in place year round).  <b>Chart:4337</b> <b>Edn 03/17 (F17-003)</b>
157 H4060	Cape Enragé	Pitch of cape. 45 35 38.1 064 46 47.7	Fl G 6s	40.7	10	White square tower, red upper portion. 9.2	Flash 1 s; eclipse 5 s. Privately maintained. Year round.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 220°.  <b>Chart:4337</b> <b>Edn 05/13 (F13-002)</b>