

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

Chedabucto Bay

686.5	Chedabucto Bay light buoy CF	45 23 54.3 061 03 00.6	Mo(A) W 6s	Red and white vertical stripes, marked "CF".	Year round. Chart:4307 Edn 03/11 (G11-025)
686.7	Chedabucto Bay light buoy C2	45 25 38.1 061 06 17.3	Q R 1s	Red, marked "C2".	Year round. Chart:4308 Edn 03/11 (G11-026)
686.8	Chedabucto Bay light buoy CGB	45 28 24.3 061 10 23.7	Mo(A) W 6s	Red and white vertical stripes, marked "CGB".	Year round. Chart:4307 Edn 03/11 (G11-027)

Strait of Canso

687.1	Argos Shoal light buoy CS1	45 29 11.3 061 12 16.6	Q G 1s	Green, marked "CS1".	Year round. Chart:4307 Edn 03/11 (G11-028)
687.2	Chedabucto Bay light and bell buoy C7	45 28 07.2 061 10 49.8	Fl G 4s	Green, marked "C7".	Year round. Chart:4307 Edn 03/11 (G11-029)
687.3	Chedabucto Bay light and bell buoy C8	45 28 42.3 061 09 55.6	Fl R 4s	Red, marked "C8".	Year round. Chart:4307 Edn 03/11 (G11-030)
687.4	Chedabucto Bay light buoy C10	45 30 40.3 061 12 18.6	Fl R 4s	Red, marked "C10".	Year round. Chart:4302 Edn 03/11 (G11-031) Edn 05/13 (G13-009)
687.5	Chedabucto Bay light and bell buoy C11	45 31 48.3 061 14 17.6	Fl G 4s	Green, marked "C11".	Year round. Chart:4302 Edn 03/11 (G11-032) Edn 05/13 (G13-009)
687.7	Chedabucto Bay light buoy C13	45 32 17.8 061 15 28.6	Q G 1s	Green, marked "C13".	Year round. Chart:4302 Edn 03/11 (G11-033) Edn 05/13 (G13-009)
687.8	Chedabucto Bay light buoy C14	45 32 37.3 061 15 45.6	Fl R 4s	Red, marked "C14".	Year round. Chart:4302 Edn 03/11 (G11-034) Edn 05/13 (G13-009)
688	Chedabucto Bay light buoy C16	45 32 31.3 061 17 30.6	Q R 1s	Red, marked "C16".	Year round. Chart:4302 Edn 03/11 (G11-035) Edn 05/13 (G13-009)
688.1	Chedabucto Bay light buoy C17	45 32 39.3 061 18 27.6	Fl G 4s	Green, marked "C17".	Year round. Chart:4302 Edn 07/12 (G12-123) Edn 05/13 (G13-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

688.2	Chedabucto Bay light buoy C18	45 33 29.3 061 19 17.6	Fl R 4s	Red, marked "C18".	Year round. Chart:4302 Edn 07/12 (G12-124) Edn 05/13 (G13-009)
688.4	Chedabucto Bay light buoy C20	45 33 44.3 061 19 57.6	Q R 1s	Red, marked "C20".	Year round. Chart:4302 Edn 03/11 (G11-036) Edn 05/13 (G13-009)
688.5	Chedabucto Bay light buoy C21	45 34 58.8 061 22 01.6	Fl G 4s	Green, marked "C21".	Year round. Chart:4302 Edn 07/12 (G12-125) Edn 05/13 (G13-009)
689.1	Eddy Point Cautionary light buoy CY	45 31 27.7 061 14 37.5	Fl Y 4s	Yellow spar, marked "CY".	Year round. Chart:4302 Edn 09/11 (G11-244) Edn 05/13 (G13-009)
689.3 H3421	Eddy Point range	SE. entrance, Strait of Canso. 45 31 12.2 061 15 07.4	Oc Y 11s	11.9	15	Triangular skeleton tower, white daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24 h. Year round.
689.4 H3421.1		124°51' 361m from front.	Fl W 4s	12.3	Year round.
689.7 H3419	Port Malcolm range	Seacoal Bay Entrance. 45 34 32.7 061 17 16.9	F W 19.7	25	Triangular skeleton tower, white daymark, red vertical stripe.	Operates 24 h. Visible in line of range. Year round.	
689.8 H3419.1		319°50' 790.7m from front.	F W 46.6	25	Triangular skeleton tower, white daymark, red vertical stripe.	Operates 24 h. Visible in line of range. Year round.	
690 H3422	Bear Head Direction	SE. end. 45 32 53.8 061 17 17.6	Fl W 4s	14.6	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Increased intensity on a bearing of 297°. Operates at night only. Year round. Chart:4302 Edn 05/13 (G13-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

690.3 H3425	Middle Melford range	45 32 21.7	F G	13.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
		061 18 53.2	Fl W	4s	14.3	7	7.8	
690.4 H3425.1		268°05' 92.4 m from front.	F G	20.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
			Fl W	4s	21.2	7	13.8	
								Chart:4302 Edn 05/13 (G13-009) Edn 07/18 (G18-068, 069)
692 H3426	Park Point range	On point, W. side of Strait.	F G	12.3	17	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
			45 32 35.8 061 19 16.0					11.0
693 H3426.1		146°18' 316.9m from front.	F G	25.1	17	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates 24 h. Year round.
							19.3	
								Chart:4302 Edn 03/16 (G16-023) Edn 06/17 (G17-019, 020)
694.4 H3427	Cahil Rock range	S. of rock.	F Y	12.9	18	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.
			45 34 13.2 061 21 17.5	Fl W	4s	13.5	12.7
694.5 H3427.1		304°46' 176.1m from front.	Oc Y	11s	27.5	18	Triangular skeleton tower, white daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Year round.
			Fl W	4s	28.1	12.3	
								Chart:4302 Edn 05/13 (G13-009)
695	Point Tupper light buoy C26	45 36 20.8 061 22 33.1	Fl	R	4s	Red, marked "C26". Year round.
								Chart:4302 Edn 07/12 (G12-126) Edn 05/13 (G13-009)
696 H3430	Point Tupper	On small shed on Gypsum loading pier. 45 36 27.4 061 22 27.0	F	R	29.6	Mast on small shed. Privately operated. Operates at night only. Year round.
								Chart:4302 Edn 05/13 (G13-009)
696.5	Premier Shoal light buoy CL4	45 36 47.3 061 22 10.6	Fl	R	4s	Red spar, marked "CL4". Year round.
								Chart:4302 Edn 07/12 (G12-128) Edn 05/13 (G13-009)
697 H3434	Cape Porcupine range	S. side of Canso Causeway.	F G	9.9	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
			45 38 41.9 061 25 05.8					6.1
698 H3434.1		144°06' 1583.3m from front.	F G	21.8	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
							13.8	
								Chart:4302 Edn 09/11 (G11-061) Edn 05/13 (G13-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

699	Dixon Rock light buoy C28	45 38 31.3 061 24 11.6	Fl R 4s	Red, marked "C28".	Year round. Chart:4302 Edn 07/12 (G12-127) Edn 05/13 (G13-009)
700 H3432	Canso Canal SE. mooring dock	45 38 46.6 061 24 32.0	Fl Y 4s	4.8	Mast.	Privately operated. Operates at night only. Year round. Chart:4302 Edn 05/13 (G13-009)
700.5 H3432.5	Canso Causeway	On swing bridge. 45 38 50.8 061 24 45.6	Fl R 4s F R F W	16.2	Preparing to open bridge. FR - Bridge completely closed. FW - Bridge completely open. Year round. Chart:4302 Edn 05/13 (G13-009)
701 H3436	Balache Point range	N. end of Canso Lock. 45 38 57.7 061 24 59.4	Oc Y 11s	6.0	16	Square skeleton tower, white trapezoidal daymark, red vertical stripe. 3.5	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.
702 H3436.1		131°30' 219.84m from front.	Oc Y 11s	13.0	16	White square tower, red upper portion, red vertical stripe. 7.5	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal. Chart:4302 Edn 01/12 (G11-330) Edn 01/12 (G11-331) Edn 05/13 (G13-009)
703 H3433	Canso Canal NE. mooring berth	At outer end of NW. mooring dock. 45 39 11.3 061 25 12.6	Fl Y 4s	5.5	Mast.	Privately operated. Operates at night only. Year round. Chart:4302 Edn 05/13 (G13-009)
704 H3423	Janvrin Island range	At Thomas Head. 45 32 31.3 061 12 01.6	F Y Fl W 4s	12.6 13.1	15 7	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates 24 h. Year round.
704.1 H3423.1		088°10' 300.2 m from front.	F Y Fl W 4s	25.0 25.5	15 7	Triangular skeleton tower, white daymark, red vertical stripe. 15.1	Visible in line of range. Operates 24 h. Year round. Chart:4302 Edn 05/13 (G13-009) Edn 07/18 (G18-105, 106)